BAGONG PILIPINAS

**FHSIS REPORT for the Month:** DECEMBER **Year:** 2025
**Name of Barangay:** MAGUPANGE
**Name of Barangay Health Station:** STA CRUZ
**Name of Municipality/City:** PLACER
**Name of Province:** SURIGAO DEL NORTE
**Projected Population of the Year:** 297

# M1BRGY

## SECTION A. FAMILY PLANNING SERVICES FOR WOMEN OF REPRODUCTIVE AGE

| Demand Satisfied | Age Group 10-14 yrs old | 15-19 yrs old | 20-49 yrs old | Total Demand | Remarks |
|---|---|---|---|---|---|
| 1. No. of women of reproductive age (WRA) 15-49 years old who have demand for Family Planning (FP) and currently using, or whose partner is currently using, any modern FP methods | | | | 0 | |

| Modern FP Methods | Current Users (Beginning of the Month) 10-14 | 15-19 | 20-49 | TOTAL | Acceptors: New Acceptors (Previous Month) 10-14 | 15-19 | 20-49 | TOTAL | Other Acceptors (Present Month) 10-14 | 15-19 | 20-49 | TOTAL | Drop-outs (Present Month) 10-14 | 15-19 | 20-49 | TOTAL | Current User (End of the Month) 10-14 | 15-19 | 20-49 | TOTAL | New Acceptors (Present Month) 10-14 | 15-19 | 20-49 | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. BTL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| 2. NSV | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| 3. Condom | 0 | 0 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | | | | 0 |
| 4. Pills | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| a. Pills-POP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| b. Pills-COC | 0 | 0 | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 8 | | | | 0 |
| 5. Injectables (DMPA/POI) | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | | | | 0 |
| 6. Implant | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| a. Implants-Interval | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | | | | 0 |
| b. Implants-PP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| 7. IUD | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| a. IUD-Interval | 0 | 0 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | | | | 0 |
| b. IUD-PP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| 8. NFP-LAM | 0 | 1 | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 6 | | | | 0 |
| 9. NFP-BBT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| 10. NFP-CMM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| 11. NFP-STM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| 12. NFP-SDM | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| Total Current Users | 0 | 1 | 24 | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 25 | 26 | 0 | 0 | 0 | 0 |

## SECTION B. MATERNAL CARE AND SERVICES

### PRENATAL CARE SERVICES

| Indicators | Age Group 10-14 | 15-19 | 20-49 | TOTAL | Remarks |
|---|---|---|---|---|---|
| 1a. Women who gave birth with at least 4 prenatal check-ups (for 01 to 03 2025 only) | 0 | 0 | 0 | 0 | *FHSIS MOP 2018* |
| 1b. Total No. of Women who delivered and completed at least 8ANC **=(a+b)** | 0 | 0 | 0 | 0 | |
| a. No. of Women who delivered and Provided **1st to 8th ANC** on schedule | 0 | 0 | 0 | 0 | |
| b. No. of Women who delivered and completed at least 8ANC **TRANS IN** from other LGUs | 0 | 0 | 0 | 0 | |
| 1c. Total No. of Women who delivered and were tracked during pregnancy **=(a+b)** | 0 | 0 | 0 | 0 | Total No. 4ANC delivered & tracked: 0 0 0 |
| a. No. of Women who delivered and who were **tracked** during pregnancy ***(RESIDENT)*** | 0 | 0 | 0 | 0 | **RESIDENT**: 0 0 0 |
| b. No. of **TRANS IN** from other LGUs | 0 | 0 | 0 | 0 | ***TRANS IN*** |
| c. No. of **TRANS OUT** (with MOV) before completing 8ANC ***(counts only)*** | | | | 0 | |
| 2a. Number of pregnant women seen in the first trimester who have **normal BMI** | 0 | 0 | 0 | 0 | |
| 2b. Number of pregnant women seen in the first trimester who have **Low BMI** | 0 | 0 | 0 | 0 | |
| 2c. Number of pregnant women seen in the first trimester who have **High BMI** | 0 | 0 | 0 | 0 | |
| 3a. Number of women pregnant for the ***first time*** given ***at least 2 doses*** of Tetanus diphtheria (Td) vaccination | 0 | 0 | 0 | 0 | |

| Indicators | Age Group 10-14 | 15-19 | 20-49 | TOTAL | Remarks |
|---|---|---|---|---|---|
| 3b. Number of Pregnant Women for the **2nd or more times** given at least 3 doses of Td vaccination (Td2 Plus) | 0 | 0 | 0 | 0 | |
| 4. Number of pregnant women who ***completed*** the dose of **iron with folic acid supplementation** | 0 | 0 | 0 | 0 | |
| 5. No. of pregnant women who **completed** the dose **Multiple Micronutrient Supplementation (MMP)** | 0 | 0 | 0 | 0 | |
| 6. No. of **high-risk pregnant** women who **completed the dose of calcium carbonate supplementation** | 0 | 0 | 0 | 0 | |
| 7. No. of pregnant women given **one dose of deworming tablet** | 0 | 0 | 0 | 0 | |
| 8a. No of pregnant women **screened for Hepatitis B** | 0 | 0 | 0 | 0 | |
| 8b. No of pregnant women screened **reactive for Hepatitis B** | 0 | 0 | 0 | 0 | |
| 9a. No of pregnant women **screened for Anemia** | 0 | 0 | 0 | 0 | |
| 9b. No of pregnant women **diagnosed with Anemia** | 0 | 0 | 0 | 0 | |
| 10a. No of pregnant women **screened for Gestational Diabetes Melitus** | 0 | 0 | 0 | 0 | |
| 10b. No of pregnant women **tested positive for Gestational Diabetes Melitus** | 0 | 0 | 0 | 0 | |

### INTRAPARTUM AND NEWBORN CARE

| Indicators | Age Group 10-14 | 15-19 | 20-49 | TOTAL | Remarks |
|---|---|---|---|---|---|
| 1. Total Deliveries | 0 | 0 | 0 | 0 | |
| 2. No. of Livebirths | 0 | 0 | 0 | 0 | |
| a. **Normal** birth weight | 0 | 0 | 0 | 0 | |
| b. **Low** birth weight | 0 | 0 | 0 | 0 | |
| c. **Unknown** birth weight | 0 | 0 | 0 | 0 | |
| 3. No. of deliveries attended by **skilled health professionals (SHP)** | 0 | 0 | 0 | 0 | |
| a. Physicians | 0 | 0 | 0 | 0 | |
| b. Nurses | 0 | 0 | 0 | 0 | |
| c. Midwives | 0 | 0 | 0 | 0 | |

| Indicators | Age Group 10-14 | 15-19 | 20-49 | TOTAL | Remarks |
|---|---|---|---|---|---|
| 4. No. of **facility based deliveries (FBD)** | 0 | 0 | 0 | 0 | |
| a. **Public** facility | 0 | 0 | 0 | 0 | |
| b. **Private** facility | 0 | 0 | 0 | 0 | |
| 5a. No. of **Vaginal** deliveires | 0 | 0 | 0 | 0 | |
| 5b. No. of **Cesarean** section | 0 | 0 | 0 | 0 | |
| 5c. No. of **Combined Vaginal-Cesarean** Delivery | 0 | 0 | 0 | 0 | |
| 6a. No. of **Full-Term** deliveries | 0 | 0 | 0 | 0 | |
| 6b. No. of **Pre-Term** Deliveries | 0 | 0 | 0 | 0 | |
| 6c. No. of **Fetal deaths** | 0 | 0 | 0 | 0 | |
| 6d. No. of abortion/miscarriage *(count only)* | 0 | 0 | 0 | 0 | |

### POSTPARTUM CARE

| Indicators | Age Group 10-14 | 15-19 | 20-49 | TOTAL | Remarks |
|---|---|---|---|---|---|
| 1a. Number and proportion of Postpartum women together with their newborn who completed at least 2PNC (for 01 Jan) | 0 | 0 | 0 | 0 | |
| 1b. Total No. of women who delivered and completed at least 4PNC **=(a+b)** | 0 | 0 | 1 | 1 | |
| a. No. of women who delivered and Provided **1st to 4th PNC** on schedule | 0 | 0 | 1 | 1 | SAJOL |
| b. No. of women who delivered and completed at least 4PNC **TRANS IN** from other LGUs | 0 | 0 | 0 | 0 | |
| 1c. Total No. of women who delivered and who were tracked during pregnancy **=(a+b)-c** | 0 | 0 | 0 | 0 | |
| a. No. of women who delivered and who were tracked during pregnancy ***(RESIDENT)*** | 0 | 0 | 0 | 0 | |
| b. No. of **TRANS IN** from other LGUs | 0 | 0 | 0 | 0 | |
| c. No. of **TRANS OUT** (with MOV) before completing 4PNC | 0 | 0 | 0 | 0 | |

| Indicators | Age Group 10-14 | 15-19 | 20-49 | TOTAL | Remarks |
|---|---|---|---|---|---|
| 2. Number of postpartum women who **completed** the dose of **iron with folic acid supplementation** | 0 | 0 | 0 | 0 | |
| 3. Number of postpartum women who **completed** the dose of **Vitamin A supplementation** | 0 | 0 | 0 | 0 | |

## SECTION C. CHILD CARE AND SERVICES

### IMMUNIZATION

| Indicators | Sex Male | Female | Total | Remarks |
|---|---|---|---|---|
| **A.1. Immunization Services** | | | | |
| 1. Children protected at birth **(CPAB)** | 0 | 0 | 0 | |
| 2. BCG (with in **0-28 days**) | 0 | 0 | 0 | |
| 3. BCG (**29 days to 1 year old**) | 1 | 0 | 1 | SAJOL |
| **A.2. Immunization Services (0-12 months old)** | | | | |
| 1. DPT-HIB-HepB 1 | 0 | 0 | 0 | |
| 2. DPT-HIB-HepB 2 | 0 | 0 | 0 | |
| 3. DPT-HIB-HepB 3 | 0 | 0 | 0 | |
| 4. OPV 1 | 0 | 0 | 0 | |
| 5. OPV 2 | 0 | 0 | 0 | |
| 6. OPV 3 | 0 | 0 | 0 | |
| 7. IPV 1 | 0 | 0 | 0 | |
| **A.3. Immunization Services (13-23 months old)** | | | | |
| 1. DPT-HIB-HepB 1 | 0 | 0 | 0 | |

| Indicators | Sex Male | Female | Total | Remarks |
|---|---|---|---|---|
| 4. Hep B antigen with in 24 hrs after birth | 0 | 0 | 0 | |
| 5. Hep B antigen more than 24 hrs up to 14 | 0 | 0 | 0 | |
| 8. IPV 2 | 0 | 0 | 0 | |
| 9. PCV 1 | 0 | 0 | 0 | |
| 10. PCV 2 | 0 | 0 | 0 | |
| 11. PCV 3 | 0 | 0 | 0 | |
| 12. MMR 1 | 0 | 0 | 0 | |
| 13. MMR 2 | 0 | 0 | 0 | |
| 14. FIC | 0 | 0 | 0 | |
| 8. IPV 2 | 0 | 0 | 0 | |

| | | | | |
|---|---|---|---|---|
| 4. OPV 1 | 0 | 0 | 0 | |
| 5. OPV 2 | 0 | 0 | 0 | |
| 6. OPV 3 | 0 | 0 | 0 | |
| 7. IPV 1 | 0 | 0 | 0 | |

| | | | | |
|---|---|---|---|---|
| 11. PCV 3 | 0 | 0 | 0 | |
| 12. MMR 1 | 0 | 0 | 0 | |
| 13. MMR 2 | 0 | 0 | 0 | |
| 14. CIC | 0 | 0 | 0 | |

| Indicators | Sex | | | Remarks |
|---|---|---|---|---|
| | Male | Female | Total | |
| **A.4. School-Based Immunization** | | | | |
| 1. HPV 1st dose (9 years old Female only) | [redacted] | 0 | 0 | |
| 2. HPV 2nd dose (9 years old Female only) | [redacted] | 0 | 0 | |
| 3. Grade 1 learners given Td | 0 | 0 | 0 | |

| Indicators | Sex | | | Remarks |
|---|---|---|---|---|
| | Male | Female | Total | |
| 4. Grade 1 learners given MR | 0 | 0 | 0 | |
| 5. Grade 7 learners given Td | 0 | 0 | 0 | |
| 6. Grade 7 learners given MR | 0 | 0 | 0 | |

| Indicators | Sex | | | Remarks |
|---|---|---|---|---|
| | Male | Female | Total | |
| **NUTRITION** | | | | |
| 1. a Newborns who were initiated on breastfeeding within **1 hour after birth** | 1 | 0 | 1 | |
| 1.b Infants exclusively breastfed until **5th month and 29 days** | 0 | 0 | 0 | |
| 1.c Infants who **continued breastfeeding** and were introduced to **complementary feeding** beginning at 6 months of age | 0 | 0 | 0 | |
| 2. Infants born with **low birth weight** (LBW) given **complete iron supplements** | 0 | 0 | 0 | |
| 3a. Infants aged 6-11 months old who **received 1 dose of Vitamin A supplementation** | 0 | 0 | 0 | |
| 3b. Children aged 12-59 months old who **completed 2 doses of Vitamin A Supplementation** | 0 | 0 | 0 | |

| Indicators | Sex | | | Remarks |
|---|---|---|---|---|
| | Male | Female | Total | |
| 4a. Infants aged **6-11 months old** who completed routine **MNP supplementation** | 0 | 0 | 0 | |
| 4b. Children aged **12-23 months old** who completed routine **MNP supplementation** | 0 | 0 | 0 | |
| 5a. Infants aged **6-11 months old** who completed routine **LNS-SQ supplementation** | 0 | 0 | 0 | |
| 5b. Children aged **12-23 months old** who completed routine **LNS-SQ supplementation** | 0 | 0 | 0 | |
| [redacted] | | | | |

| Indicators | Sex | | | Remarks |
|---|---|---|---|---|
| | Male | Female | Total | |
| 6. Children 0-59 months old SEEN during the reporting period at health facilities | 0 | 0 | 0 | |
| 6a. Identified **MAM** | 0 | 0 | 0 | |
| 6b. Identified **SAM** | 0 | 0 | 0 | |
| 7. **MAM** enrolled to SFP | 0 | 0 | 0 | |
| 7a. Cured | 0 | 0 | 0 | |
| 7b. Non-cured | 0 | 0 | 0 | |
| 7c. Defaulted | 0 | 0 | 0 | |

| Indicators | Sex | | | Remarks |
|---|---|---|---|---|
| | Male | Female | Total | |
| 7d. Died | 0 | 0 | 0 | |
| 8. **SAM** without complication admitted to OTC | 0 | 0 | 0 | |
| 8a. Cured | 0 | 0 | 0 | |
| 8b. Non-cured | 0 | 0 | 0 | |
| 8c. Defaulted | 0 | 0 | 0 | |
| 8d. Died | 0 | 0 | 0 | |
| [redacted] | | | | |

| Indicators | Sex | | | Remarks |
|---|---|---|---|---|
| | Male | Female | Total | |
| **MANAGEMENT OF SICK** | | | | |
| 1. Sick infants aged **6-11 months old seen** | 0 | 0 | 0 | |
| 1a. Sick infants aged **6-11 months old** who **received Vitamin A capsule** aside from routine supplementation | 0 | 0 | 0 | |
| 2. Sick infants aged **12-59 months old seen** | 0 | 0 | 0 | |
| 2a. Sick infants aged **12-59 months old** who **received Vitamin A capsule** aside from routine supplementation | 0 | 0 | 0 | |
| 3. Acute diarrhea cases **0-59 months old seen** | 0 | 0 | 0 | |

| Indicators | Sex | | | Remarks |
|---|---|---|---|---|
| | Male | Female | Total | |
| 3a. 0-59 months old with acute diarrhea who **received ORS only** | 0 | 0 | 0 | |
| 3b. 0-59 months old with acute diarrhea who **received ORS and Zinc drops/syrup** | 0 | 0 | 0 | |
| 4. Pneumonia cases **0-59 months old seen** | 0 | 0 | 0 | |
| 4a. 0-59 months old with pneumonia who **received antibiotic treatment** | 0 | 0 | 0 | |
| [redacted] | | | | |

## SECTION D. ORAL HEALTH CARE SERVICES

## SECTION E. NON-COMMUNICABLE DISEASES

| Indicators | Sex | | Total | Remarks |
|---|---|---|---|---|
| | Male | Female | | |
| **E1. Lifestyle Related** | | | | |
| 1. Adults **20-59 years old** who were risk assessed using the PhilPEN protocol | 0 | 0 | 0 | *Actual* |
| 1a. With history of smoking | 0 | 0 | 0 | |
| 1b. Binge Drinker | 0 | 0 | 0 | |
| 1c. Insufficient physical activities | 0 | 0 | 0 | |
| 1d. Consumed unhealthy diet | 0 | 0 | 0 | |
| 1e. Overweight | 0 | 0 | 0 | |
| 1f. Obese | 0 | 0 | 0 | |
| **E2. Cardiovascular Disease Prevention and Control** | | | | |
| 1. Adults 20-59 years old who were identified as hypertensive using the PhilPEN protocol | | 0 | 0 | *Actual* |
| 2. Hypertensives 20-59 years old provided with antihypertensive medications | 0 | 0 | 0 | *Cummulative* |
| 2a. Provided by facility (100%) | | | 0 | |
| 2b. Out of pocket | | | 0 | |
| 3. Senior Citizens 60 years old and above who were identified as hypertensive using the PhilPEN protocol | 0 | | 0 | |
| 4. Hypertensives 60 years old and above provided with antihypertensive medications | 0 | 0 | 0 | |
| 4a. Provided by facility (100%) | | | 0 | |
| 4b. Out of pocket | | | 0 | |

| Indicators | Sex | | Total | Remarks |
|---|---|---|---|---|
| | Male | Female | | |
| 2. Senior Citizens **60 years old and above** who were risk assessed using the PhilPEN protocol | 0 | 0 | 0 | *Actual* |
| 2a. With history of smoking | 0 | 0 | 0 | |
| 2b. Binge Drinker | 0 | 0 | 0 | |
| 2c. Insufficient physical activities | 0 | 0 | 0 | |
| 2d. Consumed unhealthy diet | 0 | 0 | 0 | |
| 2e. Overweight | 0 | 0 | 0 | |
| 2f. Obese | 0 | 0 | 0 | |
| **E3. Diabetes Mellitus Prevention and Control** | | | | |
| 1. Adults 20-59 years old who were identified with Type II Diabetes using the PhilPEN protocol | | | 0 | *Actual* |
| 2. Type II Diabetics 20-59 years old provided with antidiabetic medications | 0 | 0 | 0 | *Cummulative* |
| 2a. Provided by facility (100%) | | | 0 | |
| 2b. Out of pocket | | | 0 | |
| 3. Senior Citizens 60 years old and above who were identified with Type II Diabetes using the PhilPEN protocol | | | 0 | |
| 4. Type II Diabetics 60 years old and above provided with antidiabetic medications | 0 | 0 | 0 | |
| 4a. Provided by facility (100%) | | | 0 | |
| 4b. Out of pocket | | | 0 | |

| Indicators | Sex | | Total | Remarks |
|---|---|---|---|---|
| | Male | Female | | |
| **E4. Blindness Prevention Program** | | | | |
| 1. Senior citizens aged 60 years old and above **screened for visual acuity** | 0 | 0 | 0 | |
| 2. Senior citizens aged 60 years old and above screened for visual acuity and **identified with eye disease/s** | 0 | 0 | 0 | |
| 3. Senior citizens identified **with eye disease/s** and **referred to eye care professionals** | 0 | 0 | 0 | |
| [redacted] | | | | |

| Indicators | Sex | | Total | Remarks |
|---|---|---|---|---|
| | Male | Female | | |
| **E5. Immunization for Senior Citizens** | | | | |
| 1. Senior Citizens Seen who had **not previously received PPV** upon reaching 60 years old | 0 | 0 | 0 | |
| 2. Senior citizens aged 60 years old and above **who received one (1) dose of Pneumococcal** | 0 | 0 | 0 | |
| 3. Senior Citizens **Seen** | 0 | 0 | 0 | |
| 4. Senior citizens aged 60 years old and above **who received one (1) dose of Influenza Vaccine** | 0 | 0 | 0 | |

| Indicators | Sex | | Total | Remarks |
|---|---|---|---|---|
| | Male | Female | | |
| **E6. Cervical Cancer Prevention and Control Services** | | | | |
| 1. Women aged 30-65 years old screened or **assessed for cervical cancer** | 0 | 0 | 0 | |
| 1a. VIA | 0 | 0 | 0 | |
| 2a. PapSmear | 0 | 0 | 0 | |
| 3a. HPV DNA | 0 | 0 | 0 | |
| 4a. Assessed Only | 0 | 0 | 0 | |
| 2. Women aged 30-65 years old found **suspicious for cervical cancer** | 0 | 0 | 0 | |

| Indicators | Sex | | Total | Remarks |
|---|---|---|---|---|
| | Male | Female | | |
| **E7. Breast Cancer Prevention and Control Services** | | | | |
| 1. High-risk asymptomatic or symptomatic women aged 30-69 years old provided with **Breast Cancer Early Detection Services** | 0 | 0 | 0 | |
| 1a. Clinical Breast Examination | 0 | 0 | | |
| 1b. Mammogram | 0 | 0 | | |
| 2. High-risk asymptomatic or symptomatic women aged 30-69 years old found with **remarkable or significant results** | 0 | 0 | 0 | |
| 2a. Clinical Breast Examination | 0 | 0 | | |
| 2b. Mammogram | 0 | 0 | 0 | |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 3. Women aged 30-65 years old found **suspicious for cervical cancer and linked to care** | 0 | 0 | 0 | | 3. High-risk asymptomatic or symptomatic women aged 30-69 years old found with **remarkable results and linked to care** | 0 | 0 | 0 | |
| 3a. Treated | 0 | 0 | 0 | | 4. Asymptomatic women aged 50-69 years old **screened for breast cancer** | 0 | 0 | 0 | |
| 3b. Referred | 0 | 0 | 0 | | 4a. Clinical Breast Examination | 0 | 0 | 0 | |
| 4. Women aged 30-65 years old found **positive for precancerous lesions** | 0 | 0 | 0 | | 4b. Mammogram | 0 | 0 | 0 | |
| 5. Women aged 30-65 years old found positive for **precancerous lesions and linked to care** | 0 | 0 | 0 | | 5. Asymptomatic women aged 50-69 years old screened for **breast cancer** and found with **remarkable or significant results** | 0 | 0 | 0 | |
| 5a. Treated | 0 | 0 | 0 | | 5a. Clinical Breast Examination | 0 | 0 | 0 | |
| 5b. Referred | 0 | 0 | 0 | | 5b. Mammogram | 0 | 0 | 0 | |
| [redacted] | | | | | 6. Asymptomatic women aged 50-69 years old screened for **breast cancer** and found with **remarkable or significant results and linked to care** | 0 | 0 | 0 | |

| Indicators | Age Groups (in years) 0-9 Male | 0-9 Female | 10-19 Male | 10-19 Female | 20-59 Male | 20-59 Female | 60 and above Male | 60 and above Female | Total | Remarks |
|---|---|---|---|---|---|---|---|---|---|---|
| **E8. Mental Health** | | | | | | | | | | |
| 1. Individuals with mental health concern screened using the **Mental Health Gap Action Programme (mhGAP)** | | | | | | | | | 0 | |

## SECTION F. ENVIRONMENTAL HEALTH AND SANITATION

| Indicators | Total | Remarks | Indicators | Total | Remarks |
|---|---|---|---|---|---|
| **G1. Water** | | | **G1. Sanitation** | | |
| 1. Households (HHs) with access to improved water supply - Total | 91 | | 1. HH with **basic sanitation** facility - Total | 87 | |
| 1a. HH with Level I | 0 | | 1a. HH with pour/flush toilet connected to a **septic tank** | 87 | |
| 1b. HH with Level II | 0 | | 1b. HHs with pour/flush toilet connected to **community sewer/sewerage system or any other approved treatment system** | 0 | |
| 1c. HH with Level III | 91 | | 1c. HH with **Ventilated Improved Pit (VIP) Latrine** | 0 | |
| 2. HH using **safely managed drinking** water service | 91 | | 2. HH using **safely managed** sanitation service | 87 | |

## SECTION G. INFECTIOUS DISEASE PREVENTION AND CONTROL SERVICES

| Indicators | Sex Male | Sex Female | Sex Total | Remarks | Indicators | Sex Male | Sex Female | Sex Total | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| **A. Filariasis** | | | | | | | | | |
| 1. No. of individuals examined for lymphatic filariasis | 0 | 0 | 0 | | 3. No. of lymphatic filariasis cases examined with manifestations | 0 | 0 | 0 | |
| 2. No. of individuals examined found positive for lymphatic filariasis | 0 | 0 | 0 | | [redacted] | | | | |
| **B. Rabies** | | | | | | | | | |
| 4. Animal Bites | 0 | 0 | 0 | | 5.Deaths due to Rabies | 0 | 0 | 0 | |

| Indicators | Sex Male | Sex Female | Sex Total | Remarks | Indicators | Sex Male | Sex Female | Sex Total | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| **C. Schistosomiasis** | | | | | | | | | |
| 1. No. of patients **SEEN** | 0 | 0 | 0 | | 5. Number of **CHRONIC** Clinically Diagnosed Cases | 0 | 0 | 0 | |
| 2. No. of **SUSPECTED** CASES seen | 0 | 0 | 0 | | 6. Number of **CHRONIC** Clinically Diagnosed Cases Confirmed by **Stool Examination** | 0 | 0 | 0 | |
| 3. No. of **ACUTE** Clinically Diagnosed Cases | 0 | 0 | 0 | | 7. Number of CHRONIC Clinically Diagnosed Cases **Treated** in the Health Facility Among **ACUTE and CHRONIC Cases** | 0 | 0 | 0 | |
| 4. Number of **ACUTE** Confirmed Case Positive by Stool Examination | 0 | 0 | 0 | | 8. Number of CONFIRMED Chronic Cases **referred** to Hospital Facility | 0 | 0 | 0 | |

| Indicators | Sex Male | Sex Female | Sex Total | Remarks | Indicators | Sex Male | Sex Female | Sex Total | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| **D. Soil-Transmitted Helminthiasis** | | | | | | | | | |
| 9. 12-59 months old who completed 2 doses of deworming tablet | 0 | 0 | 0 | | 12. WRA 20-49 years old who completed 2 doses of deworming tablet | 0 | 0 | 0 | |
| 10. 5-9 years old who completed 2 doses of deworming tablet | 0 | 0 | 0 | | 13. Pregnant women who completed 1 dose of deworming tablet | 0 | 0 | 0 | |
| 11. 10-19 years old who completed 2 doses of deworming tablet | 0 | 0 | 0 | | [redacted] | | | | |

| Indicators | Sex Male | Sex Female | Sex Total | Remarks | Indicators | Sex Male | Sex Female | Sex Total | Remarks |
|---|---|---|---|---|---|---|---|---|---|
| **E. Leprosy** | | | | | | | | | |
| 14. Leprosy cases on treatment during reporting period (Leprosy Prevalence Rate) | 0 | 0 | 0 | | 15. Newly detected cases during reporting period (Case Detection Rate) | 0 | 0 | 0 | |
| **F. HIV-AIDS/STI** | | | | | | | | | |
| 1. No. of pregnant women screened for syphilis | [redacted] | 0 | 0 | 10-14 =<br>15-19 =<br>20-49 = | 3. No. of pregnant women screened for HIV | [redacted] | 0 | 0 | |
| 2. No. of pregnant women tested positive for syphilis | [redacted] | 0 | 0 | 10-14 =<br>15-19 =<br>20-49 = | 4. No. of pregnant women screened reactive for HIV | [redacted] | 0 | 0 | |

## SECTION C. VITAL STATISTICS

| Indicators | Age Group 10-14 | 15-19 | 20-49 | TOTAL | Remarks |
|---|---|---|---|---|---|
| **Part I. Mortality** | | | | | |
| 1. Maternal Mortality - Total | 0 | 0 | 0 | 0 | |
| a. Direct | 0 | 0 | 0 | 0 | |
| a1. Resident | 0 | 0 | 0 | 0 | |
| a2. Non-Resident | 0 | 0 | 0 | 0 | |
| b. Indirect | 0 | 0 | 0 | 0 | |
| b1. Resident | 0 | 0 | 0 | 0 | |
| b2. Non-Resident | 0 | 0 | 0 | 0 | |

| | Male | Female | Total | Remarks |
|---|---|---|---|---|
| 2. Total Deaths | 0 | 1 | 1 | |
| 3. Under-five Deaths-Total | 0 | 0 | 0 | |
| 4. Infant Deaths-Total | 0 | 0 | 0 | |
| 5. Neonatal Deaths-Total | 0 | 0 | 0 | |
| 6. Perinatal Deaths-Total | 0 | 0 | 0 | |
| 7. Fetal Deaths-Total | 0 | 0 | 0 | |
| 8. Early Neonatal Deaths-Total | 0 | 0 | 0 | |

| Indicators | Sex Male | Sex Female | Sex Total | Remarks |
|---|---|---|---|---|
| **Part II. Natality** | | | | |
| 1. Live births (all ages) | 0 | 0 | 0 | |
| 2. Adolescent Birth Rate (ABR) | 0 | 0 | 0 | |
| a. <10 years old | 0 | 0 | 0 | |
| b. 10-14 years old | 0 | 0 | 0 | |
| c. 15-19 years old | 0 | 0 | 0 | |
| [redacted] | | | | |