



Traffic Management Toolbox Talk

This toolbox talk is to inform all employees about the traffic management protocols at Your Mates Brewery, focusing on the safe operation of vehicles, including cars, trucks, and forklifts, within the facility and surrounding area.

Traffic Management Overview

Effective traffic management is essential to ensure the safety of all personnel, visitors, and delivery drivers on the premises. The following guidelines outline how vehicles should move within and around the brewery.

Site Traffic Flow

41 Technology Drive → Through Site → Exit via 43 Technology Drive

All staff, contractors, visitors and delivery drivers must comply with site traffic controls and directional signage at all times.

Vehicle Guidelines

Car, Truck and Delivery Vehicle Traffic

- Vehicles may enter the site via either **41 Technology Drive** or **43 Technology Drive** depending on operational requirements.
- Once on site, all vehicles must follow the designated one way traffic flow and exit via **43 Technology Drive**.
- Drivers must obey all site signage, speed limits and traffic control measures.
- Vehicles must only park in designated parking areas.
- Delivery drivers must remain alert for forklift movements and pedestrian activity within loading and unloading areas.
- Vehicles must give way to pedestrians within designated pedestrian areas.

Forklift Operations:

Only trained and authorised personnel may operate forklifts.

- Forklifts must not exceed 6 km/h within warehouse, production and storage areas.
- Forklifts must travel at walking pace when operating around pedestrians, visitors, contractors or delivery drivers.
- Operators must maintain full control of the forklift at all times.
- Loads must be carried as low as reasonably practicable to maintain visibility.
- Seat belts must be worn at all times when operating a forklift.



When a forklift is unattended, operators must:

1. Park in the designated forklift parking area.
2. Lower forks completely to the ground.
3. Apply the park brake.
4. Place controls in neutral.
5. Switch off the engine.
6. Remove the ignition key.
7. Return the key immediately to the designated key box.
8. Ensure the forklift does not create a risk to any worker, contractor, visitor or member of the public.

Forklift keys must never be:

- Left in the ignition.
- Left on the forklift.
- Stored in an unsecured location.
- Provided to unauthorised personnel.

Pedestrian Safety

Designated Walkways

- Pedestrians must use designated walkways wherever provided.
- Pedestrians must remain alert and avoid entering forklift operating zones.
- Forklift operators and pedestrians must maintain awareness of each other's movements.

Pedestrian Right of Way

- Pedestrians always have right of way.
- Forklift operators must stop when pedestrians enter their travel path.
- Operators must establish visual contact with pedestrians before proceeding.

Pedestrian and Patron Interaction Controls

Cold Room Access and Forklift Operations

The forklift regularly accesses the cold room located at **41 Technology Drive, Warana**.

To minimise interaction between forklifts, staff, contractors, visitors and patrons:

- Forklift movements into and out of the cold room should occur between **5:00am and 11:00am wherever reasonably practicable**.



- If forklift access is required outside these hours, the operator must:
 - Notify venue management or the Duty Manager before commencing movement.
 - Advise staff of the intended movement and duration.
 - Exercise extreme caution and operate at walking pace.
 - Ensure the area is clear before commencing movement.

Pedestrian Exclusion Controls

Before entering or exiting the cold room area:

- Temporary barriers must be installed to eliminate pedestrian access through the forklift travel path.
- The front office access door must be barricaded or controlled to prevent staff entering the forklift operating zone.
- Warning lights must be activated whenever forklift operations are occurring within this area.
- Pedestrian access must remain restricted until forklift operations have been completed and barriers removed.
- Forklift operators must confirm the exclusion zone is in place before movement begins.

Blind Corners and Restricted Visibility Areas

Particular care must be taken when operating around:

- The bollard corner at the front of the building.
- The fire exit doorway adjacent to **43 Technology Drive**.
- Cold room entry and exit points.
- Any doorway, intersection or area where visibility is restricted.

When approaching these locations, operators must:

- Reduce speed to walking pace.
- Sound the horn before proceeding.
- Keep loads low to maintain visibility.
- Stop if visibility is obstructed.
- Give way to all pedestrians and vehicles.
- Never assume the pathway is clear.

Site Traffic Controls

To reduce the risk of collision between forklifts, vehicles and pedestrians:



- Pedestrian walkways must remain clear and unobstructed.
- Safety signage identifying forklift operating areas must remain visible and maintained.
- Protective bollards and barriers must remain installed and maintained.
- Damaged or missing bollards, barriers or traffic controls must be reported immediately to management.
- Forklift operations must cease in affected areas until suitable controls have been reinstated where required.
- Warning signage must be displayed where forklift operations are occurring.

Forklift Parking and Key Control

When a forklift is unattended, operators must:

- Park in the designated forklift parking area.
- Lower forks completely to the ground.
- Apply the park brake.
- Switch off the engine.
- Remove the ignition key.
- Return the key immediately to the designated key box.
- Never leave a key in the ignition or on the forklift.

Only authorised and trained personnel are permitted to operate forklifts.

Daily Forklift Safety Checks

Before operating a forklift, operators must confirm:

- ☐ Forklift is in safe operating condition
- ☐ Horn operational
- ☐ Warning lights operational
- ☐ Tyres and controls functioning correctly
- ☐ Area clear of pedestrians and obstructions
- ☐ Bollards and barriers in place
- ☐ Traffic signage visible
- ☐ Key returned to designated key box after previous use



Responsibilities

Forklift Operators

- Follow all traffic management controls.
- Conduct pre operational checks.
- Operate forklifts safely and within site speed limits.
- Remove keys and return them to the key box when not in use.
- Report damaged barriers, bollards, signage or hazards immediately.

Supervisors and Managers

- Monitor compliance with this procedure.
 - Ensure traffic management controls remain effective.
 - Ensure damaged safety controls are repaired or replaced promptly.
 - Ensure warning signage, barriers and exclusion zones are maintained.
 - Conduct periodic inspections of forklift operating areas.
-

Employee Acknowledgement

All employees acknowledge that:

- Forklifts and pedestrians must remain separated wherever reasonably practicable.
- Forklift keys are never to be left in unattended forklifts.
- Damaged bollards, barriers and traffic controls must be reported immediately.
- Patrons, visitors, contractors and delivery drivers must be protected from forklift and vehicle movements at all times.

Conclusion

By following these traffic management guidelines, we can ensure a safer and more efficient working environment for all. Your cooperation is essential in maintaining these safety standards. If you have any questions or need further clarification, please speak with your supervisor.

Employee Name: _____

Signature: _____

Date: _____

