

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 平 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
0.000					908.54	37.31	36.41	31.70	30.22	23.77	25.15	27.03	31.58	32.05	31.48	32.04
0.200					533.83	37.12		27.51	29.92	23.07	24.80	27.03	31.41		31.53	
0.400					628.54	38.75		31.01	30.31	23.58	25.10	27.03	31.99		31.94	
0.600	0	0			341.60			30.29	30.63	24.79	25.72	27.03				
0.800	110	110	0	0	510.89		37.36	32.19	31.54	24.79	25.20	27.09		32.67		32.55
1.000	192	302	110	286	393.36		38.40	31.63	32.45	22.91	24.63	27.20		38.08		38.03
1.200	190	492	237	524	353.63		37.45	32.01	32.63	24.99	25.99	27.30		31.57		31.77
1.400	190	682	511	916	375.44	37.68	37.53	28.92	32.92	25.75	26.19	27.41	32.56	31.78	32.37	32.17
1.600	195	877	689	1123	403.40	37.78	37.53	28.82	33.12	25.66	26.01	27.52	30.86	32.27	31.53	32.31
1.800	200	1077	869	1339	439.16	37.83	37.49	30.23	32.66	25.43	25.68	27.63	29.36	32.71	29.19	32.50
2.000	200	1277	1066	1544	430.09	37.99	37.63	30.34	32.53	25.44	25.70	27.74	29.45	32.78	29.04	32.71
2.200	200	1477	1263	1746	426.04	38.13	37.64	30.01	32.78	25.46	25.95	27.85	30.44	32.55	30.14	32.62
2.400	198	1675	1452	1957	396.17	38.24	37.56	29.60	33.66	25.49	26.20	27.96	31.68	33.11	31.24	32.94
2.600	188	1863	1624	2160	415.92	38.30	37.80	32.57	32.54	25.49	25.98	28.07	31.96	33.15	31.75	32.95
2.800	165	2028	1787	2331	453.44	38.23	37.52	31.84	32.94	24.43	26.73	28.16	33.60	33.58	33.35	33.15
3.000	165	2193	1931	2529	525.24	38.46	37.71	32.29	32.88	24.89	26.62	28.25	32.03	33.57	31.77	33.52
3.200	173	2366	2083	2728	514.46	38.61	37.74	32.88	33.37	25.64	26.52	28.35	31.43	33.45	31.24	33.46
3.400	175	2541	2247	2928	435.79	38.64	38.38	31.21	33.80	25.30	27.04	28.45	32.81	33.70	32.50	33.93
3.600	190	2731	2437	3125	383.69	38.76	37.93	31.51	33.44	25.34	27.17	28.55	30.82	34.10	31.01	33.97
3.800	200	2931	2685	3280	343.49	38.30	38.06	33.25	33.55	25.65	26.77	28.67	36.01	33.94	35.82	33.91
4.000	200	3131	2945	3427	341.90	38.07	38.05	33.97	34.56	26.20	26.97	28.78	33.84	34.69	33.59	34.69
4.200	201	3332	3214	3572	336.01	38.21	38.08	34.17	33.92	26.45	27.38	28.89	33.18	35.58	33.01	35.46
4.400	208	3540	3460	3741	258.03		38.41	33.47	35.84	26.57	27.45	29.01		35.54		35.51
4.600	178	3718	3622	3968	304.35		38.37	33.48	35.29	26.69	28.03	29.10		35.94		35.76
4.800	187	3905	3788	4186	340.75		38.38	33.65	35.23	27.21	27.81	29.21		34.99		35.02

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
5.000	205	4110	3980	4387	331.27	38.55	38.45	33.72	33.47	27.43	27.85	29.32	33.85	35.46	33.76	35.14
5.200	200	4310	4179	4601	267.39	38.69		33.74	33.92	27.81	28.47	29.44	33.89		33.82	
5.400	200	4510	4379	4802	257.42	38.56		34.02	33.94	27.88	28.31	29.55	33.89		33.86	
5.600	200	4710	4577	5005	303.30	38.84	38.61	34.32	34.38	28.25	28.60	29.66	33.91	38.39	33.85	38.35
5.800	200	4910	4758	5227	308.23	38.92	39.01	34.54	34.48	28.30	28.74	29.77	34.04	38.45	33.97	38.13
5.910	110	5020	4893	5312	338.59			34.26	34.24	28.22	28.79	29.83				
6.000	90	5110	4937	5449	313.07	41.55	38.80	34.54	34.34	28.30	28.75	29.88	34.07	38.02	34.00	38.06
6.200	200	5310	5135	5652	323.59	39.16	39.24	34.53	34.34	25.55	28.70	29.99	34.11	38.15	34.06	38.21
6.400	200	5510	5335	5852	341.35	39.08	39.19	34.78	34.48	28.79	29.27	30.11	34.24	38.21	34.19	38.22
6.600	200	5710	5535	6052	255.44	39.47		34.63	35.37	28.00	28.71	30.22	34.36		34.24	
6.800	200	5910	5735	6252	277.18	39.45		34.72	34.31	28.70	29.42	30.33	34.44		34.34	
7.000	200	6110	5945	6447	272.72	39.46	40.48	34.40	35.55	27.90	28.59	30.44	34.47	37.83	34.41	37.41
9.000	110	6220	6044	6617	404.45	40.49	40.69	34.86	36.55	27.65	28.83	30.50	34.58	37.87	34.50	38.33
9.200	197	6417	6249	6798	386.45	40.95	40.62	33.44	36.19	29.14	29.96	30.61	34.57	35.85	34.51	36.03
9.400	194	6611	6447	6991	390.25	40.68	40.13	35.34	34.95	26.62	28.58	30.72	34.59	38.22	34.56	37.63
9.600	196	6807	6677	7144	403.55	40.55	40.98	35.06	36.40	29.35	29.60	30.83	38.27	36.79	38.27	36.80
9.800	215	7022	6934	7296	352.94	40.92	41.01	35.75	35.82	29.02	29.55	30.95	35.59	36.40	36.13	37.34
10.000	200	7222	7141	7462	339.96	41.03	41.09	36.01	34.84	29.49	29.80	31.06	36.43	38.64	36.06	37.84
10.200	208	7430	7348	7652	380.70	40.66	40.84	36.98	36.34	28.94	29.55	31.18	36.27	38.77	35.18	37.73
10.400	213	7643	7555	7852	387.57	41.07	41.18	37.96	36.68	28.24	29.34	31.30	37.76	37.54	37.44	37.51
10.600	214	7857	7755	8057	400.69	40.80	41.36	37.66	34.41	29.10	29.74	31.42	37.52	35.93	35.44	32.36
10.800	200	8057	7951	8249	396.42	41.40	41.30	38.13	35.82	29.50	30.03	31.53	37.31	38.08	36.90	37.95
11.000	196	8253	8129	8427	371.65	41.05	41.54	35.35	36.72	29.10	29.78	31.64	37.34	38.27	37.54	37.85
11.200	217	8470	8337	8635	369.71	41.27	41.63	35.12	36.98	29.34	30.11	31.76	38.16	37.96	37.79	37.98
11.400	207	8677	8512	8846	371.11	40.79	41.51	35.93	36.20	30.01	30.26	31.87	38.27	36.31	37.76	35.85

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
11.600	202	8879	8670	9064	362.01	41.45	41.86	37.09	36.53	29.46	30.05	31.99	38.89	36.28	38.23	37.11
11.800	204	9083	8865	9263	367.02	41.56	41.71	36.93	36.45	30.38	30.78	32.10	38.55	38.84	38.60	38.55
12.000	212	9295	9015	9540	482.91	41.65	41.74	36.33	36.54	29.63	31.17	32.22	38.99	37.93	38.60	36.77
12.200	195	9490	9151	9810	429.51	41.83		36.73	35.28	30.08	30.70	32.33	38.66		38.45	
12.400	214	9704	9315	10058	373.90	42.04	42.04	35.48	36.59	30.10	30.82	32.45	37.80	39.45	36.77	38.03
12.600	208	9912	9517	10258	369.87	41.97	42.07	37.69	36.93	30.52	30.86	32.56	39.05	40.14	38.94	39.09
12.800	210	10122	9719	10462	381.25	42.03	42.15	37.92	36.80	29.87	30.80	32.68	38.02	40.14	37.55	39.60
13.000	201	10323	9916	10658	364.56	42.17	42.37	36.43	36.14	30.95	31.19	32.79	35.94	40.02	36.42	39.90
13.200	207	10530	10126	10843	380.05	42.30	42.28	37.13	36.39	29.56	30.83	32.91	36.20	40.02	36.05	39.37
13.400	201	10731	10358	10966	369.26	42.40	42.53	38.92	36.31	29.89	31.41	33.02	38.68	39.57	37.56	38.56
13.490	112	10843	10497	11019	346.20			38.82	37.14	29.82	31.02	33.08				
13.600	138	10981	10597	11089	337.39	42.67	42.55	38.05	37.18	30.85	31.34	33.16	39.53	39.14	39.38	39.11
13.800	165	11146	10802	11274	367.23	42.70	42.50	37.77	36.35	31.15	31.42	33.25	39.90	37.90	39.38	38.56
14.000	204	11350	10997	11470	386.52	42.87	42.69	37.50	36.56	29.38	31.10	33.37	39.14	38.10	39.39	37.57
14.200	208	11558	11197	11670	360.80	42.90	43.08	37.60	37.49	30.04	31.54	33.48	38.50	38.27	38.54	39.22
14.400	204	11762	11393	11867	361.97	43.01	43.01	36.29	36.65	30.93	31.20	33.60	36.45	36.90	36.22	36.42
14.600	205	11967	11590	12067	391.07	43.12	43.12	36.68	37.55	31.23	31.91	33.71	37.07	39.59	36.84	38.35
14.800	206	12173	11785	12264	386.71	43.38	43.26	37.62	39.07	31.31	32.56	33.83	38.00	40.89	37.74	39.97
14.920	125	12298	11880	12417	367.74	43.19	42.87	38.78	36.88	27.80	31.16	33.90	38.25	39.62	37.79	39.97
14.960	40	12338	11929	12473	388.04	43.52	43.30	38.80	37.54	30.00	31.92	34.07	37.91	39.79	37.76	40.01
15.000	41	12379	11996	12435	423.12	43.23	43.18	39.18	37.45	31.09	32.29	34.11	37.59	39.63	36.30	39.97
15.200	196	12575	12303	12493	462.67	43.41	43.33	38.96	37.86	32.88	33.44	34.28	37.67	39.85	37.82	40.04
15.400	189	12764	12609	12537	463.33	43.47	43.29	36.82	39.23	32.93	33.27	34.45	40.73	40.07	40.08	40.05
15.600	219	12983	12820	12775	374.87	43.64	43.44	37.29	38.37	32.05	33.25	34.65	39.59	40.79	39.22	40.52
15.800	192	13175	12959	12999	363.98	43.63	43.42	37.88	38.56	31.40	33.10	34.82	40.15	41.21	39.59	40.92

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
16.000	184	13359	13021	13262	366.71	43.63	43.78	37.67	37.92	31.43	32.96	34.98	40.33	40.06	39.60	39.36
16.200	163	13522	13081	13529	380.89	43.67	43.59	38.23	39.51	32.74	33.23	35.13	40.21	40.86	40.22	40.56
16.400	206	13728	13305	13723	334.52	43.78	43.41	38.77	38.85	32.36	32.95	35.31	41.21	41.04	41.15	40.78
16.600	200	13928	13503	13926	312.77	44.06	43.77	39.43	39.64	31.55	33.67	35.49	41.36	41.49	41.12	41.18
16.800	187	14115	13623	14177	309.59	44.18	43.83	39.07	38.89	32.13	33.66	35.66	39.49	41.33	37.47	41.20
17.000	207	14322	13817	14396	338.64	44.24	44.25	38.61	38.77	33.74	33.93	35.84	40.36	38.82	40.05	38.87
17.200	181	14503	14054	14525	349.00	44.58	44.43	37.09	38.16	33.04	34.58	36.00	40.02	37.67	40.10	37.78
17.400	202	14705	14269	14712	363.13	44.65	44.47	38.45	39.47	33.13	34.55	36.18	40.36	41.40	40.16	41.23
17.600	201	14906	14419	14962	324.33	44.63	44.69	38.96	39.51	33.46	34.47	36.36	40.83	42.33	41.26	41.41
17.800	203	15109	14582	15200	320.95	44.87	44.82	40.21	39.64	32.76	33.69	36.54	42.62	42.41	41.41	42.07
17.910	105	15214	14724	15266	308.49			39.83	39.23	32.63	34.27	36.63				
18.000	85	15299	14806	15358	319.78	44.94	44.50	41.93	40.03	32.45	35.03	36.71	42.53	42.64	42.00	42.14
18.200	197	15496	15028	15526	343.64	45.11	44.68	39.18	40.51	33.43	34.98	36.88	42.21	42.94	41.47	42.02
18.400	198	15694	15215	15752	390.85	45.34	44.50	40.29	41.14	33.52	35.83	37.06	40.11	42.78	41.38	42.08
18.600	186	15880	15322	16026	463.53	45.32	44.34	39.56	39.58	34.29	35.03	37.23	39.82	41.64	39.57	42.37
18.800	191	16071	15476	16252	331.18	45.55	45.55	39.76	40.73	33.82	35.46	37.40	40.13	39.81	39.73	39.72
19.000	197	16268	15665	16455	350.22	45.67	45.56	39.57	41.88	34.55	35.93	37.57	40.05	42.07	39.22	41.47
19.200	200	16468	15868	16650	347.43	45.87	45.88	39.27	42.01	35.41	36.22	37.75	42.76	39.90	42.77	39.70
19.400	212	16680	16075	16866	358.02	46.00	45.97	41.41	40.52	35.20	36.10	37.94	41.05	41.14	40.97	41.12
19.600	202	16882	16322	17029	349.61	46.17	46.06	41.27	41.29	34.90	35.81	38.12	42.59	41.74	40.98	41.07
19.800	202	17084	16565	17197	344.01	46.38	46.22	40.18	40.63	34.92	35.98	38.30	42.65	42.52	42.31	43.36
20.000	197	17281	16762	17396	343.68	46.37	46.36	40.37	40.57	34.47	35.50	38.47	42.38	43.54	42.59	43.55
20.200	208	17489	16965	17599	346.02	46.43	46.53	41.43	41.34	34.32	35.94	38.66	42.22	44.25	41.46	44.21
20.400	197	17686	17153	17803	351.39	46.48	46.64	42.25	41.73	35.43	36.87	38.83	41.53	44.28	41.34	44.34
20.600	197	17883	17313	18028	594.63	47.07	46.93	41.39	43.84	34.30	37.15	39.01	41.65	43.65	41.95	43.62

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 平 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
20.800	191	18074	17479	18246	286.51	47.30	46.83	42.52	42.04	36.15	37.65	39.18	43.21	44.54	42.99	43.69
21.000	197	18271	17651	18471	261.25	47.50	47.36	43.09	42.56	37.00	37.59	39.36	43.78	46.61	42.93	46.11
21.200	196	18467	17831	18687	283.16	47.86	47.41	44.13	40.80	36.49	38.05	39.53	44.61	44.86	44.20	45.62
21.400	202	18669	18050	18867	273.62	47.70	47.81	43.75	44.01	37.73	38.40	39.71	43.71	45.74	43.49	45.76
21.600	198	18867	18261	19050	271.27	47.84	47.72	45.62	43.95	37.89	38.65	39.89	46.19	45.80	45.64	45.92
21.748	148	19015	18400	19204	269.63	48.08	48.07	45.66	45.44	37.20	38.41	40.02	46.34	46.53	46.47	46.32
21.800	52	19067	18476	19233	280.65	48.20	48.15	45.90	45.65	38.05	38.42	40.06	46.51	46.49	46.10	46.31
21.947	149	19216	18571	19441	275.32			45.46	44.35	37.44	38.76	40.20				
22.000	54	19270	18671	19445	213.62	48.20	50.90	44.26	44.36	37.54	38.90	40.24	45.37		44.32	
22.200	166	19436	18777	19698	325.43	48.46	48.75	43.92	45.20	37.86	38.75	40.39	46.67	47.63	44.50	47.34
22.400	193	19629	18936	19926	329.82	48.87	48.78	44.36	44.94	38.83	39.41	40.56	46.12	45.88	45.65	46.73
22.600	202	19831	19194	20070	322.66	48.87	48.82	44.59	44.40	38.18	39.71	40.74	47.27	46.61	46.42	46.73
22.800	154	19985	19452	20127	351.76	49.19	48.98	44.61	44.55	39.38	39.70	40.88	48.09	46.52	46.93	46.72
23.000	172	20157	19747	20181	341.05	49.42	48.99	44.72	44.76	39.37	40.02	41.03	47.43	46.55	47.51	47.14
23.200	198	20355	19990	20346	307.60	49.51	49.55	45.31	46.07	39.28	40.15	41.21	47.05	45.73	46.69	47.38
23.400	145	20500	20160	20564	322.43	49.93	49.52	45.47	45.82	40.05	40.46	41.34	47.45	45.95	47.39	47.74
23.600	182	20682	20276	20813	365.32	50.24	49.82	45.62	45.93	40.39	41.16	41.50	47.68	47.58	47.32	47.52
23.800	133	20815	20276	21086	360.76	50.22	50.47	45.73	46.09	41.03	41.32	41.62	47.76	47.87	47.31	48.05
24.000	188	21003	20419	21312	301.82	50.65	50.56	46.01	46.03	40.46	40.96	41.79	48.20	48.45	47.77	49.24
24.192	186	21189	20705	21412	279.64	51.29	50.86	46.85	46.46	40.70	41.32	41.95	48.54	48.69		
24.200	8	21197	20705	21462	270.62	51.21	50.95	46.41	46.47	39.16	41.10	41.96	48.51	48.69	48.17	49.96
24.362	168	21365	20842	21611	265.82			47.03	47.30	38.04	39.51	42.11				
24.376	15	21380	20857	21626	259.98			46.95	47.48	37.34	40.26	44.40				
24.400	25	21405	20876	21671	271.46	52.03	51.02	46.99	48.81	34.22	38.51	44.44	49.27	49.49	49.19	50.87
24.463	63	21468	20925	21746	249.02	51.96	51.52	46.84	46.76	41.66	41.90	44.53	48.41	49.98	48.11	50.05

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
24.470	7	21475	20932	21753	249.15	51.77	51.57	46.82	46.78	42.96	43.32	44.53	48.33	49.53	48.10	50.28
24.505	36	21511	20951	21806	261.01			47.43	47.54	42.32	42.90	44.59				
24.600	95	21606	21038	21906	264.81		51.38		46.96	42.93	43.48	44.72		49.01	49.39	48.28
24.800	198	21804	21215	22122	115.67					43.01	43.74	45.00			49.45	48.58
25.000	199	22003	21423	22309	102.42					42.67	43.33	45.28			49.98	50.59
25.200	198	22201	21630	22505	199.75					42.72	43.80	45.55			50.05	50.82
25.400	196	22397	21846	22682	166.17					43.01	43.92	45.83			50.56	50.57
25.600	198	22595	22070	22861	189.17					43.37	44.22	46.11			50.97	51.39
25.800	200	22795	22281	23049	164.93					44.56	45.20	46.39			51.31	51.90
26.000	194	22989	22481	23242	89.92					45.35	45.89	46.66			49.61	51.81
26.200	207	23196	22672	23461	96.24					45.54	46.13	46.95			49.91	51.99
26.267	62	23258	22721	23539	190.69					43.22	45.66	47.04				
26.400	122	23380	22798	23706	115.91					44.57	45.59	47.21			50.41	52.25
26.600	200	23580	22936	23967	142.63					46.01	46.43	47.49			52.39	50.78
26.800	198	23778	23129	24169	100.39					45.96	46.80	47.77			52.61	51.16
27.000	194	23972	23347	24339	96.31					46.60	47.43	48.04			52.29	51.51
27.200	193	24165	23543	24521	107.39					46.83	47.34	48.31			53.13	51.92
27.400	198	24363	23735	24712	91.14					46.94	47.69	48.59			53.82	52.06
27.600	194	24557	23926	24910	102.12					47.35	47.95	48.86			54.08	52.50
27.638	38	24595	23958	24946	216.28					47.44	47.89	48.91			54.11	52.82
27.800	164	24759	24124	25118	94.76					47.05	47.85	49.14			54.72	53.37
28.000	201	24960	24326	25316	98.21					47.30	47.91	49.43			55.50	53.90
28.200	192	25152	24530	25503	166.70					47.08	47.67	49.70			53.61	54.90
28.400	208	25360	24730	25708	132.15					47.62	48.20	49.99			55.97	53.79
28.600	197	25557	24932	25902	145.94					47.59	48.26	50.26			55.94	64.79

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
28.800	203	25760	25110	26082	104.20					47.68	48.46	50.55			54.03	64.90
29.000	96	25856	25211	26265	127.07					48.86	49.61	50.68			54.39	65.50
29.200	130	25986	25307	26415	193.94					48.72	49.86	50.87			54.31	54.05
29.400	200	26186	25552	26599	79.16					48.02	49.20	51.15			54.82	54.63
29.600	185	26371	25762	26784	122.64					48.87	49.71	51.41			55.12	54.72
29.800	196	26567	25952	26988	129.86					50.33	50.71	51.68			54.45	55.25
30.000	206	26773	26153	27189	80.09					50.62	51.08	51.97			54.35	55.43
30.200	177	26950	26349	27400	97.43					50.22	50.83	52.22			54.52	55.57
30.400	205	27155	26540	27625	255.22			53.82	53.94	50.71	51.99	52.51			54.70	56.16
30.600	177	27332	26740	27735	265.76			54.83	54.33	50.41	51.43	52.76			58.26	56.38
30.630	30	27362	26749	27794	106.16			54.83	55.59	51.29	51.64	52.80			58.06	56.37
30.641	11	27373	26762	27810	104.87			54.96	54.52	51.45	52.26	52.81			58.08	56.52
30.688	47	27420	26797	27870	86.90			54.88	55.06	50.12	51.52	53.32			64.36	56.81
30.800	89	27509	26917	27940	339.08				55.25	51.86	52.36	53.44			71.18	56.63
31.000	166	27675	27097	28109	307.65				54.87	52.18	52.50	53.68			80.25	56.62
31.200	195	27870	27269	28344	163.75				55.39	50.94	52.57	53.95			119.34	57.20
31.400	118	27988	27455	28456	273.68			54.78	56.31	51.37	52.44	54.12			135.94	57.60
31.600	161	28149	27615	28606	195.46	60.01		55.79	54.97	52.49	53.17	54.34	56.13		55.88	58.02
31.800	202	28351	27784	28828	205.03	60.23		56.35	55.57	53.18	53.46	54.63	56.00		56.77	58.11
32.000	195	28546	27992	29016	193.14	60.42		56.44	55.93	53.01	53.39	54.90	56.96		57.21	58.52
32.200	204	28750	28197	29216	209.85	60.74		57.41	56.20	53.04	53.38	55.19	57.96		57.53	58.95
32.400	198	28948	28393	29419	246.83	60.78		57.94	56.00	53.75	54.08	55.47	56.63		56.77	58.95
32.600	197	29145	28586	29619	232.32	60.67		58.36	56.39	53.78	54.24	55.74	58.53		58.21	59.20
32.768	168	29313	28751	29792	219.90			57.97	57.76	54.00	55.13	55.98				
32.800	39	29352	28792	29828	226.35			56.21	56.61	54.42	55.17	56.03			59.58	61.49

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
33.000	166	29518	28957	29998	183.31			56.59	56.59	55.17	55.54	56.27			57.64	62.94
33.200	202	29720	29159	30208	196.33			57.81	57.57	54.96	55.26	56.55			60.24	63.59
33.400	199	29919	29382	30388	258.73			58.06	57.51	55.17	55.56	56.83			60.01	63.70
33.600	197	30116	29557	30598	107.75			58.46	58.31	54.96	56.13	57.11			59.72	64.52
33.800	196	30312	29783	30770	188.47			58.01	58.87	50.44	54.32	57.38			60.01	66.29
34.000	119	30431	29864	30876	217.89			58.54	58.34	55.65	56.09	57.55			60.16	66.63
34.200	182	30613	30033	31046	160.83			59.09	58.63	56.21	56.52	57.80			60.98	59.62
34.400	200	30813	30258	31240	143.23			59.15	59.25	54.11	55.91	58.08			61.66	61.06
34.600	203	31016	30474	31432	149.73			59.50	59.09	54.15	55.41	58.37			61.86	61.17
34.800	188	31204	30632	31651	170.73			58.72	58.92	55.63	56.43	58.63				
35.000	205	31409	30842	31860	168.34			58.66	59.03	56.26	56.88	58.92			62.85	62.88
35.200	200	31609	31046	32042	157.49			59.48	59.41	56.18	57.00	59.20			63.60	62.48
35.400	186	31795	31241	32221	71.53			59.47	59.20	55.36	57.14	59.46			63.90	62.23
35.600	190	31985	31432	32412	156.33			59.82	59.75	55.90	57.38	59.73			64.32	62.71
35.800	191	32176	31627	32606	86.29			60.57	60.56	56.09	57.30	60.00			64.58	62.43
36.000	192	32368	31823	32795	135.30			61.92	60.86	57.63	58.89	60.27			65.66	63.19
36.200	202	32570	32017	33007	263.06			61.48	62.51	58.31	59.26	60.55			64.68	64.58
36.400	199	32769	32217	33207	222.68			60.57	61.27	58.59	59.31	60.83			64.84	65.91
36.600	200	32969	32417	33407	110.44			61.50	61.71	58.92	59.80	61.11			64.46	66.51
36.800	200	33169	32617	33607	108.83			62.55	62.94	59.12	60.06	61.39			64.67	66.68
37.000	196	33365	32808	33785	102.83			62.62	62.34	56.78	58.97	61.67			63.95	66.43
37.200	196	33561	32979	34009	158.07			63.19	63.09	58.41	59.76	61.94			63.93	66.90
37.400	189	33750	33193	34174	169.84			62.22	62.32	59.76	60.99	62.21			65.71	67.22
37.600	193	33943	33397	34364	131.03			62.37	62.52	60.37	61.37	62.48			66.27	64.88
37.800	198	34141	33588	34547	149.17			64.11	63.77	60.95	61.82	62.76			67.27	67.70

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
38.000	198	34339	33775	34767	113.28			65.78	65.00	58.30	60.41	63.04			67.91	67.81
38.200	199	34538	33981	34962	95.17			66.75	65.37	58.73	59.99	63.32			68.86	69.23
38.400	197	34735	34175	35164	103.92			66.05	65.49	58.60	60.35	63.59			69.25	70.39
38.600	205	34940	34378	35372	145.89			64.38	64.60	59.89	61.47	63.88			69.74	69.54
38.800	196	35136	34599	35552	82.49			66.47	65.05	62.48	62.74	64.16			69.13	72.58
39.000	166	35302	34678	35782	92.85			67.08	68.28	63.06	63.76	64.39			69.80	69.92
39.200	198	35500	34855	35997	187.51			66.26	66.23	63.33	63.89	64.67			69.94	70.22
39.400	196	35696	35060	36186	194.09			66.94	66.96	63.26	63.76	64.94			70.07	71.45
39.548	148	35844	35196	36343	200.59			68.42	68.80	62.91	63.54	65.15				
39.600	44	35888	35222	36398	180.52			66.25	66.00	62.99	63.73	65.21			70.33	70.46
39.800	205	36093	35408	36610	126.50			68.13	67.20	64.44	64.95	65.50			70.95	70.97
40.000	185	36278	35646	36773	151.98			66.83	67.00	63.78	64.92	65.76			71.46	71.74
40.200	195	36473	35841	36971	141.94			68.78	68.30	64.15	65.27	66.03			71.55	74.40
40.400	206	36679	36029	37183	170.29			70.99	71.11	65.35	65.55	66.32			72.81	71.63
40.600	198	36877	36220	37385	173.33			69.62	69.63	65.51	65.86	66.60			72.74	72.20
40.800	189	37066	36452	37559	162.74			70.76	69.76	65.04	65.78	66.87			73.52	72.33
41.000	186	37252	36692	37702	193.36			72.56	71.18	65.30	65.83	67.13			74.29	72.40
41.083	83	37335	36815	37747	112.93			70.49	70.50	65.04	65.93	67.25			74.72	72.08
41.110	27	37362	36842	37779	106.63			70.57	70.39	66.16	67.37	68.07			74.73	72.40
41.200	88	37450	36945	37858	214.15			70.48	73.03	65.87	66.40	68.21			75.44	72.77
41.400	193	37643	37109	38075	195.05			71.00	71.57	64.86	66.29	68.50			71.43	73.87
41.600	159	37802	37194	38287	224.60			71.28	70.47	65.76	66.97	68.75			72.11	73.84
41.800	182	37984	37324	38513	114.22			70.78	70.72	67.13	67.52	69.03			74.14	74.55
42.000	192	38176	37478	38753	150.34			72.79	70.37	68.13	68.38	69.32			75.66	72.61
42.082	82	38258	37527	38825	189.64			72.60	71.74	67.29	67.84	69.45			75.88	73.17

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
42.088	6	38264	37533	38832	187.03			71.12	71.76	67.96	68.77	69.46			75.88	73.16
42.200	118	38382	37705	38899	180.08			70.80	71.49	67.21	67.83	69.64			76.05	73.31
42.400	162	38544	37933	38916	143.01			72.73	72.75	65.06	66.61	69.89			74.36	73.40
42.600	163	38707	38155	38926	142.53			74.32	73.28	67.89	68.47	70.13			76.87	73.29
42.800	193	38900	38359	39094	115.53			72.72	72.98	68.15	68.55	70.43			74.99	74.40
43.000	195	39095	38559	39277	110.92			73.06	72.16	67.96	68.92	70.73			76.35	75.71
43.200	202	39297	38760	39482	154.43			72.96	73.35	69.84	70.13	71.04			79.81	76.83
43.400	190	39487	38975	39613	227.09			72.16	73.09	69.76	70.19	71.33			76.86	76.94
43.501	101	39588	39072	39676	132.32			75.20	75.27	68.62	69.76	71.49				
43.600	87	39675	39255	39726	124.38			73.59	72.86	69.59	70.16	71.62			75.60	76.44
43.800	181	39856	39372	39956	142.89			74.03	73.22	68.84	69.79	71.90			75.54	77.42
44.000	179	40035	39480	40167	145.08			74.48	75.70	69.94	70.49	72.17			75.70	78.13
44.200	191	40226	39609	40392	139.65			75.90	73.81	69.76	70.31	72.46			78.67	76.98
44.400	198	40424	39830	40576	132.54			74.01	74.80	70.19	70.79	72.77			78.07	76.57
44.600	203	40627	40045	40770	89.64			73.72	75.52	71.08	71.63	73.08			75.99	78.43
44.800	185	40812	40189	40984	145.93			74.95	76.18	71.36	72.12	73.36			75.46	80.24
45.000	134	40946	40189	41234	126.35			74.94	74.95	71.46	72.36	73.57			75.48	75.92
45.200	204	41150	40364	41479	144.28			75.34	75.53	72.24	72.88	73.88			77.08	75.52
45.400	197	41347	40573	41665	377.92			75.89	75.35	72.81	73.17	74.18			77.74	76.33
45.600	145	41492	40816	41746	375.21	79.17		75.94	75.11	73.33	73.76	74.40	76.21		75.69	76.31
45.800	141	41633	41054	41810	360.11	79.38		76.27	75.35	73.57	74.10	74.62	76.71		76.75	76.06
46.000	187	41820	41287	41936	356.07	79.82		76.65	76.51	73.98	74.48	74.91	78.33		78.96	76.31
46.200	183	42003	41494	42131	194.09			76.82	76.78	73.61	74.41	75.19			77.52	77.27
46.346	146	42149	41637	42271	145.93			77.26	77.63	72.94	74.04	75.41				
46.400	57	42206	41697	42329	144.50			77.68	76.36	73.67	74.22	75.50			79.86	77.91

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
46.600	197	42403	41917	42500	182.96			78.10	76.54	74.88	75.13	75.80			78.93	78.37
46.800	193	42596	42145	42654	290.05			76.89	77.74	74.53	74.87	76.09			78.46	77.77
47.000	200	42796	42349	42850	292.61			77.95	78.08	75.13	75.40	75.65			80.47	81.12
47.200	201	42997	42533	43060	125.81			79.38	79.13	75.67	75.86	76.13			82.88	81.03
47.400	200	43197	42730	43264	84.23			78.52	80.06	74.95	75.72	76.61			79.29	84.61
47.600	187	43384	42868	43472	81.98			78.43	79.86	75.65	76.04	77.05			81.77	82.99
47.800	202	43586	43083	43670	72.18			78.89	81.36	73.58	75.00	77.53			81.77	83.57
48.000	141	43727	43087	43869	144.91			79.25	83.88	75.63	76.16	77.86			81.73	84.30
48.200	197	43924	43267	44098	137.46			78.83	80.03	76.54	76.91	78.33			82.22	81.63
48.400	197	44121	43491	44274	177.42			80.79	79.58	76.86	77.22	78.80			85.07	82.07
48.600	198	44319	43701	44452	125.67			80.61	81.14	77.62	78.28	79.27			85.50	80.76
48.800	186	44505	43907	44592	133.67			80.90	82.54	77.91	78.47	79.71			86.08	81.53
49.000	169	44674	44122	44685	167.16	84.85		81.22	82.76	78.79	79.07	80.11	84.20		84.12	82.06
49.200	182	44856	44366	44815	208.17	85.47		81.76	81.72	79.04	79.42	80.54	82.97		84.39	82.18
49.400	200	45056	44560	45026	217.89	85.94		82.58	82.42	78.88	80.09	81.02	84.40		83.77	87.17
49.600	148	45204	44632	45236	287.00	85.97		82.96	81.73	80.13	80.45	81.37	83.51		83.99	84.39
49.800	194	45398	44814	45445	261.93	86.36		83.64	84.14	79.44	80.42	81.83	84.77		84.44	84.43
50.000	206	45604	45042	45630	224.80	87.21		83.78	83.47	81.04	81.60	82.32	84.48		84.86	84.08
50.200	166	45770	45149	45872	177.12	87.22		84.72	84.87	81.90	82.15	82.71	85.02		84.21	85.15
50.400	192	45962	45337	46067	186.66			85.40	84.94	80.48	81.82	83.17				86.11
50.600	203	46165	45525	46289	207.32	88.15		85.37	86.38	81.63	82.37	83.65	85.98		85.41	87.09
50.800	190	46355	45683	46509	240.90	88.15	88.65	85.85	86.02	82.23	83.00	84.10	86.23	87.36	85.88	88.07
51.000	183	46538	45830	46739	230.45	88.44	89.22	85.55	85.37	82.47	83.20	84.53	86.35	86.58	87.23	86.55
51.200	191	46729	45996	46975	260.86	88.76	89.73	86.13	86.93	82.77	83.84	84.98	87.64	87.09	88.10	86.61
51.400	171	46900	46226	47073	339.67		90.06	86.17	87.07	81.63	83.30	85.39		87.59	88.29	87.09

平成19年度調査

雨 竜 川

横 断 測 量 成 果 整 理 表

(平均河床計算水位は同時水位を使用) (様式 2-1)

距 離 標 K P	流 心 区 間		距 離 標 間 距 離		左 右 岸 杭間距離	現 況 堤 防 高		現況平均高水敷高		河 床 高			堤 防 法 尻 地 盤 高		堤内地平均地盤高	
	区間距離	追加距離	左 岸 追加距離	右 岸 追加距離		左 岸	右 岸	左 岸	右 岸	最 深	低 水 路 均	平均河床 計算水位	左 岸	右 岸	左 岸	右 岸
51.600	148	47048	46454	47120	351.05		90.45	87.22	86.72	83.96	84.37	85.74		87.32	91.62	87.09
51.800	157	47205	46674	47154	331.00		90.83	86.65	87.74	84.39	84.89	86.11		87.37	95.69	87.08
52.000	197	47402	46880	47330	300.19		91.23	88.43	87.91	84.15	84.91	86.58		87.73	93.62	87.67
52.200	204	47606	47092	47525	287.57		91.76	89.12	88.53	85.28	86.27	87.07		89.34	89.32	88.38
52.400	188	47794	47245	47778	304.27		92.42	88.80	89.13	85.76	86.13	87.51		88.25	93.52	89.18
52.600	191	47985	47418	48009	383.86		93.06	88.75	89.49	86.17	87.15	87.96		88.85	94.79	89.13
52.800	198	48183	47608	48221	427.11		93.64	90.40	89.93	86.51	87.49	88.43		89.67	93.79	90.83
53.000	199	48382	47791	48446	207.19		94.37	89.99	90.52	86.00	87.05	88.91		91.72	94.24	91.00
53.200	153	48535	48015	48567	291.81		94.68	89.78	91.09	87.08	87.73	89.27		91.09	91.29	91.01
53.400	165	48700	48238	48697	279.02		95.04	91.49	91.16	87.69	88.39	89.66		91.77	93.57	91.59
53.600	190	48890	48476	48789	213.84		95.06	90.77	91.98	88.09	88.71	90.11		92.35	94.31	91.94
53.800	185	49075	48726	48841	198.21	94.91	95.19	91.26	92.24	87.71	89.26	90.55	92.16	92.64	91.84	91.90
54.000	198	49273	48919	49067	188.58	95.34	95.86	91.76	92.24	87.39	88.90	91.02	93.64	93.42	92.86	92.28
54.200	126	49399	49002	49325	199.57	95.53	96.64	91.80	92.67	89.79	90.23	91.32	93.55	94.80	92.49	95.05
54.333	148	49547	49145	49480	148.45			92.44	92.96	89.45	90.21	91.67				98.83
54.400	61	49608	49223	49535	203.89	96.03		93.73	94.13	90.27	90.85	91.81	93.86		93.37	99.08
54.600	200	49808	49431	49737	209.13	96.49		94.11	93.42	91.08	91.80	92.29	94.97		94.26	95.56
54.800	190	49998	49608	49947	198.48	96.87		93.36	93.65	91.86	92.36	92.74	93.97		95.13	97.75
55.000	201	50199	49803	50149	134.80	97.42		94.69	95.25	90.98	92.11	93.22	94.79		94.73	99.92
55.200	185	50384	49950	50368	155.53	97.76		95.59	95.26	92.37	92.78	93.66	95.59		95.52	101.19
55.400	204	50588	50144	50585	149.26	98.30		95.89	96.06	91.46	92.47	94.14	95.90		95.63	103.68
55.600	196	50784	50341	50780	154.35	98.81		96.24	97.00	93.06	93.67	94.60	96.85		96.48	101.87
55.800	204	50988	50542	50988	173.80	98.37		97.03	97.35	94.08	94.45	95.09	97.57		97.75	99.50
56.000	195	51183	50747	51182	206.62			98.28	96.45	92.51	93.90	95.55			99.28	99.63
56.200	150	51333	50986	51208	110.04			98.21	97.10	94.85	95.26	95.91			99.94	99.86

横断測量成果整理表

(様式 2-1)

[illegible]