<h1> Talos Group </h1>

INTRODUCTION TO

HTML 5



 Youssef Muhammed Eltayel



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



WHAT IS HTML?

- **HTML** stands for **Hyper Text Markup Language**.
- **HTML** is the standard markup language for creating Web pages.
- HTML describes the structure of a Web page.



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



WHAT IS HTML?

- HTML consists of a series of elements
- HTML elements tell the browser how to display the content
- HTML elements label pieces of content such as "this is a heading", "this is a paragraph", "this is a link", etc.

HTML5

Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



STRUCTURE OF HTML

Example code:

```
<!DOCTYPE html>
 <html>
 <head>
 <title>Page  Title</title>
 </head>
 <body>

 <h1>My First Heading</h1>
 <p>My first paragraph.</p>

 </body>
 </html>
```



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



EXAMPLE EXPLAINED

- The `<!DOCTYPE html>` declaration defines that this document is an HTML5 document
- The `<html>` element is the root element of an HTML page
- The `<head>` element contains meta information about the HTML page



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



EXAMPLE EXPLAINED

- The `<title>` element specifies a title for the HTML page (which is shown in the browser's title bar or in the page's tab).

- The `<body>` element defines the document's body, and is a container for all the visible contents, such as headings, paragraphs, images, hyperlinks, tables, lists, etc.

HTML 5

Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



EXAMPLE EXPLAINED

- The `<h1>` element defines a large heading.
- The `<p>` element defines a paragraph.



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



WHAT IS AN HTML ELEMENT?

- An HTML element is defined by a start tag, some content, and an end tag:
- <tagname> Content goes here... </tagname>
- The HTML element is everything from the start tag to the end tag:

```
<h1>My First Heading</h1>
<p>My first paragraph.</p>
```



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



EMPTY HTML ELEMENT?

- HTML elements with no content are called empty elements.
- The
 tag defines a line break, and is an empty element without a closing tag:
- Example code:

```
<p>This is a <br> paragraph with a line break.</p>
```



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



HTML IS NOT CASE SENSITIVE

- HTML tags are not case sensitive: `<P>` means the same as `<p>`.



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



HTML ATTRIBUTE

- All HTML elements can have attributes
- Attributes provide additional information about elements
- Attributes are always specified in the start tag
- Attributes usually come in name/value pairs like: name="value"



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



HREF ATTRIBUTE

- The `<a>` tag defines a hyperlink. The href attribute specifies the URL of the page the link goes to:

- Example code:

```
<a href="https://www.forked-fd.vercel.app">Visit Really Great Site</a>
```



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



SRC ATTRIBUTE

- The `<img>` tag is used to embed an image in an HTML page. The src attribute specifies the path to the image to be displayed:

- Example code:

```
<img src="img_girl.jpg">
```



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



THERE ARE TWO WAYS TO SPECIFY THE URL IN THE SRC ATTRIBUTE:

- Absolute URL - Links to an external image that is hosted on another website.

  Example Code:

  src="https://www.reallygreatsite/images/img_girl.jpg".

  Notes: External images might be under copyright. If you do not get permission to use it, you may be in violation of copyright laws. In addition, you cannot control external images; it can suddenly be removed or changed.

HTML5

Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



THERE ARE TWO WAYS TO SPECIFY THE URL IN THE SRC ATTRIBUTE:

- Relative URL - Links to an image that is hosted within the website. Here, the URL does not include the domain name. If the URL begins without a slash, it will be relative to the current page.

  Example Code:

  src="img_girl.jpg".

  If the URL begins with a slash, it will be relative to the domain.
  Example: src="/images/img_girl.jpg".

HTML5

Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



WIDTH & HEIGHT ATTRIBUTE

The <img> tag should also contain the width and height attributes, which specify the width and height of the image (in pixels):

- Example code:

```
<img src="img_girl.jpg" width="500" height="600">
```

HTML5

Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



ALT ATTRIBUTE

- The required alt attribute for the <img> tag specifies an alternate text for an image, if the image for some reason cannot be displayed. This can be due to a slow connection, or an error in the src attribute, or if the user uses a screen reader.
- Example code:

```
<img src="img_girl.jpg" alt="Girl with a jacket">
```



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration




STYLE ATTRIBUTE

- The style attribute is used to add styles to an element, such as color, font, size, and more.

- Example code:

```
<p style="color:red;">This is a red paragraph.</p>
```



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration

TITLE ATTRIBUTE

- The title attribute defines some extra information about an element.

  The value of the title attribute will be displayed as a tooltip when you mouse over the element:

- Example code:

```
<p title="I'm a tooltip">This is a paragraph.</p>
```



Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



HTML DOCUMENTS

- All HTML documents must start with a document type declaration: `<!DOCTYPE html>`.
- The HTML document itself begins with `<html>` and ends with `</html>`.
- The visible part of the HTML document is between `<body>` and `</body>`.

HTML5

Content:

I. What is HTML?
II. Structure of HTML
III. What is an HTML element?
IV. Empty HTML elements
V. HTML attributes
HREF attribute
SRC attribute
Width and height attribute
ALT attribute
STYLE attribute
TITLE attribute
VI. HTML documents
VII. Doctype declaration



<!DOCTYPE> DECLARATION

- The <!DOCTYPE> declaration represents the document type, and helps browsers to display web pages correctly.

- It must only appear once, at the top of the page (before any HTML tags).

- The <!DOCTYPE> declaration is not case sensitive.
  The <!DOCTYPE> declaration for HTML5 is:
  <!DOCTYPE html>

HTML 5

THANK YOU FOR LISTENING

