

```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <project xmlns="http://maven.apache.org/POM/4.0.0"
3         xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"
4         xsi:schemaLocation="http://maven.apache.org/
POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd
">
5     <modelVersion>4.0.0</modelVersion>
6
7     <groupId>com.orangehrm</groupId>
8     <artifactId>OrangeHrm</artifactId>
9     <version>1.0-SNAPSHOT</version>
10
11     <properties>
12         <maven.compiler.source>17</maven.compiler.
source>
13         <maven.compiler.target>17</maven.compiler.
target>
14         <project.build.sourceEncoding>UTF-8</project.
build.sourceEncoding>
15     </properties>
16     <dependencies>
17         <dependency>
18             <groupId>org.seleniumhq.selenium</groupId>
19             <artifactId>selenium-java</artifactId>
20             <version>4.21.0</version>
21         </dependency>
22
23         <dependency>
24             <groupId>org.testng</groupId>
25             <artifactId>testng</artifactId>
26             <version>7.10.2</version>
27             <scope>test</scope>
28         </dependency>
29     </dependencies>
30 </project>
```

```
1 target/
2 !.mvn/wrapper/maven-wrapper.jar
3 !**/src/main/**/target/
4 !**/src/test/**/target/
5 .kotlin
6
7 ### IntelliJ IDEA ###
8 .idea/modules.xml
9 .idea/jarRepositories.xml
10 .idea/compiler.xml
11 .idea/libraries/
12 *.iws
13 *.iml
14 *.ipr
15
16 ### Eclipse ###
17 .apt_generated
18 .classpath
19 .factorypath
20 .project
21 .settings
22 .springBeans
23 .sts4-cache
24
25 ### NetBeans ###
26 /nbproject/private/
27 /nbbuild/
28 /dist/
29 /nbdist/
30 /.nb-gradle/
31 build/
32 !**/src/main/**/build/
33 !**/src/test/**/build/
34
35 ### VS Code ###
36 .vscode/
37
38 ### Mac OS ###
39 .DS_Store
```

```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <!DOCTYPE suite SYSTEM "https://testng.org/testng-1.0
  .dtd">
3 <suite name="OrangeHRM Comprehensive Automation Suite
  ">
4     <test name="End-To-End POM Functional Tests">
5         <classes>
6             <class name="pomtests.LoginPOMTest" />
7             <class name="pomtests.AdminPOMTest" />
8             <class name="pomtests.PIMPOMTest" />
9             <class name="pomtests.LeavePOMTest" />
10            <class name="pomtests.TimePOMTest" />
11        </classes>
12    </test>
13 </suite>
```