




Total: 695 Points

⌚ 90 minutes

\* Required

### Student information

1

Student first name \*

Youssef Adel Sorour

2

Student last name \*

3

Student National ID number \*


Your class name / University \*

EX: Faculty of Engineering / Alex University

## Network Topologies Part

5


In a standard Cisco network diagram, what component does the symbol in the figure represent? \* (5 Points)



- ☐ Hub
- ☐ Switch
- ☒ Router
- ☐ Gateway

6

Many network diagrams use Cisco symbols to illustrate the locations and relationships between network components. Cisco symbols are standardized pictographs that illustrate the basic function of a network component. In a network diagram that uses Cisco symbols, what component does the symbol in the figure represent? \* (5 Points)



- ☐ Hub
- ☒ Switch
- ☐ Router
- ☐ Gateway

7

Can two connected computers be considered a network? \* (5 Points)

- ☒ Yes
- ☐ No

8

The internet is what type of networks? \* (5 Points)

☐ PAN

☐ LAN

☒ WAN

☐ CAN

9

\_\_\_\_\_Area network covers a large geographical area \* (5 Points)

☐ Local

☐ Metropolitan

☒ Wide

☐ Web

10

Every NIC has a unique serial number called a ..... \* (5 Points)

☐ WAN

☒ MAC Address

☐ IP Address

11

MAC stands for ..... \* (5 Points)

→ Media Access Control

Physical Address

12

A NIC is ..... \* (5 Points)

☒ A computer card that offers dedicated full time access to the network.

☐ A computer card that offers as needed access to the internet.

☐ A computer card that offers a modem connection.

13

NIC stands for ..... \* (5 Points)

Network interface card

Enter your answer

14

A Firewall considered as: \* (5 Points)

- ☐ End Device.
- ☐ Intermediary Device.
- ☒ Network Media.

15

In computer networking, the term "**Collision**" refers to a situation in which two or more demands are made simultaneously on an equipment that can handle only one request at any given moment. \* (5 Points)

- ☒ True
- ☐ False

16

Which of the following network contemporary Ethernet LANs? \* (5 Points)

- ☒ Bus topology
- ☐ Star topology
- ☐ Ring topology
- ☐ Mesh topology

17

A network topology in which each node connects to exactly two other nodes is referred to as: \* (5 Points)

- ☐ Partial mesh topology
- ☒ Ring topology
- ☐ Full mesh topology
- ☐ Star topology

18

A network topology in which each node has a direct physical connection to every other node is known as: \* (5 Points)

- ☐ Star
- ☐ Partial mesh
- ☐ Bus
- ☒ Full Mesh
- ☐ Ring

19

Which type of network topology provides the highest level of redundancy? \* (5 Points)

- ☒ Star
- ☐ Bus
- ☐ Mesh
- ☐ Ring

20

Which of the following answers lists the number of connections in a full mesh network consisting of 10 nodes? \* (5 Points)

- ☒ 21
- ☐ 28
- ☐ 36
- ☐ 45

21

In which type of network topology, the main network cable becomes a single point of failure? \* (5 Points)

- ☐ Star
- ☐ Full Mesh
- ☒ Bus
- ☐ Partial Mesh

22

A network connecting computers within a small geographical area such as a building or group of buildings is known as: \* (5 Points)

- ☐ PAN
- ☐ LAN
- ☒ MAN
- ☐ WAN

23

A type of network consisting of computers and peripheral devices that use high- frequency radio waves to communicate with each other is called: \* (5 Points)

- ☐ MAN
- ☐ WLAN
- ☐ LAN
- ☒ VLAN

24

A computer network connecting multiple LANs over an area of a city or campus is referred to as: \* (5 Points)

- ☐ PAN
- ☐ LAN
- ☒ MAN
- ☐ WAN

25

In terms of size and reach, a Metropolitan Area Network (MAN) can be placed between a LAN (smaller type of network) and a WAN (larger type of network). \* (5 Points)

- ☒ True
- ☐ False

26

A computer network connecting multiple smaller networks over very large geographical areas is known as: \* (5 Points)

- ☐ PAN
- ☐ LAN
- ☐ MAN
- ☒ WAN

27

The Internet is an example of a large public WAN. \* (5 Points)

- ☒ True
- ☐ False

28

A wireless networking topology in which client devices communicate directly with each other without the use of a controlling Access Point (AP) is called: \* (5 Points)

- ☐ IEEE 802.3af
- ☐ Star topology
- ☒ Ad hoc mode
- ☐ IEEE 802.3at
- ☐ Infrastructure mode

29

A wireless networking topology consisting of at least one Access Point (AP) is referred to as: \* (5 Points)

- ☐ IEEE 802.3af
- ☐ Star topology
- ☐ Ad hoc mode
- ☐ IEEE 802.3at
- ☒ Infrastructure mode

30

Which of the answers listed below refers to a wireless protocol designed to provide communication between appliances in a home automation network? \* (5 Points)

- ☐ FCoE
- ☐ SDN
- ☐ Z-Wave
- ☒ SIEM

31

An emerging field of new technologies, such as wearable tech or home automation is known as: \* (5 Points)

- ☐ SOC
- ☐ NFC
- ☒ IoT
- ☐ ESN

32

A type of limited-range computer network used for data transmission among various types of personal devices is generally referred to as: \* (5 Points)

- ☒ PAN
- ☐ LAN
- ☐ SAN
- ☐ MAN

33

A dedicated local network consisting of devices providing data access is called: \* (5 Points)

- ☐ PAN
- ☐ CAN
- ☐ SAN
- ☒ MAN

34

Which of the following answers refers to a wireless connectivity technology used for monitoring sensor data collected from low-powered sports and fitness equipment? \* (5 Points)

- ☐ CAN
- ☐ WTLS
- ☒ UAV
- ☐ ANT+

35

A popular, short-range wireless technology used for connecting various personal devices in a WPAN is called: \* (5 Points)

- ☒ 802.11
- ☐ NFC
- ☐ Bluetooth
- ☐ Z-Wave

36

Which of the answers listed below refers to a short distance, line-of-sight technology used for example in home remote controls? \* (5 Points)

- ☐ NFC
- ☒ 802.3
- ☐ IR
- ☐ Z-Wave

37

Which of the following wireless technologies enables identification and tracking of tags attached to objects? \* (5 Points)

- ☐ WAF
- ☐ RFID
- ☒ GPS
- ☐ WTLS

38

Which type of technology enables contactless payment transactions? \* (5 Points)

- ☒ NFC
- ☐ SDN
- ☐ PED
- ☐ WAP

39

Which of the following reside at the physical layer of the OSI model? (Select 2 answers) \* (5 Points)

Please select 2 options.

- ☐ IP Address
- ☐ Switch
- ☒ Bit
- ☐ Router
- ☒ Network Cabling
- ☐ Frame

40

The application layer of the OSI model is also known as: \* (5 Points)

- ☐ Layer 1
- ☐ Layer 3
- ☐ Layer 6
- ☒ Layer 7

41

What are the characteristic components of the OSI data link layer? (Select 3 answers) \* (5 Points)

Please select 3 options.

- ☒ MAC address
- ☐ Packet
- ☒ Switch
- ☐ Network Cabling
- ☐ Router
- ☒ Frame

42

Layer 5 of the OSI model is also referred to as: \* (5 Points)

- ☒ Session layer
- ☐ Application layer
- ☐ Transport layer
- ☐ Presentation layer

43

Which of the answers listed below refer to the components that can be found at the OSI network layer? (Select 3 answers) \* (5 Points)

Please select 3 options.

- ☒ Router
- ☐ Network Cabling
- ☒ IP Address
- ☐ TCP/UDP protocols
- ☐ Switch
- ☒ Packet

44.

The term "Presentation layer" refers to: \* (5 Points)

- ☐ Layer 7 of the OSI model
- ☐ Layer 5 of the OSI model
- ☒ Layer 6 of the OSI model
- ☐ Layer 4 of the OSI model

45.

Layer 2 of the OSI model is known as: \* (5 Points)

- ☐ Transport layer
- ☐ Network layer
- ☒ Data link layer
- ☐ Physical layer

46.

Which of the following terms refers to the OSI network layer? \* (5 Points)

- ☐ Layer 2
- ☐ Layer 5
- ☒ Layer 3
- ☐ Layer 4

47.

Which of the protocols listed below reside at the OSI transport layer? (Select 2 answers) \* (5 Points)

Please select 2 options.

- ☒ UDP
- ☐ SSL/TLS
- ☐ ICMP
- ☒ TCP
- ☐ ATM

48

Which OSI layer assumes the responsibility for managing network connections between applications? \* (5 Points)

- ☐ Network layer
- ☐ Data link layer
- ☒ Application layer
- ☐ Session layer

49

Physical layer of the OSI model is also known as: \* (5 Points)

- ☐ Layer 2
- ☐ Layer 7
- ☒ Layer 1
- ☐ Layer 4

50

Layer 4 of the OSI model is also referred to as: \* (5 Points)

- ☐ Network layer
- ☐ Data link layer
- ☐ Session Layer
- ☒ Transport layer

51

Which of the following protocols reside at the application layer of the OSI model? (Select 3 answers) \* (5 Points)

Please select 3 options.

- ☐ ATM
- ☒ HTTP
- ☒ FTP
- ☐ IP Address
- ☒ SMTP
- ☐ TCP/UDP

52

In telecommunications, Protocol Data Unit (PDU) is a term used for describing a specific unit of data passed across a network. \* (5 Points)

☒ Yes☐ No

53

Which of the statements listed below is not true? \* (5 Points)

☐ OSI physical layer PDU is the bit☐ OSI data link layer PDU is the frame☐ OSI network layer PDU is the packet☐ OSI transport layer PDU is the segment☐ PDUs between OSI session and application layers are referred to simply as the data☒ All of the above statements are true

54

Character encoding, data compression and encryption/decryption take place at the: \* (5 Points)

☐ Application layer of the OSI model☒ Presentation layer of the OSI model☐ Session layer of the OSI model☐ Transport layer of the OSI model

55

A dedicated communication channel used exclusively between two connected hosts is a characteristic feature of packet-switching networks. \* (5 Points)

☒ True☐ False

56

Circuit-switching networks move data divided into small blocks over a shared connection. \* (5 Points)

☒ True☐ False

57

The Open Systems Interconnection (OSI) model consists of: \* (5 Points)

- ☒ 7 Layers.
- ☐ 3 Layers.
- ☐ 9 Layers.
- ☐ 5 Layers.

58

In the OSI model, physical addressing takes place at the: \* (5 Points)

- ☒ Data link layer
- ☐ Presentation Layer
- ☐ Physical layer
- ☐ Session layer

59

What is the name of a data unit used at the OSI physical layer? \* (5 Points)

- ☐ Frame
- ☐ Segment
- ☒ Bit
- ☐ Packet

60

In the OSI model, Media Access Control (MAC) and Logical Link Control (LLC) sublayers are the components of: \* (5 Points)

- ☐ Session layer
- ☒ Data link layer
- ☐ Transport layer
- ☐ Network layer

61

User Datagram Protocol (UDP) resides at: (Select 2 answers) \* (5 Points)

Please select 2 options.

☒ Transport layer☐ Layer 3☒ Layer 4☐ Network layer☐ Layer 6☐ Data link layer

62

Which OSI layer is responsible for breaking up data into segments? \* (5 Points)

☐ Network layer☒ Transport layer☐ Presentation layer☐ Data link layer

63

Transport layer resides between which two other layers of the OSI model? \* (5 Points)☒ Network and Session☐ Presentation and Application☐ Physical and Network☐ Physical and Data link

64

Routers operate at: (Select 2 answers) \* (5 Points)

Please select 2 options.

☐ Physical layer of the OSI model☐ Application layer of the OSI model☒ Layer 3 of the OSI model☒ Network layer of the OSI model☐ Layer 5 of the OSI model

65

At which of the OSI layers IP addressing takes place? \* (5 Points)

- ☒ Layer 3
- ☐ Layer 1
- ☐ Layer 4
- ☐ Layer 6

66

Which of the following devices resides at the data link layer of the OSI model? \* (5 Points)

- ☐ Router
- ☐ Passive hub
- ☒ Ethernet switch
- ☐ Repeater

67

In the OSI model, Transmission Control Protocol (TCP) resides at: (Select 2 answers) \* (5 Points)

Please select 2 options.

- ☒ Transport layer
- ☐ Layer 3
- ☐ Application layer
- ☒ Layer 4
- ☐ Network layer
- ☐ Layer 7

68

Which of following protocols reside(s) at the OSI network layer? (Select all that apply) \* (5 Points)

Please select 4 options.

☒ IPv4

☐ UDP

☒ IPsec

☐ TCP

☒ IPv6

☒ ICMP

69

Which of the protocols listed below resides at the session layer of the OSI model? \* (5 Points)

☐ HTTP

☐ UDP

☐ IP

☒ SMTP

☐ PPTP

70

Internet Protocol Security (IPsec) resides at: \* (5 Points)

☒ Network layer of the OSI model

☐ Transport layer of the OSI model

☐ Session layer of the OSI model

☐ Presentation layer of the OSI model

## Network Protocols & Ports Part

71

TCP port 1720 is used by: \* (5 Points)

- ☒ H.323
- ☐ SMB
- ☐ LDAPS
- ☐ SNMP

72

A network administrator wants to secure the existing access to a directory service with SSL/TLS encryption. Which of the following TCP ports needs to be opened to implement this change? \* (5 Points)

- ☐ 636
- ☐ 389
- ☒ 443
- ☐ 1720

73

TCP port 389 is the default network port for: \* (5 Points)

- ☐ RDP
- ☒ LDAP
- ☐ SMB
- ☐ LDAPS

74

Which of the TCP port numbers listed below is assigned to the Internet Message Access Protocol (IMAP)? \* (5 Points)

- ☒ 143
- ☐ 389
- ☐ 443
- ☐ 25

75

Post Office Protocol v3 (POP3) uses: \* (5 Points)

- ☒ TCP port 110
- ☐ UDP port 123
- ☐ TCP port 143
- ☐ UDP port 161

76

Which of the following protocols runs on TCP port 445? \* (5 Points)

- ☐ HTTPS
- ☒ SMB/CIFS
- ☐ IMAP
- ☐ H.323

77

Which of the ports listed below are assigned to the Session Initiation Protocol (SIP)? (Select 2 answers) \* (5 Points)

Please select 2 options.

- ☐ UDP port 67
- ☒ TCP port 5060
- ☐ TCP port 389
- ☐ UDP port 68
- ☒ TCP port 5061
- ☐ TCP port 3389

78

Network Time Protocol (NTP) runs on UDP port: \* (5 Points)

- ☐ 123
- ☐ 110
- ☐ 636
- ☒ 137

79

A network technician uses Remote Desktop Protocol (RDP) client on their Windows OS to remotely troubleshoot a problem on another Windows machine. Which of the following ports needs to be opened for the built-in Windows RDP server to allow this type of network connection? \* (5 Points)

- ☐ TCP port 1720
- ☐ TCP port 636
- ☒ TCP port 3389
- ☐ TCP port 445

80

SNMP runs on UDP port: \* (5 Points)

- ☐ 123
- ☐ 137
- ☐ 143
- ☒ 161

81

Which of the following ports is used by HTTPS? \* (5 Points)

- ☒ TCP port 80
- ☒ TCP port 443
- ☐ UDP port 53
- ☐ UDP port 443

82

TCP port 80 is assigned to: \* (5 Points)

- ☒ Hypertext Transfer Protocol (HTTP)
- ☐ Hypertext Transfer Protocol over TLS/SSL (HTTPS)
- ☐ Internet Message Access Protocol (IMAP)
- ☐ Lightweight Directory Access Protocol (LDAP)

83

Dynamic Host Configuration Protocol (DHCP) runs on: (Select 2 answers) \* (5 Points)

Please select 2 options.

- ☐ UDP port 53
- ☒ UDP port 67
- ☒ UDP port 68
- ☐ UDP port 69
- ☐ UDP port 161

84

Which of the TCP ports listed below is used by Telnet? \* (5 Points)

- ☐ 20
- ☐ 21
- ☐ 22
- ☒ 23

85

UDP port 69 is assigned to: \* (5 Points)

- ☒ TFTP
- ☐ SNP
- ☐ DHCP
- ☐ LDAP

86

The File Transfer Protocol (FTP) Control Connection for administering a session is established through: \* (5 Points)

- ☐ UDP port 20
- ☒ TCP port 20
- ☐ UDP port 21
- ☐ TCP port 21

87

Unblocking TCP port 22 enables what type of traffic? (Select 2 answers) \* (5 Points)

Please select 2 options.

☐ FTPS

☒ SSH

☒ SFTP

☐ FTP

☐ HTTP

88

Secure File Transfer Protocol (SFTP) is an extension to the Secure Shell protocol (SSH) and runs by default on TCP port 22. \* (5 Points)

☒ True

☐ False

89

TCP port 25 is used by: \* (5 Points)

☐ SNMP

☐ Telnet

☐ FTP

☒ SMTP

90

Which of the following UDP ports is assigned to the Domain Name System (DNS)? \* (5 Points)

☒ 53

☐ 67

☐ 110

☐ 389

## Passive Components Part

91

Which of the answers listed below refer(s) to UTP cabling? (Select all that apply) \* (5 Points)

Please select 5 options.

- ☒ Twisted-pair copper cabling
- ☒ Used in Ethernet networks and telephone systems
- ☒ Low cost and ease of installation
- ☐ Takes advantage of additional protective cover reducing signal interference from outside sources
- ☐ Coaxial cabling
- ☒ Not surrounded by any shielding that would provide protection against interference from outside sources
- ☐ Fiber-optic cabling
- ☒ In Ethernet networks, installed with RJ-45 connector type

92

The main difference between the UTP and STP cabling is that the UTP cable takes advantage of additional protective cover reducing signal interference from outside sources. \* (5 Points)

- ☐ True
- ☒ False

93

Examples of copper cabling types used in Ethernet networks include: (Select all that apply) \* (5 Points)

Please select 3 options.

- ☒ STP
- ☐ Multimode
- ☒ UTP
- ☐ Single-mode
- ☒ Coax

94

Which of the answers listed below refer to the characteristics of multimode fiber optics? (Select 3 answers) \* (5 Points)

Please select 3 options.

- ☒ Uses laser as the source of light
- ☐ Transmission distances of up to 2 km
- ☒ More expensive than single-mode fiber optics
- ☒ Transmission distances of up to 100 km
- ☐ Less expensive than single-mode fiber optics
- ☐ Uses LED as the source of light

95

What are the characteristic traits of single-mode fiber optics? (Select 3 answers) \* (5 Points)

Please select 3 options.

- ☒ Transmission distances of up to 2 km
- ☐ More expensive than multimode fiber optics
- ☒ Uses LED as the source of light
- ☐ Transmission distances of up to 100 km
- ☐ Uses laser as the source of light
- ☒ Less expensive than multimode fiber optics

96

A special type of cabling with fire-retardant jacket placed inside the space between structural floor and dropped ceiling or inside walls is known as a plenum-rated cabling. \* (5 Points)

- ☒ True
- ☐ False

97

Plenum-rated cabling features a fire-retardant jacket made of polyvinyl chloride (PVC). \* (5 Points)

- ☒ True
- ☐ False

98

Which of the following answers refers to a connector type not used with copper cabling? \* (5 Points)

- ☐ RJ-11/RJ-45
- ☒ BNC
- ☐ MT-RJ
- ☐ DB-9/DB-25
- ☐ F-Connector

99

What are the characteristic features of the RJ-45 connector? (Select 2 answers) \* (5 Points)

Please select 2 options.

- ☐ Used with telephone cabling
- ☐ Coaxial cabling connector
- ☒ Used with Ethernet network cabling
- ☒ Copper cabling connector
- ☐ Fiber-optic cabling connector

100

Which of the answers listed below refer to the RJ-11 connector? (Select 2 answers) \* (5 Points)

Please select 2 options.

- ☒ Used with telephone cabling
- ☐ Copper cabling connector
- ☐ Used with Ethernet network cabling
- ☐ Fiber-optic cabling connector
- ☒ Coaxial cabling connector

101

Which of the answers listed below refer(s) to example(s) of fiber-optic connectors (Select all that apply) \* (5 Points)

Please select 4 options.

- ☒ LC
- ☐ DB-25
- ☒ ST
- ☒ DC
- ☐ MT-RJ
- ☒ RG-6

102

Which of the following answers refers to a fiber transceiver equipped with the capability to transmit and receive signals over a single fiber strand? \* (5 Points)

- ☒ Simplex
- ☐ Bidirectional
- ☐ Half duplex
- ☐ Unidirectional

103

A simple device consisting of multiple connector blocks and ports used for cable management is known as: \* (5 Points)

- ☐ Media converter
- ☐ Demarc
- ☒ Main Distribution Frame (MDF)
- ☐ Patch panel

104

What is the typical cable segment length for a copper twisted-pair Ethernet cable? \* (5 Points)

- ☐ 45 meters
- ☐ 80 meters
- ☒ 100 meters
- ☐ 120 meters

105

Category 3 (Cat 3) cable is a 10 Mbps twisted-pair copper cable used in telephone wiring and older Ethernet (10BaseT) networks \* (5 Points)

☒ True

☐ False

106

Which of the answers listed below refer(s) to the characteristic feature(s) of Category 5 (Cat 5) cabling? (Select all that apply) \* (5 Points)

Please select 5 options.

☐ Coaxial cabling

☒ 100 Mbps transfer rate over 2 pairs of cables (100BaseT networks)

☒ F-type connector

☐ 55-meter cable segment length

☐ 1 Gbps transfer rate over all 4 pairs of cables (1000BaseT networks)

☐ BNC connector

☒ 100-meter cable segment length

☐ 10 Gbps transfer rate over all 4 pairs of cables (10GBaseT networks)

☒ Twisted-pair copper cabling

☒ RJ-45 connector

107

What type of Ethernet cable would be used for establishing a direct communication link between two PCs? \* (5 Points)

*similar devices*

☐ Patch cable

☒ Crossover cable

☐ Rollover cable

☐ Straight-through cable

## Active Components Part

108

Which device improves network performance by dividing a given network segment into separate collision domains?  
\* (5 Points)

- ☐ Hub
- ☐ Repeater
- ☐ Switch
- ☒ Router

109

Which of the devices listed below is used for separating broadcast domains? \* (5 Points)

- ☐ Hub
- ☐ Repeater
- ☒ Switch
- ☐ Router

110

The purpose of the Carrier Sense Multiple Access (CSMA) protocol is to verify the absence of other traffic on a shared medium before transmitting to prevent collisions and loss of data. \* (5 Points)

- ☒ True
- ☐ False

111

Which of the following allows for verifying the absence of traffic on a shared transmission medium in 802.3 networks? \* (5 Points)

- ☐ CDMA
- ☒ CSMA/CA
- ☐ CWDM
- ☐ CSMA/CD

112

Which of the terms listed below refers to a logical grouping of computers that allow computer hosts to act as if they were attached to the same broadcast domain regardless of their physical location? \* (5 Points)

- ☒ VLAN
- ☐ DNS
- ☐ SNMP
- ☐ VPN

113

A network segment utilizing only this type of device is the most prone to network performance degradation due to large number of network collisions. \* (5 Points)

- ☐ Bridge
- ☐ Hub
- ☐ Switch
- ☒ Router

114

In computer networking, the term "Collision" refers to a situation in which two or more demands are made simultaneously on an equipment that can handle only one request at any given moment. \* (5 Points)

- ☒ True
- ☐ False

115

A solution that allows to supply electricity over standard Ethernet cables is known as: \* (5 Points)

- ☐ IEEE 802.3ab
- ☒ PoE
- ☐ IEEE Metro-Ethernet
- ☐ PSTN

116

A type of port assigned to carry traffic from all the VLANs connected to a specific network switch is known as: \* (5 Points)

- ☐ Default gateway
- ☒ Trunk port
- ☐ Registered port
- ☐ Mirrored port

117

An Ethernet switch forwards LAN traffic from connected devices based on the information stored in: \* (5 Points)

- ☐ DNS table
- ☐ Routing table
- ☐ MAC address table
- ☒ All of the Above

118

Setting up a wireless network to operate on a non-overlapping channel allows multiple networks to coexist in the same area without causing interference. \* (5 Points)

- ☒ I disagree
- ☐ I agree

119

Multiple Input / Multiple Output (MIMO) is a wireless technology that allows for significant increase in data throughput due to the use of multiple antennas and multiple data streams. \* (5 Points)

- ☒ True
- ☐ False

120

A security protocol designed to strengthen existing WEP implementations without requiring the replacement of legacy hardware is called: \* (5 Points)

- ☐ PEAP
- ☐ TKIP
- ☐ CCMP
- ☒ WPA2

121

A unique WLAN identifier is commonly referred to as: \* (5 Points)

- ☐ EUI
- ☒ SSID
- ☐ OUI
- ☐ CNAME

122

A networked host with unknown address can be reached via: \* (5 Points)

- ☐ Unicast
- ☐ Multicast
- ☒ Broadcast

123

A type of network traffic intended for a particular group of hosts is called: \* (5 Points)

- ☐ Unicast
- ☒ Multicast
- ☐ Broadcast

124

A type of network traffic intended for a single host identified by a unique IP address is referred to as: \* (5 Points)

- ☒ Unicast
- ☐ Multicast
- ☐ Broadcast

125

An IPv4 address consists of: \* (5 Points)

- ☒ 32 bits
- ☐ 48 bits
- ☐ 64 bits
- ☐ 128 bits

126

IPv4 addresses are expressed with the use of: \* (5 Points)

- ☐ Octagonal numbers
- ☒ Binary numbers
- ☐ Hexadecimal numbers
- ☐ Decimal numbers

127

Which of the answers listed below refer to an IPv4 loopback address? \* (5 Points)

- ☐ ::1
- ☐ FE80::/10
- ☐ 0:0:0:0:0:0:1
- ☒ 127.0.0.1

(32)  
8bits 8 8 8

represented in (0's 1's)

128

An IPv6 address consists of: \* (5 Points)

- ☐ 32 Bits
- ☐ 48 Bits
- ☐ 64 Bits
- ☒ 128 Bits

129

IPv6 addresses are expressed with the use of: \* (5 Points)

- ☐ Octagonal numbers
- ☐ Binary numbers
- ☒ Hexadecimal numbers
- ☐ Decimal numbers

130

The term "Dual-stack IP" refers to a solution that relies on implementing both IPv4 and IPv6 protocol stacks on various network devices to facilitate seamless migration from IPv4 to IPv6. \* (5 Points)

- ☒ True
- ☐ False

131

Which of the following answers refer to the characteristic features of the 10.0.0.0 - 10.255.255.255 (10.0.0.0/8) IPv4 address space? (Select 2 answers) \* (5 Points)

Please select 2 options.

- ☒ Class A range
- ☒ Public IP address range
- ☐ Class B range
- ☐ Non-routable (private) IP address range
- ☐ Class C range

132

In a network using subnets, the term "Default gateway" refers to a network device (e.g. router) that enables exchange of data between hosts residing in different subnets. \* (5 Points)

☒ True☐ False

133

What is the leading octet value range for an IPv4 address belonging to a class B network? \* (5 Points)

☒ 128 - 191☐ 1 - 126☐ 192 - 223☐ 224 - 239

134

Which of the answers listed below refers to a permanent assignment of an IP address? \* (5 Points)

☒ Static IP address☐ Private IP address☐ Dynamic IP address☐ Public IP address

## Cloud & Virtualization Part

135

Your employer has a large team of developers that focus on developing an important set of internal business applications. In an effort to speed up time to market of bugfixes and new features you have been asked to find a developer focused cloud platform. What type of cloud computing model has a focus on software development? \* (5 Points)

- ☐ SaaS
- ☐ IaaS
- ☐ NaaS
- ☒ PaaS

136

Your CIO has asked you to investigate cloud computing vendors. You have been tasked to find vendors that offer virtual servers on demand and allow administrative access to the servers so they can be configured with your employer's software as needed. Which cloud model is your CIO looking for? \* (5 Points)

- ☐ SaaS
- ☒ IaaS
- ☒ NaaS
- ☐ PaaS

137

Which of the following options is synonymous with the term Hypervisor? \* (5 Points)

- ☐ gSphere
- ☐ Sandbox
- ☒ Virtual Machine Monitor (VMM)
- ☐ Hyper Host Manager (HHM)

138

In a virtualized environment, what technology is used to run the virtual machines? \* (5 Points)

- ☐ Virtual Host Machine (VHM)
- ☐ vHost
- ☐ Sandbox
- ☒ Hypervisor

139

It is not possible to install a server operating system in a hypervisor running on a desktop operating system \* (5 Points)

- ☒ True
- ☐ False

140

Many hypervisors require special CPU features. \* (5 Points)

- ☒ Yes
- ☐ No

141

You are the only IT employee for a small startup. You need to provide email address to all employees at the startup as soon as possible and with minimal effort. What type of cloud model is best suited to this situation? \* (5 Points)

- ☐ SaaS
- ☒ IaaS
- ☐ NaaS
- ☐ PaaS

142

Which of the following is NOT a benefit of using Cloud Infrastructure? \* (5 Points)

- ☒ Pay-as-you-go model requires a lower upfront investment for large amounts of infrastructure
- ☐ Cloud Infrastructure provides elasticity and rapid scalability based on demand
- ☐ The Cloud Provider will handle security on your behalf
- ☐ Cloud Providers offer simple to use versions of complex technology that usually requires specialized technicians

"Users only have access with other devices inside the same cloud network", This is a: \* (5 Points)

- ☒ Private Cloud
- ☐ Public Cloud
- ☐ Hybrid Cloud

## FeebBack

144

Please provide your feedback about **this chapter of Traning Expericense** \*



145

Please provide your feedback about the Instructor inculding (Knowledge and Technical Expertise) \*



---

This content is neither created nor endorsed by Microsoft. The data you submit will be sent to the form owner.

 Microsoft Forms