

Decision Companion API Documentation

Overview

****Base URL**:** `http://localhost:8000/api/v1/`

****Authentication**:** JWT Bearer Token

****Content-Type**:** `application/json`

Table of Contents

1. [Authentication](#1-authentication)

1. Authentication

1.1 Register User

Creates a new user account.

****Endpoint**:** `POST /auth/register`

****Authentication**:** None

****Request Body**:**

```
{
  "email": "user@example.com",
  "password": "SecurePassword123!",
  "password_confirm": "SecurePassword123!",
  "name": "John Doe"
}
```

****Response**** (201 Created):

```
{
  "success": true,
  "message": "Registration successful",
  "data": {
    "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
    "refresh_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
    "user": {
      "id": "550e8400-e29b-41d4-a716-446655440000",
      "email": "user@example.com",
      "name": "John Doe",
      "role": "USER",
      "is_guest": false,
      "created_at": "2025-12-08T10:30:00Z",
      "updated_at": "2025-12-08T10:30:00Z"
    }
  }
}
```

```
}  
}  
}
```

****Error Response**** (400 Bad Request):

```
{  
  "success": false,  
  "error": {  
    "code": "VALIDATION_ERROR",  
    "message": "Registration failed",  
    "details": {  
      "email": ["A user with this email already exists."]  
    }  
  }  
}
```

1.2 Login

Authenticates user and returns JWT tokens.

****Endpoint****: `POST /auth/login`

****Authentication****: None

****Request Body****:

```
{  
  "email": "user@example.com",  
  "password": "SecurePassword123!"  
}
```

****Response**** (200 OK):

```
{  
  "success": true,  
  "message": "Login successful",  
  "data": {  
    "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",  
    "refresh_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",  
    "user": {  
      "id": "550e8400-e29b-41d4-a716-446655440000",  
      "email": "user@example.com",  
      "name": "John Doe",  
      "role": "USER",  
      "is_guest": false,  
      "created_at": "2025-12-08T10:30:00Z",  
      "updated_at": "2025-12-08T10:30:00Z"  
    }  
  }  
}
```

1.3 Guest Login

Creates a temporary guest account.

****Endpoint**:** `POST /auth/guest`

****Authentication**:** None

****Request Body**:** None

****Response**** (200 OK):

```
{
  "success": true,
  "message": "Guest login successful",
  "data": {
    "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...\"",
    "refresh_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...\"",
    "user": {
      "id": "550e8400-e29b-41d4-a716-446655440001",
      "email": "guest_abc12345@guest.local",
      "name": "Guest User",
      "role": "USER",
      "is_guest": true,
      "created_at": "2025-12-08T10:30:00Z",
      "updated_at": "2025-12-08T10:30:00Z"
    }
  }
}
```

1.4 Get Current User

Returns the authenticated user's information.

****Endpoint**:** `GET /auth/me`

****Authentication**:** Required

****Headers**:**

Authorization: Bearer {access_token}

****Response**** (200 OK):

```
{
  "success": true,
  "data": {
    "id": "550e8400-e29b-41d4-a716-446655440000",
    "email": "user@example.com",
    "name": "John Doe",
    "role": "USER",
    "is_guest": false,
    "created_at": "2025-12-08T10:30:00Z",
  }
}
```

```
"updated_at": "2025-12-08T10:30:00Z",
"settings": {
  "id": "660e8400-e29b-41d4-a716-446655440000",
  "theme": "system",
  "notifications_enabled": true,
  "email_notifications": true,
  "push_notifications": true,
  "language": "en",
  "created_at": "2025-12-08T10:30:00Z",
  "updated_at": "2025-12-08T10:30:00Z"
}
}
```

1.5 Logout

Invalidates the refresh token.

****Endpoint****: `POST /auth/logout`

****Authentication****: Required

****Request Body****:

```
{
  "refresh_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..."
}
```

****Response**** (200 OK):

```
{
  "success": true,
  "message": "Logout successful"
}
```

1.6 Refresh Token

Gets a new access token using refresh token.

****Endpoint****: `POST /auth/token/refresh`

****Authentication****: None

****Request Body****:

```
{
  "refresh": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..."
}
```

****Response**** (200 OK):

```
{
```

```
"access": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..."
}
```

2. User Profile

2.1 Get Profile

****Endpoint**:** `GET /users/me`

****Authentication**:** Required

****Response**** (200 OK):

```
{
  "success": true,
  "data": {
    "id": "550e8400-e29b-41d4-a716-446655440000",
    "email": "user@example.com",
    "name": "John Doe",
    "role": "USER",
    "is_guest": false,
    "created_at": "2025-12-08T10:30:00Z",
    "updated_at": "2025-12-08T10:30:00Z",
    "settings": {...}
  }
}
```

2.2 Update Profile

****Endpoint**:** `PUT /users/me`

****Authentication**:** Required

****Request Body**:**

```
{
  "name": "John Updated"
}
```

****Response**** (200 OK):

```
{
  "success": true,
  "message": "Profile updated successfully",
  "data": {
    "id": "550e8400-e29b-41d4-a716-446655440000",
    "email": "user@example.com",
    "name": "John Updated",
    ...
  }
}
```

```
}
```

2.3 Get User Statistics

****Endpoint**:** `GET /users/me/stats`

****Authentication**:** Required

****Response**** (200 OK):

```
{
  "success": true,
  "data": {
    "total_decisions": 15,
    "analyzed_decisions": 10,
    "archived_decisions": 3,
    "draft_decisions": 2,
    "average_satisfaction": 4.2,
    "total_feedback_submitted": 5,
    "member_since": "2025-12-01T10:30:00Z"
  }
}
```

2.4 Get Settings

****Endpoint**:** `GET /users/me/settings`

****Authentication**:** Required

****Response**** (200 OK):

```
{
  "success": true,
  "data": {
    "id": "660e8400-e29b-41d4-a716-446655440000",
    "theme": "dark",
    "notifications_enabled": true,
    "email_notifications": true,
    "push_notifications": false,
    "language": "en",
    "created_at": "2025-12-08T10:30:00Z",
    "updated_at": "2025-12-08T10:30:00Z"
  }
}
```

2.5 Update Settings

****Endpoint**:** `PUT /users/me/settings`

****Authentication****: Required

****Request Body****:

```
{
  "theme": "dark",
  "language": "en",
  "notifications_enabled": true,
  "email_notifications": true,
  "push_notifications": false
}
```

****Response**** (200 OK):

```
{
  "success": true,
  "message": "Settings updated successfully",
  "data": {...}
}
```

3. Decisions

3.1 List Decisions

****Endpoint****: `GET /decisions`

****Authentication****: Required

****Query Parameters****:

Parameter	Type	Description
status	string	Filter by status: DRAFT, ANALY
page	integer	Page number for pagination

****Response**** (200 OK):

```
{
  "success": true,
  "data": [
    {
      "id": "770e8400-e29b-41d4-a716-446655440000",
      "title": "Which laptop to buy?",
      "description": "Deciding between different laptops",
      "status": "DRAFT",
      "confidence_level": null,
      "satisfaction_rating": null,
      "options_count": 3,
      "factors_count": 5,
      "created_at": "2025-12-08T10:30:00Z",
      "updated_at": "2025-12-08T10:30:00Z",
      "analyzed_at": null
    }
  ]
}
```

```
]
}
```

3.2 Create Decision

****Endpoint**:** `POST /decisions`

****Authentication**:** Required

****Request Body**:**

```
{
  "title": "Which laptop to buy?",
  "description": "I need to decide between MacBook Pro and Dell XPS",
  "options": [
    {
      "name": "MacBook Pro M3",
      "description": "Apple's latest laptop with M3 chip"
    },
    {
      "name": "Dell XPS 15",
      "description": "High-end Windows laptop"
    },
    {
      "name": "ThinkPad X1 Carbon",
      "description": "Business-focused laptop"
    }
  ]
}
```

****Response**** (201 Created):

```
{
  "success": true,
  "message": "Decision created successfully",
  "data": {
    "id": "770e8400-e29b-41d4-a716-446655440000",
    "title": "Which laptop to buy?",
    "description": "I need to decide between MacBook Pro and Dell XPS",
    "status": "DRAFT",
    "chosen_option": null,
    "chosen_option_name": null,
    "confidence_level": null,
    "satisfaction_rating": null,
    "reflection_notes": "",
    "options": [
      {
        "id": "880e8400-e29b-41d4-a716-446655440000",
        "name": "MacBook Pro M3",
        "description": "Apple's latest laptop with M3 chip",
        "sort_order": 0,
```



```

        "factor_scores": [],
        "total_score": null,
        "created_at": "2025-12-08T10:30:00Z",
        "updated_at": "2025-12-08T10:30:00Z"
    },
    ...
],
"factors": [],
"result": null,
"created_at": "2025-12-08T10:30:00Z",
"updated_at": "2025-12-08T10:30:00Z",
"analyzed_at": null
}
}

```

3.3 Get Decision

****Endpoint**:** `GET /decisions/{id}`

****Authentication**:** Required

****Response**** (200 OK):

```

{
  "success": true,
  "data": {
    "id": "770e8400-e29b-41d4-a716-446655440000",
    "title": "Which laptop to buy?",
    "description": "...",
    "status": "ANALYZED",
    "chosen_option": "880e8400-e29b-41d4-a716-446655440000",
    "chosen_option_name": "MacBook Pro M3",
    "confidence_level": 78.5,
    "satisfaction_rating": 4,
    "reflection_notes": "Great choice!",
    "options": [...],
    "factors": [...],
    "result": {
      "id": "990e8400-e29b-41d4-a716-446655440000",
      "recommended_option": "880e8400-e29b-41d4-a716-446655440000",
      "recommended_option_name": "MacBook Pro M3",
      "confidence_level": 78.5,
      "explanation": "Based on weighted analysis...",
      "scoring_breakdown": {...}
    },
    "created_at": "2025-12-08T10:30:00Z",
    "updated_at": "2025-12-08T12:30:00Z",
    "analyzed_at": "2025-12-08T11:30:00Z"
  }
}

```

3.4 Update Decision

****Endpoint****: `PUT /decisions/{id}`

****Authentication****: Required

****Request Body****:

```
{
  "title": "Which laptop to buy? (Updated)",
  "description": "Updated description",
  "status": "ARCHIVED",
  "satisfaction_rating": 5,
  "reflection_notes": "Very happy with this decision!"
}
```

****Response**** (200 OK):

```
{
  "success": true,
  "message": "Decision updated successfully",
  "data": {...}
}
```

3.5 Delete Decision

****Endpoint****: `DELETE /decisions/{id}`

****Authentication****: Required

****Response**** (200 OK):

```
{
  "success": true,
  "message": "Decision deleted successfully"
}
```

4. Decision Options

4.1 List Options

****Endpoint****: `GET /decisions/{id}/options`

****Authentication****: Required

****Response**** (200 OK):

```
{
  "success": true,
  "data": [
    {
```

```
{
  "id": "880e8400-e29b-41d4-a716-446655440000",
  "name": "MacBook Pro M3",
  "description": "Apple's latest laptop",
  "sort_order": 0,
  "factor_scores": [
    {
      "id": "aa0e8400-e29b-41d4-a716-446655440000",
      "factor": "bb0e8400-e29b-41d4-a716-446655440000",
      "factor_name": "Price",
      "option": "880e8400-e29b-41d4-a716-446655440000",
      "option_name": "MacBook Pro M3",
      "score": 6,
      "notes": "Expensive but worth it"
    }
  ],
  "total_score": 7.5,
  "created_at": "2025-12-08T10:30:00Z",
  "updated_at": "2025-12-08T10:30:00Z"
}
```

4.2 Create Option

****Endpoint**:** `POST /decisions/{id}/options`

****Authentication**:** Required

****Request Body**:**

```
{
  "name": "New Option",
  "description": "A new option for the decision",
  "sort_order": 3
}
```

****Response**** (201 Created):

```
{
  "success": true,
  "message": "Option created successfully",
  "data": {...}
}
```

4.3 Update Option

****Endpoint**:** `PUT /decisions/{id}/options/{optionId}`

****Authentication**:** Required

****Request Body****:

```
{
  "name": "Updated Option Name",
  "description": "Updated description"
}
```

4.4 Delete Option

****Endpoint****: `DELETE /decisions/{id}/options/{optionId}`

****Authentication****: Required

5. Factors

5.1 List Factors

****Endpoint****: `GET /decisions/{id}/factors`

****Authentication****: Required

****Response**** (200 OK):

```
{
  "success": true,
  "data": [
    {
      "id": "bb0e8400-e29b-41d4-a716-446655440000",
      "decision": "770e8400-e29b-41d4-a716-446655440000",
      "name": "Price",
      "description": "The cost of the option",
      "category": "CON",
      "weight": 8,
      "is_from_template": true,
      "template_key": "COST",
      "sort_order": 0,
      "scores": [
        {
          "id": "aa0e8400-e29b-41d4-a716-446655440000",
          "factor": "bb0e8400-e29b-41d4-a716-446655440000",
          "factor_name": "Price",
          "option": "880e8400-e29b-41d4-a716-446655440000",
          "option_name": "MacBook Pro M3",
          "score": 6,
          "notes": ""
        }
      ],
      "created_at": "2025-12-08T10:30:00Z",
      "updated_at": "2025-12-08T10:30:00Z"
    }
  ]
}
```

```
}  
]  
}
```

5.2 Create Factor

****Endpoint**:** `POST /decisions/{id}/factors`

****Authentication**:** Required

****Request Body**:**

```
{  
  "name": "Build Quality",  
  "description": "How well the laptop is built",  
  "category": "PRO",  
  "weight": 7  
}
```

****Validation**:**

- `category`: Must be "PRO" or "CON"

5.3 Create Factor from Template

****Endpoint**:** `POST /decisions/{id}/factors/from-template`

****Authentication**:** Required

****Request Body**:**

```
{  
  "template_key": "QUALITY",  
  "category": "PRO",  
  "weight": 9  
}
```

****Note**:** `category` and `weight` are optional. If not provided, defaults from template are used.

5.4 Update Factor

****Endpoint**:** `PUT /decisions/{id}/factors/{factorId}`

****Authentication**:** Required

****Request Body**:**

```
{  
  "name": "Updated Factor Name",  
  "weight": 8,  
  "category": "PRO"
```

```
}
```

5.5 Delete Factor

****Endpoint**:** `DELETE /decisions/{id}/factors/{factorId}`

****Authentication**:** Required

5.6 Update Factor Scores

****Endpoint**:** `POST /decisions/{id}/factors/{factorId}/scores`

****Authentication**:** Required

****Request Body**:**

```
{
  "scores": [
    {
      "option_id": "880e8400-e29b-41d4-a716-446655440000",
      "score": 8,
      "notes": "Good value for money"
    },
    {
      "option_id": "880e8400-e29b-41d4-a716-446655440001",
      "score": 6,
      "notes": "A bit expensive"
    }
  ]
}
```

****Validation**:**

- `score`: Must be 1-10
-

6. AI Analysis

6.1 Get AI Suggestions

Returns suggested factors based on templates.

****Endpoint**:** `POST /decisions/{id}/ai/suggestions`

****Authentication**:** Required

****Request Body**:** None

****Response**** (200 OK):

```
{
```

```

"success": true,
"data": {
  "suggested_factors": [
    {
      "key": "COST",
      "name": "Cost",
      "description": "Financial cost or price of the option",
      "category": "CON",
      "weight": 7,
      "icon": "money",
      "from_template": true
    },
    {
      "key": "QUALITY",
      "name": "Quality",
      "description": "Overall quality and reliability",
      "category": "PRO",
      "weight": 8,
      "icon": "star",
      "from_template": true
    }
  ],
  "decision_id": "770e8400-e29b-41d4-a716-446655440000",
  "message": "Found 6 suggested factors for your decision."
}
}

```

6.2 Run AI Analysis

Analyzes the decision and generates recommendation.

Endpoint: `POST /decisions/{id}/ai/analyze`

Authentication: Required

Request Body: None

Prerequisites:

- Decision must have at least 1 option

```

"success": true,
"message": "Analysis completed successfully",
"data": {
  "decision_id": "770e8400-e29b-41d4-a716-446655440000",
  "recommended_option": {
    "id": "880e8400-e29b-41d4-a716-446655440000",
    "name": "MacBook Pro M3",
    "score": 85.5
  },
  "confidence_level": 78.5,

```

```
"explanation": "Based on the weighted analysis of all factors, 'MacBook Pro M3' is recomm...
"scoring_breakdown": {
  "options": [
    {
      "option_id": "880e8400-e29b-41d4-a716-446655440000",
      "option_name": "MacBook Pro M3",
      "raw_score": 125,
      "normalized_score": 85.5,
      "factors": [
        {
          "factor_id": "bb0e8400-e29b-41d4-a716-446655440000",
          "name": "Quality",
          "category": "PRO",
          "score": 9,
          "weight": 8,
          "weighted": 72
        }
      ]
    }
  ],
  "analysis_method": "weighted_average",
  "metadata": {
    "total_factors": 5,
    "total_options": 3,
    "pro_factors": 3,
    "con_factors": 2,
    "analyzed_at": "2025-12-08T11:30:00Z"
  }
}
```

6.3 Get Decision Result

****Endpoint**:** `GET /decisions/{id}/result`

****Authentication**:** Required

****Response**** (200 OK):

```
{
  "success": true,
  "data": {
    "id": "990e8400-e29b-41d4-a716-446655440000",
    "decision": "770e8400-e29b-41d4-a716-446655440000",
    "recommended_option": "880e8400-e29b-41d4-a716-446655440000",
    "recommended_option_name": "MacBook Pro M3",
    "confidence_level": 78.5,
    "explanation": "Based on weighted analysis...",
    "scoring_breakdown": {...},
  }
}
```



```
    "created_at": "2025-12-08T11:30:00Z",
    "updated_at": "2025-12-08T11:30:00Z"
  }
}
```

****Error Response**** (404 Not Found):

```
{
  "success": false,
  "error": {
    "code": "NOT_FOUND",
    "message": "No analysis result found. Run AI analysis first."
  }
}
```

7. Journal

7.1 List Journal Entries

Returns analyzed/archived decisions with journal information.

****Endpoint****: `GET /journal`

****Authentication****: Required

****Response**** (200 OK):

```
{
  "success": true,
  "data": [
    {
      "id": "770e8400-e29b-41d4-a716-446655440000",
      "title": "Which laptop to buy?",
      "description": "...",
      "status": "ANALYZED",
      "chosen_option": "880e8400-e29b-41d4-a716-446655440000",
      "chosen_option_name": "MacBook Pro M3",
      "confidence_level": 78.5,
      "satisfaction_rating": 4,
      "reflection_notes": "Great choice! Very happy with the MacBook.",
      "created_at": "2025-12-08T10:30:00Z",
      "analyzed_at": "2025-12-08T11:30:00Z"
    }
  ]
}
```

7.2 Update Journal Entry

****Endpoint****: `PATCH /decisions/{id}/journal`

****Authentication**:** Required

****Request Body**:**

```
{
  "satisfaction_rating": 5,
  "reflection_notes": "I'm very happy with this decision. The MacBook Pro exceeded my expectati..."
}
```

****Validation**:**

- `satisfaction\_rating`: 1-5

8. Feedback

8.1 Submit Feedback

****Endpoint**:** `POST /feedback`

****Authentication**:** Required

****Request Body**:**

```
{
  "feedback_type": "GENERAL",
  "rating": 5,
  "title": "Great app!",
  "message": "This app has helped me make better decisions.",
  "decision": "770e8400-e29b-41d4-a716-446655440000"
}
```

****Feedback Types**:** `GENERAL`, `BUG`, `FEATURE`, `DECISION`

****Validation**:**

- `rating`: 1-5

8.2 Get My Feedback

****Endpoint**:** `GET /feedback/my`

****Authentication**:** Required

****Response** (200 OK):**

```
{
  "success": true,
  "data": [
    {
      "id": "cc0e8400-e29b-41d4-a716-446655440000",
      "user": "550e8400-e29b-41d4-a716-446655440000",
      "user_email": "user@example.com",
      "user_name": "John Doe",
    }
  ]
}
```

```
    "feedback_type": "GENERAL",
    "rating": 5,
    "title": "Great app!",
    "message": "This app has helped me make better decisions.",
    "decision": "770e8400-e29b-41d4-a716-446655440000",
    "decision_title": "Which laptop to buy?",
    "is_resolved": false,
    "admin_response": null,
    "created_at": "2025-12-08T10:30:00Z",
    "updated_at": "2025-12-08T10:30:00Z"
  }
]
```

9. Admin APIs

Note: All admin endpoints require `ADMIN` role.

9.1 List Users

Endpoint: `GET /admin/users`

Query Parameters:

Parameter	Type	Description
role	string	Filter by role: USER, ADMIN
is_guest	boolean	Filter guest users
is_active	boolean	Filter active users

Response (200 OK):

```
{
  "success": true,
  "data": [
    {
      "id": "550e8400-e29b-41d4-a716-446655440000",
      "email": "user@example.com",
      "name": "John Doe",
      "role": "USER",
      "is_guest": false,
      "is_active": true,
      "is_staff": false,
      "decisions_count": 15,
      "created_at": "2025-12-08T10:30:00Z",
      "updated_at": "2025-12-08T10:30:00Z",
      "last_login": "2025-12-08T12:30:00Z"
    }
  ]
}
```

9.2 Get User Details

****Endpoint**:** `GET /admin/users/{id}`

9.3 Usage Analytics

****Endpoint**:** `GET /admin/analytics/usage`

****Response**** (200 OK):

```
{
  "success": true,
  "data": {
    "total_users": 150,
    "active_users": 120,
    "guest_users": 30,
    "total_decisions": 500,
    "decisions_by_status": {
      "DRAFT": 100,
      "ANALYZED": 350,
      "ARCHIVED": 50
    },
    "total_analyses": 350,
    "average_confidence": 72.5,
    "decisions_this_week": 45,
    "decisions_this_month": 180,
    "most_active_users": [
      {
        "id": "550e8400-e29b-41d4-a716-446655440000",
        "email": "power@user.com",
        "name": "Power User",
        "decision_count": 50
      }
    ]
  }
}
```

9.4 Feedback Analytics

****Endpoint**:** `GET /admin/analytics/feedback`

****Response**** (200 OK):

```
{
  "success": true,
  "data": {
    "total_feedback": 100,
    "resolved_feedback": 80,
    "pending_feedback": 20,
  }
}
```

```
    "average_rating": 4.2,
    "feedback_by_type": {
      "GENERAL": 50,
      "BUG": 20,
      "FEATURE": 25,
      "DECISION": 5
    },
    "rating_distribution": {
      "1": 5,
      "2": 10,
      "3": 15,
      "4": 30,
      "5": 40
    },
    "recent_feedback": [...]
  }
}
```

9.5 Factor Templates CRUD

****List**:** `GET /admin/factor-templates`

****Create**:** `POST /admin/factor-templates`

```
{
  "key": "SUSTAINABILITY",
  "name": "Sustainability",
  "description": "Environmental impact",
  "default_category": "PRO",
  "default_weight": 6,
  "icon": "eco",
  "sort_order": 11
}
```

****Update**:** `PUT /admin/factor-templates/{id}`

****Delete**:** `DELETE /admin/factor-templates/{id}`

9.6 AI Parameters

****List**:** `GET /admin/ai-parameters`

****Get**:** `GET /admin/ai-parameters/{key}`

****Update**:** `PATCH /admin/ai-parameters/{key}`

```
{
  "value": "35",
  "description": "Updated minimum confidence threshold"
}
```

9.7 Activity Logs

****Endpoint**:** `GET /admin/logs`

****Query Parameters**:**

Parameter	Type	Description
action	string	Filter by action type
user_id	uuid	Filter by user
date_from	datetime	Start date
date_to	datetime	End date

10. Error Handling

Standard Error Response

```
{
  "success": false,
  "error": {
    "code": "ERROR_CODE",
    "message": "Human readable message",
    "details": {
      "field_name": ["Error description"]
    }
  }
}
```

Error Codes

Code	HTTP Status	Description
BAD_REQUEST	400	Invalid request data
UNAUTHORIZED	401	Authentication required
FORBIDDEN	403	Permission denied
NOT_FOUND	404	Resource not found
VALIDATION_ERROR	400	Input validation failed
CONFLICT	409	Resource conflict
TOO_MANY_REQUESTS	429	Rate limit exceeded
INTERNAL_SERVER_ERROR	500	Server error

Rate Limiting

- Anonymous: 100 requests/day

Pagination

Paginated responses include:

```
{  
  "count": 100,  
  "next": "http://localhost:8000/api/v1/decisions?page=2",  
  "previous": null,  
  "results": [...]  
}
```

Default page size: 20 items