

1. Smart Automated Bot for Irrigation & Land reclamation (SABIL)

Name

- Abdelrahman Ali Hegazy, Ismailia STEM High School
- Mokhtar Amr Mokhtar, Ismailia STEM High School
- Mohammed Ahmed Mohammed, New Cairo STEM High School
- Zeyad Mohamed Adel, Ismailia STEM High School

2. Abstract

Agriculture is dealing with big global difficulties like water scarcity, desertification, clumsy farming practices, and a growing reliance on manual work. these issues lower agricultural output, waste natural resources, and they also make farm work harder, especially in arid and less developed areas. The SABIL project, (Smart Automated Bot for Irrigation & Land Reclamation) was created as a kind of fresh attempt to solve these problems using artificial intelligence, automation, and smart environmental tracking systems. It targets a fully autonomous agricultural robot that can manage the whole farming cycle with only minor human involvement, or almost none.

SABIL brings together embedded systems, sensors, mechanical parts, and AI-control strategies into one “brainy” platform. the robot can do soil preparation, seed placing, precision irrigation, environmental monitoring, navigation, and crop handling automatically. data gathered in real time from soil moisture, temperature, humidity, gas, and ultrasonic sensors lets the system reason and decide on irrigation timing, route choices, and other farming operations. in the end, this approach cuts water waste, boosts efficiency on the field, and supports more sustainable farming methods.

SABIL is mainly meant for the difficulties small and medium scale farmers run into, plus agricultural startups and land reclamation efforts, especially in desert zones and places that are dealing with a lack of water. By cutting down on manual labor and fine tuning how resources are used, SABIL gives a practical, and pretty low cost approach for modern farming. The whole setup is also made to keep working in tough outdoor settings, so it fits well for developing regions where people can't easily reach high end agricultural technology.

In general, the SABIL project is kind of a move toward the next era of smart agriculture, because it blends robotics, artificial intelligence, and environmental monitoring into one autonomous farming system. The goal is to boost crop output, protect natural resources, and also back sustainable land reclamation efforts, while still offering a base that can scale for later automated farming advancements.

3. Idea

Problem:

Agriculture right now is dealing with a few big problems that really touch food production, resource handling, and ecological sustainability, in a pretty direct way. One of the hardest hurdles is water shortage, especially in desert like , and other dry places, where keeping farming going starts to feel kind of impossible. Usual irrigation systems end up wasting a lot of water because they stick to rigid time tables, instead of actually responding to what the soil is doing. On top of that, many farms still use manual labor and older farming approaches, so things stay less efficient and this can push costs up in a straightforward manner too. And then there is climate change, land degradation, and population growth, all stacking extra pressure on agricultural systems, so there's this urgent need for more intelligent and, also more long lasting cultivation methods.

From the social side, these concerns don't just stay out in the fields. They steer economic progress and food security, at the same time. Farmers in less developed areas often struggle to obtain modern tools, so it becomes hard to raise output, or even coordinate inputs properly. When water is scarce and the land is mismanaged, crop yields can decline , and then food prices climb, which can ripple through whole communities pretty fast. Fixing these issues matters not only for stronger farming results, but also for supporting long term development, while protecting natural resources for the next generations.

The SABIL project was developed to deal with these challenges through some integrated smart farming system. From what we can see in current research , and with the technologies that are already available, most of the existing agricultural setups just pick one main job like irrigation or monitoring and stop there. But SABIL pulls together several farming operations, irrigation , environmental monitoring , navigation, planting, and automation, all into one autonomous agricultural robot. To be honest, within the limits of our own research and what we know so far, this whole combination of techniques, in one low-cost setup, hasn't been described in the same integrated manner before. Not particularly, and especially when it comes to desert land reclamation and sustainable farming, where the requirements are more delicate and still not well covered.

Current Work:

A lot of modern ag technologies are already there, like smart irrigation systems, automated tractors, and some sensor based environmental monitoring stuff. Some of these setups run on IoT to keep an eye on soil moisture and then control the irrigation from far away, while others lean more toward robotic farming equipment for planting or harvesting. Bigger agricultural companies have also moved into AI and automation, mostly to boost overall farming efficiency ,and also cut down on the amount of labor they need.

Still, most of the current solutions feel pretty expensive, kind of complex, and mostly made for large industrial farms, not for smaller or medium scale agriculture. In a bunch of situations they end up doing just one task—irrigation, or crop monitoring, for example—without actually tying the field operations into one single platform. And that mismatch is what pushes costs higher, because farmers then have to combine and match multiple separate machines and tools, just to get through different tasks across the season.

Also, a lot of today's agricultural robots aren't really tuned for harsh places like deserts, or even dry farmland. They may need extra infrastructure, kind of higher energy use ,or costly upkeep, which feels not very practical in many developing regions. These restrictions cut down access for farmers who want low cost options, and something more adaptable for real field conditions.

Solution:

So the thing we are proposing is the SABIL robot, kind of a Smart Automated Bot for Irrigation & Land Reclamation, and its main idea is to basically automate the whole agricultural routine using artificial intelligence, embedded systems, sensors, and mechanical farming tools. In practice it can do soil monitoring, precision irrigation, navigation, environmental analysis, plus the farming operations too , with very little human involvement. And yeah, by pulling in real-time environmental data the robot can make more thoughtful decisions so agricultural output gets better, while resource waste goes down.

For the sensing side, it relies on a few types of sensors like soil moisture sensors, temperature and humidity sensors, gas sensors, ultrasonic sensors, and also a camera module , so it can watch conditions continuously. Then an ESP32 microcontroller processes what comes in, and it steers the robot's movement and operations through AI based rule logic . This setup lets it adjust as the environment changes, and keep executing farming tasks automatically and efficiently , even when things shift over time.

Compared to existing agricultural technologies, SABIL sort of combines several farming functions into one integrated, cost-effective platform. Instead of depending on separate irrigation systems, monitoring gadgets, and farming machines, the robot just does all these things together, in one autonomous setup . As a result it lowers the total cost, ramps up day-to-day efficiency, and also makes the whole tech easier for small and medium-scale farmers to actually use

This project improves the current solutions mostly by concentrating on affordability, automation, and the ability to adapt in harsh environments, which is a big deal. It is specifically built for desert regions and for places dealing with water scarcity, where careful resource management is not optional. By cutting down reliance on manual labor and by fine tuning how water is used, SABIL supports more sustainable agriculture and lays a practical base for future smart farming solutions, even when conditions are not exactly friendly.

4. Plan

Approach:

The implementation of the SABIL project goes along using a more or less ordered step by step development plan, so the hardware side and the software side stay in sync, designed and also later tested. At the beginning there is the system design part, where the whole robot architecture gets set, meaning the sensor selection is decided, the microcontroller setup gets arranged, the mechanical structure is planned, and the power distribution is mapped. In that same phase, it's also about designing the chassis, plus figuring out where everything will live inside it, because stability and efficiency during operation matters a lot, even if it seems simple.

Then the second stage is the hardware development, where the real physical components are put together. Here the ESP32 microcontroller is installed, sensors like soil moisture, MQ135, DHT11, ultrasonic sensors get wired up, and motors along with mechanical parts are integrated. After assembling, there is a first round of testing so we can verify every component is working as expected and also communicating correctly with the microcontroller, not just turning on.

The third step is software development and AI integration. Here, in this phase, the control system gets programmed using rule based logic, to process the sensor data and make near real time decisions. It also involves putting in place irrigation control, navigation algorithms and

```

1 #include <Wire.h>
2 #include <Adafruit_PWMServoDriver.h>
3 #include <DHT.h>
4
5 // =====
6 // 1. HARDWARE & DRIVER SETUP
7 // =====
8 // Initialize the TMC Motor Driver (default address 0x60)
9 Adafruit_PWMServoDriver pwm = Adafruit_PWMServoDriver();
10
11 // Environmental Sensors
12 #define DHTPIN 4
13 #define DHTTYPE DHT11
14 #define MQ135_PIN 34
15 #define SOIL_PIN 35
16
17 // Navigation (Ultrasonic)
18 #define TRIG_PIN 5
19 #define ECHO_PIN 18
20
21 // Actuators
22 #define PUMP_A_PIN 19 // Final sequence water pump
23
24 // Motor Channels on the PCA9685 Driver (0 to 15)
25 // & Drive Motors
26 const int M_LEFT_FRONT = 0, M_LEFT_MID = 1, M_LEFT_BACK = 2;
27 const int M_RIGHT_FRONT = 3, M_RIGHT_MID = 4, M_RIGHT_BACK = 5;
28
29 const int SOIL_1F = 6, SOIL_RF = 7, SOIL_1B = 8, SOIL_RB = 9;
30
31 // =====
32 // 2. SYSTEM VARIABLES
33 // =====
34 bool isAutonmode = true; // System starts in fully autonomous mode
35 const int MOISTURE_THRESHOLD = 1000;
36 const int GAS_DANGER_LEVEL = 2000;
37 const int OBSTACLE_DIST_ON = 30;
38
39 DHT dht(DHTPIN, DHTTYPE);
40
41 void setup() {
42   Serial.begin(115200);
43
44   // Initialize Sensors & Actuators
45   dht.begin();
46   pinMode(MQ135_PIN, INPUT);
47   pinMode(SOIL_PIN, INPUT);
48   pinMode(TRIG_PIN, OUTPUT);
49   pinMode(ECHO_PIN, INPUT);
50
51   pinMode(PUMP_A_PIN, OUTPUT);
52   digitalWrite(PUMP_A_PIN, LOW);
53
54   // Initialize motor driver
55   pwm.begin();
56   // Set initial motor speeds (0 to 255)
57   pwm.writeMicroseconds(0);

```

[illegible]

environmental monitoring tasks. The code is also kept on going tested, and reworked little by little so the system stays stable, and remains accurate.

Education and Awareness Strategy:

The campaign message is mainly about encouraging sustainable farming practices and at the same time introducing the advantages of smart agricultural systems like SABIL. It highlights that modern technology can handle actual agriculture challenges, like water scarcity, uneven irrigation, and low crop yields. The content will feature straightforward explanations, demonstrations of the robot, and some comparisons between traditional farming routines and smart farming approaches, even if it does not match perfectly for every single situation.

prototype. Visual material will help make the whole idea clearer, especially if the audience is non-technical, because they might not follow the details otherwise. Also, workshops and school presentations can work quite well for spreading the word, and for encouraging a genuine interest in agricultural technology, more in a hands on way.

Expected Challenges and Solutions:

One of the main challenge(s) expected during the project is hardware integration issues, like where different sensors and components may not work together smoothly, or at least not right away. This could be handled through careful testing , proper wiring and modular design, so each component can be checked individually first, before the full integration takes place.

Another difficulty is sensor accuracy and environmental interference, mostly in outdoor agricultural environments where dust heat and moisture can mess with the readings. That can be addressed by calibrating the sensors properly, and by using protective enclosures, which help with durability reliability too.

Also there's the extra bit about power consumption, because if the motors and sensors run nonstop it can drain energy surprisingly fast. It can be handled by making code more streamlined, using power-saving settings on the ESP32, and also picking more energy-efficient parts.

Then, later on, user adoption can be tricky, since many farmers might not be too familiar with smart agriculture platforms. That part is usually improved with outreach awareness campaigns, very simple user interfaces , and practical demonstrations where people can see the benefits in real farm situations, step by step.

Resources:

-The project uses locally sourced electronic components like ESP32 sensors, jumpers and DC/Servo motors , plus a laser-cut wood plank for the chassis, a water pump, and standard farming attachments as well. Mentorship is handled by our project advisor sort of, and for testing we access facilities through educational partnerships, so it's not just guess work, kind of.

Project Budget:

Item	Qty	Cost (EGP)	Subtotal (EGP)
Soil moisture sensor	1	50.00	50.00
DHT-11 sensor	1	55.00	55.00

Camera module	1	175.00	175.00
Water pump	1	45.00	45.00
Wood plank (Chassis)	1	280.00	280.00
ESP32 Microcontroller	1	280.00	280.00
DC motor	16	15.00	15.00
Ultrasonic sensor	1	40.00	40.00
MQ135 Gas Sensor	1	75.00	75.00
Jumpers (wiring)	2	50.00	50.00
Total Estimated Cost			1340.00 EGP

5. References

Council on Foreign Relations. (2023). *Water stress: A global problem that's getting worse*.

<https://www.cfr.org>

Espressif Systems. (2024). *ESP32 series datasheet*.

<https://www.espressif.com/en/support/documents/technical-documents>

Food and Agriculture Organization of the United Nations. (2019). *The state of food and agriculture: Moving forward on food loss and waste reduction*.

<https://www.fao.org>

Guangzhou Aosong Electronics. (n.d.). *DHT11 temperature and humidity sensor technical data sheet*.

Ministry of Communications and Information Technology. (2021). *Egypt national artificial intelligence strategy*. <https://mcit.gov.eg>