



Name\ Yousef Ahmed Kandeel

ID\ 4211035

Subgroup\ B2

Get customers that its contactFirstName starts with 'je' or 'le'.

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following query:

```
1 SELECT contactfirstname
2 FROM classicmodels.customers
3 where contactFirstName regexp 'je'OR'le';
4
```

The Results grid shows the following data:

contactfirstname
Jean
Jeff
Jerry
Jean
Jesus

The Output tab at the bottom shows the execution log:

#	Time	Action	Message	Duration / Fetch
13	17:26:55	SELECT contactfirstname FROM classicmodels.customers where contactFirstName regexp IN ('je','le')	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL...	0.000 sec
14	17:27:03	SELECT contactfirstname FROM classicmodels.customers where contactFirstName regexp ('je','le') LIMIT...	Error Code: 1241. Operand should contain 1 column(s)	0.000 sec
15	17:27:04	SELECT contactfirstname FROM classicmodels.customers where contactFirstName regexp ('je','le') LIMIT...	Error Code: 1241. Operand should contain 1 column(s)	0.000 sec
16	17:27:15	SELECT contactfirstname FROM classicmodels.customers where contactFirstName regexp 'je'OR'le' LI...	5 row(s) returned	0.016 sec / 0.000 sec

Get customers that its contactFirstName is ended with 'el' or contains 'ie'.

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following query:

```
1 SELECT contactfirstname
2 FROM classicmodels.customers
3 where contactfirstname regexp 'ie|el$';
4
5
```


The Results grid displays the following data:

contactfirstname
Julie
Diego
Marie
Julie
Leslie
Julie
Valerie
Daniel
Daniel
Henriette
Julie
Leslie
Valerie

The Output tab shows the following log entries:

#	Time	Action	Message	Duration / Fetch
16	17:27:15	SELECT contactfirstname FROM classicmodels customers where contactFirstName regexp 'ie OR le' U...	5 row(s) returned	0.016 sec / 0.000 sec
17	17:29:01	SELECT contactfirstname FROM classicmodels customers where contactFirstName regexp 'el' OR 'le'\$	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL...	0.000 sec
18	17:29:29	SELECT contactfirstname FROM classicmodels customers where contactFirstName regexp 'le\$' LIMIT...	14 row(s) returned	0.000 sec / 0.000 sec
19	17:31:12	SELECT contactfirstname FROM classicmodels customers where contactFirstName regexp 'le le'\$ LIMIT...	13 row(s) returned	0.000 sec / 0.000 sec
20	17:31:45	SELECT contactfirstname FROM classicmodels customers where contactFirstName regexp 'le el'\$ LIMIT...	13 row(s) returned	0.000 sec / 0.000 sec

Get customers that its contactFirstName contains 'b' followed by g or a.



The screenshot shows the MySQL Workbench interface. The SQL editor contains the following query:

```
1 SELECT contactFirstName
2 FROM classicmodels.customers
3 where contactFirstName regexp 'b[ga]';
4
5
6
```

The Results grid displays the following data:

contactFirstName
Jonas
Christina
Renate
Anna
Hanna
Raanan

The Output pane shows the execution log:

#	Time	Action	Message	Duration / Fetch
44	17:45:29	SELECT contactFirstName FROM classicmodels.customers where contactFirstName regexp 'b[gn]' LIMIT ...	0 row(s) returned	0.000 sec / 0.000 sec
45	17:45:38	SELECT contactFirstName FROM classicmodels.customers where contactFirstName regexp 'a[gn]' LIMIT ...	27 row(s) returned	0.000 sec / 0.000 sec
46	17:46:04	SELECT contactFirstName FROM classicmodels.customers where contactFirstName regexp 'i[gn]' LIMIT ...	5 row(s) returned	0.000 sec / 0.000 sec
47	17:46:12	SELECT contactFirstName FROM classicmodels.customers where contactFirstName regexp 'n[a]' LIMIT ...	6 row(s) returned	0.016 sec / 0.000 sec