MUNSIT AI — Frontend Handoff Specification

Nov 12, 2026 · @USI SOLIMAN

Status and how to read this document

The Figma file (16 pages, 29 variables) covers 14 application modules in Desktop, Tablet and Mobile and is ready for frontend work; this document turns it into an implementation spec. Every statement carries one of three labels.

Label	Meaning
Approved	Visible in the final Figma frames or confirmed in the closeout decisions. Build to it.
Proposed	A frontend implementation suggestion that Figma does not define. Needs engineering confirmation.
Unresolved	Backend or product behavior the design does not specify. Do not assume.

Figma metadata and screenshots show structure and appearance only. They do not prove runtime behavior, and the Open Link prototype test was never run.

Design system

Approved: the system is dark-only, with two variable collections (`01 – Brand Colors` , 19 variables; `02 – Layout Tokens` , 10 variables), each with a single mode. Settings shows System and Light themes as "coming soon", so no light palette exists.

Color variables

Token	Value	Role
Surface / Void Black	#040506	Page base (frame fill)
Surface / Ink	#07080a	Sidebar and deep surfaces
Surface / Obsidian	#111214	Cards and dialogs

Token	Value	Role
Surface / Graphite	#1b1c1e	Raised surfaces
Surface / Ember Hush	#452324	Error tint
Text / Primary	#ffffff	Headings and body
Text / Secondary	#9c9c9d	Supporting text
Text / Muted	#6a6b6c	Disabled and meta
Text / Muted Readable	#8d8d8f	Muted text that must stay readable
Neutral / Mist, Iron, Slate	#e6e6e6, #454647, #2f3031	Neutrals and borders
Accent / Electric Sky	#63a1ff	Primary action and active state
Accent / Cobalt Edge, Deep Space	#143ca3, #02193b	Gradients and glows
Accent / Info Blue	#56c2ff	Info
Accent / Success Green	#59d499	Success
Semantic / Warning	#ffb020	Warning
Accent / Coral Pulse	#ff6363	Error and destructive

Spacing and radius

Token	Value (px)
Space XS / SM / MD / LG / XL	4 / 12 / 16 / 20 / 32
Radius SM / MD / LG / XL / 2XL	8 / 12 / 16 / 20 / 24

The layouts also use 24px page padding and 24px/20px gaps between sections, which are not tokens. Proposed: add them as tokens in code.

Typography. Cairo carries Arabic text, Inter carries Latin text and numerals, and Geist Mono carries metadata such as course codes and timers. The Dashboard set is the reference scale:

Style	Font	Size / line height (px)
Title L	Cairo Bold	28 / 40
Title M	Cairo Bold	20 / 30
Card Title	Cairo SemiBold	16 / 24
Body	Cairo Regular	14 / 22
Button	Cairo SemiBold	14 / 20
Caption	Cairo Regular	12 / 18
Stat	Inter Semi Bold	28 / 34
Meta	Geist Mono Regular	12 / 18

Landing and Auth have their own styles (for example Landing Section Desktop 40, Mobile 26). Several unnamed generic styles also exist (Heading, Body, UI groups); treat the Dashboard scale as the application default.

Components. The file holds component sets per module, including Button (8 variants), Sidebar Item (4 states), Navigation Icon Button, Mobile Navigation Item, Lecture Card (24), Status Badge, Audio Player, Recording Workspace and Avatar Panel. Build one shared component per set, and keep states and variants as props, not copies.

Application structure

Approved: the application is 14 modules behind one shared shell, each designed in Desktop, Tablet and Mobile. The Figma pages map one to one onto modules.

Page	Module	Notes
01	Landing	Public marketing site (own type styles)
02	Authentication	108 frames, 16 prototype flows
03	Dashboard	Home destination; loading, error, partial-error and first-time states
04	My Lectures	Library, filters, upload modal (Desktop) and sheet (Mobile)

Page	Module	Notes
05	Lecture Details / AI Workspace	Tabs, audio player, transcript, AI panel
06	Live Recording & Transcription	Recording workspace, leave guard
07	AI Virtual Tutor	Avatar, whiteboard, interaction panel, error states
08	My Summaries	Library and reader
09	AI Question Bank	Creation and quiz flows
10	My Notes	Library, editor, empty state, unsaved guard
11	AI Flashcards	Library and Study Mode
12	Favorites	Saved items
13	My Folders	Folder contents, selection actions
14	Profile & Settings	Account navigation; no primary item is active

Pages `Design System` and `15 — Design Documentation` hold reference material, not screens.

Shared app shell. Approved: every module screen uses the same shell. Desktop is a 232px Sidebar plus a Main column with a Top Bar (search, language toggle, theme, notifications, user menu). Tablet replaces the Sidebar with a 72px Rail and a drawer. Mobile uses a Top Bar and a bottom navigation. Proposed: build each shell part once as a shared component, driven by the registry below, never copied per screen.

Navigation registry. Approved order, identical in every shell (Sidebar, Rail, Drawer):

#	Label	Module	Mobile placement
1	الرئيسية	Dashboard	Bottom bar
2	محاضراتي	My Lectures	Bottom bar
3	الملخصات	My Summaries	Bottom bar
4	الأسئلة	AI Question Bank	More sheet
5	البطاقات التعليمية	AI Flashcards (icon `Icon / cards`)	More sheet
6	الملاحظات	My Notes	More sheet

#	Label	Module	Mobile placement
7	المفضلة	Favorites	More sheet
8	المجلدات	My Folders	More sheet

The More sheet also lists account settings and a plan upgrade entry. Exactly one item is Active per screen, except on Profile & Settings where none is. Lecture Details, Live Recording and AI Tutor screens keep the lectures item active (the tutor breadcrumb reads lectures / lecture details / tutor).

Authentication architecture. Approved: page 02 defines the screens and 16 prototype flows. The design does not define token handling, session lifetime, providers or route guards (see Unresolved).

Responsive layout

Approved: the design gives three reference widths, so the breakpoints between them are a frontend decision to confirm at runtime.

Target	Reference size (px)	Shell	Content area
Desktop	1440 wide	232 Sidebar, right side (RTL)	1208 Main, 24 padding
Tablet	768 wide	72 Rail plus a drawer overlay	Remaining width, 24 padding
Mobile	390 × 844	72 Top Bar, 84 bottom navigation	Full width, 20 padding

The file is right-to-left throughout: the Sidebar and Rail sit on the right, text and icons mirror, and numerals and Latin terms stay left-to-right inside Arabic text.

Long pages. Approved: screens taller than the viewport scroll as a document. The Sidebar and Rail stretch to the page height and pin the plan-upgrade card to the bottom, 24px above the edge on Desktop and 20px on Tablet, so the card only appears at the bottom of the page. Proposed: make the Sidebar and Rail sticky at viewport height, so the upgrade card stays visible while content scrolls. Figma frames are taller than a real viewport and do not define this.

Mobile scrolling. Approved: the Mobile page is one scroll column under a fixed Top Bar and bottom navigation; the loading frame's scroll content is 4518px tall behind the 844px viewport. Proposed: reserve bottom padding equal to the navigation height (84px) plus the device bottom safe area.

Safe areas. Unresolved in the design. Proposed: apply the top and bottom device insets to the Top Bar, the bottom navigation and bottom sheets.

Overlays. Approved: overlay frames (Notifications, User Menu, Upload Lecture, guards, More Menu) are shown at fixed artboard heights from 900 to 1990, but only so the dialog can be drawn. Proposed: render each scrim against the active viewport (fixed, full screen), center dialogs in it, and ignore the artboard height. The Upload Lecture overlay is opened from both the full Dashboard (2316px) and the first-time Dashboard (900px), so no single fixed artboard height fits both.

Functional requirements

Each row separates what the design shows (Approved) from what the frontend would add (Proposed). Backend rules the design leaves open are collected in the last section.

Feature	Approved design behavior	Proposed frontend implementation
AI Tutor	Avatar choice (Munsit, Nour, Adam); explanation level, style and language selectors; step-by-step whiteboard ("step 1 of 5") with captions, speed (1×), previous, next, play and restart; interaction panel with quick actions (explain again, simplify, give an example, quiz me), suggested questions and a text input	One tutor session state shared by the whiteboard, the controls and the panel; panel and whiteboard stay in sync on the current step
Tutor errors	Answer failure shows an error card with a retry button inside the panel; the default conversation is not shown behind it; Tablet shows the error as an overlay, without a Rail	Retry re-sends the last request and keeps the user's message in the thread

Feature	Approved design behavior	Proposed frontend implementation
Recording	Workspace with status, timer, waveform, microphone selector, live transcript status, processing stepper, error message and a leave-confirmation dialog	Keep captured audio in memory or local storage until a save is confirmed, and use the guard below for every exit path
Lecture processing	Status badges: pending (في الانتظار), processing (قيد المعالجة), ready (جاهزة); items still processing are marked unavailable for generation	Poll or subscribe to status; disable actions that need a ready lecture
Notes saving	Library with an empty state and a create-first-note action; editor; unsaved-changes dialog when leaving	Track a dirty flag in the editor; the guard appears only when it is set
AI Question Bank	Source (summary or lecture), content picker, question type (multiple choice, true/false, short answer, mixed), difficulty (easy, medium, hard, mixed), count (5, 10, 15, 20 or custom), mode (practice or exam), and a live summary of the settings; create stays disabled until the form is valid	Validate on blur; a custom count must be greater than zero (message: "write a number greater than zero")
Flashcards	Library with stats (retention 74%, 4 groups, 92 cards, today's review 12/30), topic filters, search, deck cards with a status badge and a start-review action; Study Mode may hide global navigation	Study Mode needs a visible exit (see interactions)
Loading states	Skeletons for the Dashboard in Desktop, Tablet and Mobile	Match skeleton geometry to the loaded layout to avoid layout shift
Error states	Dashboard full error and partial error (per-section retry, e.g. "could not load latest lectures")	Isolate failures per section

Feature	Approved design behavior	Proposed frontend implementation
Empty states	Notes empty state; first-time Dashboard with an upload prompt	Reuse one empty-state component

Interaction requirements

Interaction	Approved	Proposed
Navigation	One registry drives Sidebar, Rail, Drawer and the bottom bar; one Active item per screen, none on Profile & Settings	Mark the active item with `aria-current="page"`
Tablet Drawer	A drawer overlay lists the eight destinations (5 drawer frames drawn); the Rail holds a menu button	Open from the menu button, close on scrim click, Esc or destination change
Mobile More Sheet	Bottom sheet with a grabber, a close button, the five remaining destinations, account settings and a plan upgrade entry	Open from the "More" tab; the tab shows as active on screens that live inside it, such as Flashcards; trap focus inside
Overlays	Notifications, user menu and upload lecture each have a drawn frame; the scrim closes the overlay	Render in a portal with a viewport-based scrim
Form validation	Inline error under the field with a red border (e.g. custom question count)	Validate on blur; clear the error as soon as the value is valid
Focused workflows	Flashcards Study Mode and focused Folder workflows may hide global navigation	They must offer a working Back, Close or Exit control
Keyboard accessibility	Not specified in Figma	Visible focus, full keyboard operation, Esc closes overlays

Unsaved Changes Guard (Notes). Approved copy: title "لديك تغييرات غير محفوظة", body "إذا غادرت الآن، قد تفقد التعديلات التي لم تحفظها." with two actions. The safe action "متابعة التعديل" is the recommended default; leaving ("مغادرة بدون حفظ") must stay an explicit destructive action. Drawn for Desktop, Tablet and Mobile. Proposed: focus the safe action on open, and block route changes, tab close and browser back while the guard is relevant.

Leave Recording Guard. Approved copy: title "هل تريد مغادرة التسجيل؟", body "قد تفقد أجزاء من التسجيل لم يتم حفظها بعد إذا غادرت الصفحة.", actions "البقاء في الصفحة" (primary) and "مغادرة على أي حال" (destructive, secondary style). Drawn for Desktop and Tablet. Proposed: recording data is never discarded silently; show the guard on every exit path (in-app navigation, tab close, browser back) while a recording is active or unsaved.

Closeout decisions and nonblocking issues

Approved conventions.

- The Tablet AI Tutor error is an intentional overlay without a Rail, now named `Overlay / Tablet / Ask Tutor Error`.
- Profile & Settings has no Active primary destination.
- Flashcards Study Mode and focused Folder workflows may hide global navigation but must offer Back, Close or Exit.
- Sidebar, Rail, Drawer, bottom bar and More sheet are shared components fed by one registry; do not rebuild them per screen.
- Notes guard: the safe action is the recommended default; leaving is an explicit destructive action.
- Recording data is never discarded silently.

Fixes made at closeout. The Dashboard Desktop frames (Default, Loading, Partial Error) are 2316px tall and their Section was enlarged to contain them. The AI Tutor Desktop error frame no longer shows ghost text behind the error card. The Dashboard Mobile loading skeleton is no longer clipped. A temporary Open Link test frame was removed after checks showed no flow or component depended on it.

Nonblocking issues. None blocks frontend work.

Severity	Issue	Frontend guidance
P2	The Notes guard shows the destructive action as the solid red primary button and the safe action as secondary, the reverse of the Recording guard (checked on the Tablet frame; the Desktop and Mobile guards use the same dialog component)	Follow the Recording guard: safe action primary, leave action secondary with red text
P2	Menu to Drawer prototype reactions exist on only 7 of 66 Tablet Rails (earlier audit)	Implement the drawer from the registry, not from the prototype
P2	The More trigger is missing on 25 Mobile screens (earlier audit)	Show the bottom bar with a More tab on every Mobile screen
P3	The Open Link prototype action was never run, and its test frame is deleted	Test link behavior in the built product
P3	The Dashboard Desktop frames are now fixed at 2316px rather than hugging content	Ignore the fixed height; the layout is content-driven
P3	Overlay artboards have fixed heights unrelated to the screen they open over	Scrim against the viewport
P3	The Mobile More Menu and guard overlays are drawn on a flat gray backdrop, not over a real screen	Show them over the current screen

Unresolved backend and product requirements

The design does not define these, and this document does not invent them. Each needs a product or backend decision before the related screen can be wired to real data.

- **Authentication:** providers, session lifetime, token storage, route protection and password recovery rules.
- **Lecture upload and processing:** accepted file types and sizes, how long processing takes, how status changes reach the client, and the retry rules after a failure.

- **Recording:** how long unsaved audio is retained, whether partial recordings can be resumed, and the maximum recording length.
- **AI Tutor:** answer latency and streaming, retry limits, how a lecture is chosen as context, and whether avatar and explanation settings persist per user.
- **AI Question Bank:** the maximum question count, how "available content" limits the count, and how results are stored.
- **Flashcards:** how retention percent and today's review target (12/30) are calculated and when a deck becomes "needs review".
- **Notes:** whether saving is manual or automatic, and conflict handling across devices.
- **Plans:** what the upgrade card promises (more questions and summaries) and the limits on the free plan.
- **Settings:** where language and theme persist, and when the Light and System themes arrive.
- **Notifications and search:** the sources of notifications and what the global search covers.
- **Accessibility:** the target standard and the supported browsers and devices.