Name : youssef mohamed yasser

ID: 2305038

Schema view



Index.php



1) show.php



2) create.php



3) update.php



4) delete.php



5) The vuln. endpoint



car_id: 1 - Model: Toyota Corolla - Used: 1 - Date: 2023-05-10 - Price: 15000.00



car_id: 1 - Model: Toyota Corolla - Used: 1 - Date: 2023-05-10 - Price: 15000.00
car_id: 2 - Model: Honda Civic - Used: 0 - Date: 2024-01-20 - Price: 20000.00
car_id: 3 - Model: BMW X5 - Used: 1 - Date: 2022-11-03 - Price: 45000.00
car_id: 4 - Model: Ford Focus - Used: 1 - Date: 2021-07-18 - Price: 10000.00

In the photo

The attack was successful by inserting (car_id=1OR1=1) aka Boolean flip while the code

show_vuln.php 4

show_vuln.php > ...

```php
<?php
include 'db.php';    Replace "include" with "include_once".

$car_id = $_GET['car_id'];  // ❌ UNSAFE – vulnerable to SQL injection

// Vulnerable query (no prepared statement)
$sql = "SELECT * FROM cars WHERE car_id = $car_id";

$result = $conn->query($sql);

if ($result->num_rows > 0) {
    while($row = $result->fetch_assoc()) {
        echo "car_id: " . $row["car_id"] .    Remove the useless trailing whitespaces at the end of this line.
        " - Model: " . $row["model"] .
        " - Used: " . $row["used"] .
        " - Date: " . $row["sale_date"] .
        " - Price: " . $row["price"] . "<br>";
    }
} else {
    echo "No results";
}
$conn->close();
?>    Remove this closing tag "?>".
```

The answer:

SELECT * FROM users WHERE username = ? AND password = ? ;