

University of Heidelberg
Faculty of Mathematics and Computer Science
Institute of Computer Science
Research Group: *<to be defined>*

Bachelor's Thesis in Computer Science

Data-driven camera calibration for light field camera systems

Name: Youssef Daoudi El Boukhrissi
Student ID: 4277022
Supervisor: Prof. Dr. Jürgen Hesser
Submission date: 28 February 2026

Abstract

[1]

Contents

1. Introduction	1
1.1. Motivation	1
1.2. Challenges and Problem Statement	1
1.3. Research Questions	1
1.4. Structure of the Thesis	1
2. Theoretical Background	2
2.1. Pinhole Camera Model	2
2.2. Lens Distortion	2
2.2.1. Radial Distortion	2
2.2.2. Tangential Distortion	2
2.3. Camera Calibration	2
2.3.1. Calibration Parameters and Error Metrics	2
2.3.2. Target-Based Camera Calibration	2
2.3.3. Bundle Adjustment	2
2.4. Light Field Camera Systems	2
2.4.1. Multi-Camera Light Field Systems	2
2.4.2. Micro-Lens-Array-Based Light Field Cameras	2
2.5. State of the Art in Light Field Camera Calibration	2
3. Material and Method	3
3.1. Material	3
3.1.1. Synthetic Data Generation with Blender	3
3.1.2. Image Sets and Ground Truth Definition	3
3.1.3. Runtime Environment and Toolchain	3
3.2. Method	3
3.2.1. Use Case Description	3
3.2.2. Requirements Analysis	3
3.2.3. UML Class Diagram	3
3.2.4. Health Monitoring and Decision Metrics	3
3.2.5. State Diagram	3
4. Results and Evaluation	4
4.1. Results of Initial Calibration	4
4.1.1. Intrinsic Accuracy	4
4.1.2. Extrinsic Accuracy	4
4.1.3. Reprojection and RMS Error	4
4.2. Results of LiFCal-Based Recalibration	4
4.2.1. Reprojection Error after LiFCal	4
4.2.2. Health Score Evolution	4
5. Discussion of the Results	5
5.1. Interpretation of Initial Calibration Results	5
5.2. Limitations of LiFCal in the Given Setup	5
5.3. Comparison between Initial Calibration and LiFCal	5
5.4. Comparison to state of the Art	5
5.5. Potential Extensions and Improvements	5

6. Conclusion and Outlook	6
6.1. Conclusion	6
6.2. Outlook	6
A. Appendix	6

1. Introduction

1.1. Motivation

1.2. Challenges and Problem Statement

1.3. Research Questions

1.4. Structure of the Thesis

2. Theoretical Background

2.1. Pinhole Camera Model

2.2. Lens Distortion

2.2.1. Radial Distortion

2.2.2. Tangential Distortion

2.3. Camera Calibration

2.3.1. Calibration Parameters and Error Metrics

2.3.2. Target-Based Camera Calibration

2.3.3. Bundle Adjustment

2.4. Light Field Camera Systems

2.4.1. Multi-Camera Light Field Systems

2.4.2. Micro-Lens-Array-Based Light Field Cameras

2.5. State of the Art in Light Field Camera Calibration

3. Material and Method

3.1. Material

3.1.1. Synthetic Data Generation with Blender

3.1.2. Image Sets and Ground Truth Definition

3.1.3. Runtime Environment and Toolchain

3.2. Method

3.2.1. Use Case Description

3.2.2. Requirements Analysis

3.2.3. UML Class Diagram

3.2.4. Health Monitoring and Decision Metrics

3.2.5. State Diagram

4. Results and Evaluation

4.1. Results of Initial Calibration

4.1.1. Intrinsic Accuracy

4.1.2. Extrinsic Accuracy

4.1.3. Reprojection and RMS Error

4.2. Results of LiFCal-Based Recalibration

4.2.1. Reprojection Error after LiFCal

4.2.2. Health Score Evolution

5. Discussion of the Results

5.1. Interpretation of Initial Calibration Results

5.2. Limitations of LiFCal in the Given Setup

5.3. Comparison between Initial Calibration and LiFCal

5.4. Comparison to state of the Art

5.5. Potential Extensions and Improvements

6. Conclusion and Outlook

6.1. Conclusion

6.2. Outlook

A. Appendix

Acknowledgment

References

- [1] Aymeric Fleith, Doaa Ahmed, Daniel Cremers, and Niclas Zeller. Lifcal: Online light field camera calibration via bundle adjustment. <https://arxiv.org/abs/2408.11682>, 2024.