

DataMining Project

DataMining Project API

Contact Info: mr.boualiyoussef@gmail.com

Version: 1.0.0

BasePath: /YoussefBouali/DataMining_Project/1.0.0

Apache 2.0

<http://www.apache.org/licenses/LICENSE-2.0.html>

Access

Methods

[[Jump to Models](#)]

Table of Contents

[Default](#)

- [GET /search_similar_products](#)
- [GET /all_promotions_par_categorie](#)
- [GET /analyse_promotions](#)
- [GET /analyse_top_product](#)
- [GET /plot_analyse_promotions](#)
- [GET /plot_analyse_top_product](#)
- [GET /plot_products_by_date](#)
- [GET /plot_site_grouped_sites](#)
- [GET /products_by_date](#)
- [GET /site_grouped_sites](#)

Default

[Up](#)

GET /search_similar_products

Search for similar products ([searchSimilarProductsGet](#))

Search for similar products based on the product name.

Query parameters

product_name (required)

Query Parameter – The name of the product to search for similar products.

Return type

array[[inline response 200](#)]

Example data

Content-Type: application/json

```
[ {
  "website" : "website",
  "max_price" : 1.4658129805029452,
  "min_price" : 6.027456183070403,
  "count" : 5,
  "nom" : "nom",
  "mean_price" : 0.8008281904610115
}, {
```

```
"website" : "website",
"max_price" : 1.4658129805029452,
"min_price" : 6.027456183070403,
"count" : 5,
"nom" : "nom",
"mean_price" : 0.8008281904610115
} ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

A list of similar products

400

Product name is required

404

No similar products found

[Up](#)

GET /all_promotions_par_categorie

Analyze promotions by category (**allPromotionsParCategorieGet**)

This endpoint analyzes promotions by category.

Return type

array[[inline response 200 1](#)]

Example data

Content-Type: application/json

```
[ {
  "count" : 0,
  "category" : "category",
  "promotion" : "promotion"
}, {
  "count" : 0,
  "category" : "category",
  "promotion" : "promotion"
} ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

A list of promotions by category

[Up](#)

GET /analyse_promotions

Analyze promotions by category and type (**analysePromotionsGet**)

Analyze and return promotions categorized by type.

Return type

array[[inline response 200 1](#)]

Example data

Content-Type: application/json

```
[ {
  "count" : 0,
  "category" : "category",
  "promotion" : "promotion"
}, {
  "count" : 0,
  "category" : "category",
  "promotion" : "promotion"
} ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Top promotions by category and type

[Up](#)

GET /analyse_top_product

Get top product with price variations (**analyseTopProductGet**)

Fetch the top product and its price variations across different websites.

Return type

[inline response 200 2](#)

Example data

Content-Type: application/json

```
{
  "top_product" : "top_product",
  "price_variations" : [ {
    "website" : "website",
    "prix" : 0.8008281904610115
  }, {
    "website" : "website",
    "prix" : 0.8008281904610115
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Top product and its price variations [inline response 200 2](#)

GET /plot_analyse_promotions

Plot promotions by category and promotion type (**plotAnalysePromotionsGet**)

Generate and return a plot of promotions categorized by type.

Return type

byte[]

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/octet-stream

Responses

200

A plot of promotions by category and type [byte\[\]](#)

GET /plot_analyse_top_product

Plot price variations for the top product (**plotAnalyseTopProductGet**)

Generates and returns a plot for the price variations of the top product.

Return type

byte[]

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/octet-stream

Responses

200

A plot of price variations for the top product [byte\[\]](#)

GET /plot_products_by_date

Plot price variations by date for products (**plotProductsByDateGet**)

Generate and return a plot for the price variations by date for top products.

Return type

byte[]

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/octet-stream

Responses

200

A plot of price variations by date for the top products [byte\[\]](#)

[Up](#)

GET /plot_site_grouped_sites

Plot price variations grouped by website (**plotSiteGroupedSitesGet**)

Generate and return a plot for price variations grouped by website.

Return type

byte[]

Example data

Content-Type: application/json

```
""
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/octet-stream

Responses

200

A plot of price variations grouped by website [byte\[\]](#)

[Up](#)

GET /products_by_date

Analyze products by date and website (**productsByDateGet**)

Analyze products by date and website with details on price.

Return type

array[[inline response 200 3](#)]

Example data

Content-Type: application/json

```
[ {
  "website" : "website",
  "min" : 0.8008281904610115,
  "max" : 1.4658129805029452,
  "mean" : 6.027456183070403,
  "count" : 5,
  "nom" : "nom"
}, {
  "website" : "website",
  "min" : 0.8008281904610115,
  "max" : 1.4658129805029452,
```

```
"mean" : 6.027456183070403,  
"count" : 5,  
"nom" : "nom"  
} ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Products by date and website with price statistics

[Up](#)

GET /site_grouped_sites

Analyze Products grouped by website (**siteGroupedSitesGet**)

Group Products by website and calculate price variations.

Return type

array[[inline response 200_4](#)]

Example data

Content-Type: application/json

```
[ {  
  "website" : "website",  
  "min" : 6.027456183070403,  
  "max" : 1.4658129805029452,  
  "mean" : 0.8008281904610115  
}, {  
  "website" : "website",  
  "min" : 6.027456183070403,  
  "max" : 1.4658129805029452,  
  "mean" : 0.8008281904610115  
} ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Price variations grouped by website

Models

[[Jump to Methods](#)]

Table of Contents

1. [inline_response_200](#)
2. [inline_response_200_1](#)
3. [inline_response_200_2](#)
4. [inline_response_200_3](#)
5. [inline_response_200_4](#)

inline_response_200

[Up](#)

nom (optional)

[String](#)

website (optional)

[String](#)

mean_price (optional)

[BigDecimal](#)

min_price (optional)

[BigDecimal](#)

max_price (optional)

[BigDecimal](#)

count (optional)

[Integer](#)

inline_response_200_1

[Up](#)

category (optional)

[String](#)

promotion (optional)

[String](#)

count (optional)

[Integer](#)

inline_response_200_2

[Up](#)

top_product (optional)

[String](#)

price_variations (optional)

[array\[Object\]](#)

inline_response_200_3

[Up](#)

nom (optional)

[String](#)

website (optional)

[String](#)

min (optional)

[BigDecimal](#)

mean (optional)

[BigDecimal](#)

max (optional)

[BigDecimal](#)

count (optional)

[Integer](#)

inline_response_200_4

[Up](#)

website (optional)

[String](#)

mean (optional)

[BigDecimal](#)

min (optional)

[BigDecimal](#)

max (optional)

[BigDecimal](#)