Name: ID: Midterm Exam: Elementary Genetics BIOL 206  20 Multiple choice questions and 2 short answer questions. Answer ALL Answers to multiple choice questions must be clearly indicated on the sc	
MULTIPLE CHOICE. Choose <u>only one answer</u> that best complete question. (30 marks each)	es the statement or answers the
<ol> <li>Which of the following statements about DNA replication is NOT corn</li> <li>Replication occurs as each base is paired with another exactly like it</li> <li>Unwinding of the DNA molecule occurs as hydrogen bonds break</li> <li>One old strand is conserved in each new molecule</li> <li>DNA polymerase catalyzes DNA replication</li> </ol>	rect?
<ul> <li>2. A threshold trait is one which:</li> <li>A) is expressed on a continuous scale (such as blood pressure)</li> <li>B) is present in a few discrete classes, but is influenced by both genetics diabetes or schizophrenia)</li> <li>C) is caused by only a single gene, with no environmental influence</li> <li>D) is present in a very low frequency in the population</li> </ul>	and the environment (such as
3. Thomas's biological mother and father are both gifted athletes. He was no interest in him being involved in sports. Although Thomas likely inher expressed in his  A) genotype B) phenotype C) genes D) alleles	
<ul><li>4. Most genes come in alternative forms called:</li><li>A) chromosomes.</li><li>B) gametes.</li><li>C) dominants.</li><li>D) alleles.</li></ul>	
5. Ian and Joan are both carriers for two autosomal recessive disorders, P fibrosis CF (chromosome7). They are expecting a daughter. What is the p PKU but not CF?  A) 3/4  B) 9/16  C) 3/16	

- 6. Gonadal sex is determined
- A) at fertilization.
- B) at birth.

D) 1/4

- C) when the presence or absence of the *SRY* gene determines the formation of testes or ovaries. D) when either testosterone or estrogen is produced.

- 7. All genetically normal humans have:
- A) 46 autosomes.
- B) 44 autosomes.
- C) Two pairs of 22 autosomes, a Y chromosome, and an X chromosome.
- D) 23 chromosomes.
- 8. Free ear lobes (E) are dominant to attached ear lobes (e). Dimpled chin (D) is dominant to a smooth chin (d). What is the probability that the offspring of the cross EeDd X EEdd will have free ear lobes and a smooth chin?
- A) 0
- B) 1/16
- C) 1/2
- D) 1/4
- 9. A woman is phenotypically normal, but her father had the sex-linked recessive condition of red-green colorblindness. If she has children with a man with normal vision, what is the probability that their first child will have normal vision and their second child will be colorblind?
- A)1/16
- B)3/8
- C)3/16
- D)3/6
- 10. Human chorionic gonadotropin (hCG)
- A) promotes the development of the ovary.
- B) stimulates the formation of the gonads.
- C) is present in undetectable amounts throughout the pregnancy.
- D) prevents the expulsion of the embryo.
- 11. Epigenetics involves changes in
- A) the sequence of DNA.
- B) the expression of genes.
- C) the base pairing in the DNA helix.
- D) DNA replication.
- 12. What would be the best way to distinguish between two alleles and two genes?
- A) Determine their chromosomal location; alleles will be on different chromosomes, but genes will be on different copies of the same chromosome.
- B) You can't; there's no actual difference between alleles and genes.
- C) Examine their DNA; the DNA sequences of two different alleles would be more similar than the sequences of two different genes.
- D) Examine the proteins they produce; most genes would produce very similar proteins, but two alleles would produce very different proteins.
- 13. If cytosine makes up 22% of the nucleotides in a sample of DNA from an organism, then adenine would make up what percent of the bases?
- A) 44%
- B) 28%
- C) 56%
- D) It cannot be determined from the information provided.

- 14. If you were to design a research study that examines depression in relation to concordance rate, which of the following are the best groups to use for comparison?
- A) identical twins and fraternal twins
- B) college students and the general public
- C) brothers and sisters
- D) parent(s) and children
- 15. Number of Barr bodies in XXXX female is
- A) 1
- B) 2
- C) 3
- D) 4
- 16. Offspring inherit from parents
- A) Gametes, that then fuse to form the new individual.
- B) Pure information provided in a sequence of codons that replicate the parents' genome.
- C) Genes, a set of coded information that guides the orderly sequence of development.
- D) The phenotype, since only this is expressed in the new organism.
- 17. The sequence of one strand of DNA is 5' TCGATC 3'. The sequence of the complementary strand would be
- A) 3' AGCUAG 5'
- B) 3' CTAGCT 5'
- C) 5' GAUCGA 3'
- D) 5' GATCGA 3'
- 18. To produce an individual with Kleinfelter syndrome (47, XXY),
- A) a nondisjunction event must have occurred during spermatogenesis.
- B) a nondisjunction event must have occurred during oogenesis.
- C) this must have been caused by uniparental disomy.
- D) a nondisjunction event could have occurred during spermatogenesis or oogenesis.
- 19. Alisha and Scott have two sons and three daughters. Each son has three daughters. Each daughter has one son. How many of the grandchildren will have Alisha's mitochondria?
- A) 0
- B) 3
- C) 6
- D) 12

2 10 3 8 11 12 13 СС ΑТ СС G G АА TC ΤT СС G G АА ΤT G T A G СС ΑТ A C G G G G ΤT ΤT СС G G A G ΤT G G A G СС АА A C CG GG ΤT ΤT СТ G G АА ΤT G T A G СС AAA C G G A G ΤT ΤT СТ G G G G ΤT G G A G СС ΑТ СС CG АА ΤT АА СТ GG ΤT G T АА АА СС СС G G АА ΤT TC G G ΤT G G A G A<sub>T</sub> AAAAСС СС G G ΤT СС G G ΤT G G A<sub>T</sub> A A AAAAAAСС A A СС GGA G ΤT A A T C GGGGTT GGAA

Table 1. Nucleotides at 17 Different Loci in Two Groups of Dogs.

20. Table 1 (above) displays SNPs at 13 different positions in the genome sequences of eight different dogs (four with white fur and four with black fur). Each SNP locus has two nucleotides, one from each chromosome. You are interested to determine whether the SNPs in the table are associated with white fur. What is the locus number (or numbers) for the 100% associated SNP(s)?


- A) 3
- B) 4
- C) 7
- D) 3, 4, and 13

## Short Answer Question 1

a) How many unique gametes could be produced through independent assortment by an individual with the genotype AaBbCCDdEE? *Provide number only*. (30 marks)

b) A duplicated homologous chromosome pair at the beginning of meiosis contains how many copies of each gene? *Provide number only.* (30 marks)

c) Cisplatin is a substance used to treat some forms of cancer. Inside cells, each cisplatin molecule forms two chemical bonds with a DNA molecule. The diagram below shows part of a DNA molecule with cisplatin attached.




i) Name A and B (30 marks) A

В

- ii) With which parts of the DNA molecule does cisplatin form chemical bonds? (30 marks)
- iii) Cisplatin inhibits the division of cancer cells. Suggest how? (maximum two sentences). Refer to the above figure & your knowledge from the course. (30 marks)

A) The following pedigree was obtained for a rare genetic kidney disease. Remember that the trait is rare and thus people coming into the pedigree are not considered carriers or affected unless there is evidence to the contrary.



- i) Deduce the inheritance of this condition, stating your reasons. (30 marks)
- ii) If persons 1 and 2 marry, what is the probability that their first child will have the kidney disease? Show your calculations at different steps. (60 marks)
- B) Male house cats are either black or orange; females are black, orange, or calico. If these coat-color phenotypes are governed by a sex-linked gene, How can these observations be explained? Write down the <u>genotypes</u> + <u>phenotypes</u> of these males and females. Use the following symbols: B = black and b = orange. (60 marks)