الاسم : يوسف محمد عبدالمنعم ابوالعطا

الرقم الاكاديمي : 200840

القسم: CS

```
#include <stdbool.h>
#include <stdio.h>
#include <string.h>
```

#define MAX_USERS 10

struct User {

```
char username[50];
 char password[50];
 union {
  bool isLoggedIn;
  bool isActive;
};
struct User users[MAX_USERS];
int numUsers = 0;
// Function to register a new user
void registerUser() {
 if (numUsers >= MAX_USERS) {
  printf("Sorry, you,reach to the maximum
number of users.\n");
  return;
 char username[50];
 char password[50];
 bool isActive;
```

```
printf("Enter a username: ");
 scanf("%s", username);
 // Check for duplicate usernames
 for (int i = 0; i < numUsers; i++) {
  if (strcmp(username, users[i].username)
== 0) {
   printf("Username already exists.
Registration failed.\n");
   return;
 printf("Enter a password: ");
 scanf("%s", password);
 int tempActive;
 printf("Choose user state (1 for active, 0
for inactive): ");
 scanf("%d", &tempActive);
 isActive = tempActive != 0; // Convert to
boolean
```

```
strcpy(users[numUsers].username,
username);
 strcpy(users[numUsers].password,
password);
 users[numUsers].isActive = isActive;
 printf("Registration successful!\n");
 numUsers++;
// Function to log in
void loginUser() {
 char username[50];
 char password[50];
 printf("Enter your username: ");
 scanf("%s", username);
 printf("Enter your password: ");
 scanf("%s", password);
```

```
for (int i = 0; i < numUsers; i++) {
  if (strcmp(username, users[i].username)
== 0 & & \\
    strcmp(password, users[i].password)
== 0) {
   if (users[i].isActive) {
     users[i].isLoggedIn = true;
     printf("Login successful!\n");
   } else {
     printf("Login failed. User is inactive.
\n");
   return;
 printf("Login failed. Invalid username or
password.\n");
// Function to log out
void logoutUser() {
```

```
char username[50];
 printf("Enter your username: ");
 scanf("%s", username);
 for (int i = 0; i < numUsers; i++) {
  if (strcmp(username, users[i].username)
== 0) {
   users[i].isLoggedIn = false;
   printf("Logout successful!\n");
   return;
 printf("User not found.\n");
int main() {
 int ans;
 while (1) {
  printf("\n----\n");
  printf("Choose an option:\n");
```

```
printf("1. Register\n");
  printf("2. Login\n");
  printf("3. Logout\n");
  printf("4. Exit\n");
  printf("\n----\n");
  printf("ans:");
  scanf("%d", &ans);
  if (ans == 1)
   registerUser();
  else if (ans == 2)
   loginUser();
  else if (ans == 3)
   logoutUser();
  else if (ans == 4) {
   printf("Goodbye!\n");
   return 0;
  } else
   printf("Invalid choice. Please try again.
\n");
 return 0;
```