


member
member_id number
full_name varchar2(100) NN
email varchar2(150) NN
phone varchar2(15) NN
join_date date NN
city varchar2(50) NN
membership_plan
plan_id number
plan_name varchar2(100) NN
dutation_months number NN
price number(10,2) NN
trainer
trainer_id number
full_name varchar2(100) NN
specialization varchar2(100) NN
hire_date date NN
membership
membership_id number
member_id number
plan_id number
start_date date NN
end_date date
membership_status varchar2(20) NN
fitness_class
class_id number
class_name varchar2(100) NN
trainer_id number
capacity number NN
scheduled_at timestamp NN
class_booking
booking_id number
member_id number
class_id number
booking_date date NN
attendance_status varchar2(50) NN
payment
payment_id number
membership_id number
payment_date date NN
amount number(10) NN
payment_method varchar2(50) NN
papyment_status varchar2(50) NN
dbdiagram.io


Oracle SQL Developer : test
File Edit View Navigate Run Source Team Tools Window Help
test.sql
test1.sql
Nile_Library_Assignment.sql
Gym.sql
test
Worksheet
Query Builder
CREATE TABLE member (
member_id NUMBER (10) PRIMARY KEY,
full_name VARCHAR2 (100) NOT NULL,
email VARCHAR2 (150) UNIQUE NOT NULL,
phone VARCHAR2 (15) UNIQUE NOT NULL,
join_date DATE DEFAULT SYSDATE NOT NULL,
city VARCHAR2 (50) NOT NULL
)
CREATE TABLE membership_plan (
plan_id NUMBER (10) PRIMARY KEY,
plan_name VARCHAR2 (100) NOT NULL UNIQUE,
dutation_months NUMBER (5) NOT NULL CHECK (dutation_months > 0),
price NUMBER (10,2) NOT NULL CHECK (price > 0)
)
CREATE TABLE membership (
membership_id NUMBER (10) PRIMARY KEY,
member_id NUMBER (10) REFERENCES member(member_id),
plan_id NUMBER (10) REFERENCES membership_plan(plan_id),
start_date DATE NOT NULL,
end_date DATE,
membership_status VARCHAR2 (20) NOT NULL
)
CREATE TABLE trainer (
trainer_id NUMBER (10) PRIMARY KEY,
full_name VARCHAR2 (100) NOT NULL,
specialization VARCHAR2 (100) NOT NULL,
hire_date DATE DEFAULT SYSDATE NOT NULL
)
CREATE TABLE fitness_class (
class_id NUMBER (10) PRIMARY KEY,
class_name VARCHAR2 (100) NOT NULL,
Saved: test
Line 9 Column 2
Insert
Modified
Windows: CF

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

Worksheet | Query Builder

```
    hire_date DATE DEFAULT SYSDATE NOT NULL
)

CREATE TABLE fitness_class (
    class_id NUMBER (10) PRIMARY KEY,
    class_name VARCHAR2 (100) NOT NULL,
    trainer_id NUMBER (10) REFERENCES trainer(trainer_id),
    capacity NUMBER (5) NOT NULL CHECK (capacity > 0),
    scheduled_at TIMESTAMP NOT NULL
)

CREATE TABLE class_booking (
    booking_id NUMBER (10) PRIMARY KEY,
    member_id NUMBER (10) REFERENCES member(member_id),
    class_id NUMBER (10) REFERENCES fitness_class(class_id),
    booking_date DATE DEFAULT SYSDATE NOT NULL,
    attendance_status VARCHAR2 (50) NOT NULL
)

CREATE TABLE payment (
    payment_id NUMBER (10) PRIMARY KEY,
    membership_id NUMBER (10) REFERENCES membership(membership_id),
    payment_date DATE DEFAULT SYSDATE NOT NULL,
    amount NUMBER (10) NOT NULL CHECK (amount > 0),
    payment_method VARCHAR2 (50) NOT NULL,
    papyment_status VARCHAR2 (50) NOT NULL
)



-- ========================================
-- INSERT DATA INTO MEMBER
-- ========================================

INSERT INTO member VALUES
(1, 'Ahmed Mohamed', 'ahmed.mohamed@example.com', '01012345678', DATE '2025-01-10', 'Cairo');
```

Saved: test

Line 9 Column 2 | Insert | Modified | Windows: CR

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

Worksheet | Query Builder

```
-- ========================================
-- INSERT DATA INTO MEMBER
-- ========================================

INSERT INTO member VALUES
(1, 'Ahmed Mohamed', 'ahmed.mohamed@example.com', '01012345678', DATE '2025-01-10', 'Cairo');

INSERT INTO member VALUES
(2, 'Mona Ali', 'mona.ali@example.com', '01012345679', DATE '2025-02-15', 'Giza');

INSERT INTO member VALUES
(3, 'Omar Hassan', 'omar.hassan@example.com', '01012345680', DATE '2025-03-01', 'Alexandria');

INSERT INTO member VALUES
(4, 'Sara Mahmoud', 'sara.mahmoud@example.com', '01012345681', DATE '2025-04-20', 'Cairo');

INSERT INTO member VALUES
(5, 'Youssef Ibrahim', 'youssef.ibrahim@example.com', '01012345682', DATE '2025-05-05', 'Mansoura');


INSERT INTO member VALUES
(6, 'Nour Khaled', 'nour.khaled@example.com', '01012345683', DATE '2025-06-12', 'Giza');


-- ========================================
-- INSERT DATA INTO MEMBERSHIP_PLAN
-- ========================================

INSERT INTO membership_plan VALUES
(1, 'Monthly Plan', 1, 500);

INSERT INTO membership_plan VALUES
(2, 'Quarterly Plan', 3, 1350);

INSERT INTO membership_plan VALUES
(3, 'Annual Plan', 12, 4800);
```



Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share

Saved: test

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

Worksheet | Query Builder

```
-- ========================================
-- INSERT DATA INTO MEMBER
-- ========================================

INSERT INTO member VALUES
(1, 'Ahmed Mohamed', 'ahmed.mohamed@example.com', '01012345678', DATE '2025-01-10', 'Cairo');

INSERT INTO member VALUES
(2, 'Mona Ali', 'mona.ali@example.com', '01012345679', DATE '2025-02-15', 'Giza');

INSERT INTO member VALUES
(3, 'Omar Hassan', 'omar.hassan@example.com', '01012345680', DATE '2025-03-01', 'Alexandria');

INSERT INTO member VALUES
(4, 'Sara Mahmoud', 'sara.mahmoud@example.com', '01012345681', DATE '2025-04-20', 'Cairo');

INSERT INTO member VALUES
(5, 'Youssef Ibrahim', 'youssef.ibrahim@example.com', '01012345682', DATE '2025-05-05', 'Mansoura');

INSERT INTO member VALUES
(6, 'Nour Khaled', 'nour.khaled@example.com', '01012345683', DATE '2025-06-12', 'Giza');


-- ========================================
-- INSERT DATA INTO MEMBERSHIP_PLAN
-- ========================================

INSERT INTO membership_plan VALUES
(1, 'Monthly Plan', 1, 500);

INSERT INTO membership_plan VALUES
(2, 'Quarterly Plan', 3, 1350);

INSERT INTO membership_plan VALUES
(3, 'Annual Plan', 12, 4800);
```

Saved: test | Line 9 Column 2 | Insert | Modified | Windows: CR

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

Worksheet | Query Builder

```
-- ========================================
-- INSERT DATA INTO MEMBERSHIP_PLAN
-- ========================================

INSERT INTO membership_plan VALUES
(1, 'Monthly Plan', 1, 500);

INSERT INTO membership_plan VALUES
(2, 'Quarterly Plan', 3, 1350);

INSERT INTO membership_plan VALUES
(3, 'Annual Plan', 12, 4800);

INSERT INTO membership_plan VALUES
(4, 'Six Month Plan', 6, 2600);


-- ========================================
-- INSERT DATA INTO TRAINER
-- ========================================

INSERT INTO trainer VALUES
(1, 'Karim Adel', 'Weight Training', DATE '2022-03-15');

INSERT INTO trainer VALUES
(2, 'Hana Samir', 'Yoga', DATE '2021-07-01');

INSERT INTO trainer VALUES
(3, 'Mostafa Nabil', 'Cardio', DATE '2023-01-10');

INSERT INTO trainer VALUES
(4, 'Reem Tarek', 'Pilates', DATE '2024-02-20');


-- ========================================
-- INSERT DATA INTO MEMBERSHIP
-- ========================================
```

Saved: test | Line 9 Column 2 | Insert | Modified | Windows: CR

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

Worksheet | Query Builder

```
-- ========================================
-- INSERT DATA INTO MEMBERSHIP
-- ========================================

INSERT INTO membership VALUES
(1, 1, 3, DATE '2025-01-10', DATE '2026-01-09', 'EXPIRED');

INSERT INTO membership VALUES
(2, 2, 2, DATE '2026-08-01', DATE '2026-10-31', 'ACTIVE');

INSERT INTO membership VALUES
(3, 3, 1, DATE '2026-09-01', DATE '2026-09-30', 'EXPIRED');

INSERT INTO membership VALUES
(4, 5, 3, DATE '2026-01-01', DATE '2026-12-31', 'ACTIVE');

INSERT INTO membership VALUES
(5, 6, 2, DATE '2026-10-01', DATE '2026-12-31', 'ACTIVE');


-- ========================================
-- INSERT DATA INTO FITNESS_CLASS
-- ========================================


INSERT INTO fitness_class VALUES
(1, 'Morning Yoga', 2, 20, TIMESTAMP '2026-11-01 09:00:00');

INSERT INTO fitness_class VALUES
(2, 'Strength Training', 1, 15, TIMESTAMP '2026-11-01 11:00:00');

INSERT INTO fitness_class VALUES
(3, 'Cardio Blast', 3, 25, TIMESTAMP '2026-11-02 17:30:00');

INSERT INTO fitness_class VALUES
(4, 'Open Gym Session', NULL, 30, TIMESTAMP '2026-11-03 10:00:00');
```

Saved: test | Line 9 Column 2 | Insert | Modified | Windows: CR


Oracle SQL Developer : test
File Edit View Navigate Run Source Team Tools Window Help
test.sql
test1.sql
Nile_Library_Assignment.sql
Gym.sql
test
Worksheet
Query Builder
-- ==
-- INSERT DATA INTO CLASS_BOOKING
-- ==
INSERT INTO class_booking VALUES
(1, 1, 1, DATE '2026-10-01', 'ATTENDED');
INSERT INTO class_booking VALUES
(2, 2, 1, DATE '2026-10-02', 'BOOKED');
INSERT INTO class_booking VALUES
(3, 3, 2, DATE '2026-10-03', 'ATTENDED');
INSERT INTO class_booking VALUES
(4, 1, 2, DATE '2026-10-04', 'CANCELLED');
INSERT INTO class_booking VALUES
(5, 5, 3, DATE '2026-10-05', 'BOOKED');
INSERT INTO class_booking VALUES
(6, 6, 1, DATE '2026-10-06', 'NO_SHOW');
-- ==
-- INSERT DATA INTO PAYMENT
-- ==
INSERT INTO payment
(payment_id, membership_id, payment_date, amount, payment_method, papyment_status)
VALUES
(1, 1, DATE '2025-01-10', 4800, 'CARD', 'COMPLETED');
INSERT INTO payment
(payment_id, membership_id, payment_date, amount, payment_method, papyment_status)
VALUES
Saved: test
Line 127 Column 1
Insert
Modified
Windows: CI

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

Worksheet | Query Builder

```
-- ========================================
-- INSERT DATA INTO PAYMENT
-- ========================================

INSERT INTO payment
(payment_id, membership_id, payment_date, amount, payment_method, papyment_status)
VALUES
(1, 1, DATE '2025-01-10', 4800, 'CARD', 'COMPLETED');

INSERT INTO payment
(payment_id, membership_id, payment_date, amount, payment_method, papyment_status)
VALUES
(2, 2, DATE '2026-08-01', 1350, 'CASH', 'COMPLETED');

INSERT INTO payment
(payment_id, membership_id, payment_date, amount, payment_method, papyment_status)
VALUES
(3, 3, DATE '2026-09-01', 500, 'WALLET', 'PENDING');

INSERT INTO payment
(payment_id, membership_id, payment_date, amount, payment_method, papyment_status)
VALUES
(4, 4, DATE '2026-01-01', 4800, 'CARD', 'FAILED');

INSERT INTO payment
(payment_id, membership_id, payment_date, amount, payment_method, papyment_status)
VALUES
(5, 1, DATE '2025-01-12', 200, 'CASH', 'COMPLETED');

COMMIT;


-- Query 1

SELECT s.membership_id, m.full_name, p.plan_name, s.start_date, s.membership_status
FROM membership s
```

Saved: test

Line 127 Column 1 | Insert | Modified | Windows: CR

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

Worksheet | Query Builder

```sql
-- Query 1

SELECT s.membership_id, m.full_name, p.plan_name, s.start_date, s.membership_status
FROM membership s
JOIN member m
ON s.member_id = m.member_id
JOIN membership_plan p
ON p.plan_id = s.plan_id
ORDER BY membership_id;

-- Query 2

SELECT m.member_id, m.full_name, m.phone, s.membership_id, s.start_date
FROM member m
LEFT JOIN membership s
ON s.member_id = m.member_id
ORDER BY member_id;

-- Query 3

SELECT c.class_id, c.class_name, c.scheduled_at, b.booking_date, b.attendance_status
FROM class_booking b
RIGHT JOIN fitness_class c
ON c.class_id = b.class_id
ORDER BY class_id;

-- Query 4

SELECT t.trainer_id, t.full_name, t.specialization, c.class_name
FROM trainer t
LEFT JOIN fitness_class c
ON c.trainer_id = t.trainer_id
ORDER BY trainer_id;

-- Query 5
```

Saved: test | Line 127 Column 1 | Insert | Modified | Windows: CR

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

Worksheet | Query Builder

```
ON c.trainer_id = t.trainer_id
ORDER BY trainer_id;

-- Query 5

SELECT p.plan_name, COUNT(m.membership_id) AS "MemberShips Count", AVG(p.price) AS AVG_price
FROM membership_plan p
join membership m
ON m.plan_id = p.plan_id
GROUP BY plan_name
ORDER BY AVG_price DESC;

-- Query 6

SELECT m.full_name, COUNT(b.booking_id) AS Booking_Count
FROM member m
LEFT JOIN class_booking b
ON b.member_id = m.member_id
GROUP BY m.member_id, m.full_name
ORDER BY Booking_Count DESC, m.full_name;

-- Query 7

SELECT mp.plan_name, SUM(p.amount) AS revenue
FROM payment p
JOIN membership m
ON p.membership_id = m.membership_id
JOIN membership_plan mp
ON m.plan_id = mp.plan_id
WHERE p.papyment_status = 'COMPLETED'
GROUP BY mp.plan_id , mp.plan_name
ORDER BY revenue DESC;

-- Query 8

SELECT c.class_name, COUNT(b.booking_id) AS book_count
```

Saved: test

Line 127 Column 1 | Insert | Modified | Windows: CR

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

Worksheet | Query Builder

```
GROUP BY mp.plan_id , mp.plan_name
ORDER BY revenue DESC;

-- Query 8

SELECT c.class_name, COUNT(b.booking_id) AS book_count
FROM fitness_class c
LEFT JOIN class_booking b
ON b.class_id = c.class_id
GROUP BY c.class_id , c.class_name
ORDER BY book_count DESC;

-- Query 9

SELECT membership_id,
CASE
    WHEN membership_status = 'ACTIVE' THEN 'Active Membership'
    WHEN membership_status = 'EXPIRED' THEN 'Expired Membership'
    WHEN membership_status = 'PENDING' THEN 'Pending Membership'
    ELSE 'Unknown'
END AS status
FROM membership
ORDER BY membership_id;

-- Query 10

SELECT full_name, NVL(phone , NVL(email , 'No contact details')) AS contact
FROM member
ORDER BY member_id;

SELECT full_name, COALESCE(phone , email , 'No contact details') AS contact
FROM member
ORDER BY member_id;

-- Query 11
```

Saved: test

Line 127 Column 1 | Insert | Modified | Windows: CR

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

Worksheet | Query Builder

```
-- Query 11

SELECT m.membership_id, NVL(SUM(p.amount) , 0) AS "total_amount"
FROM payment p
RIGHT JOIN membership m
ON p.membership_id = m.membership_id
GROUP BY m.membership_id;

-- Query 12

SELECT t.full_name AS "Trainer Name", COUNT(f.class_id) AS class_count
FROM trainer t
LEFT JOIN fitness_class f
ON f.trainer_id = t.trainer_id
GROUP BY t.trainer_id, t.full_name
ORDER BY class_count DESC;

-- Query 13


SELECT payment_id, membership_id, payment_method, amount, payment_date,
CASE
    WHEN papyment_status = 'COMPLETED' THEN 'Completed'
    WHEN papyment_status = 'PENDING' THEN 'Pending'
    WHEN papyment_status = 'FAILED' THEN 'Not completed'
END AS status
FROM payment p
ORDER BY payment_date DESC;

-- Query 14

SELECT payment_method, SUM(amount), AVG(amount), MIN(amount), MAX(amount), COUNT(*)
FROM payment p
GROUP BY payment_method;

-- Query 15
```

Saved: test | Line 127 Column 1 | Insert | Modified | Windows: CR


Oracle SQL Developer : test
File Edit View Navigate Run Source Team Tools Window Help
test.sql
test1.sql
Nile_Library_Assignment.sql
Gym.sql
test
Worksheet
Query Builder
ORDER BY class_count DESC;
-- Query 13
SELECT payment_id, membership_id, payment_method, amount, payment_date,
CASE
WHEN papyment_status = 'COMPLETED' THEN 'Completed'
WHEN papyment_status = 'PENDING' THEN 'Pending'
WHEN papyment_status = 'FAILED' THEN 'Not completed'
END AS status
FROM payment p
ORDER BY payment_date DESC;
-- Query 14
SELECT payment_method, SUM(amount), AVG(amount), MIN(amount), MAX(amount), COUNT(*)
FROM payment p
GROUP BY payment_method;
-- Query 15
SELECT m.full_name, COUNT(p.payment_id) AS payments_count, SUM(p.amount) AS Total_amount
FROM membership s
JOIN payment p
ON p.membership_id = s.membership_id
JOIN member m
ON s.member_id = m.member_id
HAVING payments_count >= 2
GROUP BY m.member_id, m.full_name
ORDER BY Total_amount DESC;
Saved: test
Line 127 Column 1
Insert
Modified
Windows: CF

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

0,11 seconds

test

Worksheet | Query Builder

```
-- Query 14
```

Script Output

Task completed in 0,11 seconds

```
MEMBERSHIP_ID FULL_NAME                                                
```

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

0,11 seconds

test

Worksheet | Query Builder

```
-- Query 14
```

Script Output

Task completed in 0,11 seconds

```
TRAINER_ID FULL_NAME                                                
```

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | *Gym.sql*

0,11 seconds

test

Worksheet | Query Builder

```
-- Query 14
```

Script Output

Task completed in 0,11 seconds

```
PLAN_NAME                                                
```

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

0,11 seconds

test

Worksheet | Query Builder

```
-- Query 14
```

Script Output

Task completed in 0,11 seconds

```
FULL_NAME                                                
```

Oracle SQL Developer : test

File Edit View Navigate Run Source Team Tools Window Help

test.sql | test1.sql | Nile_Library_Assignment.sql | Gym.sql

0,11 seconds

test

Worksheet | Query Builder

```
-- Query 14
```

Script Output

Task completed in 0,11 seconds

```
Trainer Name                                                                                                    CLASS_COUNT
--------------------------------------------------------------------------------------------------------------- -----------
Hana Samir                                                                                                            1
Karim Adel                                                                                                            1
Mostafa Nabil                                                                                                         1
Reem Tarek                                                                                                            0


PAYMENT_ID MEMBERSHIP_ID PAYMENT_METHOD                                                    AMOUNT PAYMENT_D STATUS
---------- ------------- ------------------------------------------------- ---------- --------- -------------
         3             3 WALLET                                                   500 01-SEP-26 Pending
         2             2 CASH                                                    1350 01-AUG-26 Completed
         4             4 CARD                                                    4800 01-JAN-26 Not completed
         5             1 CASH                                                     200 12-JAN-25 Completed
         1             1 CARD                                                    4800 10-JAN-25 Completed


PAYMENT_METHOD                                     SUM(AMOUNT) AVG(AMOUNT) MIN(AMOUNT) MAX(AMOUNT)   COUNT(*)
-------------------------------------------------- ----------- ----------- ----------- ----------- ----------
CARD                                                      9600        4800        4800        4800          2
CASH                                                      1550         775         200        1350          2
WALLET                                                     500         500         500         500          1


FULL_NAME                                                                                                       PAYMENTS_COUNT TOTAL_AMOUNT
--------------------------------------------------------------------------------------------------------------- -------------- ------------
Ahmed Mohamed                                                                                                               2         5000
```

Saved: test

Line 349 Column 28 | Insert | Modified | Windows: CR