Ex1,   EX2,EX3,EX4,EX5

EX1

1—ERD MCQ

I



II



III


Prev
Nex
Statement
AI Help
MCQ-3
Which SQL statement is used to round a numeric column to the nearest integer value?
Dataset tables
1. movies
2. customers
ROUND
CEILING
FLOOR
TRUNCATE
Awesome, you nailed it!
See Answer
Hide Solution
Correct Answer:

IV


Prev
Next
Statement
AI Help
MCQ-4
What does the NOT LIKE operator do in SQL?
Dataset tables
1. movies
2. customers
Matches exact string values
Matches similar string values
Matches string values using regular expressions
Matches string values that do not match a pattern
Hooray, you did it!
See Answer
Hide Solution
Correct Answer:
Matches string values that do not match a pattern

V


Prev
Next
Statement
AI Help
MCQ-5
What does the JOIN keyword do in SQL?
Dataset tables
1. movies
2. customers
Returns all rows from both tables
Returns only unmatched rows from both tables
Returns only matched rows from both tables
Returns a Cartesian product of both tables
Hooray, you did it!
See Answer
Hide Solution
Correct Answer:
Returns only matched rows from both tables

VI


Prev
Next
Statement
AI Help
MCQ-6
What does the UNION operator do in SQL?
Dataset tables
1. movies
2. customers
Combines rows from two or more tables and removes duplicates
Combines rows from two or more tables and keeps duplicates
Combines columns from two or more tables and removes duplicates
Combines columns from two or more tables and keeps duplicates
You got it right!
See Answer
Hide Solution
Correct Answer:
Combines rows from two or more tables and removes duplicates

VII


Prev
Next
Statement
AI Help
MCQ-7
How can you calculate the average age of male customers in the "customers" table?
Dataset tables
1. movies
2. customers
SELECT AVG(age) FROM customers GROUP BY gender = 'Male';
SELECT AVG(age) FROM customers HAVING gender = 'Male';
SELECT AVG(age) FROM customers ORDER BY gender = 'Male';
SELECT AVG(age) FROM customers WHERE gender = 'Male';
Great job, keep it up!
See Answer
Hide Solution
Correct Answer:
SELECT AVG(age) FROM customers WHERE gender = 'Male';

VIII


Prev
Next
Statement
AI Help
MCQ-8
How can you retrieve the top 4 movies with the highest ratings from the "movies" table?
Dataset tables
1. movies
2. customers
SELECT * FROM movies GROUP BY rating ORDER BY rating DESC LIMIT 4;
SELECT * FROM movies HAVING rating > 8.5 LIMIT 4;
SELECT * FROM movies ORDER BY rating DESC LIMIT 4;
SELECT * FROM movies WHERE rating > 8.5 LIMIT 4;
Awesome, you nailed it!
See Answer
Hide Solution
Correct Answer:
SELECT * FROM movies ORDER BY rating DESC LIMIT 4;

IX


Prev
Next
Statement
AI Help
MCQ-9
How can you retrieve the movie titles and ratings of movies with a rating greater than 8.5?
Dataset tables
1. movies
2. customers
SELECT title, rating FROM movies WHERE rating > 8.5;
SELECT title, rating FROM movies HAVING rating > 8.5;
SELECT title, rating FROM movies GROUP BY rating > 8.5;
SELECT title, rating FROM movies ORDER BY rating > 8.5;
You got it right!
See Answer
Hide Solution
Correct Answer:
SELECT title, rating FROM movies WHERE rating > 8.5;

X


Statement
AI Help
MCQ-10
How can you retrieve the highest rating for each genre?
Dataset tables
1. movies
2. customers
SELECT genre, MAX(rating) FROM movies GROUP BY genre;
SELECT genre, MIN(rating) FROM movies GROUP BY genre;
SELECT genre, MAX(rating) FROM bookings GROUP BY genre;
SELECT genre, rating FROM booking JOIN movies ON bookings.movie_id = movies.movie_id;
Awesome, you nailed it!
See Answer
Hide Solution
Correct Answer:
SELECT genre, MAX(rating) FROM movies GROUP BY genre;

XI


Prev
Next
Statement
AI Help
MCQ-11
Which SQL statement is used to calculate the total number of bookings for each movie genre?
Dataset tables
1. movies
2. customers
SELECT genre, COUNT(*) FROM movies JOIN bookings ON movies.movie_id = bookings.movie_id GROUP BY genre;
SELECT genre, COUNT(*) FROM bookings GROUP BY genre;
SELECT genre, COUNT(*) FROM bookings CROSS JOIN movies;
Great job, keep it up!
See Answer
Hide Solution
Correct Answer:
SELECT genre, COUNT(*) FROM movies JOIN bookings ON movies.movie_id =

XII


Prev
Next
Statement
AI Help
MCQ-12
Which SQL statement is used to retrieve the customers who made more than 2 bookings?
Dataset tables
1. movies
2. customers
WHERE COUNT(*) > 2;
SELECT c.name FROM customers c JOIN bookings b ON c.customer_id = b.customer_id WHERE COUNT(*) > (SELECT COUNT(*) FROM bookings);
SELECT c.name FROM customers c JOIN bookings b ON c.customer_id = b.customer_id GROUP BY b.booking_id HAVING COUNT(*) > 2;
Great job, keep it up!
See Answer
Hide Solution
Correct Answer:

XIII


Prev
Next
Statement
AI Help
MCQ-13
How can you calculate the percentage of male customers in the "customers" table?
Dataset tables
1. movies
2. customers
SELECT 100 * COUNT(CASE WHEN gender='Male' THEN 1 ELSE 0 END) / COUNT(*) FROM customers;
SELECT AVG(CASE WHEN gender = 'Male' THEN 1 ELSE 0 END) * 100 FROM customers;
SELECT SUM(CASE WHEN gender = 'Male' THEN 0 ELSE 1 END) * 100 / COUNT(*) FROM customers;
Excellent work!
See Answer
Hide Solution
Correct Answer:
SELECT AVG(CASE WHEN gender = 'Male' THEN 1 ELSE 0 END) * 100 FROM customers;

XIV


Prev
Next
Statement
AI Help
MCQ-14
How can you retrieve the customer who has made the most bookings?
A)
SELECT c.name, COUNT(*) AS booking_count FROM customers c JOIN bookings b ON c.customer_id = b.customer_id GROUP BY c.customer_id ORDER BY booking_count DESC LIMIT 1;
B)
SELECT c.name, COUNT(*) AS booking_count FROM customers c JOIN bookings b ON c.customer_id = b.customer_id GROUP BY c.customer_id HAVING booking_count >= 2;
C)
SELECT c.name, COUNT(*) AS booking_count FROM customers c JOIN bookings b ON c.customer_id = b.customer_id GROUP BY c.customer_id ORDER BY c.name;
D)
SELECT c.name, COUNT(*) AS booking_count FROM customers c JOIN bookings b ON c.customer_id = b.customer_id GROUP BY c.customer_id ORDER BY booking_count ASC LIMIT 1;
A
B
C
D
Great job, keep it up!
See Answer
Hide Solution

XV

EX2



1.create table with constraints



2.alter table with constarinst



3-delete duplicate emails (leetcode)



Ex3

1—contest leaderboard



2—the pads



Problem

Submissions

Leaderboard

Generate the following two result sets:

1. Query an alphabetically ordered list of all names in **OCCUPATIONS**, immediately followed by the first letter of each profession as a parenthetical (i.e.: enclosed in parentheses). For example: `AnActorName(A)`, `ADoctorName(D)`, `AProfessorName(P)`, and `ASingerName(S)`.
2. Query the number of ocurrences of each occupation in **OCCUPATIONS**. Sort the occurrences in ascending order, and output them in the following format:

```
There are a total of [occupation_count] [occupation]s.
```

where `[occupation_count]` is the number of occurrences of an occupation in **OCCUPATIONS** and `[occupation]` is the lowercase occupation name. If more than one Occupation has the same `[occupation_count]`, they should be ordered alphabetically.

Note: There will be at least two entries in the table for each type of occupation.

Input Format

The **OCCUPATIONS** table is described as follows:

Column	Type

```
SELECT name || '(' || SUBSTR(occupation, 1, 1) || ')'
FROM OCCUPATIONS
ORDER BY name;
SELECT 'There are a total of ' || COUNT(*) || ' ' || LOWER(occupation) || 's.
FROM OCCUPATIONS
GROUP BY occupation
ORDER BY COUNT(*), LOWER(occupation);

exit;
```

Line: 22 Col:

Upload Code as File   Test against custom input   Run Code   Submit Cod

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

3—the blunder



Problem

Submissions

Leaderboard

Samantha was tasked with calculating the average monthly salaries for all employees in the **EMPLOYEES** table, but did not realize her keyboard's **0** key was broken until after completing the calculation. She wants your help finding the difference between her miscalculation (using salaries with any zeros removed), and the actual average salary.

Write a query calculating the amount of error (i.e.: $actual - miscalculated$ average monthly salaries), and round it up to the next integer.

Input Format

The **EMPLOYEES** table is described as follows:

Column	Type
ID	Integer
Name	String
Salary	Integer

```
FROM EMPLOYEES;
exit;
```

Line: 16 Col: 6

Upload Code as File   Test against custom input   Run Code   Submit Code

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

4—top competitor



5—the interviews



6—15 days of learning sql



7—new companies



8—the report



9—treenode



Ex4

1.department top three salary(leetcode)





2—department with highest salary



3—japanese city class attributes



4—types of triangle



5—new company



6—binary modes



7—weather observation station 20



8—olivender inventory



9—occupations

Ex5

1—combine two tables self -1



2—consecutive numbers leetcode self-2



3—trips and users leetcode self-3



4—managers with atleast five reports self-2



5—population census





6—department with top 3 salary

7—ABC CAB booking app



II


Prev
Next
Statement
AI Help
Figure out the correct Join
It's time to connect the dots!
You can refer to the dataset here.
Which JOIN type returns all the rows from the right table and the matching rows from the left table?
INNER JOIN
LEFT JOIN
RIGHT JOIN
FULL JOIN

III


Prev
Nex
Statement
AI Help
Join which returns all rows from both tables
Put your joining skills to the test!
You can refer to the dataset here.
INNER JOIN
LEFT JOIN
RIGHT JOIN
FULL JOIN
Awesome, you nailed it!
See Answer
Hide Solution
Correct Answer:
FULL JOIN

IV


Prev
Next
Statement
AI Help
Left join MCQ
Are you ready to link the tables?
You can refer to the dataset here.
Left table
Right table
Both tables
None of the above
Well done, it's correct!
See Answer
Hide Solution
Correct Answer:
Left table

V


Prev
Next
Statement
AI Help
User complaints task
Uncover the complaint archive!
You can refer to the dataset here.
user_information
complaint_status
user_complaints
complaint_category
Well done, it's correct!
See Answer
Hide Solution
Correct Answer:
user_complaints

VI


Prev
Statement
AI Help
Join without a matching column
Put your joining skills to the test!
You can refer to the dataset here.
INNER JOIN
LEFT JOIN
RIGHT JOIN
CROSS JOIN
Hooray, you did it!
See Answer
Hide Solution
Correct Answer:
CROSS JOIN

VII


https://www.codechef.com/practice/course/sql-case-studies-topic-wise/SQLPRAC01/problems/SQLP07
Prev
Next
Statement
AI Help
Find the output for query
Join the reason-seeking mission!
What's the correct output for the below query:
SELECT
reason
FROM
category_description
WHERE
category_id = 4;
You can refer to the dataset here.
tampering with fares
reckless driving
unpleasant odors
all of the above
Awesome, you nailed it!
See Answer
Hide Solution
Correct Answer(s):
unclean vehicles
unpleasant odors

VIII


https://www.codechef.com/practice/course/sql-case-studies-topic-wise/SQLPRAC01/problems/SQLP08?tab=statement
Prev
Next
Statement
AI Help
Find complaint category
Time to crack the case!
You can refer to the dataset here.
cleanliness
poor navigation
payment issues
none of the above
Well done, it's correct!
See Answer
Hide Solution
Correct Answer:
poor navigation

IX

Statement Help

Rearrange the query - 1

Time to connect the complaint puzzle pieces!

- Apply JOINs and fetch the category ID, category name, subcategory ID, and reason for the category with ID **1**.
- You can refer to the dataset here.

```
WHERE
    cc.category_id = 1
;
```

You got it right!

See Answer Hide Solution

```
SELECT
    cc.category_id, cc.category_name, cd.subcategory_id,
cd.reason
FROM
    category_description cd
        INNER JOIN
    complaint_category cc ON cc.category_id = cd.category_id
WHERE
    cc.category_id = 1
;
```

X

Prev Next module

Statement Help

Rearrange the query - 2

Are you ready to witness a crossover?

- Combine the user_information and complaint_status tables using a CROSS JOIN and fetch the first 5 rows. What do you see?
- You can refer to the dataset here.

```
SELECT *
FROM user_information ui
CROSS JOIN complaint_status cs
LIMIT
5;
```

Well done, it's correct!

See Answer Hide Solution

```
SELECT *
FROM user_information ui
CROSS JOIN complaint_status cs
LIMIT
5;
```