# report_32bit

April 24, 2025

## Introduction

There are 13 lesion biopsies in total, including AS. Different biopsy samples or even different slices from the same biopsy sample may have different amount of lesion tissues. Some completely lack lesion. List of available markers per slide:

$AS1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$AS2_Les [1] CD11c CD123 CD279 CD3 CD4 CD4_raw CD8 Foxp3 CD4T CD8T Treg

$AS3_Les [1] CD279 CD3 CD4 CD56 CD8 Foxp3 CD4T CD8T Treg

$CF_8wph [1]

$CF1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD8 Foxp3 Ki67 CD4T CD8T Treg

$CF2_Les [1] CD11c CD123 CD279 CD3 CD4 CD8 Foxp3 CD4T CD8T Treg

$CF5_Les [1] CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T

$CJ1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$CJ2_Les [1] CD11c CD123 CD15 CD3 CD4 CD45 CD68 CD8 CD4T CD8T

$DD_8wph [1]

$DD1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3_2 Foxp3 CD4T CD8T Treg

$DD2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$DD3_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$EB_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JK_8wph [1]

$JK1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JK2_Les [1] CD3 CD4 CD8 CD4T CD8T

$JK3_Les [1] CD123 CD15 CD279 CD3 CD4 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM3_Les [1] CD3 CD8 Foxp3 CD8T

$JT_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD8 Foxp3 Ki67 CD4T CD8T Treg

$LD_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG3_Les [1] CD3 CD4 CD68 CD68_raw CD8 CD4T CD8T

$LM_9wph [1]

$LM_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$LS_8wph [1]

$LS1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LS2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LS3_Les [1] CD3 CD4 CD68 CD68_raw CD8 CD4T CD8T

$SK1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD8 Foxp3 CD4T CD8T Treg

$SK2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$SK3_8wph_in_use [1]

$SK3_Les [1] CD11c CD123 CD279 CD3 CD4 CD68 CD68_raw CD8 Foxp3 CD4T CD8T Treg

Most lesion biopsies have multiple sections. The following choices of representative slides are made:

| Select slide | Shedding rate |
|---|---|
| AS1_Les | 83.9 |
| CF1_Les | 17.5 |
| CJ1_Les | 43.1 |
| DD1_Les | 39.4 |
| EB_Les | 4.6 |
| JK1_Les | 23.4 |
| JM1_Les | 24.6 |
| JT_Les | 54.3 |
| LD_Les | 18.8 |
| LG2_Les | 32.8 |
| LM_Les | 4.4 |
| LS2_Les | 31 |
| SK2_Les | 53 |

The key markers are: CD3 CD11c CD123 CD15 CD56 CD68.

Note that the CD68 antibody stained the epidermis of some tissues. CD68_raw.png is the raw image, and CD68.png is the processed image with reduced epidermis brightness to improve quality of segmentation. Furthermore, for CF lesion CD68 staining, CF5_Les instead of CF1_Les is used due to quality reasons.

## Association studies and scatterplots

Based on the previous report, we decided to


- focus on normalized densities
- focus on average across slides and select slides and not all slides, which has low correlation
- focus on three metrics
  - DEJ1000, DI
  - skin1000, I
  - EI

Normalized count is the number of cells in a vertical strip 100um wide.


R2* is computed without slides from AS_Les, which has the highest shedding rate and appears an outlier.

Note that:


- Treg counts from JK1_Les and JK3_Les are quite different: 19 and 161. This led the R2 for Treg/CD3 in DI to be higher for select slides than for average slides.





Each biopsy is represented by the average of all available slides from the biopsy.





Each biopsy is represented by one select slide.





Each biopsy is represented by the average of all available slides from the biopsy.




Each biopsy is represented by one select slide.




Each biopsy is represented by the average of all available slides from the biopsy.




Each biopsy is represented by one select slide.

Table 2: CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 1915 | 35300 | 0 | 0 | 37215 |
| CF_Les_avg | 1467 | 30358 | 1661 | 26907 | 60393 |
| CJ_Les_avg | 310 | 10863 | 0 | 0 | 11172 |
| DD_Les_avg | 1828 | 23766 | 711 | 15273 | 41577 |
| EB_Les_avg | 575 | 50879 | 0 | 0 | 51454 |
| JK_Les_avg | 41 | 1555 | 0 | 0 | 1596 |
| JM_Les_avg | 890 | 19945 | 305 | 14413 | 35554 |
| JT_Les_avg | 410 | 4067 | 0 | 0 | 4477 |
| LD_Les_avg | 2094 | 20040 | 0 | 0 | 22134 |
| LG_Les_avg | 558 | 10305 | 529 | 9289 | 20681 |
| LM_Les_avg | 646 | 39738 | 0 | 0 | 40384 |
| LS_Les_avg | 1491 | 35143 | 0 | 0 | 36633 |
| SK_Les_avg | 886 | 12675 | 630 | 1876 | 16067 |

Table 3: CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 36633 | 0 | 36633 |
| CF_Les_avg | 30886 | 26914 | 57800 |
| CJ_Les_avg | 8894 | 0 | 8894 |
| DD_Les_avg | 31896 | 17519 | 49415 |
| EB_Les_avg | 45277 | 0 | 45277 |
| JK_Les_avg | 1804 | 0 | 1804 |
| JM_Les_avg | 30095 | 14337 | 44432 |
| JT_Les_avg | 5519 | 0 | 5519 |
| LD_Les_avg | 29572 | 0 | 29572 |
| LG_Les_avg | 13847 | 10977 | 24824 |
| LM_Les_avg | 42423 | 0 | 42423 |
| LS_Les_avg | 30250 | 0 | 30250 |
| SK_Les_avg | 18723 | 4020 | 22743 |

Table 4: CD11c, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 1892 | 15498 | 0 | 0 | 17390 |
| CF_Les_avg | 4012 | 45940 | 10158 | 38850 | 98960 |
| CJ_Les_avg | 528 | 15666 | 0 | 0 | 16194 |
| DD_Les_avg | 6484 | 36398 | 30813 | 40444 | 114139 |
| EB_Les_avg | 257 | 32673 | 0 | 0 | 32930 |
| JK_Les_avg | 585 | 18349 | 0 | 0 | 18934 |
| JM_Les_avg | 3823 | 18764 | 3646 | 23314 | 49548 |
| JT_Les_avg | 107 | 3843 | 0 | 0 | 3950 |
| LD_Les_avg | 212 | 20605 | 0 | 0 | 20817 |
| LG_Les_avg | 1934 | 19026 | 3772 | 18664 | 43396 |
| LM_Les_avg | 871 | 30612 | 0 | 0 | 31483 |
| LS_Les_avg | 3622 | 21322 | 0 | 0 | 24945 |
| SK_Les_avg | 1744 | 17653 | 4535 | 5925 | 29858 |

Table 5: CD11c, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 19204 | 0 | 19204 |
| CF_Les_avg | 45563 | 40808 | 86371 |
| CJ_Les_avg | 14960 | 0 | 14960 |
| DD_Les_avg | 44405 | 61945 | 106350 |
| EB_Les_avg | 29777 | 0 | 29777 |
| JK_Les_avg | 19849 | 0 | 19849 |
| JM_Les_avg | 32713 | 33248 | 65962 |
| JT_Les_avg | 5181 | 0 | 5181 |
| LD_Les_avg | 23725 | 0 | 23725 |
| LG_Les_avg | 23958 | 26404 | 50362 |
| LM_Les_avg | 32881 | 0 | 32881 |
| LS_Les_avg | 24928 | 0 | 24928 |
| SK_Les_avg | 25785 | 13177 | 38962 |

Table 6: CD123, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 806 | 9609 | 0 | 0 | 10414 |
| CF_Les_avg | 1631 | 22295 | 1846 | 8533 | 34304 |
| CJ_Les_avg | 71 | 6913 | 0 | 0 | 6984 |
| DD_Les_avg | 4433 | 20840 | 6276 | 27489 | 59038 |
| EB_Les_avg | 199 | 19758 | 0 | 0 | 19957 |
| JK_Les_avg | 40 | 2742 | 0 | 0 | 2782 |
| JM_Les_avg | 920 | 9420 | 1783 | 17052 | 29174 |
| JT_Les_avg | 40 | 3075 | 0 | 0 | 3115 |
| LD_Les_avg | 74 | 11693 | 0 | 0 | 11767 |
| LG_Les_avg | 210 | 2865 | 2218 | 2858 | 8152 |
| LM_Les_avg | 49 | 5907 | 0 | 0 | 5956 |
| LS_Les_avg | 682 | 5902 | 0 | 0 | 6584 |
| SK_Les_avg | 360 | 7034 | 1603 | 2948 | 11945 |

Table 7: CD123, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 11412 | 0 | 11412 |
| CF_Les_avg | 27073 | 11148 | 38222 |
| CJ_Les_avg | 6386 | 0 | 6386 |
| DD_Les_avg | 39136 | 45100 | 84236 |
| EB_Les_avg | 19228 | 0 | 19228 |
| JK_Les_avg | 2533 | 0 | 2533 |
| JM_Les_avg | 16224 | 25126 | 41350 |
| JT_Les_avg | 3797 | 0 | 3797 |
| LD_Les_avg | 14110 | 0 | 14110 |
| LG_Les_avg | 4281 | 9620 | 13900 |
| LM_Les_avg | 6703 | 0 | 6703 |
| LS_Les_avg | 6788 | 0 | 6788 |
| SK_Les_avg | 11892 | 7610 | 19501 |

Table 8: CD15, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 10 | 1887 | 0 | 0 | 1897 |
| CF_Les_avg | 1442 | 14110 | 5018 | 1462 | 22032 |
| CJ_Les_avg | 4 | 238 | 0 | 0 | 242 |
| DD_Les_avg | 1131 | 4418 | 32161 | 5974 | 43683 |
| EB_Les_avg | 36 | 793 | 0 | 0 | 829 |
| JK_Les_avg | 832 | 9765 | 0 | 0 | 10598 |
| JM_Les_avg | 125 | 308 | 1156 | 718 | 2308 |
| JT_Les_avg | 17 | 943 | 0 | 0 | 960 |
| LD_Les_avg | 48 | 1762 | 0 | 0 | 1810 |
| LG_Les_avg | 13 | 3112 | 72 | 150 | 3347 |
| LM_Les_avg | 179 | 1292 | 0 | 0 | 1471 |
| LS_Les_avg | 49 | 104 | 0 | 0 | 153 |
| SK_Les_avg | 696 | 3009 | 7526 | 2510 | 13740 |

Table 9: CD15, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 1583 | 0 | 1583 |
| CF_Les_avg | 18028 | 5978 | 24006 |
| CJ_Les_avg | 276 | 0 | 276 |
| DD_Les_avg | 8567 | 38625 | 47192 |
| EB_Les_avg | 1026 | 0 | 1026 |
| JK_Les_avg | 8964 | 0 | 8964 |
| JM_Les_avg | 510 | 2294 | 2805 |
| JT_Les_avg | 1053 | 0 | 1053 |
| LD_Les_avg | 1437 | 0 | 1437 |
| LG_Les_avg | 2769 | 284 | 3053 |
| LM_Les_avg | 2291 | 0 | 2291 |
| LS_Les_avg | 135 | 0 | 135 |
| SK_Les_avg | 6000 | 8188 | 14187 |

Table 10: CD56, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 129 | 3806 | 0 | 0 | 3934 |
| CF_Les_avg | 137 | 1956 | 126 | 1738 | 3958 |
| CJ_Les_avg | 34 | 4280 | 0 | 0 | 4314 |
| DD_Les_avg | 201 | 2417 | 68 | 1835 | 4521 |
| EB_Les_avg | 30 | 4592 | 0 | 0 | 4622 |
| JK_Les_avg | 11 | 643 | 0 | 0 | 654 |
| JM_Les_avg | 445 | 2154 | 120 | 1989 | 4707 |
| JT_Les_avg | 35 | 467 | 0 | 0 | 502 |
| LD_Les_avg | 179 | 689 | 0 | 0 | 868 |
| LG_Les_avg | 67 | 1800 | 20 | 1011 | 2898 |
| LM_Les_avg | 124 | 3538 | 0 | 0 | 3662 |
| LS_Les_avg | 216 | 3236 | 0 | 0 | 3452 |
| SK_Les_avg | 102 | 1546 | 46 | 668 | 2362 |

Table 11: CD56, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 4050 | 0 | 4050 |
| CF_Les_avg | 2031 | 1936 | 3967 |
| CJ_Les_avg | 3327 | 0 | 3327 |
| DD_Les_avg | 2359 | 1404 | 3763 |
| EB_Les_avg | 4245 | 0 | 4245 |
| JK_Les_avg | 730 | 0 | 730 |
| JM_Les_avg | 4311 | 2240 | 6552 |
| JT_Les_avg | 722 | 0 | 722 |
| LD_Les_avg | 1492 | 0 | 1492 |
| LG_Les_avg | 2149 | 1098 | 3246 |
| LM_Les_avg | 3989 | 0 | 3989 |
| LS_Les_avg | 2605 | 0 | 2605 |
| SK_Les_avg | 2513 | 892 | 3405 |

Table 12: CD68, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 1900 | 6687 | 0 | 0 | 8587 |
| CF_Les_avg | 7826 | 13743 | 0 | 0 | 21569 |
| CJ_Les_avg | 1326 | 9383 | 0 | 0 | 10708 |
| DD_Les_avg | 3148 | 12738 | 4807 | 18167 | 38860 |
| EB_Les_avg | 551 | 24026 | 0 | 0 | 24577 |
| JK_Les_avg | 2432 | 9506 | 0 | 0 | 11938 |
| JM_Les_avg | 2350 | 7454 | 3658 | 10738 | 24201 |
| JT_Les_avg | 1080 | 3126 | 0 | 0 | 4206 |
| LD_Les_avg | 968 | 4728 | 0 | 0 | 5696 |
| LG_Les_avg | 3112 | 6754 | 3898 | 3086 | 16850 |
| LM_Les_avg | 243 | 5272 | 0 | 0 | 5515 |
| LS_Les_avg | 3709 | 6225 | 0 | 0 | 9934 |
| SK_Les_avg | 2452 | 3482 | 0 | 0 | 5934 |

Table 13: CD68, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 8813 | 0 | 8813 |
| CF_Les_avg | 28655 | 0 | 28655 |
| CJ_Les_avg | 10684 | 0 | 10684 |
| DD_Les_avg | 17060 | 23578 | 40638 |
| EB_Les_avg | 23472 | 0 | 23472 |
| JK_Les_avg | 12394 | 0 | 12394 |
| JM_Les_avg | 15849 | 19716 | 35564 |
| JT_Les_avg | 4920 | 0 | 4920 |
| LD_Les_avg | 8679 | 0 | 8679 |
| LG_Les_avg | 11854 | 10274 | 22128 |
| LM_Les_avg | 6937 | 0 | 6937 |
| LS_Les_avg | 11862 | 0 | 11862 |
| SK_Les_avg | 7665 | 0 | 7665 |

Table 14: CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 959 | 40233 | 0 | 0 | 41192 |
| CF1_Les | 1787 | 41150 | 2077 | 48287 | 93301 |
| CJ1_Les | 539 | 11192 | 0 | 0 | 11731 |
| DD1_Les | 1741 | 30930 | 489 | 21917 | 55077 |
| EB_Les | 575 | 50879 | 0 | 0 | 51454 |
| JK1_Les | 50 | 1321 | 0 | 0 | 1371 |
| JM1_Les | 1067 | 32393 | 916 | 43238 | 77614 |
| JT_Les | 410 | 4067 | 0 | 0 | 4477 |
| LD_Les | 2094 | 20040 | 0 | 0 | 22134 |
| LG2_Les | 178 | 15120 | 0 | 0 | 15298 |
| LM_Les | 646 | 39738 | 0 | 0 | 40384 |
| LS2_Les | 1687 | 33467 | 0 | 0 | 35154 |
| SK2_Les | 1266 | 13609 | 0 | 0 | 14875 |

Table 15: CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 32973 | 0 | 32973 |
| CF1_Les | 41338 | 47917 | 89255 |
| CJ1_Les | 9170 | 0 | 9170 |
| DD1_Les | 42345 | 17897 | 60242 |
| EB_Les | 45277 | 0 | 45277 |
| JK1_Les | 1708 | 0 | 1708 |
| JM1_Les | 40402 | 43011 | 83413 |
| JT_Les | 5519 | 0 | 5519 |
| LD_Les | 29572 | 0 | 29572 |
| LG2_Les | 15131 | 0 | 15131 |
| LM_Les | 42423 | 0 | 42423 |
| LS2_Les | 29439 | 0 | 29439 |
| SK2_Les | 17696 | 0 | 17696 |

Table 16: CD11c, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 92 | 11968 | 0 | 0 | 12060 |
| CF1_Les | 2907 | 47019 | 12230 | 38420 | 100576 |
| CJ1_Les | 394 | 15202 | 0 | 0 | 15596 |
| DD1_Les | 7205 | 44740 | 43754 | 56722 | 152421 |
| EB_Les | 257 | 32673 | 0 | 0 | 32930 |
| JK1_Les | 585 | 18349 | 0 | 0 | 18934 |
| JM1_Les | 2992 | 22825 | 7293 | 46629 | 79739 |
| JT_Les | 107 | 3843 | 0 | 0 | 3950 |
| LD_Les | 212 | 20605 | 0 | 0 | 20817 |
| LG2_Les | 348 | 18757 | 0 | 0 | 19105 |
| LM_Les | 871 | 30612 | 0 | 0 | 31483 |
| LS2_Les | 3296 | 21412 | 0 | 0 | 24708 |
| SK2_Les | 3213 | 21119 | 0 | 0 | 24332 |

Table 17: CD11c, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 11281 | 0 | 11281 |
| CF1_Les | 46476 | 46831 | 93307 |
| CJ1_Les | 13832 | 0 | 13832 |
| DD1_Les | 56559 | 84173 | 140732 |
| EB_Les | 29777 | 0 | 29777 |
| JK1_Les | 19849 | 0 | 19849 |
| JM1_Les | 38068 | 66497 | 104565 |
| JT_Les | 5181 | 0 | 5181 |
| LD_Les | 23725 | 0 | 23725 |
| LG2_Les | 19903 | 0 | 19903 |
| LM_Les | 32881 | 0 | 32881 |
| LS2_Les | 22370 | 0 | 22370 |
| SK2_Les | 26575 | 0 | 26575 |

Table 18: CD123, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 76 | 11401 | 0 | 0 | 11477 |
| CF1_Les | 590 | 23344 | 3150 | 10980 | 38064 |
| CJ1_Les | 32 | 6833 | 0 | 0 | 6865 |
| DD1_Les | 6258 | 28289 | 9729 | 44130 | 88406 |
| EB_Les | 199 | 19758 | 0 | 0 | 19957 |
| JK1_Les | 44 | 2053 | 0 | 0 | 2097 |
| JM1_Les | 1161 | 11487 | 3566 | 34103 | 50317 |
| JT_Les | 40 | 3075 | 0 | 0 | 3115 |
| LD_Les | 74 | 11693 | 0 | 0 | 11767 |
| LG2_Les | 15 | 3282 | 0 | 0 | 3297 |
| LM_Les | 49 | 5907 | 0 | 0 | 5956 |
| LS2_Les | 1030 | 7797 | 0 | 0 | 8827 |
| SK2_Les | 387 | 2447 | 0 | 0 | 2834 |

Table 19: CD123, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 10944 | 0 | 10944 |
| CF1_Les | 22277 | 16962 | 39239 |
| CJ1_Les | 6188 | 0 | 6188 |
| DD1_Les | 52739 | 53785 | 106524 |
| EB_Les | 19228 | 0 | 19228 |
| JK1_Les | 2313 | 0 | 2313 |
| JM1_Les | 21110 | 50252 | 71362 |
| JT_Les | 3797 | 0 | 3797 |
| LD_Les | 14110 | 0 | 14110 |
| LG2_Les | 3525 | 0 | 3525 |
| LM_Les | 6703 | 0 | 6703 |
| LS2_Les | 9089 | 0 | 9089 |
| SK2_Les | 3729 | 0 | 3729 |

Table 20: CD15, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 10 | 1887 | 0 | 0 | 1897 |
| CF1_Les | 43 | 15167 | 10037 | 2924 | 28171 |
| CJ1_Les | 2 | 377 | 0 | 0 | 379 |
| DD1_Les | 2180 | 3033 | 39371 | 8483 | 53067 |
| EB_Les | 36 | 793 | 0 | 0 | 829 |
| JK1_Les | 1646 | 13393 | 0 | 0 | 15039 |
| JM1_Les | 22 | 398 | 2312 | 1437 | 4169 |
| JT_Les | 17 | 943 | 0 | 0 | 960 |
| LD_Les | 48 | 1762 | 0 | 0 | 1810 |
| LG2_Les | 3 | 5904 | 0 | 0 | 5907 |
| LM_Les | 179 | 1292 | 0 | 0 | 1471 |
| LS2_Les | 12 | 75 | 0 | 0 | 87 |
| SK2_Les | 1185 | 2607 | 0 | 0 | 3792 |

Table 21: CD15, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 1583 | 0 | 1583 |
| CF1_Les | 15442 | 11956 | 27398 |
| CJ1_Les | 443 | 0 | 443 |
| DD1_Les | 6630 | 43860 | 50490 |
| EB_Les | 1026 | 0 | 1026 |
| JK1_Les | 11476 | 0 | 11476 |
| JM1_Les | 614 | 4589 | 5203 |
| JT_Les | 1053 | 0 | 1053 |
| LD_Les | 1437 | 0 | 1437 |
| LG2_Les | 5045 | 0 | 5045 |
| LM_Les | 2291 | 0 | 2291 |
| LS2_Les | 97 | 0 | 97 |
| SK2_Les | 4528 | 0 | 4528 |

Table 22: CD56, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 61 | 3000 | 0 | 0 | 3061 |
| CF1_Les | 271 | 2650 | 253 | 3475 | 6649 |
| CJ1_Les | 34 | 4280 | 0 | 0 | 4314 |
| DD1_Les | 131 | 3401 | 8 | 2272 | 5812 |
| EB_Les | 30 | 4592 | 0 | 0 | 4622 |
| JK1_Les | 11 | 643 | 0 | 0 | 654 |
| JM1_Les | 465 | 2431 | 239 | 3978 | 7113 |
| JT_Les | 35 | 467 | 0 | 0 | 502 |
| LD_Les | 179 | 689 | 0 | 0 | 868 |
| LG2_Les | 24 | 2897 | 0 | 0 | 2921 |
| LM_Les | 124 | 3538 | 0 | 0 | 3662 |
| LS2_Les | 119 | 2287 | 0 | 0 | 2406 |
| SK2_Les | 136 | 782 | 0 | 0 | 918 |

Table 23: CD56, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 3115 | 0 | 3115 |
| CF1_Les | 3184 | 3872 | 7056 |
| CJ1_Les | 3327 | 0 | 3327 |
| DD1_Les | 3398 | 1656 | 5054 |
| EB_Les | 4245 | 0 | 4245 |
| JK1_Les | 730 | 0 | 730 |
| JM1_Les | 4550 | 4481 | 9031 |
| JT_Les | 722 | 0 | 722 |
| LD_Les | 1492 | 0 | 1492 |
| LG2_Les | 2959 | 0 | 2959 |
| LM_Les | 3989 | 0 | 3989 |
| LS2_Les | 1612 | 0 | 1612 |
| SK2_Les | 1085 | 0 | 1085 |

Table 24: CD68, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 1900 | 6687 | 0 | 0 | 8587 |
| CF1_Les | 7300 | 16390 | 0 | 0 | 23690 |
| CJ1_Les | 1789 | 9939 | 0 | 0 | 11728 |
| DD1_Les | 3040 | 13207 | 6153 | 25334 | 47734 |
| EB_Les | 551 | 24026 | 0 | 0 | 24577 |
| JK1_Les | 2983 | 10585 | 0 | 0 | 13568 |
| JM1_Les | 2008 | 9515 | 7316 | 21477 | 40316 |
| JT_Les | 1080 | 3126 | 0 | 0 | 4206 |
| LD_Les | 968 | 4728 | 0 | 0 | 5696 |
| LG2_Les | 3281 | 8861 | 0 | 0 | 12142 |
| LM_Les | 243 | 5272 | 0 | 0 | 5515 |
| LS2_Les | 3155 | 7119 | 0 | 0 | 10274 |
| SK2_Les | 1764 | 3957 | 0 | 0 | 5721 |

Table 25: CD68, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 8813 | 0 | 8813 |
| CF1_Les | 32016 | 0 | 32016 |
| CJ1_Les | 11458 | 0 | 11458 |
| DD1_Les | 18972 | 29688 | 48660 |
| EB_Les | 23472 | 0 | 23472 |
| JK1_Les | 13339 | 0 | 13339 |
| JM1_Les | 19083 | 39431 | 58514 |
| JT_Les | 4920 | 0 | 4920 |
| LD_Les | 8679 | 0 | 8679 |
| LG2_Les | 13419 | 0 | 13419 |
| LM_Les | 6937 | 0 | 6937 |
| LS2_Les | 11565 | 0 | 11565 |
| SK2_Les | 7072 | 0 | 7072 |

Table 26: CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 1915 | 35300 | 0 | 0 | 37215 |
| CF_Les_avg | 1467 | 30358 | 1661 | 26907 | 60393 |
| CJ_Les_avg | 310 | 10863 | 0 | 0 | 11172 |
| DD_Les_avg | 1828 | 23766 | 711 | 15273 | 41577 |
| EB_Les_avg | 575 | 50879 | 0 | 0 | 51454 |
| JK_Les_avg | 41 | 1555 | 0 | 0 | 1596 |
| JM_Les_avg | 890 | 19945 | 305 | 14413 | 35554 |
| JT_Les_avg | 410 | 4067 | 0 | 0 | 4477 |
| LD_Les_avg | 2094 | 20040 | 0 | 0 | 22134 |
| LG_Les_avg | 558 | 10305 | 529 | 9289 | 20681 |
| LM_Les_avg | 646 | 39738 | 0 | 0 | 40384 |
| LS_Les_avg | 1491 | 35143 | 0 | 0 | 36633 |
| SK_Les_avg | 886 | 12675 | 630 | 1876 | 16067 |

Table 27: CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 36633 | 0 | 36633 |
| CF_Les_avg | 30886 | 26914 | 57800 |
| CJ_Les_avg | 8894 | 0 | 8894 |
| DD_Les_avg | 31896 | 17519 | 49415 |
| EB_Les_avg | 45277 | 0 | 45277 |
| JK_Les_avg | 1804 | 0 | 1804 |
| JM_Les_avg | 30095 | 14337 | 44432 |
| JT_Les_avg | 5519 | 0 | 5519 |
| LD_Les_avg | 29572 | 0 | 29572 |
| LG_Les_avg | 13847 | 10977 | 24824 |
| LM_Les_avg | 42423 | 0 | 42423 |
| LS_Les_avg | 30250 | 0 | 30250 |
| SK_Les_avg | 18723 | 4020 | 22743 |

Table 28: CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 529 | 21283 | 0 | 0 | 21813 |
| CF_Les_avg | 488 | 14689 | 361 | 12359 | 27896 |
| CJ_Les_avg | 186 | 6524 | 0 | 0 | 6709 |
| DD_Les_avg | 649 | 15652 | 244 | 9954 | 26500 |
| EB_Les_avg | 297 | 33639 | 0 | 0 | 33936 |
| JK_Les_avg | 13 | 1006 | 0 | 0 | 1019 |
| JM_Les_avg | 444 | 15026 | 146 | 14012 | 29628 |
| JT_Les_avg | 196 | 2267 | 0 | 0 | 2463 |
| LD_Les_avg | 375 | 5366 | 0 | 0 | 5741 |
| LG_Les_avg | 219 | 6614 | 164 | 5461 | 12458 |
| LM_Les_avg | 193 | 32370 | 0 | 0 | 32563 |
| LS_Les_avg | 737 | 24341 | 0 | 0 | 25078 |
| SK_Les_avg | 366 | 8480 | 207 | 1214 | 10267 |

Table 29: CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 20206 | 0 | 20206 |
| CF_Les_avg | 13697 | 9407 | 23104 |
| CJ_Les_avg | 5400 | 0 | 5400 |
| DD_Les_avg | 19277 | 9339 | 28616 |
| EB_Les_avg | 29975 | 0 | 29975 |
| JK_Les_avg | 1153 | 0 | 1153 |
| JM_Les_avg | 20588 | 13644 | 34231 |
| JT_Les_avg | 3014 | 0 | 3014 |
| LD_Les_avg | 7020 | 0 | 7020 |
| LG_Les_avg | 8204 | 6029 | 14234 |
| LM_Les_avg | 33641 | 0 | 33641 |
| LS_Les_avg | 19562 | 0 | 19562 |
| SK_Les_avg | 11888 | 2292 | 14179 |

Table 30: CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 1212 | 10388 | 0 | 0 | 11601 |
| CF_Les_avg | 601 | 11540 | 823 | 16175 | 29140 |
| CJ_Les_avg | 50 | 2887 | 0 | 0 | 2938 |
| DD_Les_avg | 683 | 7013 | 185 | 4515 | 12396 |
| EB_Les_avg | 144 | 15863 | 0 | 0 | 16007 |
| JK_Les_avg | 26 | 139 | 0 | 0 | 165 |
| JM_Les_avg | 338 | 4208 | 76 | 3483 | 8105 |
| JT_Les_avg | 191 | 1225 | 0 | 0 | 1416 |
| LD_Les_avg | 682 | 1979 | 0 | 0 | 2661 |
| LG_Les_avg | 259 | 4693 | 218 | 4044 | 9215 |
| LM_Les_avg | 208 | 6790 | 0 | 0 | 6998 |
| LS_Les_avg | 385 | 6803 | 0 | 0 | 7188 |
| SK_Les_avg | 252 | 3210 | 207 | 1214 | 4883 |

Table 31: CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 12194 | 0 | 12194 |
| CF_Les_avg | 11915 | 15902 | 27818 |
| CJ_Les_avg | 2284 | 0 | 2284 |
| DD_Les_avg | 9563 | 4361 | 13924 |
| EB_Les_avg | 13781 | 0 | 13781 |
| JK_Les_avg | 259 | 0 | 259 |
| JM_Les_avg | 8015 | 3843 | 11857 |
| JT_Les_avg | 1645 | 0 | 1645 |
| LD_Les_avg | 4482 | 0 | 4482 |
| LG_Les_avg | 6276 | 4706 | 10983 |
| LM_Les_avg | 7428 | 0 | 7428 |
| LS_Les_avg | 6047 | 0 | 6047 |
| SK_Les_avg | 5673 | 2292 | 7964 |

Table 32: Treg, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 93 | 752 | 0 | 0 | 845 |
| CF_Les_avg | 118 | 737 | 90 | 1423 | 2368 |
| CJ_Les_avg | 14 | 334 | 0 | 0 | 348 |
| DD_Les_avg | 140 | 702 | 26 | 963 | 1831 |
| EB_Les_avg | 8 | 269 | 0 | 0 | 277 |
| JK_Les_avg | 4 | 90 | 0 | 0 | 94 |
| JM_Les_avg | 94 | 832 | 32 | 594 | 1551 |
| JT_Les_avg | 8 | 239 | 0 | 0 | 247 |
| LD_Les_avg | 29 | 71 | 0 | 0 | 100 |
| LG_Les_avg | 38 | 258 | 16 | 248 | 560 |
| LM_Les_avg | 11 | 384 | 0 | 0 | 395 |
| LS_Les_avg | 193 | 1698 | 0 | 0 | 1892 |
| SK_Les_avg | 160 | 903 | 57 | 59 | 1178 |

Table 33: Treg, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 1008 | 0 | 1008 |
| CF_Les_avg | 792 | 1238 | 2030 |
| CJ_Les_avg | 402 | 0 | 402 |
| DD_Les_avg | 1007 | 809 | 1816 |
| EB_Les_avg | 190 | 0 | 190 |
| JK_Les_avg | 104 | 0 | 104 |
| JM_Les_avg | 1620 | 818 | 2437 |
| JT_Les_avg | 339 | 0 | 339 |
| LD_Les_avg | 162 | 0 | 162 |
| LG_Les_avg | 535 | 339 | 874 |
| LM_Les_avg | 421 | 0 | 421 |
| LS_Les_avg | 1995 | 0 | 1995 |
| SK_Les_avg | 1841 | 349 | 2189 |

Table 34: CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 959 | 40233 | 0 | 0 | 41192 |
| CF1_Les | 1787 | 41150 | 2077 | 48287 | 93301 |
| CJ1_Les | 539 | 11192 | 0 | 0 | 11731 |
| DD1_Les | 1741 | 30930 | 489 | 21917 | 55077 |
| EB_Les | 575 | 50879 | 0 | 0 | 51454 |
| JK1_Les | 50 | 1321 | 0 | 0 | 1371 |
| JM1_Les | 1067 | 32393 | 916 | 43238 | 77614 |
| JT_Les | 410 | 4067 | 0 | 0 | 4477 |
| LD_Les | 2094 | 20040 | 0 | 0 | 22134 |
| LG2_Les | 178 | 15120 | 0 | 0 | 15298 |
| LM_Les | 646 | 39738 | 0 | 0 | 40384 |
| LS2_Les | 1687 | 33467 | 0 | 0 | 35154 |
| SK2_Les | 1266 | 13609 | 0 | 0 | 14875 |

Table 35: CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 32973 | 0 | 32973 |
| CF1_Les | 41338 | 47917 | 89255 |
| CJ1_Les | 9170 | 0 | 9170 |
| DD1_Les | 42345 | 17897 | 60242 |
| EB_Les | 45277 | 0 | 45277 |
| JK1_Les | 1708 | 0 | 1708 |
| JM1_Les | 40402 | 43011 | 83413 |
| JT_Les | 5519 | 0 | 5519 |
| LD_Les | 29572 | 0 | 29572 |
| LG2_Les | 15131 | 0 | 15131 |
| LM_Les | 42423 | 0 | 42423 |
| LS2_Les | 29439 | 0 | 29439 |
| SK2_Les | 17696 | 0 | 17696 |

Table 36: CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 261 | 23302 | 0 | 0 | 23563 |
| CF1_Les | 657 | 18086 | 376 | 21612 | 40731 |
| CJ1_Les | 336 | 7889 | 0 | 0 | 8225 |
| DD1_Les | 548 | 24519 | 64 | 16202 | 41333 |
| EB_Les | 297 | 33639 | 0 | 0 | 33936 |
| JK1_Les | 15 | 828 | 0 | 0 | 843 |
| JM1_Les | 448 | 21403 | 293 | 28024 | 50168 |
| JT_Les | 196 | 2267 | 0 | 0 | 2463 |
| LD_Les | 375 | 5366 | 0 | 0 | 5741 |
| LG2_Les | 89 | 10706 | 0 | 0 | 10795 |
| LM_Les | 193 | 32370 | 0 | 0 | 32563 |
| LS2_Les | 766 | 24434 | 0 | 0 | 25200 |
| SK2_Les | 584 | 9848 | 0 | 0 | 10432 |

Table 37: CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 17508 | 0 | 17508 |
| CF1_Les | 17122 | 19322 | 36444 |
| CJ1_Les | 6503 | 0 | 6503 |
| DD1_Les | 31084 | 12282 | 43366 |
| EB_Les | 29975 | 0 | 29975 |
| JK1_Les | 1076 | 0 | 1076 |
| JM1_Les | 26018 | 27287 | 53305 |
| JT_Les | 3014 | 0 | 3014 |
| LD_Les | 7020 | 0 | 7020 |
| LG2_Les | 10571 | 0 | 10571 |
| LM_Les | 33641 | 0 | 33641 |
| LS2_Les | 19808 | 0 | 19808 |
| SK2_Les | 12186 | 0 | 12186 |

Table 38: CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 610 | 10451 | 0 | 0 | 11061 |
| CF1_Les | 782 | 17252 | 1041 | 26560 | 45635 |
| CJ1_Les | 86 | 3136 | 0 | 0 | 3222 |
| DD1_Les | 749 | 10073 | 71 | 7024 | 17917 |
| EB_Les | 144 | 15863 | 0 | 0 | 16007 |
| JK1_Les | 34 | 164 | 0 | 0 | 198 |
| JM1_Les | 487 | 7089 | 228 | 10450 | 18254 |
| JT_Les | 191 | 1225 | 0 | 0 | 1416 |
| LD_Les | 682 | 1979 | 0 | 0 | 2661 |
| LG2_Les | 92 | 6725 | 0 | 0 | 6817 |
| LM_Les | 208 | 6790 | 0 | 0 | 6998 |
| LS2_Les | 348 | 5374 | 0 | 0 | 5722 |
| SK2_Les | 269 | 1775 | 0 | 0 | 2044 |

Table 39: CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 9611 | 0 | 9611 |
| CF1_Les | 18491 | 27248 | 45739 |
| CJ1_Les | 2511 | 0 | 2511 |
| DD1_Les | 13332 | 5186 | 18518 |
| EB_Les | 13781 | 0 | 13781 |
| JK1_Les | 315 | 0 | 315 |
| JM1_Les | 11124 | 11528 | 22652 |
| JT_Les | 1645 | 0 | 1645 |
| LD_Les | 4482 | 0 | 4482 |
| LG2_Les | 6853 | 0 | 6853 |
| LM_Les | 7428 | 0 | 7428 |
| LS2_Les | 4754 | 0 | 4754 |
| SK2_Les | 2538 | 0 | 2538 |

Table 40: Treg, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 30 | 1013 | 0 | 0 | 1043 |
| CF1_Les | 143 | 1167 | 60 | 1818 | 3188 |
| CJ1_Les | 14 | 334 | 0 | 0 | 348 |
| DD1_Les | 112 | 1700 | 2 | 2356 | 4170 |
| EB_Les | 8 | 269 | 0 | 0 | 277 |
| JK1_Les | 5 | 19 | 0 | 0 | 24 |
| JM1_Les | 102 | 1063 | 65 | 1187 | 2417 |
| JT_Les | 8 | 239 | 0 | 0 | 247 |
| LD_Les | 29 | 71 | 0 | 0 | 100 |
| LG2_Les | 3 | 210 | 0 | 0 | 213 |
| LM_Les | 11 | 384 | 0 | 0 | 395 |
| LS2_Les | 120 | 1009 | 0 | 0 | 1129 |
| SK2_Les | 298 | 926 | 0 | 0 | 1224 |

Table 41: Treg, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 800 | 0 | 800 |
| CF1_Les | 1239 | 1357 | 2596 |
| CJ1_Les | 402 | 0 | 402 |
| DD1_Les | 2214 | 1751 | 3965 |
| EB_Les | 190 | 0 | 190 |
| JK1_Les | 90 | 0 | 90 |
| JM1_Les | 1895 | 1635 | 3530 |
| JT_Les | 339 | 0 | 339 |
| LD_Les | 162 | 0 | 162 |
| LG2_Les | 221 | 0 | 221 |
| LM_Les | 421 | 0 | 421 |
| LS2_Les | 1138 | 0 | 1138 |
| SK2_Les | 1802 | 0 | 1802 |

Table 42: Treg/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0 | 0 | NaN | NaN | NaN |
| CF_Les_avg | 0 | 0 | 0 | 0 | 0 |
| CJ_Les_avg | 0 | 0 | NaN | NaN | NaN |
| DD_Les_avg | 0 | 0 | 0 | 0 | 0 |
| EB_Les_avg | 0 | 0 | NaN | NaN | NaN |
| JK_Les_avg | 0 | 0 | NaN | NaN | NaN |
| JM_Les_avg | 0 | 0 | 0 | 0 | 0 |
| JT_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LD_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LG_Les_avg | 0 | 0 | 0 | 0 | 0 |
| LM_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LS_Les_avg | 0 | 0 | NaN | NaN | NaN |
| SK_Les_avg | 0 | 0 | 0 | 0 | 0 |

Table 43: Treg/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0 | NaN | NaN |
| CF_Les_avg | 0 | 0 | 0 |
| CJ_Les_avg | 0 | NaN | NaN |
| DD_Les_avg | 0 | 0 | 0 |
| EB_Les_avg | 0 | NaN | NaN |
| JK_Les_avg | 0 | NaN | NaN |
| JM_Les_avg | 0 | 0 | 0 |
| JT_Les_avg | 0 | NaN | NaN |
| LD_Les_avg | 0 | NaN | NaN |
| LG_Les_avg | 0 | 0 | 0 |
| LM_Les_avg | 0 | NaN | NaN |
| LS_Les_avg | 0 | NaN | NaN |
| SK_Les_avg | 0 | 0 | 0 |

Table 44: Treg/CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0 | 0 | NaN | NaN | NaN |
| CF_Les_avg | 0 | 0 | 0 | 0 | 1 |
| CJ_Les_avg | 0 | 0 | NaN | NaN | NaN |
| DD_Les_avg | 0 | 0 | 0 | 0 | 0 |
| EB_Les_avg | 0 | 0 | NaN | NaN | NaN |
| JK_Les_avg | 0 | 0 | NaN | NaN | NaN |
| JM_Les_avg | 0 | 0 | 0 | 0 | 1 |
| JT_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LD_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LG_Les_avg | 0 | 0 | 0 | 0 | 0 |
| LM_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LS_Les_avg | 0 | 0 | NaN | NaN | NaN |
| SK_Les_avg | 0 | 0 | 0 | 0 | 1 |

Table 45: Treg/CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0 | NaN | NaN |
| CF_Les_avg | 0 | 0 | 0 |
| CJ_Les_avg | 0 | NaN | NaN |
| DD_Les_avg | 0 | 0 | 0 |
| EB_Les_avg | 0 | NaN | NaN |
| JK_Les_avg | 0 | NaN | NaN |
| JM_Les_avg | 0 | 0 | 0 |
| JT_Les_avg | 0 | NaN | NaN |
| LD_Les_avg | 0 | NaN | NaN |
| LG_Les_avg | 0 | 0 | 0 |
| LM_Les_avg | 0 | NaN | NaN |
| LS_Les_avg | 0 | NaN | NaN |
| SK_Les_avg | 0 | 0 | 0 |

Table 46: Treg/CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0 | 0 | NaN | NaN | NaN |
| CF_Les_avg | 0 | 0 | 0 | 0 | 0 |
| CJ_Les_avg | 0 | 0 | NaN | NaN | NaN |
| DD_Les_avg | 0 | 0 | 0 | 0 | 1 |
| EB_Les_avg | 0 | 0 | NaN | NaN | NaN |
| JK_Les_avg | 0 | 1 | NaN | NaN | NaN |
| JM_Les_avg | 0 | 0 | 0 | 0 | 1 |
| JT_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LD_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LG_Les_avg | 0 | 0 | 0 | 0 | 0 |
| LM_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LS_Les_avg | 1 | 0 | NaN | NaN | NaN |
| SK_Les_avg | 1 | 0 | 0 | 0 | 1 |

Table 47: Treg/CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0 | NaN | NaN |
| CF_Les_avg | 0 | 0 | 0 |
| CJ_Les_avg | 0 | NaN | NaN |
| DD_Les_avg | 0 | 0 | 0 |
| EB_Les_avg | 0 | NaN | NaN |
| JK_Les_avg | 0 | NaN | NaN |
| JM_Les_avg | 0 | 0 | 0 |
| JT_Les_avg | 0 | NaN | NaN |
| LD_Les_avg | 0 | NaN | NaN |
| LG_Les_avg | 0 | 0 | 0 |
| LM_Les_avg | 0 | NaN | NaN |
| LS_Les_avg | 0 | NaN | NaN |
| SK_Les_avg | 0 | 0 | 0 |

Table 48: CD4T/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0 | 1 | NaN | NaN | NaN |
| CF_Les_avg | 0 | 0 | 0 | 0 | 1 |
| CJ_Les_avg | 1 | 1 | NaN | NaN | NaN |
| DD_Les_avg | 0 | 1 | 0 | 1 | 2 |
| EB_Les_avg | 1 | 1 | NaN | NaN | NaN |
| JK_Les_avg | 0 | 1 | NaN | NaN | NaN |
| JM_Les_avg | 0 | 1 | 0 | 1 | 3 |
| JT_Les_avg | 0 | 1 | NaN | NaN | NaN |
| LD_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LG_Les_avg | 0 | 1 | 0 | 1 | 2 |
| LM_Les_avg | 0 | 1 | NaN | NaN | NaN |
| LS_Les_avg | 0 | 1 | NaN | NaN | NaN |
| SK_Les_avg | 0 | 1 | 0 | 1 | 2 |

Table 49: CD4T/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 1 | NaN | NaN |
| CF_Les_avg | 0 | 0 | 1 |
| CJ_Les_avg | 1 | NaN | NaN |
| DD_Les_avg | 1 | 1 | 1 |
| EB_Les_avg | 1 | NaN | NaN |
| JK_Les_avg | 1 | NaN | NaN |
| JM_Les_avg | 1 | 1 | 2 |
| JT_Les_avg | 1 | NaN | NaN |
| LD_Les_avg | 0 | NaN | NaN |
| LG_Les_avg | 1 | 1 | 1 |
| LM_Les_avg | 1 | NaN | NaN |
| LS_Les_avg | 1 | NaN | NaN |
| SK_Les_avg | 1 | 1 | 1 |

Table 50: CD8T/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 1 | 0 | NaN | NaN | NaN |
| CF_Les_avg | 0 | 0 | 0 | 1 | 2 |
| CJ_Les_avg | 0 | 0 | NaN | NaN | NaN |
| DD_Les_avg | 0 | 0 | 0 | 0 | 1 |
| EB_Les_avg | 0 | 0 | NaN | NaN | NaN |
| JK_Les_avg | 1 | 0 | NaN | NaN | NaN |
| JM_Les_avg | 0 | 0 | 0 | 0 | 1 |
| JT_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LD_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LG_Les_avg | 0 | 0 | 0 | 0 | 2 |
| LM_Les_avg | 0 | 0 | NaN | NaN | NaN |
| LS_Les_avg | 0 | 0 | NaN | NaN | NaN |
| SK_Les_avg | 0 | 0 | 0 | 1 | 2 |

Table 51: CD8T/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0 | NaN | NaN |
| CF_Les_avg | 0 | 1 | 1 |
| CJ_Les_avg | 0 | NaN | NaN |
| DD_Les_avg | 0 | 0 | 1 |
| EB_Les_avg | 0 | NaN | NaN |
| JK_Les_avg | 0 | NaN | NaN |
| JM_Les_avg | 0 | 0 | 1 |
| JT_Les_avg | 0 | NaN | NaN |
| LD_Les_avg | 0 | NaN | NaN |
| LG_Les_avg | 0 | 0 | 1 |
| LM_Les_avg | 0 | NaN | NaN |
| LS_Les_avg | 0 | NaN | NaN |
| SK_Les_avg | 0 | 1 | 1 |

Table 52: CD4T/CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0 | 2 | NaN | NaN | NaN |
| CF_Les_avg | 1 | 1 | 0 | 1 | 3 |
| CJ_Les_avg | 4 | 2 | NaN | NaN | NaN |
| DD_Les_avg | 1 | 2 | 1 | 2 | 7 |
| EB_Les_avg | 2 | 2 | NaN | NaN | NaN |
| JK_Les_avg | 0 | 7 | NaN | NaN | NaN |
| JM_Les_avg | 1 | 4 | 2 | 4 | 11 |
| JT_Les_avg | 1 | 2 | NaN | NaN | NaN |
| LD_Les_avg | 1 | 3 | NaN | NaN | NaN |
| LG_Les_avg | 1 | 1 | 1 | 1 | 4 |
| LM_Les_avg | 1 | 5 | NaN | NaN | NaN |
| LS_Les_avg | 2 | 4 | NaN | NaN | NaN |
| SK_Les_avg | 1 | 3 | 1 | 1 | 6 |

Table 53: CD4T/CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 2 | NaN | NaN |
| CF_Les_avg | 1 | 1 | 2 |
| CJ_Les_avg | 2 | NaN | NaN |
| DD_Les_avg | 2 | 2 | 4 |
| EB_Les_avg | 2 | NaN | NaN |
| JK_Les_avg | 4 | NaN | NaN |
| JM_Les_avg | 3 | 4 | 6 |
| JT_Les_avg | 2 | NaN | NaN |
| LD_Les_avg | 2 | NaN | NaN |
| LG_Les_avg | 1 | 1 | 3 |
| LM_Les_avg | 5 | NaN | NaN |
| LS_Les_avg | 3 | NaN | NaN |
| SK_Les_avg | 2 | 1 | 3 |

Table 54: Treg/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0 | 0 | NaN | NaN | NaN |
| CF1_Les | 0 | 0 | 0 | 0 | 0 |
| CJ1_Les | 0 | 0 | NaN | NaN | NaN |
| DD1_Les | 0 | 0 | 0 | 0 | 0 |
| EB_Les | 0 | 0 | NaN | NaN | NaN |
| JK1_Les | 0 | 0 | NaN | NaN | NaN |
| JM1_Les | 0 | 0 | 0 | 0 | 0 |
| JT_Les | 0 | 0 | NaN | NaN | NaN |
| LD_Les | 0 | 0 | NaN | NaN | NaN |
| LG2_Les | 0 | 0 | NaN | NaN | NaN |
| LM_Les | 0 | 0 | NaN | NaN | NaN |
| LS2_Les | 0 | 0 | NaN | NaN | NaN |
| SK2_Les | 0 | 0 | NaN | NaN | NaN |

Table 55: Treg/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0 | NaN | NaN |
| CF1_Les | 0 | 0 | 0 |
| CJ1_Les | 0 | NaN | NaN |
| DD1_Les | 0 | 0 | 0 |
| EB_Les | 0 | NaN | NaN |
| JK1_Les | 0 | NaN | NaN |
| JM1_Les | 0 | 0 | 0 |
| JT_Les | 0 | NaN | NaN |
| LD_Les | 0 | NaN | NaN |
| LG2_Les | 0 | NaN | NaN |
| LM_Les | 0 | NaN | NaN |
| LS2_Les | 0 | NaN | NaN |
| SK2_Les | 0 | NaN | NaN |

Table 56: Treg/CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0 | 0 | NaN | NaN | NaN |
| CF1_Les | 0 | 0 | 0 | 0 | 1 |
| CJ1_Les | 0 | 0 | NaN | NaN | NaN |
| DD1_Les | 0 | 0 | 0 | 0 | 0 |
| EB_Les | 0 | 0 | NaN | NaN | NaN |
| JK1_Les | 0 | 0 | NaN | NaN | NaN |
| JM1_Les | 0 | 0 | 0 | 0 | 1 |
| JT_Les | 0 | 0 | NaN | NaN | NaN |
| LD_Les | 0 | 0 | NaN | NaN | NaN |
| LG2_Les | 0 | 0 | NaN | NaN | NaN |
| LM_Les | 0 | 0 | NaN | NaN | NaN |
| LS2_Les | 0 | 0 | NaN | NaN | NaN |
| SK2_Les | 1 | 0 | NaN | NaN | NaN |

Table 57: Treg/CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0 | NaN | NaN |
| CF1_Les | 0 | 0 | 0 |
| CJ1_Les | 0 | NaN | NaN |
| DD1_Les | 0 | 0 | 0 |
| EB_Les | 0 | NaN | NaN |
| JK1_Les | 0 | NaN | NaN |
| JM1_Les | 0 | 0 | 0 |
| JT_Les | 0 | NaN | NaN |
| LD_Les | 0 | NaN | NaN |
| LG2_Les | 0 | NaN | NaN |
| LM_Les | 0 | NaN | NaN |
| LS2_Les | 0 | NaN | NaN |
| SK2_Les | 0 | NaN | NaN |

Table 58: Treg/CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0 | 0 | NaN | NaN | NaN |
| CF1_Les | 0 | 0 | 0 | 0 | 0 |
| CJ1_Les | 0 | 0 | NaN | NaN | NaN |
| DD1_Les | 0 | 0 | 0 | 0 | 1 |
| EB_Les | 0 | 0 | NaN | NaN | NaN |
| JK1_Les | 0 | 0 | NaN | NaN | NaN |
| JM1_Les | 0 | 0 | 0 | 0 | 1 |
| JT_Les | 0 | 0 | NaN | NaN | NaN |
| LD_Les | 0 | 0 | NaN | NaN | NaN |
| LG2_Les | 0 | 0 | NaN | NaN | NaN |
| LM_Les | 0 | 0 | NaN | NaN | NaN |
| LS2_Les | 0 | 0 | NaN | NaN | NaN |
| SK2_Les | 1 | 1 | NaN | NaN | NaN |

Table 59: Treg/CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0 | NaN | NaN |
| CF1_Les | 0 | 0 | 0 |
| CJ1_Les | 0 | NaN | NaN |
| DD1_Les | 0 | 0 | 1 |
| EB_Les | 0 | NaN | NaN |
| JK1_Les | 0 | NaN | NaN |
| JM1_Les | 0 | 0 | 0 |
| JT_Les | 0 | NaN | NaN |
| LD_Les | 0 | NaN | NaN |
| LG2_Les | 0 | NaN | NaN |
| LM_Les | 0 | NaN | NaN |
| LS2_Les | 0 | NaN | NaN |
| SK2_Les | 1 | NaN | NaN |

Table 60: CD4T/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0 | 1 | NaN | NaN | NaN |
| CF1_Les | 0 | 0 | 0 | 0 | 1 |
| CJ1_Les | 1 | 1 | NaN | NaN | NaN |
| DD1_Les | 0 | 1 | 0 | 1 | 2 |
| EB_Les | 1 | 1 | NaN | NaN | NaN |
| JK1_Les | 0 | 1 | NaN | NaN | NaN |
| JM1_Les | 0 | 1 | 0 | 1 | 2 |
| JT_Les | 0 | 1 | NaN | NaN | NaN |
| LD_Les | 0 | 0 | NaN | NaN | NaN |
| LG2_Les | 0 | 1 | NaN | NaN | NaN |
| LM_Les | 0 | 1 | NaN | NaN | NaN |
| LS2_Les | 0 | 1 | NaN | NaN | NaN |
| SK2_Les | 0 | 1 | NaN | NaN | NaN |

Table 61: CD4T/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 1 | NaN | NaN |
| CF1_Les | 0 | 0 | 1 |
| CJ1_Les | 1 | NaN | NaN |
| DD1_Les | 1 | 1 | 1 |
| EB_Les | 1 | NaN | NaN |
| JK1_Les | 1 | NaN | NaN |
| JM1_Les | 1 | 1 | 1 |
| JT_Les | 1 | NaN | NaN |
| LD_Les | 0 | NaN | NaN |
| LG2_Les | 1 | NaN | NaN |
| LM_Les | 1 | NaN | NaN |
| LS2_Les | 1 | NaN | NaN |
| SK2_Les | 1 | NaN | NaN |

Table 62: CD8T/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 1 | 0 | NaN | NaN | NaN |
| CF1_Les | 0 | 0 | 1 | 1 | 2 |
| CJ1_Les | 0 | 0 | NaN | NaN | NaN |
| DD1_Les | 0 | 0 | 0 | 0 | 1 |
| EB_Les | 0 | 0 | NaN | NaN | NaN |
| JK1_Les | 1 | 0 | NaN | NaN | NaN |
| JM1_Les | 0 | 0 | 0 | 0 | 1 |
| JT_Les | 0 | 0 | NaN | NaN | NaN |
| LD_Les | 0 | 0 | NaN | NaN | NaN |
| LG2_Les | 1 | 0 | NaN | NaN | NaN |
| LM_Les | 0 | 0 | NaN | NaN | NaN |
| LS2_Les | 0 | 0 | NaN | NaN | NaN |
| SK2_Les | 0 | 0 | NaN | NaN | NaN |

Table 63: CD8T/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0 | NaN | NaN |
| CF1_Les | 0 | 1 | 1 |
| CJ1_Les | 0 | NaN | NaN |
| DD1_Les | 0 | 0 | 1 |
| EB_Les | 0 | NaN | NaN |
| JK1_Les | 0 | NaN | NaN |
| JM1_Les | 0 | 0 | 1 |
| JT_Les | 0 | NaN | NaN |
| LD_Les | 0 | NaN | NaN |
| LG2_Les | 0 | NaN | NaN |
| LM_Les | 0 | NaN | NaN |
| LS2_Les | 0 | NaN | NaN |
| SK2_Les | 0 | NaN | NaN |

Table 64: CD4T/CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0 | 2 | NaN | NaN | NaN |
| CF1_Les | 1 | 1 | 0 | 1 | 3 |
| CJ1_Les | 4 | 3 | NaN | NaN | NaN |
| DD1_Les | 1 | 2 | 1 | 2 | 6 |
| EB_Les | 2 | 2 | NaN | NaN | NaN |
| JK1_Les | 0 | 5 | NaN | NaN | NaN |
| JM1_Les | 1 | 3 | 1 | 3 | 8 |
| JT_Les | 1 | 2 | NaN | NaN | NaN |
| LD_Les | 1 | 3 | NaN | NaN | NaN |
| LG2_Les | 1 | 2 | NaN | NaN | NaN |
| LM_Les | 1 | 5 | NaN | NaN | NaN |
| LS2_Les | 2 | 5 | NaN | NaN | NaN |
| SK2_Les | 2 | 6 | NaN | NaN | NaN |

Table 65: CD4T/CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 2 | NaN | NaN |
| CF1_Les | 1 | 1 | 2 |
| CJ1_Les | 3 | NaN | NaN |
| DD1_Les | 2 | 2 | 5 |
| EB_Les | 2 | NaN | NaN |
| JK1_Les | 3 | NaN | NaN |
| JM1_Les | 2 | 2 | 5 |
| JT_Les | 2 | NaN | NaN |
| LD_Les | 2 | NaN | NaN |
| LG2_Les | 2 | NaN | NaN |
| LM_Les | 5 | NaN | NaN |
| LS2_Les | 4 | NaN | NaN |
| SK2_Les | 5 | NaN | NaN |


## Density curves


In this section we plot the number of cells per 100x100 um2 tissue as a function of distance to skin or DEJ. Each bin in the histogram represents the count in a 100x100 um2 area. Normalized density used in the correlates study is computed as the area under the curve with cutoff at a given depth.

### Intact vs. ulcerative - representative slides

In this subsection, there are two figures, one for dist2skin and one for dist2DEJ. Each figure shows 13 representative slides. Some observations:

- Comparing the CD3 cell distribution between CF and DD, we see that the ratio of the area under the curve across both epi and dermis between red and blue(ulcerative and intact) is about 1 for CD3/CF and 1/3 for CD3/DD. This suggests that CD3 is depleted in lesion in DD, but not in CF.
- Comparing the CD15 cell distribution in CF between intact and ulcerative, we see that the lesion peak is shifted to the left compared to the normal peak. This pattern is more clear in CF than in DD. We don't see this pattern for CD3.



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2DEJ (um)
intact
ulcerative

### Intact vs. ulcerrative - all slides


In this subsection, each figure shows all slides from a single biopsy.



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
CJ1_Les
CJ2_Les
Cells/100x100 um2
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
CJ1_Les
CJ2_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
EB_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
EB_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JT_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)



JT_Les
Cells/100x100 um2
0 20 40 60 80 100
CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
-500 0 500 1000 1500
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
intact
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0 20 40 60 80 100
intact
ulcerative
-500 0 500 1000 1500
dist2DEJ (um)

**Markers comparison - select slides**


In this subsection, there is one figure showing 13 representative slides. Some observations:


- The CD15 dist2skin peak in DD/lesion is near skin while the corresponding dist2DEJ peak is near DEJ is due to the fact that the DEJ line is very curvy.



intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100um^2
dist2skin (um)
dist2DEJ (um)
CD3
CD11c
CD123
CD15
CD56
CD68


### Markers comparison - all slides


In this subsection, each figure shows all slides from a single biopsy.



intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
CJ1_Les
CJ2_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
EB_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
JT_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LD_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LM_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)

## Count tables

For each slide, there is one table for up to 1000 um below DEJ.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 18 | 1372 | 0 | 0 | 90 | 1575 | | | 92 | 11968 | 0 | 0 |
| CD123 | 15 | 1353 | 0 | 0 | 75 | 1553 | | | 76 | 11401 | 0 | 0 |
| CD15 | 2 | 195 | 0 | 0 | 10 | 223 | | | 10 | 1887 | 0 | 0 |
| CD279 | 69 | 1453 | 0 | 0 | 348 | 1668 | | | 354 | 15023 | 0 | 0 |
| CD3 | 187 | 4071 | 0 | 0 | 944 | 4673 | | | 959 | 40233 | 0 | 0 |
| CD4 | 92 | 3237 | 0 | 0 | 464 | 3716 | | | 472 | 32869 | 0 | 0 |
| CD45 | 337 | 6773 | 0 | 0 | 1701 | 7775 | | | 2032 | 61578 | 0 | 0 |
| CD56 | 12 | 363 | 0 | 0 | 60 | 416 | | | 61 | 3000 | 0 | 0 |
| CD68 | 134 | 1037 | 0 | 0 | 676 | 1190 | | | 1900 | 6687 | 0 | 0 |
| CD68_raw | 247 | 933 | 0 | 0 | 1246 | 1071 | | | 2177 | 5710 | 0 | 0 |
| CD69 | 233 | 1917 | 0 | 0 | 1176 | 2200 | | | 1195 | 18541 | 0 | 0 |
| CD8 | 114 | 1343 | 0 | 0 | 575 | 1541 | | | 585 | 13245 | 0 | 0 |
| Foxp3 | 6 | 93 | 0 | 0 | 30 | 106 | | | 30 | 860 | 0 | 0 |
| Ki67 | 6 | 41 | 0 | 0 | 30 | 47 | | | 30 | 439 | 0 | 0 |
| CD4T | 51 | 2145 | 0 | 0 | 257 | 2462 | | | 261 | 23302 | 0 | 0 |
| CD8T | 119 | 1118 | 0 | 0 | 600 | 1283 | | | 610 | 10451 | 0 | 0 |
| Treg | 6 | 102 | 0 | 0 | 30 | 117 | | | 30 | 1013 | 0 | 0 |
| area | 0.20 | 0.87 | 0.00 | 0.00 | | | | | | | | |

Table 66: AS1_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 1396 | 7069 | 0 | 0 | 2052 | 3499 | | | 3692 | 19029 | 0 | 0 |
| CD123 | 605 | 3119 | 0 | 0 | 889 | 1543 | | | 1535 | 7817 | 0 | 0 |
| CD279 | 624 | 3994 | 0 | 0 | 917 | 1976 | | | 2279 | 11773 | 0 | 0 |
| CD3 | 1284 | 9955 | 0 | 0 | 1887 | 4927 | | | 3525 | 28840 | 0 | 0 |
| CD4 | 1635 | 7638 | 0 | 0 | 2403 | 3780 | | | 6013 | 22417 | 0 | 0 |
| CD4_raw | 2081 | 8021 | 0 | 0 | 3059 | 3970 | | | 6838 | 22527 | 0 | 0 |
| CD8 | 819 | 3921 | 0 | 0 | 1204 | 1940 | | | 2304 | 10928 | 0 | 0 |
| Foxp3 | 134 | 423 | 0 | 0 | 197 | 209 | | | 509 | 1069 | 0 | 0 |
| CD4T | 390 | 5775 | 0 | 0 | 573 | 2858 | | | 1075 | 17528 | 0 | 0 |
| CD8T | 773 | 3216 | 0 | 0 | 1136 | 1591 | | | 2238 | 8815 | 0 | 0 |
| Treg | 59 | 401 | 0 | 0 | 86 | 198 | | | 208 | 878 | 0 | 0 |
| area | 0.68 | 2.02 | 0.00 | 0.00 | | | | | | | | |

Table 67: AS2_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD279 | 327 | 3620 | 0 | 0 | 569 | 1857 | | | 742 | 11869 | 0 | 0 |
| CD3 | 578 | 10861 | 0 | 0 | 1005 | 5574 | | | 1261 | 36827 | 0 | 0 |
| CD4 | 302 | 9296 | 0 | 0 | 525 | 4771 | | | 662 | 33106 | 0 | 0 |
| CD56 | 77 | 1416 | 0 | 0 | 133 | 726 | | | 197 | 4611 | 0 | 0 |
| CD8 | 538 | 4858 | 0 | 0 | 936 | 2493 | | | 1166 | 15415 | 0 | 0 |
| Foxp3 | 82 | 256 | 0 | 0 | 142 | 131 | | | 186 | 613 | 0 | 0 |
| CD4T | 121 | 6027 | 0 | 0 | 210 | 3093 | | | 252 | 23020 | 0 | 0 |
| CD8T | 365 | 3756 | 0 | 0 | 635 | 1927 | | | 789 | 11899 | 0 | 0 |
| Treg | 21 | 130 | 0 | 0 | 36 | 66 | | | 42 | 365 | 0 | 0 |
| area | 0.57 | 1.95 | 0.00 | 0.00 | | | | | | | | |

Table 68: AS3_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 631 | 7926 | 1505 | 4139 | 1443 | 6261 | 3886 | 5829 | 2907 | 47019 | 12230 | 38420 |
| CD123 | 124 | 3900 | 407 | 1457 | 283 | 3080 | 1051 | 2052 | 590 | 23344 | 3150 | 10980 |
| CD15 | 8 | 2460 | 934 | 403 | 18 | 1943 | 2412 | 567 | 43 | 15167 | 10037 | 2924 |
| CD279 | 159 | 1622 | 59 | 1249 | 363 | 1281 | 152 | 1759 | 744 | 9212 | 469 | 11828 |
| CD3 | 405 | 7078 | 277 | 5041 | 926 | 5591 | 715 | 7100 | 1787 | 41150 | 2077 | 48287 |
| CD4 | 334 | 5588 | 216 | 3488 | 764 | 4414 | 557 | 4912 | 1496 | 33455 | 1501 | 35234 |
| CD45 | 540 | 8700 | 995 | 5538 | 1235 | 6872 | 2569 | 7800 | 2398 | 51401 | 7396 | 52348 |
| CD56 | 64 | 529 | 36 | 404 | 146 | 417 | 92 | 569 | 271 | 2650 | 253 | 3475 |
| CD68 | 1576 | 3700 | 0 | 0 | 3605 | 2922 | 0 | 0 | 7300 | 16390 | 0 | 0 |
| CD8 | 296 | 3668 | 210 | 2990 | 677 | 2897 | 542 | 4211 | 2096 | 20629 | 1683 | 28301 |
| Foxp3 | 42 | 348 | 82 | 222 | 96 | 274 | 211 | 312 | 257 | 2278 | 667 | 2579 |
| Ki67 | 169 | 20 | 201 | 6 | 386 | 15 | 519 | 8 | 730 | 124 | 1677 | 88 |
| CD4T | 153 | 3029 | 55 | 2114 | 350 | 2392 | 142 | 2977 | 657 | 18086 | 376 | 21612 |
| CD8T | 180 | 3138 | 136 | 2860 | 411 | 2478 | 351 | 4028 | 782 | 17252 | 1041 | 26560 |
| Treg | 33 | 198 | 9 | 164 | 75 | 156 | 23 | 231 | 143 | 1167 | 60 | 1818 |
| area | 0.44 | 1.27 | 0.39 | 0.71 | | | | | | | | |

Table 69: CF1_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 1018 | 9592 | 752 | 1646 | 1861 | 6216 | 2566 | 5611 | 5118 | 44861 | 8087 | 39279 |
| CD123 | 292 | 7591 | 234 | 783 | 534 | 4919 | 798 | 2669 | 1518 | 32922 | 2387 | 14618 |
| CD279 | 189 | 2016 | 152 | 516 | 345 | 1306 | 518 | 1758 | 895 | 8951 | 1455 | 10018 |
| CD3 | 330 | 5949 | 303 | 1632 | 603 | 3855 | 1034 | 5563 | 1558 | 27734 | 2906 | 32435 |
| CD4 | 136 | 4208 | 148 | 1017 | 248 | 2727 | 505 | 3466 | 695 | 21421 | 1420 | 28231 |
| CD8 | 263 | 4535 | 261 | 1632 | 481 | 2939 | 890 | 5563 | 1156 | 21495 | 2443 | 37062 |
| Foxp3 | 11 | 239 | 13 | 60 | 20 | 154 | 44 | 204 | 60 | 1137 | 144 | 1351 |
| CD4T | 73 | 1796 | 74 | 478 | 133 | 1164 | 252 | 1629 | 370 | 8976 | 706 | 15464 |
| CD8T | 148 | 2589 | 153 | 1043 | 270 | 1678 | 522 | 3555 | 622 | 11786 | 1429 | 21966 |
| Treg | 12 | 68 | 13 | 48 | 21 | 44 | 44 | 163 | 93 | 307 | 121 | 1028 |
| area | 0.55 | 1.54 | 0.29 | 0.29 | | | | | | | | |

Table 70: CF2_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD123 | 698 | 3776 | 0 | 0 | 1901 | 1970 | | | 2786 | 10618 | 0 | 0 |
| CD15 | 614 | 3611 | 0 | 0 | 1672 | 1884 | | | 2841 | 13052 | 0 | 0 |
| CD279 | 85 | 2577 | 0 | 0 | 231 | 1344 | | | 348 | 9604 | 0 | 0 |
| CD3 | 263 | 5572 | 0 | 0 | 716 | 2907 | | | 1055 | 22191 | 0 | 0 |
| CD4 | 505 | 10867 | 0 | 0 | 1375 | 5670 | | | 2738 | 45293 | 0 | 0 |
| CD45 | 1514 | 12844 | 0 | 0 | 4123 | 6701 | | | 6687 | 50171 | 0 | 0 |
| CD56 | 1 | 279 | 0 | 0 | 2 | 145 | | | 3 | 1263 | 0 | 0 |
| CD68 | 1576 | 3700 | 0 | 0 | 4292 | 1930 | | | 8352 | 11096 | 0 | 0 |
| CD69 | 256 | 2961 | 0 | 0 | 697 | 1545 | | | 1371 | 11209 | 0 | 0 |
| CD8 | 200 | 1943 | 0 | 0 | 544 | 1013 | | | 1037 | 7934 | 0 | 0 |
| Foxp3 | 0 | 8 | 0 | 0 | 0 | 4 | | | 0 | 34 | 0 | 0 |
| Ki67 | 481 | 245 | 0 | 0 | 1310 | 127 | | | 4235 | 596 | 0 | 0 |
| CD4T | 112 | 4143 | 0 | 0 | 305 | 2161 | | | 438 | 17004 | 0 | 0 |
| CD8T | 96 | 1376 | 0 | 0 | 261 | 717 | | | 398 | 5583 | 0 | 0 |
| area | 0.37 | 1.92 | 0.00 | 0.00 | | | | | | | | |

Table 71: CF5_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 157 | 3201 | 0 | 0 | 306 | 1975 | | | 394 | 15202 | 0 | 0 |
| CD123 | 13 | 1440 | 0 | 0 | 25 | 888 | | | 32 | 6833 | 0 | 0 |
| CD15 | 1 | 88 | 0 | 0 | 1 | 54 | | | 2 | 377 | 0 | 0 |
| CD279 | 141 | 841 | 0 | 0 | 275 | 518 | | | 403 | 3900 | 0 | 0 |
| CD3 | 196 | 2168 | 0 | 0 | 382 | 1337 | | | 539 | 11192 | 0 | 0 |
| CD4 | 397 | 4852 | 0 | 0 | 775 | 2994 | | | 1145 | 21972 | 0 | 0 |
| CD45 | 529 | 7523 | 0 | 0 | 1033 | 4642 | | | 1466 | 35142 | 0 | 0 |
| CD56 | 14 | 866 | 0 | 0 | 27 | 534 | | | 34 | 4280 | 0 | 0 |
| CD68 | 581 | 2248 | 0 | 0 | 1134 | 1387 | | | 1789 | 9939 | 0 | 0 |
| CD68_raw | 263 | 1226 | 0 | 0 | 513 | 756 | | | 834 | 5560 | 0 | 0 |
| CD69 | 194 | 1736 | 0 | 0 | 378 | 1071 | | | 576 | 8617 | 0 | 0 |
| CD8 | 44 | 779 | 0 | 0 | 85 | 480 | | | 115 | 4134 | 0 | 0 |
| Foxp3 | 9 | 183 | 0 | 0 | 17 | 112 | | | 43 | 872 | 0 | 0 |
| Ki67 | 257 | 91 | 0 | 0 | 501 | 56 | | | 683 | 461 | 0 | 0 |
| CD4T | 122 | 1540 | 0 | 0 | 238 | 950 | | | 336 | 7889 | 0 | 0 |
| CD8T | 35 | 602 | 0 | 0 | 68 | 371 | | | 86 | 3136 | 0 | 0 |
| Treg | 6 | 83 | 0 | 0 | 11 | 51 | | | 14 | 334 | 0 | 0 |
| area | 0.51 | 1.62 | 0.00 | 0.00 | | | | | | | | |

Table 72: CJ1_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 323 | 4247 | 0 | 0 | 494 | 2246 | | | 662 | 16131 | 0 | 0 |
| CD123 | 56 | 1739 | 0 | 0 | 85 | 919 | | | 110 | 6993 | 0 | 0 |
| CD15 | 3 | 28 | 0 | 0 | 4 | 14 | | | 5 | 99 | 0 | 0 |
| CD3 | 36 | 2392 | 0 | 0 | 55 | 1265 | | | 80 | 10534 | 0 | 0 |
| CD4 | 60 | 2626 | 0 | 0 | 91 | 1388 | | | 143 | 11469 | 0 | 0 |
| CD45 | 489 | 6667 | 0 | 0 | 749 | 3526 | | | 1035 | 26158 | 0 | 0 |
| CD68 | 399 | 2450 | 0 | 0 | 611 | 1295 | | | 862 | 8827 | 0 | 0 |
| CD8 | 46 | 805 | 0 | 0 | 70 | 425 | | | 115 | 3640 | 0 | 0 |
| CD4T | 13 | 1172 | 0 | 0 | 19 | 619 | | | 35 | 5158 | 0 | 0 |
| CD8T | 8 | 583 | 0 | 0 | 12 | 308 | | | 15 | 2638 | 0 | 0 |
| area | 0.65 | 1.89 | 0.00 | 0.00 | | | | | | | | |

Table 73: CJ2_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 360 | 2203 | 10865 | 17752 | 3096 | 6651 | 8365 | 7851 | 7205 | 44740 | 43754 | 56722 |
| CD123 | 308 | 1599 | 3062 | 14146 | 2649 | 4827 | 2357 | 6256 | 6258 | 28289 | 9729 | 44130 |
| CD15 | 12 | 213 | 9301 | 3522 | 103 | 643 | 7161 | 1557 | 2180 | 3033 | 39371 | 8483 |
| CD279 | 17 | 594 | 288 | 3275 | 146 | 1793 | 221 | 1448 | 318 | 12584 | 1015 | 11968 |
| CD3 | 85 | 1535 | 140 | 6126 | 731 | 4634 | 107 | 2709 | 1741 | 30930 | 489 | 21917 |
| CD4 | 233 | 2127 | 443 | 11429 | 2004 | 6421 | 341 | 5054 | 4824 | 42115 | 1359 | 40174 |
| CD45 | 451 | 2935 | 12474 | 20869 | 3879 | 8861 | 9604 | 9230 | 11376 | 60192 | 50764 | 67113 |
| CD56 | 7 | 134 | 3 | 612 | 60 | 404 | 2 | 270 | 131 | 3401 | 8 | 2272 |
| CD68 | 141 | 673 | 1818 | 8087 | 1212 | 2031 | 1399 | 3576 | 3040 | 13207 | 6153 | 25334 |
| CD69 | 19 | 253 | 31 | 2283 | 163 | 763 | 23 | 1009 | 356 | 5665 | 141 | 8652 |
| CD8 | 37 | 634 | 75 | 2692 | 318 | 1914 | 57 | 1190 | 745 | 14085 | 254 | 9868 |
| Foxp3_2 | 5 | 75 | 109 | 786 | 43 | 226 | 83 | 347 | 93 | 1879 | 485 | 3019 |
| Foxp3 | 5 | 75 | 976 | 810 | 43 | 226 | 751 | 358 | 93 | 1879 | 3313 | 3019 |
| CD4T | 29 | 1160 | 21 | 4381 | 249 | 3502 | 16 | 1937 | 548 | 24519 | 64 | 16202 |
| CD8T | 37 | 474 | 22 | 1919 | 318 | 1431 | 16 | 848 | 749 | 10073 | 71 | 7024 |
| Treg | 6 | 80 | 1 | 628 | 51 | 241 | 0 | 277 | 112 | 1700 | 2 | 2356 |
| area | 0.12 | 0.33 | 1.30 | 2.26 | | | | | | | | |

Table 74: DD1_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 875 | 1740 | 1003 | 7548 | 3036 | 2783 | 1294 | 2853 | 7053 | 22057 | 1576 | 20163 |
| CD123 | 266 | 743 | 759 | 5397 | 923 | 1188 | 979 | 2040 | 2279 | 6978 | 1460 | 8894 |
| CD15 | 12 | 395 | 2932 | 3889 | 41 | 631 | 3784 | 1470 | 139 | 3852 | 16106 | 3487 |
| CD279 | 27 | 40 | 37 | 128 | 93 | 63 | 47 | 48 | 226 | 421 | 65 | 280 |
| CD3 | 293 | 2213 | 449 | 6549 | 1016 | 3540 | 579 | 2475 | 2662 | 22916 | 844 | 13175 |
| CD4 | 241 | 1276 | 313 | 4330 | 836 | 2041 | 404 | 1636 | 2055 | 13312 | 529 | 9541 |
| CD45 | 1148 | 4987 | 3613 | 22440 | 3984 | 7979 | 4664 | 8482 | 10267 | 54768 | 9448 | 48032 |
| CD56 | 30 | 88 | 72 | 449 | 104 | 140 | 92 | 169 | 264 | 899 | 112 | 1131 |
| CD68 | 162 | 249 | 413 | 1451 | 562 | 398 | 533 | 548 | 1371 | 2149 | 1218 | 2825 |
| CD69 | 530 | 1530 | 578 | 5345 | 1839 | 2447 | 746 | 2020 | 4454 | 17518 | 898 | 10898 |
| CD8 | 124 | 615 | 129 | 1683 | 430 | 983 | 166 | 636 | 1051 | 5981 | 208 | 3520 |
| Foxp3 | 31 | 21 | 21 | 140 | 107 | 33 | 27 | 52 | 383 | 240 | 32 | 322 |
| Ki67 | 38 | 20 | 729 | 549 | 131 | 31 | 941 | 207 | 787 | 281 | 3092 | 367 |
| CD4T | 94 | 702 | 134 | 2163 | 326 | 1123 | 172 | 817 | 850 | 7981 | 207 | 4803 |
| CD8T | 109 | 448 | 110 | 1174 | 378 | 716 | 142 | 443 | 885 | 4260 | 171 | 2451 |
| Treg | 25 | 5 | 18 | 68 | 86 | 7 | 23 | 25 | 252 | 82 | 28 | 132 |
| area | 0.29 | 0.63 | 0.77 | 2.65 | | | | | | | | |

Table 75: DD2_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 478 | 2859 | 10260 | 17020 | 2745 | 6305 | 8695 | 6913 | 5194 | 42397 | 47109 | 44446 |
| CD123 | 458 | 2163 | 3003 | 13393 | 2630 | 4770 | 2545 | 5440 | 4761 | 27254 | 7639 | 29442 |
| CD15 | 46 | 529 | 8776 | 3516 | 264 | 1166 | 7437 | 1428 | 1073 | 6368 | 41005 | 5953 |
| CD279 | 22 | 258 | 186 | 1580 | 126 | 568 | 157 | 641 | 237 | 4698 | 449 | 4312 |
| CD3 | 97 | 1086 | 355 | 3700 | 557 | 2395 | 300 | 1502 | 1080 | 17451 | 799 | 10727 |
| CD4 | 372 | 2498 | 598 | 12097 | 2136 | 5509 | 506 | 4913 | 3918 | 36737 | 1312 | 35212 |
| CD45 | 509 | 3197 | 11142 | 17714 | 2923 | 7050 | 9442 | 7195 | 5589 | 46301 | 52430 | 46066 |
| CD56 | 18 | 159 | 41 | 669 | 103 | 350 | 34 | 271 | 208 | 2951 | 84 | 2102 |
| CD68 | 344 | 1487 | 2300 | 10029 | 1975 | 3279 | 1949 | 4073 | 5034 | 22858 | 7049 | 26343 |
| CD69 | 2 | 63 | 96 | 388 | 11 | 138 | 81 | 157 | 28 | 1208 | 198 | 1215 |
| CD8 | 61 | 722 | 211 | 2741 | 350 | 1592 | 178 | 1113 | 691 | 12632 | 514 | 8445 |
| Foxp3 | 14 | 47 | 219 | 298 | 80 | 103 | 185 | 121 | 178 | 851 | 573 | 709 |
| CD4T | 51 | 854 | 221 | 2939 | 292 | 1883 | 187 | 1193 | 550 | 14457 | 462 | 8858 |
| CD8T | 34 | 391 | 148 | 1351 | 195 | 862 | 125 | 548 | 414 | 6706 | 314 | 4069 |
| Treg | 5 | 19 | 24 | 135 | 28 | 41 | 20 | 54 | 56 | 324 | 49 | 400 |
| area | 0.17 | 0.45 | 1.18 | 2.46 | | | | | | | | |

Table 76: DD3_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 56 | 5795 | 0 | 0 | 177 | 3802 | | | 257 | 32673 | 0 | 0 |
| CD123 | 47 | 3656 | 0 | 0 | 148 | 2398 | | | 199 | 19758 | 0 | 0 |
| CD15 | 9 | 178 | 0 | 0 | 28 | 116 | | | 36 | 793 | 0 | 0 |
| CD279 | 45 | 203 | 0 | 0 | 142 | 133 | | | 181 | 1074 | 0 | 0 |
| CD3 | 143 | 8872 | 0 | 0 | 452 | 5820 | | | 575 | 50879 | 0 | 0 |
| CD4 | 221 | 10807 | 0 | 0 | 699 | 7090 | | | 1050 | 59526 | 0 | 0 |
| CD45 | 391 | 14245 | 0 | 0 | 1236 | 9346 | | | 1615 | 77705 | 0 | 0 |
| CD56 | 5 | 825 | 0 | 0 | 15 | 541 | | | 30 | 4592 | 0 | 0 |
| CD68 | 121 | 4464 | 0 | 0 | 382 | 2928 | | | 551 | 24026 | 0 | 0 |
| CD8 | 62 | 3844 | 0 | 0 | 196 | 2522 | | | 368 | 22116 | 0 | 0 |
| Foxp3 | 9 | 69 | 0 | 0 | 28 | 45 | | | 36 | 390 | 0 | 0 |
| Ki67 | 200 | 83 | 0 | 0 | 632 | 54 | | | 923 | 440 | 0 | 0 |
| CD4T | 74 | 5830 | 0 | 0 | 234 | 3825 | | | 297 | 33639 | 0 | 0 |
| CD8T | 36 | 2753 | 0 | 0 | 113 | 1806 | | | 144 | 15863 | 0 | 0 |
| Treg | 2 | 49 | 0 | 0 | 6 | 32 | | | 8 | 269 | 0 | 0 |
| area | 0.32 | 1.52 | 0.00 | 0.00 | | | | | | | | |

Table 77: EB_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 255 | 3684 | 0 | 0 | 309 | 3277 | | | 585 | 18349 | 0 | 0 |
| CD123 | 22 | 435 | 0 | 0 | 26 | 386 | | | 44 | 2053 | 0 | 0 |
| CD15 | 74 | 1738 | 0 | 0 | 89 | 1546 | | | 1646 | 13393 | 0 | 0 |
| CD279 | 22 | 97 | 0 | 0 | 26 | 86 | | | 63 | 310 | 0 | 0 |
| CD3 | 26 | 391 | 0 | 0 | 31 | 347 | | | 50 | 1321 | 0 | 0 |
| CD4 | 69 | 1659 | 0 | 0 | 83 | 1475 | | | 189 | 9044 | 0 | 0 |
| CD56 | 6 | 148 | 0 | 0 | 7 | 131 | | | 11 | 643 | 0 | 0 |
| CD68 | 1321 | 1568 | 0 | 0 | 1601 | 1394 | | | 2983 | 10585 | 0 | 0 |
| CD68_raw | 1701 | 2379 | 0 | 0 | 2062 | 2116 | | | 3900 | 14474 | 0 | 0 |
| CD69 | 33 | 165 | 0 | 0 | 40 | 146 | | | 64 | 390 | 0 | 0 |
| CD8 | 24 | 110 | 0 | 0 | 29 | 97 | | | 46 | 246 | 0 | 0 |
| Foxp3 | 10 | 54 | 0 | 0 | 12 | 48 | | | 24 | 64 | 0 | 0 |
| Ki67 | 669 | 48 | 0 | 0 | 811 | 42 | | | 1308 | 43 | 0 | 0 |
| CD4T | 8 | 249 | 0 | 0 | 9 | 221 | | | 15 | 828 | 0 | 0 |
| CD8T | 18 | 74 | 0 | 0 | 21 | 65 | | | 34 | 164 | 0 | 0 |
| Treg | 3 | 25 | 0 | 0 | 3 | 22 | | | 5 | 19 | 0 | 0 |
| area | 0.82 | 1.12 | 0.00 | 0.00 | | | | | | | | |

Table 78: JK1_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD3 | 18 | 417 | 0 | 0 | 23 | 373 | | | 32 | 2049 | 0 | 0 |
| CD4 | 86 | 1748 | 0 | 0 | 112 | 1563 | | | 216 | 7623 | 0 | 0 |
| CD8 | 13 | 97 | 0 | 0 | 17 | 86 | | | 27 | 269 | 0 | 0 |
| CD4T | 7 | 271 | 0 | 0 | 9 | 242 | | | 13 | 1216 | 0 | 0 |
| CD8T | 10 | 62 | 0 | 0 | 13 | 55 | | | 19 | 175 | 0 | 0 |
| area | 0.76 | 1.12 | 0.00 | 0.00 | | | | | | | | |

Table 79: JK2_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD123 | 17 | 459 | 0 | 0 | 23 | 462 | | | 36 | 3431 | 0 | 0 |
| CD15 | 7 | 717 | 0 | 0 | 9 | 722 | | | 19 | 6137 | 0 | 0 |
| CD279 | 17 | 146 | 0 | 0 | 23 | 147 | | | 35 | 766 | 0 | 0 |
| CD3 | 20 | 251 | 0 | 0 | 27 | 253 | | | 42 | 1295 | 0 | 0 |
| CD4 | 68 | 1422 | 0 | 0 | 94 | 1433 | | | 154 | 5903 | 0 | 0 |
| CD68 | 756 | 1795 | 0 | 0 | 1045 | 1809 | | | 1882 | 8426 | 0 | 0 |
| CD68_raw | 1263 | 1499 | 0 | 0 | 1745 | 1511 | | | 3015 | 7592 | 0 | 0 |
| CD69 | 22 | 158 | 0 | 0 | 30 | 159 | | | 91 | 1070 | 0 | 0 |
| CD8 | 15 | 56 | 0 | 0 | 20 | 56 | | | 31 | 169 | 0 | 0 |
| Foxp3 | 5 | 35 | 0 | 0 | 6 | 35 | | | 57 | 212 | 0 | 0 |
| Ki67 | 158 | 2 | 0 | 0 | 218 | 2 | | | 342 | 3 | 0 | 0 |
| CD4T | 5 | 176 | 0 | 0 | 6 | 177 | | | 10 | 974 | 0 | 0 |
| CD8T | 12 | 31 | 0 | 0 | 16 | 31 | | | 25 | 78 | 0 | 0 |
| Treg | 2 | 17 | 0 | 0 | 2 | 17 | | | 4 | 161 | 0 | 0 |
| area | 0.72 | 0.99 | 0.00 | 0.00 | | | | | | | | |

Table 80: JK3_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 929 | 5747 | 1199 | 7120 | 1912 | 5058 | 4988 | 8169 | 2992 | 22825 | 7293 | 46629 |
| CD123 | 376 | 3507 | 649 | 5802 | 773 | 3086 | 2700 | 6656 | 1161 | 11487 | 3566 | 34103 |
| CD15 | 6 | 122 | 326 | 345 | 12 | 107 | 1356 | 395 | 22 | 398 | 2312 | 1437 |
| CD279 | 182 | 2440 | 62 | 1946 | 374 | 2147 | 257 | 2232 | 568 | 8567 | 337 | 14251 |
| CD3 | 336 | 6967 | 155 | 4928 | 691 | 6131 | 644 | 5654 | 1067 | 32393 | 916 | 43238 |
| CD4 | 621 | 7178 | 448 | 5687 | 1278 | 6317 | 1863 | 6525 | 1983 | 32235 | 2730 | 45746 |
| CD45 | 1238 | 11869 | 1638 | 10638 | 2548 | 10446 | 6814 | 12205 | 4000 | 61369 | 11128 | 84620 |
| CD56 | 152 | 670 | 44 | 495 | 312 | 589 | 183 | 567 | 465 | 2431 | 239 | 3978 |
| CD68 | 623 | 2813 | 1122 | 4096 | 1282 | 2475 | 4667 | 4699 | 2008 | 9515 | 7316 | 21477 |
| CD68_raw | 860 | 2235 | 931 | 3089 | 1770 | 1967 | 3873 | 3544 | 2799 | 7405 | 6400 | 16275 |
| CD69 | 731 | 7062 | 898 | 7673 | 1504 | 6215 | 3736 | 8803 | 2271 | 26876 | 5068 | 51526 |
| CD8 | 176 | 2236 | 62 | 1565 | 362 | 1967 | 257 | 1795 | 550 | 9114 | 349 | 13401 |
| Foxp3 | 32 | 257 | 9 | 126 | 65 | 226 | 37 | 144 | 112 | 1026 | 48 | 923 |
| Ki67 | 118 | 54 | 66 | 63 | 242 | 47 | 274 | 72 | 362 | 318 | 653 | 387 |
| CD4T | 140 | 4534 | 54 | 3137 | 288 | 3990 | 224 | 3599 | 448 | 21403 | 293 | 28024 |
| CD8T | 154 | 1840 | 42 | 1263 | 316 | 1619 | 174 | 1449 | 487 | 7089 | 228 | 10450 |
| Treg | 30 | 298 | 12 | 178 | 61 | 262 | 49 | 204 | 102 | 1063 | 65 | 1187 |
| area | 0.49 | 1.14 | 0.24 | 0.87 | | | | | | | | |

Table 81: JM1_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 1561 | 4294 | 0 | 0 | 2517 | 4465 | | | 4654 | 14702 | 0 | 0 |
| CD123 | 298 | 2103 | 0 | 0 | 480 | 2187 | | | 678 | 7352 | 0 | 0 |
| CD15 | 12 | 76 | 0 | 0 | 19 | 79 | | | 228 | 219 | 0 | 0 |
| CD279 | 161 | 511 | 0 | 0 | 259 | 531 | | | 362 | 1322 | 0 | 0 |
| CD3 | 403 | 4870 | 0 | 0 | 649 | 5064 | | | 912 | 13728 | 0 | 0 |
| CD4 | 656 | 5371 | 0 | 0 | 1058 | 5585 | | | 1510 | 20365 | 0 | 0 |
| CD45 | 798 | 4536 | 0 | 0 | 1287 | 4717 | | | 1918 | 12324 | 0 | 0 |
| CD56 | 188 | 678 | 0 | 0 | 303 | 705 | | | 425 | 1876 | 0 | 0 |
| CD68 | 848 | 1857 | 0 | 0 | 1367 | 1931 | | | 2693 | 5393 | 0 | 0 |
| CD68_raw | 2839 | 2193 | 0 | 0 | 4578 | 2280 | | | 8979 | 6295 | 0 | 0 |
| CD69 | 791 | 6050 | 0 | 0 | 1275 | 6291 | | | 1766 | 17855 | 0 | 0 |
| CD8 | 211 | 2087 | 0 | 0 | 340 | 2170 | | | 460 | 5812 | 0 | 0 |
| Foxp3 | 52 | 450 | 0 | 0 | 83 | 467 | | | 120 | 1352 | 0 | 0 |
| Ki67 | 981 | 135 | 0 | 0 | 1582 | 140 | | | 2166 | 236 | 0 | 0 |
| CD4T | 195 | 2900 | 0 | 0 | 314 | 3015 | | | 440 | 8648 | 0 | 0 |
| CD8T | 120 | 1214 | 0 | 0 | 193 | 1262 | | | 261 | 2592 | 0 | 0 |
| Treg | 38 | 243 | 0 | 0 | 61 | 252 | | | 85 | 600 | 0 | 0 |
| area | 0.62 | 0.96 | 0.00 | 0.00 | | | | | | | | |

Table 82: JM2_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD3 | 233 | 4303 | 0 | 0 | 449 | 5757 | | | 692 | 13715 | 0 | 0 |
| CD8 | 170 | 1750 | 0 | 0 | 328 | 2341 | | | 511 | 5158 | 0 | 0 |
| Foxp3 | 31 | 113 | 0 | 0 | 59 | 151 | | | 97 | 270 | 0 | 0 |
| CD8T | 94 | 1192 | 0 | 0 | 181 | 1594 | | | 267 | 2942 | 0 | 0 |
| area | 0.52 | 0.75 | 0.00 | 0.00 | | | | | | | | |

Table 83: JM3_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 24 | 1182 | 0 | 0 | 107 | 781 | | | 107 | 3843 | 0 | 0 |
| CD123 | 9 | 896 | 0 | 0 | 40 | 592 | | | 40 | 3075 | 0 | 0 |
| CD15 | 4 | 218 | 0 | 0 | 17 | 144 | | | 17 | 943 | 0 | 0 |
| CD279 | 15 | 149 | 0 | 0 | 66 | 98 | | | 66 | 522 | 0 | 0 |
| CD3 | 92 | 1195 | 0 | 0 | 410 | 790 | | | 410 | 4067 | 0 | 0 |
| CD4 | 72 | 1189 | 0 | 0 | 321 | 786 | | | 321 | 4144 | 0 | 0 |
| CD45 | 161 | 3393 | 0 | 0 | 718 | 2243 | | | 718 | 12420 | 0 | 0 |
| CD56 | 8 | 174 | 0 | 0 | 35 | 115 | | | 35 | 467 | 0 | 0 |
| CD68 | 243 | 923 | 0 | 0 | 1084 | 610 | | | 1080 | 3126 | 0 | 0 |
| CD68_raw | 558 | 956 | 0 | 0 | 2489 | 632 | | | 2490 | 3296 | 0 | 0 |
| CD8 | 54 | 518 | 0 | 0 | 240 | 342 | | | 241 | 2000 | 0 | 0 |
| Foxp3 | 70 | 97 | 0 | 0 | 312 | 64 | | | 312 | 335 | 0 | 0 |
| Ki67 | 77 | 5 | 0 | 0 | 343 | 3 | | | 343 | 19 | 0 | 0 |
| CD4T | 44 | 664 | 0 | 0 | 196 | 439 | | | 196 | 2267 | 0 | 0 |
| CD8T | 43 | 342 | 0 | 0 | 191 | 226 | | | 191 | 1225 | 0 | 0 |
| Treg | 2 | 75 | 0 | 0 | 8 | 49 | | | 8 | 239 | 0 | 0 |
| area | 0.22 | 1.51 | 0.00 | 0.00 | | | | | | | | |

Table 84: JT_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 41 | 2501 | 0 | 0 | 118 | 4100 | | | 212 | 20605 | 0 | 0 |
| CD123 | 20 | 1599 | 0 | 0 | 58 | 2621 | | | 74 | 11693 | 0 | 0 |
| CD15 | 5 | 176 | 0 | 0 | 14 | 288 | | | 48 | 1762 | 0 | 0 |
| CD279 | 89 | 440 | 0 | 0 | 258 | 721 | | | 381 | 2401 | 0 | 0 |
| CD3 | 540 | 3111 | 0 | 0 | 1566 | 5100 | | | 2094 | 20040 | 0 | 0 |
| CD4 | 209 | 2014 | 0 | 0 | 606 | 3302 | | | 829 | 14072 | 0 | 0 |
| CD45 | 794 | 5665 | 0 | 0 | 2302 | 9288 | | | 3180 | 39615 | 0 | 0 |
| CD56 | 48 | 144 | 0 | 0 | 139 | 236 | | | 179 | 689 | 0 | 0 |
| CD68 | 233 | 862 | 0 | 0 | 675 | 1413 | | | 968 | 4728 | 0 | 0 |
| CD69 | 392 | 2232 | 0 | 0 | 1136 | 3659 | | | 1512 | 16013 | 0 | 0 |
| CD8 | 223 | 993 | 0 | 0 | 646 | 1628 | | | 832 | 5963 | 0 | 0 |
| Foxp3 | 14 | 42 | 0 | 0 | 40 | 68 | | | 72 | 245 | 0 | 0 |
| Ki67 | 57 | 1392 | 0 | 0 | 165 | 2282 | | | 460 | 16394 | 0 | 0 |
| CD4T | 90 | 729 | 0 | 0 | 261 | 1195 | | | 375 | 5366 | 0 | 0 |
| CD8T | 183 | 410 | 0 | 0 | 530 | 672 | | | 682 | 1979 | 0 | 0 |
| Treg | 8 | 13 | 0 | 0 | 23 | 21 | | | 29 | 71 | 0 | 0 |
| area | 0.34 | 0.61 | 0.00 | 0.00 | | | | | | | | |

Table 85: LD_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 1074 | 5057 | 942 | 5215 | 2325 | 3056 | 4586 | 5237 | 3520 | 19296 | 7543 | 37327 |
| CD123 | 132 | 916 | 613 | 1498 | 285 | 553 | 2984 | 1504 | 405 | 2448 | 4437 | 5717 |
| CD15 | 6 | 101 | 14 | 49 | 12 | 61 | 68 | 49 | 23 | 320 | 143 | 301 |
| CD279 | 67 | 339 | 13 | 257 | 145 | 204 | 63 | 258 | 206 | 813 | 84 | 2144 |
| CD3 | 205 | 2000 | 83 | 1327 | 443 | 1208 | 404 | 1332 | 610 | 6164 | 554 | 10356 |
| CD4 | 303 | 2587 | 95 | 2189 | 656 | 1563 | 462 | 2198 | 905 | 8683 | 672 | 17517 |
| CD45 | 967 | 6473 | 798 | 5806 | 2093 | 3912 | 3885 | 5830 | 3051 | 24134 | 6186 | 43817 |
| CD56 | 34 | 247 | 6 | 242 | 73 | 149 | 29 | 243 | 110 | 703 | 39 | 2022 |
| CD69 | 169 | 1166 | 73 | 1225 | 365 | 704 | 355 | 1230 | 560 | 3303 | 496 | 9320 |
| CD8 | 178 | 1663 | 69 | 1223 | 385 | 1005 | 335 | 1228 | 553 | 5818 | 463 | 9485 |
| Foxp3 | 66 | 350 | 21 | 223 | 142 | 211 | 102 | 223 | 220 | 1048 | 137 | 1655 |
| Ki67 | 34 | 36 | 1 | 22 | 73 | 21 | 4 | 22 | 110 | 173 | 6 | 188 |
| CD4T | 82 | 1003 | 25 | 764 | 177 | 606 | 121 | 767 | 245 | 3124 | 163 | 6189 |
| CD8T | 84 | 831 | 24 | 491 | 181 | 502 | 116 | 493 | 245 | 2800 | 156 | 3949 |
| Treg | 25 | 150 | 5 | 68 | 54 | 90 | 24 | 68 | 73 | 306 | 32 | 497 |
| area | 0.46 | 1.65 | 0.21 | 1.00 | | | | | | | | |

Table 86: LG1_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 93 | 5966 | 0 | 0 | 274 | 2430 | | | 348 | 18757 | 0 | 0 |
| CD123 | 5 | 1047 | 0 | 0 | 14 | 426 | | | 15 | 3282 | 0 | 0 |
| CD15 | 1 | 1619 | 0 | 0 | 2 | 659 | | | 3 | 5904 | 0 | 0 |
| CD279 | 43 | 537 | 0 | 0 | 126 | 218 | | | 132 | 1727 | 0 | 0 |
| CD3 | 58 | 4379 | 0 | 0 | 170 | 1783 | | | 178 | 15120 | 0 | 0 |
| CD4 | 92 | 5078 | 0 | 0 | 271 | 2068 | | | 348 | 16951 | 0 | 0 |
| CD45 | 194 | 9993 | 0 | 0 | 571 | 4070 | | | 659 | 32381 | 0 | 0 |
| CD56 | 8 | 874 | 0 | 0 | 23 | 355 | | | 24 | 2897 | 0 | 0 |
| CD68 | 962 | 3235 | 0 | 0 | 2836 | 1317 | | | 3281 | 8861 | 0 | 0 |
| CD68_raw | 967 | 1731 | 0 | 0 | 2850 | 705 | | | 3041 | 4593 | 0 | 0 |
| CD69 | 98 | 2628 | 0 | 0 | 288 | 1070 | | | 301 | 8514 | 0 | 0 |
| CD8 | 40 | 2504 | 0 | 0 | 117 | 1019 | | | 123 | 8530 | 0 | 0 |
| Foxp3 | 3 | 110 | 0 | 0 | 8 | 44 | | | 9 | 372 | 0 | 0 |
| Ki67 | 293 | 50 | 0 | 0 | 863 | 20 | | | 902 | 158 | 0 | 0 |
| CD4T | 29 | 3053 | 0 | 0 | 85 | 1243 | | | 89 | 10706 | 0 | 0 |
| CD8T | 30 | 1958 | 0 | 0 | 88 | 797 | | | 92 | 6725 | 0 | 0 |
| Treg | 1 | 61 | 0 | 0 | 2 | 24 | | | 3 | 210 | 0 | 0 |
| area | 0.34 | 2.46 | 0.00 | 0.00 | | | | | | | | |

Table 87: LG2_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD3 | 287 | 2999 | 149 | 2526 | 632 | 1716 | 472 | 2489 | 886 | 9631 | 1032 | 17512 |
| CD4 | 403 | 3396 | 241 | 3053 | 887 | 1944 | 763 | 3008 | 1227 | 12074 | 1447 | 21021 |
| CD68 | 828 | 1401 | 1139 | 1512 | 1824 | 801 | 3608 | 1489 | 2943 | 4648 | 7797 | 6171 |
| CD68_raw | 1527 | 2002 | 1657 | 2178 | 3364 | 1146 | 5250 | 2146 | 5489 | 6722 | 11556 | 9982 |
| CD8 | 187 | 1791 | 97 | 1647 | 411 | 1025 | 307 | 1622 | 584 | 5793 | 735 | 12035 |
| CD4T | 107 | 1730 | 51 | 1456 | 235 | 990 | 161 | 1434 | 323 | 6012 | 329 | 10194 |
| CD8T | 141 | 1413 | 71 | 1149 | 310 | 808 | 224 | 1132 | 441 | 4554 | 499 | 8184 |
| area | 0.45 | 1.75 | 0.32 | 1.01 | | | | | | | | |

Table 88: LG3_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 298 | 7681 | 0 | 0 | 745 | 4314 | | | 871 | 30612 | 0 | 0 |
| CD123 | 18 | 1632 | 0 | 0 | 45 | 916 | | | 49 | 5907 | 0 | 0 |
| CD15 | 65 | 517 | 0 | 0 | 162 | 290 | | | 179 | 1292 | 0 | 0 |
| CD279 | 39 | 177 | 0 | 0 | 97 | 99 | | | 107 | 549 | 0 | 0 |
| CD3 | 225 | 9871 | 0 | 0 | 563 | 5544 | | | 646 | 39738 | 0 | 0 |
| CD4 | 354 | 16036 | 0 | 0 | 885 | 9006 | | | 1003 | 65640 | 0 | 0 |
| CD45 | 482 | 18467 | 0 | 0 | 1206 | 10372 | | | 1427 | 77612 | 0 | 0 |
| CD56 | 45 | 926 | 0 | 0 | 112 | 520 | | | 124 | 3538 | 0 | 0 |
| CD68 | 88 | 1563 | 0 | 0 | 220 | 877 | | | 243 | 5272 | 0 | 0 |
| CD69 | 77 | 2900 | 0 | 0 | 192 | 1628 | | | 213 | 12362 | 0 | 0 |
| CD8 | 125 | 4096 | 0 | 0 | 312 | 2300 | | | 369 | 17290 | 0 | 0 |
| Foxp3 | 6 | 142 | 0 | 0 | 15 | 79 | | | 16 | 697 | 0 | 0 |
| CD4T | 70 | 7909 | 0 | 0 | 175 | 4442 | | | 193 | 32370 | 0 | 0 |
| CD8T | 67 | 1663 | 0 | 0 | 167 | 934 | | | 208 | 6790 | 0 | 0 |
| Treg | 4 | 89 | 0 | 0 | 10 | 49 | | | 11 | 384 | 0 | 0 |
| area | 0.40 | 1.78 | 0.00 | 0.00 | | | | | | | | |

Table 89: LM_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 1402 | 7533 | 0 | 0 | 2030 | 3501 | | | 3949 | 21233 | 0 | 0 |
| CD123 | 119 | 1401 | 0 | 0 | 172 | 651 | | | 334 | 4008 | 0 | 0 |
| CD15 | 16 | 49 | 0 | 0 | 23 | 22 | | | 86 | 133 | 0 | 0 |
| CD279 | 496 | 4097 | 0 | 0 | 718 | 1904 | | | 1321 | 14529 | 0 | 0 |
| CD3 | 692 | 10338 | 0 | 0 | 1002 | 4804 | | | 1633 | 35819 | 0 | 0 |
| CD4 | 813 | 10287 | 0 | 0 | 1177 | 4781 | | | 2016 | 33067 | 0 | 0 |
| CD45 | 1692 | 14059 | 0 | 0 | 2450 | 6534 | | | 4327 | 45292 | 0 | 0 |
| CD56 | 133 | 1209 | 0 | 0 | 192 | 561 | | | 312 | 4186 | 0 | 0 |
| CD68 | 908 | 1720 | 0 | 0 | 1315 | 799 | | | 2368 | 4082 | 0 | 0 |
| CD68_raw | 1423 | 2347 | 0 | 0 | 2060 | 1090 | | | 3706 | 5522 | 0 | 0 |
| CD69 | 1009 | 7850 | 0 | 0 | 1461 | 3648 | | | 2446 | 25027 | 0 | 0 |
| CD8 | 291 | 3429 | 0 | 0 | 421 | 1593 | | | 692 | 11744 | 0 | 0 |
| Foxp3 | 134 | 1145 | 0 | 0 | 194 | 532 | | | 328 | 3443 | 0 | 0 |
| Ki67 | 359 | 54 | 0 | 0 | 519 | 25 | | | 831 | 167 | 0 | 0 |
| CD4T | 355 | 7865 | 0 | 0 | 514 | 3655 | | | 866 | 27713 | 0 | 0 |
| CD8T | 218 | 2375 | 0 | 0 | 315 | 1103 | | | 481 | 7895 | 0 | 0 |
| Treg | 108 | 862 | 0 | 0 | 156 | 400 | | | 266 | 2388 | 0 | 0 |
| area | 0.69 | 2.15 | 0.00 | 0.00 | | | | | | | | |

Table 90: LS1_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 1567 | 7637 | 0 | 0 | 1490 | 3340 | | | 3296 | 21412 | 0 | 0 |
| CD123 | 477 | 3198 | 0 | 0 | 453 | 1399 | | | 1030 | 7797 | 0 | 0 |
| CD15 | 6 | 30 | 0 | 0 | 5 | 13 | | | 12 | 75 | 0 | 0 |
| CD279 | 342 | 1547 | 0 | 0 | 325 | 676 | | | 603 | 4389 | 0 | 0 |
| CD3 | 980 | 11077 | 0 | 0 | 932 | 4845 | | | 1687 | 33467 | 0 | 0 |
| CD4 | 1229 | 12721 | 0 | 0 | 1168 | 5565 | | | 2143 | 37434 | 0 | 0 |
| CD45 | 1941 | 15205 | 0 | 0 | 1845 | 6651 | | | 3742 | 45520 | 0 | 0 |
| CD56 | 72 | 644 | 0 | 0 | 68 | 281 | | | 119 | 2287 | 0 | 0 |
| CD68 | 1610 | 3072 | 0 | 0 | 1531 | 1343 | | | 3155 | 7119 | 0 | 0 |
| CD68_raw | 3474 | 4839 | 0 | 0 | 3303 | 2116 | | | 7336 | 11341 | 0 | 0 |
| CD69 | 652 | 5312 | 0 | 0 | 620 | 2323 | | | 1119 | 15818 | 0 | 0 |
| CD8 | 302 | 2926 | 0 | 0 | 287 | 1280 | | | 505 | 8709 | 0 | 0 |
| Foxp3 | 112 | 612 | 0 | 0 | 106 | 267 | | | 217 | 1526 | 0 | 0 |
| Ki67 | 542 | 31 | 0 | 0 | 515 | 13 | | | 910 | 100 | 0 | 0 |
| CD4T | 459 | 7812 | 0 | 0 | 436 | 3417 | | | 766 | 24434 | 0 | 0 |
| CD8T | 212 | 1837 | 0 | 0 | 201 | 803 | | | 348 | 5374 | 0 | 0 |
| Treg | 74 | 420 | 0 | 0 | 70 | 183 | | | 120 | 1009 | 0 | 0 |
| area | 1.05 | 2.29 | 0.00 | 0.00 | | | | | | | | |

Table 91: LS2_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD3 | 643 | 11896 | 0 | 0 | 646 | 5140 | | | 1152 | 36142 | 0 | 0 |
| CD4 | 797 | 13016 | 0 | 0 | 800 | 5624 | | | 1507 | 37868 | 0 | 0 |
| CD68 | 2794 | 3479 | 0 | 0 | 2807 | 1503 | | | 5603 | 7474 | 0 | 0 |
| CD68_raw | 4129 | 4884 | 0 | 0 | 4149 | 2110 | | | 8835 | 10839 | 0 | 0 |
| CD8 | 319 | 3956 | 0 | 0 | 320 | 1709 | | | 540 | 11834 | 0 | 0 |
| CD4T | 315 | 6833 | 0 | 0 | 316 | 2952 | | | 580 | 20876 | 0 | 0 |
| CD8T | 192 | 2494 | 0 | 0 | 192 | 1077 | | | 326 | 7140 | 0 | 0 |
| area | 1.00 | 2.31 | 0.00 | 0.00 | | | | | | | | |

Table 92: LS3_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 84 | 2383 | 3133 | 4770 | 909 | 3323 | 3948 | 4900 | 1129 | 19527 | 13606 | 17775 |
| CD123 | 37 | 1361 | 1582 | 2848 | 400 | 1898 | 1993 | 2925 | 425 | 10599 | 4810 | 8845 |
| CD15 | 18 | 475 | 1775 | 1494 | 194 | 662 | 2237 | 1534 | 206 | 3411 | 15051 | 5021 |
| CD279 | 43 | 791 | 545 | 1384 | 465 | 1103 | 686 | 1421 | 493 | 6510 | 1669 | 3561 |
| CD3 | 69 | 1063 | 717 | 1686 | 746 | 1482 | 903 | 1732 | 792 | 8403 | 1889 | 5629 |
| CD4 | 30 | 952 | 421 | 1960 | 324 | 1327 | 530 | 2013 | 344 | 8031 | 1068 | 5633 |
| CD45 | 199 | 3631 | 4090 | 7433 | 2154 | 5064 | 5155 | 7636 | 2285 | 29107 | 17812 | 28517 |
| CD56 | 6 | 262 | 41 | 380 | 64 | 365 | 51 | 390 | 68 | 2310 | 91 | 1337 |
| CD8 | 36 | 461 | 315 | 965 | 389 | 642 | 397 | 991 | 413 | 3658 | 817 | 2221 |
| Foxp3 | 13 | 145 | 107 | 132 | 140 | 202 | 134 | 135 | 149 | 969 | 468 | 131 |
| CD4T | 22 | 668 | 265 | 1114 | 238 | 931 | 334 | 1144 | 252 | 5768 | 621 | 3641 |
| CD8T | 22 | 668 | 265 | 1114 | 238 | 931 | 334 | 1144 | 252 | 5768 | 621 | 3641 |
| Treg | 11 | 169 | 76 | 117 | 119 | 235 | 95 | 120 | 126 | 1291 | 172 | 176 |
| area | 0.09 | 0.72 | 0.79 | 0.97 | | | | | | | | |

Table 93: SK1_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 1024 | 7035 | 0 | 0 | 1491 | 3216 | | | 3213 | 21119 | 0 | 0 |
| CD123 | 96 | 945 | 0 | 0 | 139 | 432 | | | 387 | 2447 | 0 | 0 |
| CD15 | 344 | 1075 | 0 | 0 | 500 | 491 | | | 1185 | 2607 | 0 | 0 |
| CD279 | 136 | 827 | 0 | 0 | 198 | 378 | | | 406 | 2194 | 0 | 0 |
| CD3 | 343 | 4600 | 0 | 0 | 499 | 2103 | | | 1266 | 13609 | 0 | 0 |
| CD4 | 580 | 5479 | 0 | 0 | 844 | 2505 | | | 1811 | 15880 | 0 | 0 |
| CD45 | 758 | 7130 | 0 | 0 | 1103 | 3259 | | | 2406 | 21562 | 0 | 0 |
| CD56 | 32 | 281 | 0 | 0 | 46 | 128 | | | 136 | 782 | 0 | 0 |
| CD68 | 551 | 1528 | 0 | 0 | 802 | 698 | | | 1764 | 3957 | 0 | 0 |
| CD69 | 744 | 3693 | 0 | 0 | 1083 | 1688 | | | 2522 | 9820 | 0 | 0 |
| CD8 | 146 | 914 | 0 | 0 | 212 | 417 | | | 482 | 2578 | 0 | 0 |
| Foxp3 | 42 | 222 | 0 | 0 | 61 | 101 | | | 177 | 611 | 0 | 0 |
| Ki67 | 210 | 24 | 0 | 0 | 305 | 10 | | | 443 | 14 | 0 | 0 |
| CD4T | 148 | 3250 | 0 | 0 | 215 | 1485 | | | 584 | 9848 | 0 | 0 |
| CD8T | 80 | 630 | 0 | 0 | 116 | 288 | | | 269 | 1775 | 0 | 0 |
| Treg | 69 | 433 | 0 | 0 | 100 | 197 | | | 298 | 926 | 0 | 0 |
| area | 0.69 | 2.19 | 0.00 | 0.00 | | | | | | | | |

Table 94: SK2_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.

| | Counts | | | | Density | | | | normalized Density | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 444 | 4568 | 0 | 0 | 740 | 1967 | | | 891 | 12313 | 0 | 0 |
| CD123 | 135 | 2885 | 0 | 0 | 225 | 1242 | | | 268 | 8055 | 0 | 0 |
| CD279 | 34 | 124 | 0 | 0 | 56 | 53 | | | 67 | 314 | 0 | 0 |
| CD3 | 258 | 5477 | 0 | 0 | 430 | 2359 | | | 599 | 16013 | 0 | 0 |
| CD4 | 355 | 5541 | 0 | 0 | 592 | 2386 | | | 790 | 15836 | 0 | 0 |
| CD68 | 1047 | 1423 | 0 | 0 | 1746 | 613 | | | 3140 | 3008 | 0 | 0 |
| CD68_raw | 1946 | 3284 | 0 | 0 | 3245 | 1414 | | | 5326 | 7196 | 0 | 0 |
| CD8 | 123 | 1305 | 0 | 0 | 205 | 562 | | | 279 | 3601 | 0 | 0 |
| Foxp3 | 38 | 300 | 0 | 0 | 63 | 129 | | | 101 | 782 | 0 | 0 |
| CD4T | 115 | 3311 | 0 | 0 | 191 | 1426 | | | 263 | 9825 | 0 | 0 |
| CD8T | 106 | 800 | 0 | 0 | 176 | 344 | | | 236 | 2086 | 0 | 0 |
| Treg | 28 | 199 | 0 | 0 | 46 | 85 | | | 55 | 491 | 0 | 0 |
| area | 0.60 | 2.32 | 0.00 | 0.00 | | | | | | | | |

Table 95: SK3_Les. All measurements are up to 1000 um below DEJ. Area is measured in mm2. Density in count per mm2. normalized density refers to the average of positive density measurements taken at 100um DEJ depth intervals, i.e. each depth is weighted equally instead of based on tissue shape.