report_32bit

May 01, 2025

Introduction

There are 13 lesion biopsies in total, including AS. Different biopsy samples or even different slices from the same biopsy sample may have different amount of lesion tissues. Some completely lack lesion. List of available markers per slide:

$AS1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$AS2_Les [1] CD11c CD123 CD279 CD3 CD4 CD4_raw CD8 Foxp3 CD4T CD8T Treg

$AS3_Les [1] CD279 CD3 CD4 CD56 CD8 Foxp3 CD4T CD8T Treg

$CF_8wph [1]

$CF1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD8 CD8_raw Foxp3 Foxp3_raw Ki67 CD4T CD8T Treg

$CF2_Les [1] CD11c CD123 CD279 CD3 CD4 CD8 Foxp3 CD4T CD8T Treg

$CF5_Les [1] CD123 CD15 CD279 CD3 CD4 CD4_raw CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T

$CJ1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$CJ2_Les [1] CD11c CD123 CD15 CD3 CD3_raw CD4 CD45 CD68 CD8 CD8_raw CD4T CD8T

$DD_8wph [1]

$DD1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$DD2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$DD3_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Foxp3_raw CD4T CD8T Treg

$EB_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JK_8wph [1]

$JK1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JK2_Les [1] CD3 CD4 CD8 CD4T CD8T

$JK3_Les [1] CD123 CD15 CD279 CD3 CD4 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD69_raw CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM3_Les [1] CD3 CD8 Foxp3 CD8T

$JT_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD8 Foxp3 Foxp3_raw Ki67 CD4T CD8T Treg

$LD_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Foxp3_raw Ki67 CD4T CD8T Treg

$LG1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Foxp3_raw Ki67 CD4T CD8T Treg

$LG3_Les [1] CD3 CD4 CD68 CD68_raw CD8 CD4T CD8T

$LM_9wph [1]

$LM_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$LS_8wph [1]

$LS1_Les [1] CD11c CD11c_raw CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LS2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LS3_Les [1] CD3 CD4 CD68 CD68_raw CD8 CD4T CD8T

$SK1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD8 Foxp3 CD4T CD8T Treg

$SK2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD45_raw CD56 CD68 CD69 CD8 Foxp3 Foxp3_raw Ki67 CD4T CD8T Treg

$SK3_8wph_in_use [1]

$SK3_Les [1] CD11c CD123 CD279 CD3 CD4 CD68 CD68_raw CD8 Foxp3 CD4T CD8T Treg

Most lesion biopsies have multiple sections. The following choices of representative slides are made:

Select slide	Shedding rate
AS1_Les	83.9
CF1_Les	17.5
CJ1_Les	43.1
DD1_Les	39.4
EB_Les	4.6
JK1_Les	23.4
JM1_Les	24.6
JT_Les	54.3
LD_Les	18.8
LG2_Les	32.8
LM_Les	4.4
LS2_Les	31
SK2_Les	53

The key markers are: CD3 CD11c CD123 CD15 CD56 CD68.

Note that the CD68 antibody stained the epidermis of some tissues. CD68_raw.png is the raw image, and CD68.png is the processed image with reduced epidermis brightness to improve quality of segmentation. Furthermore, for CF lesion CD68 staining, CF5_Les instead of CF1_Les is used due to quality reasons.

Correlation with shedding rate

Based on the previous report, we decided to

- focus on normalized counts
- focus on average across slides and select slides and not all slides, which has low correlation
- focus on these metrics
  - DEJ1000, DI
  - DEJ500, DI
  - skin1000, I
  - skin500, I
  - EI

Notes on methods:

- Density is the number of cells/mm^2. The size of biopsy is on the order of mm^2.
- Depth density function is a function of the number of cells per 100x100 um2 tissue over the distance to skin or DEJ in 100 um increment. Each bin in the histogram represents the count in a 100x100 um2 area.
- Normalized count is the number of cells in a vertical strip 100um wide, and is equivalent to the area under the depth density function (restricted to certain depth if applicable). It is called normalized count because each depth is weighted equally instead of variable depending on the tissue shape.
- Ratio is presented as fraction in tables and percentages in graphs. A gap in depth density ratio function is often due to the denominator being 0.
- R^{2*} is computed without slides from AS_Les, which has the highest shedding rate and appears an outlier.

Notes on results:

- Treg counts from JK1_Les and JK3_Les are quite different: 19 and 161. This led the R2 for Treg/CD3 in DI to be higher for select slides than for average slides.

Legend for biopsies

Average Slides. CD3, CD11c, CD123, CD15, CD56, CD68



Select Slides. CD3, CD11c, CD123, CD15, CD56, CD68



Average Slides. CD4T, CD8T, Treg



Select Slides. CD4T, CD8T, Treg



Average Slides. Treg/CD3, Treg/CD4T, Treg/CD8T, CD4T/CD3, CD8T/CD3, CD8T/CD4T



Select Slides. Treg/CD3, Treg/CD4T, Treg/CD8T, CD4T/CD3, CD8T/CD3, CD8T/CD4T



Depth density function

Intact vs. ulcerative - representative slides

In this subsection, there are two sets of figures, one for dist2skin and one for dist2DEJ. Each figure shows 13 representative slides.


CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2skin (um)
intact
ulcerative


CD3
CD4T
CD8T
Treg
intact
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells*10e3/0.1um2
dist2skin (um)
0
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
CF1_Les
CJI_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
percent
dist2skin (um)
intact
ulcerative


CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2DEJ (um)
intact
ulcerative


CD3
CD4T
CD8T
Treg
intact
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells*100/Tumor
distDEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
CF1_Les
CJI_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
percent
distZDEJ (um)
intact
ulcerative

Intact vs. ulcerrative - all slides

In this subsection, each figure shows all slides from a single biopsy.


CD3
CD11c
CD123
CD15
CD56
CD68
intact
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CD3
CD4T
CD8T
Treg
intact
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
AS2_Les
AS3_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
AS2_Les
AS3_Les
intact
Cells/100x100 um2
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD4T
CD8T
Treg
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
AS2_Les
AS3_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD4T
CD8T
Treg
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
dist2skin (um)
intact
ulcerative


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
CF1_Les
CF2_Les
CF5_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD4T
CD8T
Treg
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
ulcerative
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
CF1_Les
CF2_Les
CF5_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CD3
CD4T
CD8T
Treg
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CJ1_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)
CJ2_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


CJ1_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)
CJ2_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2skin (um)


CD3
CD4T
CD8T
Treg
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2skin (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
DD1_Les
DD2_Les
DD3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD4T
CD8T
Treg
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
ulcerative
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
DD1_Les
DD2_Les
DD3_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
EB_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
EB_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


EB_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
EB_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
EB_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


EB_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CD3
CD4T
CD8T
Treg
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
intact
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JK1_Les
JK2_Les
JK3_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
intact
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD4T
CD8T
Treg
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JK1_Les
JK2_Les
JK3_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2skin (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JM1_Les
JM2_Les
JM3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
0 20 40 60 80 100
intact
ulcerative
-500 0 500 1000 1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JM1_Les
JM2_Les
JM3_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
JT_Les
Cells/100x100 um2
0 20 40 60 80 100
0 500 1000 1500 2000 2500
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
JT_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


JT_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
JT_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
JT_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


JT_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


LD_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LD_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


LD_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LG1_Les
LG2_Les
LG3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD4T
CD8T
Treg
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LG1_Les
LG2_Les
LG3_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


LM_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LM_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


LM_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)

CD3
CD11c
CD123
CD15
CD56
CD68
intact
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
dist2skin (um)
0
500
1000
1500
2000
2500


CD3
CD4T
CD8T
Treg
intact
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LS1_Les
LS2_Les
LS3_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80 100
intact
-500 0 500 1000 1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LS1_Les
LS2_Les
LS3_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
SK1_Les
SK2_Les
SK3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
SK1_Les
SK2_Les
SK3_Les
percent
intact
ulcerative
dist2DEJ (um)

Markers comparison - select slides

In this subsection, there is one figure showing 13 representative slides.


intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
C_I1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2skin (um)
dist2DEJ (um)
CD3
CD11c
CD123
CD15
CD56
CD68


intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
C_I1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
CD3
CD4T
CD8T
Treg
Cells/100x100 um2
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
percent
dist2skin (um)
dist2DEJ (um)
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T

Markers comparison - all slides

In this subsection, each figure shows all slides from a single biopsy.


intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CJ1_Les
CJ2_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CJ1_Les
CJ2_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CJ1_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)
CJ2_Les
percent
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
EB_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
EB_Les
Cells/100x100 um2
0
20
60
100
CD3
CD4T
CD8T
Treg
0
500
1000
1500
2000
2500
-500
0
500
1000
1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
EB_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
dist2skin (um)
-500 0 500 1000 1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JT_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JT_Les
Cells/100x100 um2
0
20
60
100
CD3
CD4T
CD8T
Treg
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JT_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LD_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LD_Les
Cells/100x100 um2
0
20
60
100
CD3
CD4T
CD8T
Treg
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LD_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
CD3
CD4T
CD8T
Treg
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LM_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LM_Les
Cells/100x100 um2
0
20
60
100
CD3
CD4T
CD8T
Treg
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LM_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
CD3
CD4T
CD8T
Treg
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)

Tables by markers

Table 2: CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	19	389			
CF_Les_avg	15	341	25	459	840
CJ_Les_avg	3	113			
DD_Les_avg	18	276	7	169	471
EB_Les_avg	6	523			
JK_Les_avg	0	17			
JM_Les_avg	9	253	9	466	737
JT_Les_avg	4	51			
LD_Les_avg	21	237			
LG_Les_avg	6	123	8	167	303
LM_Les_avg	6	440			
LS_Les_avg	15	391			
SK_Les_avg	9	144	19	82	254

Table 3: CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	19	217			
CF_Les_avg	15	211	25	291	542
CJ_Les_avg	3	54			
DD_Les_avg	18	220	7	115	360
EB_Les_avg	6	269			
JK_Les_avg	0	12			
JM_Les_avg	9	214	9	245	477
JT_Les_avg	4	47			
LD_Les_avg	21	220			
LG_Les_avg	6	89	8	120	222
LM_Les_avg	6	255			
LS_Les_avg	15	201			
SK_Les_avg	9	126	19	46	201

Table 4: CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	366		
CF_Les_avg	309	404	713
CJ_Les_avg	89		
DD_Les_avg	319	175	494
EB_Les_avg	453		
JK_Les_avg	18		
JM_Les_avg	301	430	731
JT_Les_avg	55		
LD_Les_avg	296		
LG_Les_avg	138	171	309
LM_Les_avg	424		
LS_Les_avg	303		
SK_Les_avg	187	121	308

Table 5: CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	152		
CF_Les_avg	121	111	233
CJ_Les_avg	26		
DD_Les_avg	53	23	77
EB_Les_avg	147		
JK_Les_avg	8		
JM_Les_avg	166	151	317
JT_Les_avg	52		
LD_Les_avg	174		
LG_Les_avg	89	98	187
LM_Les_avg	183		
LS_Les_avg	123		
SK_Les_avg	104	45	149

Table 6: CD11c, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	19	180			
CF_Les_avg	40	522	102	451	1114
CJ_Les_avg	5	173			
DD_Les_avg	65	420	308	472	1265
EB_Les_avg	3	340			
JK_Les_avg	6	200			
JM_Les_avg	38	245	73	568	924
JT_Les_avg	1	50			
LD_Les_avg	2	221			
LG_Les_avg	19	221	75	447	763
LM_Les_avg	9	344			
LS_Les_avg	36	255			
SK_Les_avg	17	210	136	240	603

Table 7: CD11c, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	19	106			
CF_Les_avg	40	280	102	227	649
CJ_Les_avg	5	93			
DD_Les_avg	65	259	308	292	924
EB_Les_avg	3	174			
JK_Les_avg	6	126			
JM_Les_avg	38	198	73	423	733
JT_Les_avg	1	46			
LD_Les_avg	2	178			
LG_Les_avg	19	143	75	307	545
LM_Les_avg	9	198			
LS_Les_avg	36	139			
SK_Les_avg	17	153	136	148	455

Table 8: CD11c, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	192		
CF_Les_avg	456	408	864
CJ_Les_avg	150		
DD_Les_avg	444	619	1064
EB_Les_avg	298		
JK_Les_avg	198		
JM_Les_avg	327	665	992
JT_Les_avg	52		
LD_Les_avg	237		
LG_Les_avg	240	528	768
LM_Les_avg	329		
LS_Les_avg	249		
SK_Les_avg	258	395	653

Table 9: CD11c, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	97		
CF_Les_avg	179	204	383
CJ_Les_avg	58		
DD_Les_avg	156	303	460
EB_Les_avg	103		
JK_Les_avg	61		
JM_Les_avg	206	410	616
JT_Les_avg	49		
LD_Les_avg	67		
LG_Les_avg	139	317	456
LM_Les_avg	151		
LS_Les_avg	122		
SK_Les_avg	132	211	343

Table 10: CD123, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	8	112			
CF_Les_avg	16	266	28	160	470
CJ_Les_avg	1	75			
DD_Les_avg	44	269	63	339	716
EB_Les_avg	2	213			
JK_Les_avg	0	31			
JM_Les_avg	9	130	36	437	612
JT_Les_avg	0	40			
LD_Les_avg	1	129			
LG_Les_avg	2	37	44	112	196
LM_Les_avg	0	70			
LS_Les_avg	7	73			
SK_Les_avg	4	85	48	131	268

Table 11: CD123, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	8	66			
CF_Les_avg	16	178	28	105	328
CJ_Les_avg	1	40			
DD_Les_avg	44	231	63	265	604
EB_Les_avg	2	118			
JK_Les_avg	0	13			
JM_Les_avg	9	112	36	365	521
JT_Les_avg	0	34			
LD_Les_avg	1	121			
LG_Les_avg	2	28	44	102	176
LM_Les_avg	0	45			
LS_Les_avg	7	42			
SK_Les_avg	4	73	48	85	210

Table 12: CD123, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	114		
CF_Les_avg	271	167	438
CJ_Les_avg	64		
DD_Les_avg	391	451	842
EB_Les_avg	192		
JK_Les_avg	25		
JM_Les_avg	162	503	665
JT_Les_avg	38		
LD_Les_avg	141		
LG_Les_avg	43	192	235
LM_Les_avg	67		
LS_Les_avg	68		
SK_Les_avg	119	228	347

Table 13: CD123, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	57		
CF_Les_avg	120	79	199
CJ_Les_avg	21		
DD_Les_avg	136	149	285
EB_Les_avg	80		
JK_Les_avg	10		
JM_Les_avg	114	357	471
JT_Les_avg	35		
LD_Les_avg	52		
LG_Les_avg	30	177	207
LM_Les_avg	33		
LS_Les_avg	34		
SK_Les_avg	61	115	176

Table 14: CD15, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0	20			
CF_Les_avg	14	158	100	38	311
CJ_Les_avg	0	3			
DD_Les_avg	11	59	322	93	485
EB_Les_avg	0	10			
JK_Les_avg	8	99			
JM_Les_avg	1	5	23	23	53
JT_Les_avg	0	11			
LD_Les_avg	0	19			
LG_Les_avg	0	32	0	4	37
LM_Les_avg	2	19			
LS_Les_avg	0	1			
SK_Les_avg	7	40	151	65	263

Table 15: CD15, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0	8			
CF_Les_avg	14	117	100	31	263
CJ_Les_avg	0	2			
DD_Les_avg	11	58	322	88	479
EB_Les_avg	0	7			
JK_Les_avg	8	47			
JM_Les_avg	1	3	23	22	49
JT_Les_avg	0	8			
LD_Les_avg	0	12			
LG_Les_avg	0	12	0	3	15
LM_Les_avg	2	16			
LS_Les_avg	0	1			
SK_Les_avg	7	32	151	51	241

Table 16: CD15, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	16		
CF_Les_avg	180	120	300
CJ_Les_avg	3		
DD_Les_avg	86	386	472
EB_Les_avg	10		
JK_Les_avg	90		
JM_Les_avg	5	46	51
JT_Les_avg	11		
LD_Les_avg	14		
LG_Les_avg	28	5	33
LM_Les_avg	23		
LS_Les_avg	1		
SK_Les_avg	60	164	224

Table 17: CD15, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	5		
CF_Les_avg	72	99	170
CJ_Les_avg	2		
DD_Les_avg	13	306	319
EB_Les_avg	6		
JK_Les_avg	10		
JM_Les_avg	4	42	46
JT_Les_avg	7		
LD_Les_avg	10		
LG_Les_avg	9	3	12
LM_Les_avg	20		
LS_Les_avg	1		
SK_Les_avg	32	114	147

Table 18: CD56, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1	43			
CF_Les_avg	1	23	3	42	69
CJ_Les_avg	0	47			
DD_Les_avg	2	25	1	20	48
EB_Les_avg	0	48			
JK_Les_avg	0	7			
JM_Les_avg	4	30	2	45	82
JT_Les_avg	0	7			
LD_Les_avg	2	10			
LG_Les_avg	1	21	0	22	44
LM_Les_avg	1	41			
LS_Les_avg	2	37			
SK_Les_avg	1	18	1	18	38

Table 19: CD56, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1	21			
CF_Les_avg	1	14	3	28	46
CJ_Les_avg	0	16			
DD_Les_avg	2	17	1	11	31
EB_Les_avg	0	25			
JK_Les_avg	0	4			
JM_Les_avg	4	26	2	26	59
JT_Les_avg	0	6			
LD_Les_avg	2	10			
LG_Les_avg	1	11	0	15	27
LM_Les_avg	1	24			
LS_Les_avg	2	12			
SK_Les_avg	1	16	1	12	30

Table 20: CD56, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	40		
CF_Les_avg	20	39	59
CJ_Les_avg	33		
DD_Les_avg	24	14	38
EB_Les_avg	42		
JK_Les_avg	7		
JM_Les_avg	43	45	88
JT_Les_avg	7		
LD_Les_avg	15		
LG_Les_avg	21	22	43
LM_Les_avg	40		
LS_Les_avg	26		
SK_Les_avg	25	18	43

Table 21: CD56, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	18		
CF_Les_avg	9	14	23
CJ_Les_avg	10		
DD_Les_avg	3	1	4
EB_Les_avg	15		
JK_Les_avg	3		
JM_Les_avg	29	17	46
JT_Les_avg	7		
LD_Les_avg	9		
LG_Les_avg	10	10	21
LM_Les_avg	19		
LS_Les_avg	11		
SK_Les_avg	10	7	17

Table 22: CD68, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	19	81			
CF_Les_avg	78	189	0	0	267
CJ_Les_avg	13	106			
DD_Les_avg	27	149	44	216	436
EB_Les_avg	6	259			
JK_Les_avg	24	105			
JM_Les_avg	24	106	73	297	499
JT_Les_avg	11	41			
LD_Les_avg	10	63			
LG_Les_avg	31	86	78	108	303
LM_Les_avg	2	65			
LS_Les_avg	37	81			
SK_Les_avg	25	45			

Table 23: CD68, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	19	53			
CF_Les_avg	78	137	0	0	216
CJ_Les_avg	13	61			
DD_Les_avg	27	95	44	141	307
EB_Les_avg	6	142			
JK_Les_avg	24	55			
JM_Les_avg	24	91	73	257	445
JT_Les_avg	11	35			
LD_Les_avg	10	58			
LG_Les_avg	31	58	78	86	254
LM_Les_avg	2	44			
LS_Les_avg	37	50			
SK_Les_avg	25	37			

Table 24: CD68, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	88		
CF_Les_avg	287	0	287
CJ_Les_avg	107		
DD_Les_avg	168	232	400
EB_Les_avg	235		
JK_Les_avg	124		
JM_Les_avg	158	394	553
JT_Les_avg	49		
LD_Les_avg	87		
LG_Les_avg	119	205	324
LM_Les_avg	69		
LS_Les_avg	119		
SK_Les_avg	77		

Table 25: CD68, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	55		
CF_Les_avg	217	0	217
CJ_Les_avg	53		
DD_Les_avg	64	80	145
EB_Les_avg	96		
JK_Les_avg	57		
JM_Les_avg	108	306	414
JT_Les_avg	44		
LD_Les_avg	50		
LG_Les_avg	85	176	261
LM_Les_avg	38		
LS_Les_avg	83		
SK_Les_avg	56		

Table 26: CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	10	422			
CF1_Les	18	465	21	547	1051
CJ1_Les	5	118			
DD1_Les	17	358	5	233	613
EB_Les	6	523			
JK1_Les	1	15			
JM1_Les	11	390	9	466	876
JT_Les	4	51			
LD_Les	21	237			
LG2_Les	2	157			
LM_Les	6	440			
LS2_Les	17	378			
SK2_Les	13	153			

Table 27: CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	10	185			
CF1_Les	18	281	21	353	672
CJ1_Les	5	53			
DD1_Les	17	296	5	149	467
EB_Les	6	269			
JK1_Les	1	12			
JM1_Les	11	298	9	245	562
JT_Les	4	47			
LD_Les	21	220			
LG2_Les	2	85			
LM_Les	6	255			
LS2_Les	17	197			
SK2_Les	13	129			

Table 28: CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	330		
CF1_Les	413	479	893
CJ1_Les	92		
DD1_Les	423	179	602
EB_Les	453		
JK1_Les	17		
JM1_Les	404	430	834
JT_Les	55		
LD_Les	296		
LG2_Les	151		
LM_Les	424		
LS2_Les	294		
SK2_Les	177		

Table 29: CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	133		
CF1_Les	162	130	292
CJ1_Les	28		
DD1_Les	84	9	93
EB_Les	147		
JK1_Les	10		
JM1_Les	205	151	355
JT_Les	52		
LD_Les	174		
LG2_Les	61		
LM_Les	183		
LS2_Les	129		
SK2_Les	85		

Table 30: CD11c, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	131			
CF1_Les	29	528	122	458	1137
CJ1_Les	4	166			
DD1_Les	72	532	438	663	1705
EB_Les	3	340			
JK1_Les	6	200			
JM1_Les	30	299	73	568	970
JT_Les	1	50			
LD_Les	2	221			
LG2_Les	3	209			
LM_Les	9	344			
LS2_Les	33	252			
SK2_Les	32	243			

Table 31: CD11c, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	61			
CF1_Les	29	292	122	257	701
CJ1_Les	4	83			
DD1_Les	72	345	438	411	1265
EB_Les	3	174			
JK1_Les	6	126			
JM1_Les	30	237	73	423	763
JT_Les	1	46			
LD_Les	2	178			
LG2_Les	3	118			
LM_Les	9	198			
LS2_Les	33	127			
SK2_Les	32	161			

Table 32: CD11c, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	113		
CF1_Les	465	468	933
CJ1_Les	138		
DD1_Les	566	842	1407
EB_Les	298		
JK1_Les	198		
JM1_Les	381	665	1046
JT_Les	52		
LD_Les	237		
LG2_Les	199		
LM_Les	329		
LS2_Les	224		
SK2_Les	266		

Table 33: CD11c, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	45		
CF1_Les	174	250	424
CJ1_Les	49		
DD1_Les	195	425	620
EB_Les	103		
JK1_Les	61		
JM1_Les	225	410	635
JT_Les	49		
LD_Les	67		
LG2_Les	100		
LM_Les	151		
LS2_Les	111		
SK2_Les	120		

Table 34: CD123, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	126			
CF1_Les	6	259	32	146	443
CJ1_Les	0	74			
DD1_Les	63	364	97	520	1044
EB_Les	2	213			
JK1_Les	0	24			
JM1_Les	12	167	36	437	651
JT_Les	0	40			
LD_Les	1	129			
LG2_Les	0	37			
LM_Les	0	70			
LS2_Les	10	97			
SK2_Les	4	30			

Table 35: CD123, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	64			
CF1_Les	6	150	32	103	291
CJ1_Les	0	38			
DD1_Les	63	323	97	366	849
EB_Les	2	118			
JK1_Les	0	11			
JM1_Les	12	143	36	365	555
JT_Les	0	34			
LD_Les	1	121			
LG2_Les	0	23			
LM_Les	0	45			
LS2_Les	10	57			
SK2_Les	4	25			

Table 36: CD123, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	109		
CF1_Les	223	170	392
CJ1_Les	62		
DD1_Les	527	538	1065
EB_Les	192		
JK1_Les	23		
JM1_Les	211	503	714
JT_Les	38		
LD_Les	141		
LG2_Les	35		
LM_Les	67		
LS2_Les	91		
SK2_Les	37		

Table 37: CD123, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	49		
CF1_Les	73	93	166
CJ1_Les	19		
DD1_Les	186	156	343
EB_Les	80		
JK1_Les	10		
JM1_Les	153	357	510
JT_Les	35		
LD_Les	52		
LG2_Les	18		
LM_Les	33		
LS2_Les	47		
SK2_Les	18		

Table 38: CD15, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0	20			
CF1_Les	0	164	100	38	303
CJ1_Les	0	4			
DD1_Les	22	44	394	121	580
EB_Les	0	10			
JK1_Les	16	135			
JM1_Les	0	6	23	23	53
JT_Les	0	11			
LD_Les	0	19			
LG2_Les	0	60			
LM_Les	2	19			
LS2_Les	0	1			
SK2_Les	12	35			

Table 39: CD15, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0	8			
CF1_Les	0	105	100	31	237
CJ1_Les	0	3			
DD1_Les	22	43	394	109	568
EB_Les	0	7			
JK1_Les	16	69			
JM1_Les	0	4	23	22	49
JT_Les	0	8			
LD_Les	0	12			
LG2_Les	0	20			
LM_Les	2	16			
LS2_Les	0	1			
SK2_Les	12	23			

Table 40: CD15, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	16		
CF1_Les	154	120	274
CJ1_Les	4		
DD1_Les	66	439	505
EB_Les	10		
JK1_Les	115		
JM1_Les	6	46	52
JT_Les	11		
LD_Les	14		
LG2_Les	50		
LM_Les	23		
LS2_Les	1		
SK2_Les	45		

Table 41: CD15, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	5		
CF1_Les	34	99	133
CJ1_Les	2		
DD1_Les	14	344	358
EB_Les	6		
JK1_Les	13		
JM1_Les	5	42	48
JT_Les	7		
LD_Les	10		
LG2_Les	15		
LM_Les	20		
LS2_Les	0		
SK2_Les	29		

Table 42: CD56, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	33			
CF1_Les	3	33	3	42	81
CJ1_Les	0	47			
DD1_Les	1	35	0	24	60
EB_Les	0	48			
JK1_Les	0	7			
JM1_Les	5	34	2	45	86
JT_Les	0	7			
LD_Les	2	10			
LG2_Les	0	31			
LM_Les	1	41			
LS2_Les	1	25			
SK2_Les	1	9			

Table 43: CD56, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	16			
CF1_Les	3	21	3	28	55
CJ1_Les	0	16			
DD1_Les	1	26	0	14	41
EB_Les	0	25			
JK1_Les	0	4			
JM1_Les	5	28	2	26	61
JT_Les	0	6			
LD_Les	2	10			
LG2_Les	0	14			
LM_Les	1	24			
LS2_Les	1	7			
SK2_Les	1	7			

Table 44: CD56, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	31		
CF1_Les	32	39	71
CJ1_Les	33		
DD1_Les	34	17	51
EB_Les	42		
JK1_Les	7		
JM1_Les	46	45	90
JT_Les	7		
LD_Les	15		
LG2_Les	30		
LM_Les	40		
LS2_Les	16		
SK2_Les	11		

Table 45: CD56, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	13		
CF1_Les	17	14	31
CJ1_Les	10		
DD1_Les	2	0	3
EB_Les	15		
JK1_Les	3		
JM1_Les	30	17	47
JT_Les	7		
LD_Les	9		
LG2_Les	10		
LM_Les	19		
LS2_Les	6		
SK2_Les	6		

Table 46: CD68, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	19	81			
CF1_Les	73	223	0	0	296
CJ1_Les	18	112			
DD1_Les	30	162	62	300	555
EB_Les	6	259			
JK1_Les	30	111			
JM1_Les	20	137	73	297	527
JT_Les	11	41			
LD_Les	10	63			
LG2_Les	33	110			
LM_Les	2	65			
LS2_Les	32	91			
SK2_Les	18	49			

Table 47: CD68, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	19	53			
CF1_Les	73	161	0	0	234
CJ1_Les	18	60			
DD1_Les	30	111	62	191	394
EB_Les	6	142			
JK1_Les	30	47			
JM1_Les	20	114	73	257	465
JT_Les	11	35			
LD_Les	10	58			
LG2_Les	33	71			
LM_Les	2	44			
LS2_Les	32	56			
SK2_Les	18	38			

Table 48: CD68, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	88		
CF1_Les	320	0	320
CJ1_Les	115		
DD1_Les	190	297	487
EB_Les	235		
JK1_Les	133		
JM1_Les	191	394	585
JT_Les	49		
LD_Les	87		
LG2_Les	134		
LM_Les	69		
LS2_Les	116		
SK2_Les	71		

Table 49: CD68, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	55		
CF1_Les	236	0	236
CJ1_Les	57		
DD1_Les	72	93	165
EB_Les	96		
JK1_Les	53		
JM1_Les	130	306	436
JT_Les	44		
LD_Les	50		
LG2_Les	89		
LM_Les	38		
LS2_Les	76		
SK2_Les	45		

Table 50: CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	5	227			
CF_Les_avg	5	161	5	200	371
CJ_Les_avg	2	68			
DD_Les_avg	6	174	2	106	290
EB_Les_avg	3	344			
JK_Les_avg	0	11			
JM_Les_avg	4	184	3	297	489
JT_Les_avg	2	28			
LD_Les_avg	4	60			
LG_Les_avg	2	77	2	95	177
LM_Les_avg	2	354			
LS_Les_avg	7	269			
SK_Les_avg	4	94	6	53	157

Table 51: CD4T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	5	119			
CF_Les_avg	5	94	5	106	211
CJ_Les_avg	2	34			
DD_Les_avg	6	141	2	67	217
EB_Les_avg	3	180			
JK_Les_avg	0	8			
JM_Les_avg	4	150	3	159	316
JT_Les_avg	2	26			
LD_Les_avg	4	52			
LG_Les_avg	2	54	2	65	124
LM_Les_avg	2	207			
LS_Les_avg	7	132			
SK_Les_avg	4	83	6	31	125

Table 52: CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	202		
CF_Les_avg	137	141	278
CJ_Les_avg	54		
DD_Les_avg	193	93	286
EB_Les_avg	300		
JK_Les_avg	12		
JM_Les_avg	206	273	479
JT_Les_avg	30		
LD_Les_avg	70		
LG_Les_avg	83	93	176
LM_Les_avg	336		
LS_Les_avg	196		
SK_Les_avg	119	69	188

Table 53: CD4T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	65		
CF_Les_avg	54	29	82
CJ_Les_avg	15		
DD_Les_avg	21	4	25
EB_Les_avg	96		
JK_Les_avg	5		
JM_Les_avg	110	89	199
JT_Les_avg	29		
LD_Les_avg	33		
LG_Les_avg	50	52	102
LM_Les_avg	142		
LS_Les_avg	80		
SK_Les_avg	63	18	81

Table 54: CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	12	118			
CF_Les_avg	6	133	12	277	429
CJ_Les_avg	1	30			
DD_Les_avg	7	80	2	49	138
EB_Les_avg	1	162			
JK_Les_avg	0	2			
JM_Les_avg	3	60	2	115	180
JT_Les_avg	2	15			
LD_Les_avg	7	28			
LG_Les_avg	3	54	3	71	130
LM_Les_avg	2	75			
LS_Les_avg	4	78			
SK_Les_avg	3	37	6	53	98

Table 55: CD8T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	12	68			
CF_Les_avg	6	83	12	174	275
CJ_Les_avg	1	14			
DD_Les_avg	7	64	2	30	103
EB_Les_avg	1	82			
JK_Les_avg	0	2			
JM_Les_avg	3	54	2	65	125
JT_Les_avg	2	13			
LD_Les_avg	7	28			
LG_Les_avg	3	40	3	52	98
LM_Les_avg	2	41			
LS_Les_avg	4	39			
SK_Les_avg	3	35	6	31	75

Table 56: CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	122		
CF_Les_avg	119	239	358
CJ_Les_avg	23		
DD_Les_avg	96	44	139
EB_Les_avg	138		
JK_Les_avg	3		
JM_Les_avg	80	115	195
JT_Les_avg	16		
LD_Les_avg	45		
LG_Les_avg	61	73	134
LM_Les_avg	74		
LS_Les_avg	60		
SK_Les_avg	57	69	125

Table 57: CD8T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	58		
CF_Les_avg	49	64	113
CJ_Les_avg	6		
DD_Les_avg	15	2	18
EB_Les_avg	43		
JK_Les_avg	2		
JM_Les_avg	52	41	93
JT_Les_avg	15		
LD_Les_avg	32		
LG_Les_avg	40	41	81
LM_Les_avg	28		
LS_Les_avg	27		
SK_Les_avg	36	18	54

Table 58: Treg, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1	9			
CF_Les_avg	1	7	1	15	23
CJ_Les_avg	0	4			
DD_Les_avg	1	8	0	10	19
EB_Les_avg	0	3			
JK_Les_avg	0	1			
JM_Les_avg	1	12	1	14	28
JT_Les_avg	0	3			
LD_Les_avg	0	1			
LG_Les_avg	0	4	0	7	12
LM_Les_avg	0	4			
LS_Les_avg	2	21			
SK_Les_avg	1	9	2	4	16

Table 59: Treg, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1	6			
CF_Les_avg	1	4	1	9	15
CJ_Les_avg	0	3			
DD_Les_avg	1	6	0	6	13
EB_Les_avg	0	1			
JK_Les_avg	0	1			
JM_Les_avg	1	11	1	12	24
JT_Les_avg	0	3			
LD_Les_avg	0	1			
LG_Les_avg	0	3	0	6	10
LM_Les_avg	0	2			
LS_Les_avg	2	12			
SK_Les_avg	1	9	2	3	15

Table 60: Treg, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	10		
CF_Les_avg	6	12	19
CJ_Les_avg	4		
DD_Les_avg	10	8	18
EB_Les_avg	2		
JK_Les_avg	1		
JM_Les_avg	16	16	33
JT_Les_avg	3		
LD_Les_avg	2		
LG_Les_avg	5	8	13
LM_Les_avg	4		
LS_Les_avg	20		
SK_Les_avg	15	10	25

Table 61: Treg, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	5		
CF_Les_avg	4	3	7
CJ_Les_avg	2		
DD_Les_avg	3	0	3
EB_Les_avg	1		
JK_Les_avg	1		
JM_Les_avg	10	8	18
JT_Les_avg	3		
LD_Les_avg	1		
LG_Les_avg	4	7	11
LM_Les_avg	1		
LS_Les_avg	12		
SK_Les_avg	11	4	15

Table 62: CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	3	239			
CF1_Les	7	201	4	236	447
CJ1_Les	3	83			
DD1_Les	5	275	1	168	450
EB_Les	3	344			
JK1_Les	0	10			
JM1_Les	4	255	3	297	559
JT_Les	2	28			
LD_Les	4	60			
LG2_Les	1	110			
LM_Les	2	354			
LS2_Les	8	272			
SK2_Les	6	109			

Table 63: CD4T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	3	89			
CF1_Les	7	116	4	147	273
CJ1_Les	3	37			
DD1_Les	5	227	1	104	337
EB_Les	3	180			
JK1_Les	0	8			
JM1_Les	4	195	3	159	361
JT_Les	2	26			
LD_Les	4	52			
LG2_Les	1	60			
LM_Les	2	207			
LS2_Les	8	136			
SK2_Les	6	92			

Table 64: CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	175		
CF1_Les	171	193	364
CJ1_Les	65		
DD1_Les	311	123	434
EB_Les	300		
JK1_Les	11		
JM1_Les	260	273	533
JT_Les	30		
LD_Les	70		
LG2_Les	106		
LM_Les	336		
LS2_Les	198		
SK2_Les	122		

Table 65: CD4T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	52		
CF1_Les	69	38	108
CJ1_Les	19		
DD1_Les	36	2	39
EB_Les	96		
JK1_Les	6		
JM1_Les	130	89	219
JT_Les	29		
LD_Les	33		
LG2_Les	41		
LM_Les	142		
LS2_Les	84		
SK2_Les	56		

Table 66: CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	6	111			
CF1_Les	8	202	10	306	526
CJ1_Les	1	33			
DD1_Les	7	113	1	74	195
EB_Les	1	162			
JK1_Les	0	2			
JM1_Les	5	94	2	115	216
JT_Les	2	15			
LD_Les	7	28			
LG2_Les	1	70			
LM_Les	2	75			
LS2_Les	3	62			
SK2_Les	3	20			

Table 67: CD8T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	6	52			
CF1_Les	8	129	10	202	349
CJ1_Les	1	15			
DD1_Les	7	91	1	43	143
EB_Les	1	82			
JK1_Les	0	2			
JM1_Les	5	79	2	65	151
JT_Les	2	13			
LD_Les	7	28			
LG2_Les	1	42			
LM_Les	2	41			
LS2_Les	3	32			
SK2_Les	3	18			

Table 68: CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	96		
CF1_Les	185	272	457
CJ1_Les	25		
DD1_Les	133	52	185
EB_Les	138		
JK1_Les	3		
JM1_Les	111	115	227
JT_Les	16		
LD_Les	45		
LG2_Les	69		
LM_Les	74		
LS2_Les	48		
SK2_Les	25		

Table 69: CD8T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	42		
CF1_Les	79	75	154
CJ1_Les	6		
DD1_Les	22	1	24
EB_Les	43		
JK1_Les	3		
JM1_Les	68	41	109
JT_Les	15		
LD_Les	32		
LG2_Les	28		
LM_Les	28		
LS2_Les	23		
SK2_Les	16		

Table 70: Treg, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0	11			
CF1_Les	1	10	0	18	30
CJ1_Les	0	4			
DD1_Les	1	18	0	24	44
EB_Les	0	3			
JK1_Les	0	1			
JM1_Les	1	14	1	14	30
JT_Les	0	3			
LD_Les	0	1			
LG2_Les	0	2			
LM_Les	0	4			
LS2_Les	1	13			
SK2_Les	2	6			

Table 71: Treg, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0	5			
CF1_Les	1	6	0	10	17
CJ1_Les	0	3			
DD1_Les	1	14	0	15	30
EB_Les	0	1			
JK1_Les	0	1			
JM1_Les	1	13	1	12	27
JT_Les	0	3			
LD_Les	0	1			
LG2_Les	0	1			
LM_Les	0	2			
LS2_Les	1	7			
SK2_Les	2	5			

Table 72: Treg, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	8		
CF1_Les	9	13	23
CJ1_Les	4		
DD1_Les	22	17	40
EB_Les	2		
JK1_Les	1		
JM1_Les	19	16	35
JT_Les	3		
LD_Les	2		
LG2_Les	2		
LM_Les	4		
LS2_Les	11		
SK2_Les	8		

Table 73: Treg, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	3		
CF1_Les	6	2	9
CJ1_Les	2		
DD1_Les	4	0	4
EB_Les	1		
JK1_Les	1		
JM1_Les	11	8	19
JT_Les	3		
LD_Les	1		
LG2_Les	1		
LM_Les	1		
LS2_Les	7		
SK2_Les	5		

Table 74: Treg/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.05	0.02			
CF_Les_avg	0.07	0.02	0.03	0.03	0.15
CJ_Les_avg	0.03	0.03			
DD_Les_avg	0.08	0.03	0.04	0.06	0.2
EB_Les_avg	0.01	0.01			
JK_Les_avg	0.11	0.08			
JM_Les_avg	0.10	0.04			
JT_Les_avg	0.01	0.05			
LD_Les_avg	0.01	0.01			
LG_Les_avg	0.09	0.03			
LM_Les_avg	0.02	0.01			
LS_Les_avg	0.12	0.05			
SK_Les_avg	0.14	0.06			

Table 75: Treg/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.05	0.03			
CF_Les_avg	0.07	0.02	0.03	0.03	0.15
CJ_Les_avg	0.03	0.05			
DD_Les_avg	0.08	0.03	0.04	0.05	0.19
EB_Les_avg	0.01	0.00			
JK_Les_avg	0.11	0.05			
JM_Les_avg	0.10	0.05			
JT_Les_avg	0.01	0.05			
LD_Les_avg	0.01	0.01			
LG_Les_avg	0.09	0.04			
LM_Les_avg	0.02	0.01			
LS_Les_avg	0.12	0.06			
SK_Les_avg	0.14	0.07			

Table 76: Treg/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.03		
CF_Les_avg	0.02	0.03	0.05
CJ_Les_avg	0.04		
DD_Les_avg	0.03	0.05	0.08
EB_Les_avg	0.00		
JK_Les_avg	0.07		
JM_Les_avg	0.05		
JT_Les_avg	0.05		
LD_Les_avg	0.01		
LG_Les_avg	0.04		
LM_Les_avg	0.01		
LS_Les_avg	0.07		
SK_Les_avg	0.08		

Table 77: Treg/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.03		
CF_Les_avg	0.03	0.02	0.05
CJ_Les_avg	0.06		
DD_Les_avg	0.05	0	0.05
EB_Les_avg	0.00		
JK_Les_avg	0.09		
JM_Les_avg	0.05		
JT_Les_avg	0.05		
LD_Les_avg	0.01		
LG_Les_avg	0.06		
LM_Les_avg	0.01		
LS_Les_avg	0.09		
SK_Les_avg	0.11		

Table 78: Treg/CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.18	0.04			
CF_Les_avg	0.23	0.05	0.16	0.07	0.51
CJ_Les_avg	0.04	0.05			
DD_Les_avg	0.22	0.04	0.11	0.09	0.46
EB_Les_avg	0.03	0.01			
JK_Les_avg	0.39	0.12			
JM_Les_avg	0.21	0.06			
JT_Les_avg	0.02	0.09			
LD_Les_avg	0.08	0.02			
LG_Les_avg	0.20	0.05			
LM_Les_avg	0.06	0.01			
LS_Les_avg	0.24	0.07			
SK_Les_avg	0.35	0.10			

Table 79: Treg/CD4T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.18	0.05			
CF_Les_avg	0.23	0.04	0.16	0.08	0.51
CJ_Les_avg	0.04	0.07			
DD_Les_avg	0.22	0.04	0.11	0.09	0.46
EB_Les_avg	0.03	0.00			
JK_Les_avg	0.39	0.08			
JM_Les_avg	0.21	0.07			
JT_Les_avg	0.02	0.10			
LD_Les_avg	0.08	0.02			
LG_Les_avg	0.20	0.07			
LM_Les_avg	0.06	0.01			
LS_Les_avg	0.24	0.09			
SK_Les_avg	0.35	0.11			

Table 80: Treg/CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.05		
CF_Les_avg	0.05	0.09	0.14
CJ_Les_avg	0.06		
DD_Les_avg	0.05	0.09	0.14
EB_Les_avg	0.01		
JK_Les_avg	0.10		
JM_Les_avg	0.08		
JT_Les_avg	0.09		
LD_Les_avg	0.03		
LG_Les_avg	0.07		
LM_Les_avg	0.01		
LS_Les_avg	0.10		
SK_Les_avg	0.13		

Table 81: Treg/CD4T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.07		
CF_Les_avg	0.09	0.09	0.17
CJ_Les_avg	0.10		
DD_Les_avg	0.12	0.01	0.13
EB_Les_avg	0.01		
JK_Les_avg	0.14		
JM_Les_avg	0.09		
JT_Les_avg	0.09		
LD_Les_avg	0.04		
LG_Les_avg	0.10		
LM_Les_avg	0.01		
LS_Les_avg	0.14		
SK_Les_avg	0.18		

Table 82: Treg/CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.08	0.07			
CF_Les_avg	0.17	0.04	0.07	0.05	0.33
CJ_Les_avg	0.17	0.12			
DD_Les_avg	0.21	0.09	0.14	0.2	0.65
EB_Les_avg	0.06	0.02			
JK_Les_avg	0.17	0.74			
JM_Les_avg	0.25	0.17			
JT_Les_avg	0.02	0.17			
LD_Les_avg	0.04	0.05			
LG_Les_avg	0.20	0.08			
LM_Les_avg	0.05	0.06			
LS_Les_avg	0.47	0.28			
SK_Les_avg	0.50	0.25			

Table 83: Treg/CD8T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.08	0.09			
CF_Les_avg	0.17	0.04	0.07	0.05	0.32
CJ_Les_avg	0.17	0.17			
DD_Les_avg	0.21	0.09	0.14	0.21	0.64
EB_Les_avg	0.06	0.01			
JK_Les_avg	0.17	0.35			
JM_Les_avg	0.25	0.18			
JT_Les_avg	0.02	0.20			
LD_Les_avg	0.04	0.04			
LG_Les_avg	0.20	0.10			
LM_Les_avg	0.05	0.04			
LS_Les_avg	0.47	0.31			
SK_Les_avg	0.50	0.25			

Table 84: Treg/CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.08		
CF_Les_avg	0.04	0.05	0.09
CJ_Les_avg	0.16		
DD_Les_avg	0.11	0.18	0.29
EB_Les_avg	0.01		
JK_Les_avg	0.43		
JM_Les_avg	0.19		
JT_Les_avg	0.17		
LD_Les_avg	0.05		
LG_Les_avg	0.10		
LM_Les_avg	0.06		
LS_Les_avg	0.34		
SK_Les_avg	0.26		

Table 85: Treg/CD8T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.08		
CF_Les_avg	0.06	0.04	0.1
CJ_Les_avg	0.30		
DD_Les_avg	0.16	0.02	0.19
EB_Les_avg	0.01		
JK_Les_avg	0.34		
JM_Les_avg	0.17		
JT_Les_avg	0.18		
LD_Les_avg	0.04		
LG_Les_avg	0.14		
LM_Les_avg	0.04		
LS_Les_avg	0.46		
SK_Les_avg	0.32		

Table 86: CD4T/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.28	0.59			
CF_Les_avg	0.33	0.47			
CJ_Les_avg	0.60	0.60			
DD_Les_avg	0.36	0.63	0.34	0.63	1.96
EB_Les_avg	0.52	0.66			
JK_Les_avg	0.32	0.64			
JM_Les_avg	0.45	0.64			
JT_Les_avg	0.48	0.55			
LD_Les_avg	0.18	0.25			
LG_Les_avg	0.39	0.63			
LM_Les_avg	0.30	0.80			
LS_Les_avg	0.49	0.69			
SK_Les_avg	0.41	0.65			

Table 87: CD4T/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.28	0.55			
CF_Les_avg	0.33	0.45			
CJ_Les_avg	0.60	0.62			
DD_Les_avg	0.36	0.64	0.34	0.58	1.93
EB_Les_avg	0.52	0.67			
JK_Les_avg	0.32	0.69			
JM_Les_avg	0.45	0.64			
JT_Les_avg	0.48	0.56			
LD_Les_avg	0.18	0.24			
LG_Les_avg	0.39	0.61			
LM_Les_avg	0.30	0.81			
LS_Les_avg	0.49	0.66			
SK_Les_avg	0.41	0.66			

Table 88: CD4T/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.55		
CF_Les_avg	0.44		
CJ_Les_avg	0.61		
DD_Les_avg	0.60	0.53	1.14
EB_Les_avg	0.66		
JK_Les_avg	0.64		
JM_Les_avg	0.62		
JT_Les_avg	0.55		
LD_Les_avg	0.24		
LG_Les_avg	0.60		
LM_Les_avg	0.79		
LS_Les_avg	0.65		
SK_Les_avg	0.63		

Table 89: CD4T/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.43		
CF_Les_avg	0.44		
CJ_Les_avg	0.58		
DD_Les_avg	0.40	0.16	0.56
EB_Les_avg	0.65		
JK_Les_avg	0.63		
JM_Les_avg	0.61		
JT_Les_avg	0.56		
LD_Les_avg	0.19		
LG_Les_avg	0.56		
LM_Les_avg	0.78		
LS_Les_avg	0.65		
SK_Les_avg	0.60		

Table 90: CD8T/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.63	0.30			
CF_Les_avg	0.41	0.39			
CJ_Les_avg	0.16	0.26			
DD_Les_avg	0.37	0.29	0.26	0.29	1.21
EB_Les_avg	0.25	0.31			
JK_Les_avg	0.63	0.11			
JM_Les_avg	0.38	0.24			
JT_Les_avg	0.47	0.29			
LD_Les_avg	0.33	0.12			
LG_Les_avg	0.47	0.44			
LM_Les_avg	0.32	0.17			
LS_Les_avg	0.26	0.20			
SK_Les_avg	0.29	0.25			

Table 91: CD8T/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.63	0.31			
CF_Les_avg	0.41	0.39			
CJ_Les_avg	0.16	0.26			
DD_Les_avg	0.37	0.29	0.26	0.26	1.19
EB_Les_avg	0.25	0.31			
JK_Les_avg	0.63	0.15			
JM_Les_avg	0.38	0.25			
JT_Les_avg	0.47	0.28			
LD_Les_avg	0.33	0.13			
LG_Les_avg	0.47	0.46			
LM_Les_avg	0.32	0.16			
LS_Les_avg	0.26	0.20			
SK_Les_avg	0.29	0.28			

Table 92: CD8T/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.33		
CF_Les_avg	0.39		
CJ_Les_avg	0.26		
DD_Les_avg	0.30	0.25	0.55
EB_Les_avg	0.30		
JK_Les_avg	0.14		
JM_Les_avg	0.27		
JT_Les_avg	0.30		
LD_Les_avg	0.15		
LG_Les_avg	0.44		
LM_Les_avg	0.18		
LS_Les_avg	0.20		
SK_Les_avg	0.30		

Table 93: CD8T/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.38		
CF_Les_avg	0.40		
CJ_Les_avg	0.22		
DD_Les_avg	0.29	0.1	0.39
EB_Les_avg	0.29		
JK_Les_avg	0.24		
JM_Les_avg	0.31		
JT_Les_avg	0.29		
LD_Les_avg	0.19		
LG_Les_avg	0.44		
LM_Les_avg	0.15		
LS_Les_avg	0.22		
SK_Les_avg	0.34		

Table 94: CD8T/CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	2.29	0.52			
CF_Les_avg	1.23	0.83			
CJ_Les_avg	0.28	0.44			
DD_Les_avg	1.05	0.46	0.76	0.46	2.73
EB_Les_avg	0.49	0.47			
JK_Les_avg	2.01	0.17			
JM_Les_avg	0.84	0.36			
JT_Les_avg	0.98	0.53			
LD_Les_avg	1.82	0.47			
LG_Les_avg	1.19	0.70			
LM_Les_avg	1.08	0.21			
LS_Les_avg	0.52	0.29			
SK_Les_avg	0.69	0.39			

Table 95: CD8T/CD4T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	2.29	0.57			
CF_Les_avg	1.23	0.88			
CJ_Les_avg	0.28	0.42			
DD_Les_avg	1.05	0.46	0.76	0.45	2.71
EB_Les_avg	0.49	0.46			
JK_Les_avg	2.01	0.22			
JM_Les_avg	0.84	0.40			
JT_Les_avg	0.98	0.50			
LD_Les_avg	1.82	0.54			
LG_Les_avg	1.19	0.75			
LM_Les_avg	1.08	0.20			
LS_Les_avg	0.52	0.30			
SK_Les_avg	0.69	0.42			

Table 96: CD8T/CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.60		
CF_Les_avg	0.87		
CJ_Les_avg	0.42		
DD_Les_avg	0.50	0.47	0.96
EB_Les_avg	0.46		
JK_Les_avg	0.22		
JM_Les_avg	0.42		
JT_Les_avg	0.55		
LD_Les_avg	0.64		
LG_Les_avg	0.73		
LM_Les_avg	0.22		
LS_Les_avg	0.31		
SK_Les_avg	0.48		

Table 97: CD8T/CD4T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.88		
CF_Les_avg	0.92		
CJ_Les_avg	0.37		
DD_Les_avg	0.73	0.64	1.37
EB_Les_avg	0.45		
JK_Les_avg	0.38		
JM_Les_avg	0.51		
JT_Les_avg	0.52		
LD_Les_avg	0.97		
LG_Les_avg	0.79		
LM_Les_avg	0.20		
LS_Les_avg	0.33		
SK_Les_avg	0.57		

Table 98: Treg/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.03	0.03			
CF1_Les	0.08	0.02	0.02	0.03	0.16
CJ1_Les	0.03	0.03			
DD1_Les	0.06	0.05	0.01	0.1	0.23
EB_Les	0.01	0.01			
JK1_Les	0.12	0.04			
JM1_Les	0.10	0.04	0.07	0.03	0.24
JT_Les	0.01	0.05			
LD_Les	0.01	0.01			
LG2_Les	0.02	0.01			
LM_Les	0.02	0.01			
LS2_Les	0.07	0.03			
SK2_Les	0.16	0.04			

Table 99: Treg/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.03	0.03			
CF1_Les	0.08	0.02	0.02	0.03	0.15
CJ1_Les	0.03	0.05			
DD1_Les	0.06	0.05	0.01	0.1	0.22
EB_Les	0.01	0.00			
JK1_Les	0.12	0.05			
JM1_Les	0.10	0.04	0.07	0.05	0.26
JT_Les	0.01	0.05			
LD_Les	0.01	0.01			
LG2_Les	0.02	0.02			
LM_Les	0.02	0.01			
LS2_Les	0.07	0.04			
SK2_Les	0.16	0.04			

Table 100: Treg/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.02		
CF1_Les	0.02	0.03	0.05
CJ1_Les	0.04		
DD1_Les	0.05	0.1	0.15
EB_Les	0.00		
JK1_Les	0.05		
JM1_Les	0.05	0.04	0.08
JT_Les	0.05		
LD_Les	0.01		
LG2_Les	0.01		
LM_Les	0.01		
LS2_Les	0.04		
SK2_Les	0.04		

Table 101: Treg/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.02		
CF1_Les	0.04	0.02	0.06
CJ1_Les	0.06		
DD1_Les	0.04	0.01	0.05
EB_Les	0.00		
JK1_Les	0.08		
JM1_Les	0.05	0.05	0.11
JT_Les	0.05		
LD_Les	0.01		
LG2_Les	0.01		
LM_Les	0.01		
LS2_Les	0.05		
SK2_Les	0.06		

Table 102: Treg/CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.12	0.05			
CF1_Les	0.22	0.05	0.13	0.08	0.47
CJ1_Les	0.04	0.05			
DD1_Les	0.21	0.07	0.04	0.14	0.46
EB_Les	0.03	0.01			
JK1_Les	0.38	0.07			
JM1_Les	0.23	0.06	0.22	0.05	0.56
JT_Les	0.02	0.09			
LD_Les	0.08	0.02			
LG2_Les	0.03	0.02			
LM_Les	0.06	0.01			
LS2_Les	0.16	0.05			
SK2_Les	0.34	0.05			

Table 103: Treg/CD4T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.12	0.05			
CF1_Les	0.22	0.05	0.13	0.07	0.46
CJ1_Les	0.04	0.07			
DD1_Les	0.21	0.06	0.04	0.14	0.45
EB_Les	0.03	0.00			
JK1_Les	0.38	0.08			
JM1_Les	0.23	0.07	0.22	0.08	0.59
JT_Les	0.02	0.10			
LD_Les	0.08	0.02			
LG2_Les	0.03	0.02			
LM_Les	0.06	0.01			
LS2_Les	0.16	0.05			
SK2_Les	0.34	0.05			

Table 104: Treg/CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.05		
CF1_Les	0.05	0.07	0.12
CJ1_Les	0.06		
DD1_Les	0.07	0.14	0.21
EB_Les	0.01		
JK1_Les	0.08		
JM1_Les	0.07	0.06	0.13
JT_Les	0.09		
LD_Les	0.03		
LG2_Les	0.02		
LM_Les	0.01		
LS2_Les	0.06		
SK2_Les	0.06		

Table 105: Treg/CD4T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.06		
CF1_Les	0.09	0.06	0.16
CJ1_Les	0.10		
DD1_Les	0.10	0.04	0.14
EB_Les	0.01		
JK1_Les	0.14		
JM1_Les	0.08	0.09	0.17
JT_Les	0.09		
LD_Les	0.04		
LG2_Les	0.02		
LM_Les	0.01		
LS2_Les	0.08		
SK2_Les	0.09		

Table 106: Treg/CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.05	0.10			
CF1_Les	0.18	0.05	0.05	0.06	0.34
CJ1_Les	0.17	0.12			
DD1_Les	0.15	0.16	0.04	0.33	0.68
EB_Les	0.06	0.02			
JK1_Les	0.17	0.28			
JM1_Les	0.21	0.15	0.29	0.12	0.77
JT_Les	0.02	0.17			
LD_Les	0.04	0.05			
LG2_Les	0.03	0.03			
LM_Les	0.05	0.06			
LS2_Les	0.35	0.20			
SK2_Les	0.75	0.27			

Table 107: Treg/CD8T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.05	0.09			
CF1_Les	0.18	0.04	0.05	0.05	0.32
CJ1_Les	0.17	0.17			
DD1_Les	0.15	0.16	0.04	0.34	0.69
EB_Les	0.06	0.01			
JK1_Les	0.17	0.28			
JM1_Les	0.21	0.17	0.29	0.18	0.85
JT_Les	0.02	0.20			
LD_Les	0.04	0.04			
LG2_Les	0.03	0.03			
LM_Les	0.05	0.04			
LS2_Les	0.35	0.23			
SK2_Les	0.75	0.27			

Table 108: Treg/CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.08		
CF1_Les	0.05	0.05	0.1
CJ1_Les	0.16		
DD1_Les	0.17	0.34	0.5
EB_Les	0.01		
JK1_Les	0.29		
JM1_Les	0.17	0.14	0.31
JT_Les	0.17		
LD_Les	0.05		
LG2_Les	0.03		
LM_Les	0.06		
LS2_Les	0.24		
SK2_Les	0.30		

Table 109: Treg/CD8T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.07		
CF1_Les	0.08	0.03	0.11
CJ1_Les	0.30		
DD1_Les	0.16	0.07	0.24
EB_Les	0.01		
JK1_Les	0.30		
JM1_Les	0.16	0.19	0.35
JT_Les	0.18		
LD_Les	0.04		
LG2_Les	0.03		
LM_Les	0.04		
LS2_Les	0.31		
SK2_Les	0.32		

Table 110: CD4T/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.27	0.57			
CF1_Les	0.37	0.43	0.18	0.43	1.41
CJ1_Les	0.62	0.71			
DD1_Les	0.31	0.77	0.13	0.72	1.94
EB_Les	0.52	0.66			
JK1_Les	0.31	0.62			
JM1_Les	0.42	0.65	0.32	0.64	2.03
JT_Les	0.48	0.55			
LD_Les	0.18	0.25			
LG2_Les	0.50	0.70			
LM_Les	0.30	0.80			
LS2_Les	0.45	0.72			
SK2_Les	0.46	0.71			

Table 111: CD4T/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.27	0.48			
CF1_Les	0.37	0.41	0.18	0.42	1.38
CJ1_Les	0.62	0.71			
DD1_Les	0.31	0.77	0.13	0.7	1.92
EB_Les	0.52	0.67			
JK1_Les	0.31	0.65			
JM1_Les	0.42	0.66	0.32	0.65	2.04
JT_Les	0.48	0.56			
LD_Les	0.18	0.24			
LG2_Les	0.50	0.71			
LM_Les	0.30	0.81			
LS2_Les	0.45	0.69			
SK2_Les	0.46	0.71			

Table 112: CD4T/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.53		
CF1_Les	0.41	0.4	0.82
CJ1_Les	0.71		
DD1_Les	0.73	0.69	1.42
EB_Les	0.66		
JK1_Les	0.63		
JM1_Les	0.64	0.63	1.28
JT_Les	0.55		
LD_Les	0.24		
LG2_Les	0.70		
LM_Les	0.79		
LS2_Les	0.67		
SK2_Les	0.69		

Table 113: CD4T/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.39		
CF1_Les	0.43	0.3	0.72
CJ1_Les	0.68		
DD1_Les	0.43	0.28	0.71
EB_Les	0.65		
JK1_Les	0.57		
JM1_Les	0.64	0.59	1.23
JT_Les	0.56		
LD_Les	0.19		
LG2_Les	0.68		
LM_Les	0.78		
LS2_Les	0.65		
SK2_Les	0.66		

Table 114: CD8T/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.64	0.26			
CF1_Les	0.44	0.43	0.5	0.56	1.93
CJ1_Les	0.16	0.28			
DD1_Les	0.43	0.31	0.15	0.32	1.21
EB_Les	0.25	0.31			
JK1_Les	0.69	0.14			
JM1_Les	0.46	0.24	0.25	0.25	1.19
JT_Les	0.47	0.29			
LD_Les	0.33	0.12			
LG2_Les	0.52	0.45			
LM_Les	0.32	0.17			
LS2_Les	0.21	0.16			
SK2_Les	0.21	0.13			

Table 115: CD8T/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.64	0.28			
CF1_Les	0.44	0.46	0.5	0.57	1.97
CJ1_Les	0.16	0.28			
DD1_Les	0.43	0.31	0.15	0.29	1.18
EB_Les	0.25	0.31			
JK1_Les	0.69	0.18			
JM1_Les	0.46	0.27	0.25	0.26	1.24
JT_Les	0.47	0.28			
LD_Les	0.33	0.13			
LG2_Les	0.52	0.50			
LM_Les	0.32	0.16			
LS2_Les	0.21	0.16			
SK2_Les	0.21	0.14			

Table 116: CD8T/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.29		
CF1_Les	0.45	0.57	1.02
CJ1_Les	0.27		
DD1_Les	0.31	0.29	0.6
EB_Les	0.30		
JK1_Les	0.18		
JM1_Les	0.28	0.27	0.54
JT_Les	0.30		
LD_Les	0.15		
LG2_Les	0.45		
LM_Les	0.18		
LS2_Les	0.16		
SK2_Les	0.14		

Table 117: CD8T/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.32		
CF1_Les	0.49	0.58	1.07
CJ1_Les	0.22		
DD1_Les	0.27	0.16	0.43
EB_Les	0.29		
JK1_Les	0.28		
JM1_Les	0.33	0.27	0.6
JT_Les	0.29		
LD_Les	0.19		
LG2_Les	0.46		
LM_Les	0.15		
LS2_Les	0.18		
SK2_Les	0.19		

Table 118: CD8T/CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	2.33	0.47			
CF1_Les	1.19	1.01	2.76	1.3	6.26
CJ1_Les	0.26	0.39			
DD1_Les	1.37	0.41	1.09	0.44	3.31
EB_Les	0.49	0.47			
JK1_Les	2.25	0.23			
JM1_Les	1.09	0.37	0.78	0.39	2.62
JT_Les	0.98	0.53			
LD_Les	1.82	0.47			
LG2_Les	1.03	0.64			
LM_Les	1.08	0.21			
LS2_Les	0.46	0.23			
SK2_Les	0.46	0.19			

Table 119: CD8T/CD4T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	2.33	0.58			
CF1_Les	1.19	1.12	2.76	1.37	6.44
CJ1_Les	0.26	0.40			
DD1_Les	1.37	0.40	1.09	0.41	3.28
EB_Les	0.49	0.46			
JK1_Les	2.25	0.28			
JM1_Les	1.09	0.41	0.78	0.41	2.68
JT_Les	0.98	0.50			
LD_Les	1.82	0.54			
LG2_Les	1.03	0.70			
LM_Les	1.08	0.20			
LS2_Les	0.46	0.23			
SK2_Les	0.46	0.20			

Table 120: CD8T/CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.55		
CF1_Les	1.08	1.41	2.49
CJ1_Les	0.39		
DD1_Les	0.43	0.42	0.85
EB_Les	0.46		
JK1_Les	0.29		
JM1_Les	0.43	0.42	0.85
JT_Les	0.55		
LD_Les	0.64		
LG2_Les	0.65		
LM_Les	0.22		
LS2_Les	0.24		
SK2_Les	0.21		

Table 121: CD8T/CD4T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.82		
CF1_Les	1.14	1.96	3.1
CJ1_Les	0.32		
DD1_Les	0.61	0.59	1.21
EB_Les	0.45		
JK1_Les	0.49		
JM1_Les	0.52	0.46	0.98
JT_Les	0.52		
LD_Les	0.97		
LG2_Les	0.67		
LM_Les	0.20		
LS2_Les	0.27		
SK2_Les	0.28		

Tables by biopsies

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	0.92	130.54			90	1242			18	1372		
CD123	0.77	125.65			75	1225			15	1353		
CD15	0.10	19.90			10	176			2	195		
CD279	3.54	156.97			348	1316			69	1453		
CD3	9.60	421.60			944	3687			187	4071		
CD4	4.72	343.76			464	2931			92	3237		
CD45	20.33	661.49			1701	6134			337	6773		
CD56	0.62	32.88			60	328			12	363		
CD68	19.00	80.57			676	939			134	1037		
CD68_raw	21.77	70.19			1246	845			247	933		
CD69	11.96	197.56			1176	1736			233	1917		
CD8	5.85	139.88			575	1216			114	1343		
Foxp3	0.31	9.25			30	84			6	93		
Ki67	0.31	4.39			30	37			6	41		
CD4T	2.62	239.17			257	1942			51	2145		
CD8T	6.11	111.47			600	1012			119	1118		
Treg	0.31	10.78			30	92			6	102		
Treg/CD3	0.03	0.03										
Treg/CD4T	0.12	0.05										
Treg/CD8T	0.05	0.10										
CD4T/CD3	0.27	0.57										
CD8T/CD3	0.64	0.26										
CD8T/CD4T	2.33	0.47										
Size of biopsy									0.20	1.10		

Table 122: AS1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	36.92	230.20			2052	2699			1396	7069		
CD123	15.36	98.18			889	1191			605	3119		
CD279	22.80	135.82			917	1525			624	3994		
CD3	35.26	335.89			1887	3801			1284	9955		
CD4	60.14	259.81			2403	2916			1635	7638		
CD4_raw	68.39	266.57			3059	3063			2081	8021		
CD8	23.05	130.77			1204	1497			819	3921		
Foxp3	5.09	13.34			197	161			134	423		
CD4T	10.76	198.99			573	2205			390	5775		
CD8T	22.38	106.29			1136	1228			773	3216		
Treg	2.09	11.34			86	153			59	401		
Treg/CD3	0.06	0.03										
Treg/CD4T	0.19	0.06										
Treg/CD8T	0.09	0.11										
CD4T/CD3	0.31	0.59										
CD8T/CD3	0.63	0.32										
CD8T/CD4T	2.08	0.53										
Size of biopsy									0.68	2.62		

Table 123: AS2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD279	7.43	132.69			569	1425			327	3620		
CD3	12.62	408.10			1005	4276			578	10861		
CD4	6.62	359.77			525	3660			302	9296		
CD56	1.98	53.44			133	557			77	1416		
CD8	11.66	176.45			936	1912			538	4858		
Foxp3	1.87	7.80			142	100			82	256		
CD4T	2.53	243.73			210	2373			121	6027		
CD8T	7.89	136.21			635	1478			365	3756		
Treg	0.42	4.32			36	51			21	130		
Treg/CD3	0.03	0.01										
Treg/CD4T	0.17	0.02										
Treg/CD8T	0.05	0.03										
CD4T/CD3	0.20	0.60										
CD8T/CD3	0.63	0.33										
CD8T/CD4T	3.12	0.56										
Size of biopsy									0.57	2.54		

Table 124: AS3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	29.07	527.61	122.31	458.41	1443	5346	3886	4860	631	7926	1505	4139
CD123	5.90	259.34	31.50	146.17	283	2630	1051	1710	124	3900	407	1457
CD15	0.43	163.62	100.38	38.43	18	1659	2412	473	8	2460	934	403
CD279	7.45	105.04	4.70	134.60	363	1094	152	1466	159	1622	59	1249
CD3	17.87	464.62	20.78	547.33	926	4774	715	5919	405	7078	277	5041
CD4	14.97	372.77	15.01	393.79	764	3769	557	4095	334	5588	216	3488
CD45	23.99	577.93	73.96	607.02	1235	5868	2569	6503	540	8700	995	5538
CD56	2.72	33.29	2.54	42.17	146	356	92	474	64	529	36	404
CD68	73.00	223.12	0	0	3605	2495	0	0	1576	3700	0	0
CD8	9.62	238.13	13.26	323.54	510	2474	451	3511	223	3668	175	2990
CD8_raw	20.97	238.13	16.83	323.54	677	2474	542	3511	296	3668	210	2990
Foxp3	1.77	12.18	1.62	20.59	82	125	46	211	36	186	18	180
Foxp3_raw	2.57	24.17	6.67	27.49	96	234	211	260	42	348	82	222
Ki67	7.31	1.43	16.77	0.89	386	13	519	7	169	20	201	6
CD4T	6.57	200.62	3.77	235.61	350	2043	142	2482	153	3029	55	2114
CD8T	7.82	201.97	10.41	305.92	411	2116	351	3358	180	3138	136	2860
Treg	1.44	10.04	0.47	17.94	75	103	18	183	33	154	7	156
Treg/CD3	0.08	0.02	0.02	0.03								
Treg/CD4T	0.22	0.05	0.13	0.08								
Treg/CD8T	0.18	0.05	0.05	0.06								
CD4T/CD3	0.37	0.43	0.18	0.43								
CD8T/CD3	0.44	0.43	0.50	0.56								
CD8T/CD4T	1.19	1.01	2.76	1.30								
Size of biopsy									0.44	1.48	0.39	0.85

Table 125: CF1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	51.19	516.02	80.87	443.27	1861	5285	2566	4205	1018	9592	752	1646
CD123	15.19	384.97	23.88	173.62	534	4183	798	2000	292	7591	234	783
CD279	8.95	102.83	14.56	115.99	345	1110	518	1318	189	2016	152	516
CD3	15.59	309.21	29.07	370.45	603	3278	1034	4169	330	5949	303	1632
CD4	6.95	230.30	14.21	302.91	248	2318	505	2598	136	4208	148	1017
CD8	11.56	239.80	24.44	409.68	481	2499	890	4169	263	4535	261	1632
Foxp3	0.61	12.78	1.45	13.82	20	131	44	153	11	239	13	60
CD4T	3.71	95.69	7.06	163.62	133	989	252	1221	73	1796	74	478
CD8T	6.23	133.91	14.29	249.03	270	1426	522	2664	148	2589	153	1043
Treg	0.94	3.55	1.21	11.10	21	37	44	122	12	68	13	48
Treg/CD3	0.06	0.01	0.04	0.03								
Treg/CD4T	0.25	0.04	0.17	0.07								
Treg/CD8T	0.15	0.03	0.08	0.04								
CD4T/CD3	0.24	0.31	0.24	0.44								
CD8T/CD3	0.40	0.43	0.49	0.67								
CD8T/CD4T	1.68	1.40	2.02	1.52								
Size of biopsy									0.55	1.81	0.29	0.39

Table 126: CF2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD123	27.86	153.67			1901	1711			698	3776		
CD15	28.41	152.02			1672	1637			614	3611		
CD279	3.49	111.77			231	1168			85	2577		
CD3	10.55	249.97			716	2526			263	5572		
CD4	27.38	494.70			1375	4928			505	10871		
CD4_raw	27.38	494.55			1375	4926			505	10867		
CD45	66.87	573.84			4123	5822			1514	12844		
CD56	0.04	13.05			2	126			1	279		
CD68	83.52	155.30			4292	1677			1576	3700		
CD69	13.71	132.72			697	1342			256	2961		
CD8	10.38	89.99			544	880			200	1943		
Foxp3	0	0.34			0	3			0	8		
Ki67	42.35	9.87			1310	111			481	245		
CD4T	4.38	187.36			305	1878			112	4143		
CD8T	3.98	63.78			261	623			96	1376		
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.42	0.75										
CD8T/CD3	0.38	0.26										
CD8T/CD4T	0.91	0.34										
Size of biopsy									0.37	2.21		

Table 127: CF5_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	3.95	165.72			306	1621			157	3201		
CD123	0.32	74.43			25	729			13	1440		
CD15	0.02	3.94			1	44			1	88		
CD279	4.04	42.68			275	425			141	841		
CD3	5.40	117.97			382	1097			196	2168		
CD4	11.45	244.47			775	2457			397	4852		
CD45	14.67	386.30			1033	3809			529	7523		
CD56	0.35	47.33			27	438			14	866		
CD68	17.90	111.91			1134	1138			581	2248		
CD68_raw	8.35	61.57			513	620			263	1226		
CD69	5.77	91.79			378	879			194	1736		
CD8	1.16	43.04			85	394			44	779		
Foxp3	0.43	9.32			17	92			9	183		
Ki67	6.83	4.81			501	46			257	91		
CD4T	3.36	83.24			238	779			122	1540		
CD8T	0.86	32.80			68	304			35	602		
Treg	0.15	3.83			11	42			6	83		
Treg/CD3	0.03	0.03										
Treg/CD4T	0.04	0.05										
Treg/CD8T	0.17	0.12										
CD4T/CD3	0.62	0.71										
CD8T/CD3	0.16	0.28										
CD8T/CD4T	0.26	0.39										
Size of biopsy									0.51	1.97		

Table 128: CJ1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	6.63	180.16			494	1844			323	4247		
CD123	1.11	75.87			85	755			56	1739		
CD15	0.04	1.79			3	22			2	52		
CD3	0.81	108.60			55	1038			36	2390		
CD3_raw	0.81	108.75			55	1039			36	2392		
CD4	1.43	118.51			91	1140			60	2626		
CD45	10.35	287.56			749	2896			489	6667		
CD68	8.62	99.94			611	1064			399	2450		
CD8	0.81	37.59			62	349			41	805		
CD8_raw	1.15	37.59			70	349			46	805		
CD4T	0.35	52.37			19	508			13	1171		
CD8T	0.16	26.87			12	252			8	582		
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.44	0.48										
CD8T/CD3	0.20	0.25										
CD8T/CD4T	0.45	0.51										
Size of biopsy									0.65	2.30		

Table 129: CJ2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	72.05	532.21	437.55	663.45	3096	5711	8365	6840	360	2203	10865	17752
CD123	62.58	363.85	97.29	520.49	2649	4145	2357	5451	308	1599	3062	14146
CD15	21.80	43.55	393.71	121.21	103	552	7161	1357	12	213	9301	3522
CD279	3.19	139.25	10.16	124.66	146	1540	221	1262	17	594	288	3275
CD3	17.41	357.77	4.89	232.92	731	3979	107	2360	85	1535	140	6126
CD4	48.24	501.01	13.59	435.63	2004	5514	341	4404	233	2127	443	11429
CD45	113.77	709.49	507.65	779.84	3879	7609	9604	8041	451	2935	12474	20869
CD56	1.31	35.12	0.09	23.59	60	347	2	235	7	134	3	612
CD68	30.40	162.18	61.54	300.47	1212	1744	1399	3116	141	673	1818	8087
CD69	3.56	57.57	1.42	89.25	163	655	23	879	19	253	31	2283
CD8	7.46	152.79	2.54	103.56	318	1643	57	1037	37	634	75	2692
Foxp3	0.94	19.52	0.57	30.40	43	194	11	296	5	75	15	769
CD4T	5.48	275.48	0.65	168.19	249	3007	16	1688	29	1160	21	4381
CD8T	7.50	112.66	0.71	73.75	318	1228	16	739	37	474	22	1919
Treg	1.13	18.47	0.03	24.23	51	207	0	241	6	80	1	627
Treg/CD3	0.06	0.05	0.01	0.10								
Treg/CD4T	0.21	0.07	0.04	0.14								
Treg/CD8T	0.15	0.16	0.04	0.33								
CD4T/CD3	0.31	0.77	0.13	0.72								
CD8T/CD3	0.43	0.31	0.15	0.32								
CD8T/CD4T	1.37	0.41	1.09	0.44								
Size of biopsy									0.12	0.39	1.30	2.60

Table 130: DD1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	70.54	231.07	15.76	219.70	3036	2332	1294	2193	875	1740	1003	7548
CD123	22.80	88.72	14.60	114.33	923	996	979	1568	266	743	759	5397
CD15	1.39	47.46	161.07	65.97	41	529	3784	1130	12	395	2932	3889
CD279	2.26	4.88	0.66	3.17	93	53	47	37	27	40	37	128
CD3	26.63	274.47	8.44	154.85	1016	2966	579	1903	293	2213	449	6549
CD4	20.55	157.84	5.30	108.58	836	1710	404	1258	241	1276	313	4330
CD45	102.67	638.38	94.49	570.19	3984	6685	4664	6521	1148	4987	3613	22440
CD56	2.64	10.15	1.12	12.34	104	117	92	130	30	88	72	449
CD68	13.71	29.01	12.19	34.52	562	333	533	421	162	249	413	1451
CD69	44.54	198.25	8.99	126.79	1839	2051	746	1553	530	1530	578	5345
CD8	10.52	74.61	2.09	40.87	430	824	166	489	124	615	129	1683
Foxp3	3.84	2.49	0.33	3.66	107	28	27	40	31	21	21	140
Ki67	7.88	2.81	30.93	9.02	131	26	941	159	38	20	729	549
CD4T	8.51	89.57	2.07	53.58	326	941	172	628	94	702	134	2163
CD8T	8.85	53.76	1.71	28.28	378	600	142	341	109	448	110	1174
Treg	2.53	0.83	0.28	1.61	86	6	23	19	25	5	18	68
Treg/CD3	0.09	0.00	0.03	0.01								
Treg/CD4T	0.30	0.01	0.14	0.03								
Treg/CD8T	0.29	0.02	0.16	0.06								
CD4T/CD3	0.32	0.33	0.25	0.35								
CD8T/CD3	0.33	0.20	0.20	0.18								
CD8T/CD4T	1.04	0.60	0.83	0.53								
Size of biopsy									0.29	0.75	0.77	3.44

Table 131: DD2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	51.94	497.36	471.09	533.54	2745	5173	8695	5795	478	2859	10260	17020
CD123	47.61	355.10	76.40	382.90	2630	3914	2545	4560	458	2163	3003	13393
CD15	10.74	85.56	410.05	92.19	264	957	7437	1197	46	529	8776	3516
CD279	2.37	49.61	4.49	49.23	126	466	157	538	22	258	186	1580
CD3	10.80	196.29	8.00	120.46	557	1965	300	1259	97	1086	355	3700
CD4	39.18	433.80	13.13	396.17	2136	4520	506	4119	372	2498	598	12097
CD45	55.90	551.73	524.31	553.40	2923	5785	9442	6031	509	3197	11142	17714
CD56	2.08	30.82	0.85	22.75	103	287	34	227	18	159	41	669
CD68	35.81	255.98	59.06	312.04	1831	2632	1665	3394	319	1455	1965	9968
CD68_raw	50.35	262.66	70.50	314.45	1975	2690	1949	3415	344	1487	2300	10029
CD69	0.28	12.18	1.99	12.74	11	114	81	132	2	63	96	388
CD8	6.91	136.31	5.14	93.09	350	1306	178	933	61	722	211	2741
Foxp3	1.79	8.92	0.49	7.58	80	85	15	76	14	47	18	225
Foxp3_raw	1.79	8.92	5.74	9.10	80	85	185	101	14	47	219	298
CD4T	5.51	158.08	4.62	97.62	292	1545	187	1000	51	854	221	2939
CD8T	4.15	73.21	3.14	45.49	195	707	125	460	34	391	148	1351
Treg	0.57	3.45	0.50	4.36	28	34	20	45	5	19	24	133
Treg/CD3	0.05	0.02	0.06	0.04								
Treg/CD4T	0.10	0.02	0.11	0.04								
Treg/CD8T	0.14	0.05	0.16	0.10								
CD4T/CD3	0.51	0.81	0.58	0.81								
CD8T/CD3	0.38	0.37	0.39	0.38								
CD8T/CD4T	0.75	0.46	0.68	0.47								
Size of biopsy									0.17	0.55	1.18	2.94

Table 132: DD3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	2.58	340.15			177	3319			56	5795		
CD123	2.00	212.63			148	2094			47	3656		
CD15	0.36	9.97			28	101			9	178		
CD279	1.81	11.74			142	116			45	203		
CD3	5.75	522.67			452	5082			143	8872		
CD4	10.51	630.91			699	6191			221	10807		
CD45	16.16	828.69			1236	8160			391	14245		
CD56	0.31	48.28			15	472			5	825		
CD68	5.51	259.10			382	2557			121	4464		
CD8	3.68	225.95			196	2202			62	3844		
Foxp3	0.36	3.95			28	39			9	69		
Ki67	9.23	4.81			632	47			200	83		
CD4T	2.98	344.12			234	3340			74	5830		
CD8T	1.45	162.16			113	1577			36	2753		
Treg	0.08	2.78			6	28			2	49		
Treg/CD3	0.01	0.01										
Treg/CD4T	0.03	0.01										
Treg/CD8T	0.06	0.02										
CD4T/CD3	0.52	0.66										
CD8T/CD3	0.25	0.31										
CD8T/CD4T	0.49	0.47										
Size of biopsy									0.32	1.75		

Table 133: EB_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	5.85	200.16			309	2313			255	3684		
CD123	0.45	23.61			26	273			22	435		
CD15	16.47	135.43			89	1091			74	1738		
CD279	0.64	3.79			26	60			22	97		
CD3	0.51	15.29			31	245			26	391		
CD4	1.89	96.34			83	1041			69	1659		
CD56	0.12	7.46			7	92			6	148		
CD68	29.84	111.13			1601	984			1321	1568		
CD68_raw	39.00	155.87			2062	1493			1701	2379		
CD69	0.64	5.40			40	103			33	165		
CD8	0.47	3.28			29	69			24	110		
Foxp3	0.25	1.39			12	33			10	54		
Ki67	13.09	1.14			811	30			669	48		
CD4T	0.16	9.53			9	156			8	249		
CD8T	0.35	2.20			21	46			18	74		
Treg	0.06	0.62			3	15			3	25		
Treg/CD3	0.12	0.04										
Treg/CD4T	0.38	0.07										
Treg/CD8T	0.17	0.28										
CD4T/CD3	0.31	0.62										
CD8T/CD3	0.69	0.14										
CD8T/CD4T	2.25	0.23										
Size of biopsy									0.82	1.59		

Table 134: JK1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	0.33	22.58			23	274			18	417		
CD4	2.17	89.09			112	1150			86	1748		
CD8	0.28	3.74			17	63			13	97		
CD4T	0.13	13.44			9	178			7	271		
CD8T	0.19	2.38			13	40			10	62		
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.41	0.59										
CD8T/CD3	0.59	0.11										
CD8T/CD4T	1.43	0.18										
Size of biopsy									0.76	1.52		

Table 135: JK2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD123	0.36	38.23			23	325			17	459		
CD15	0.19	62.88			9	508			7	717		
CD279	0.36	9.01			23	103			17	146		
CD3	0.42	14.55			27	177			20	251		
CD4	1.55	70.04			94	1008			68	1422		
CD68	18.83	98.61			1045	1272			756	1795		
CD68_raw	30.16	87.74			1745	1062			1263	1499		
CD69	0.91	12.36			30	112			22	158		
CD8	0.32	2.39			20	39			15	56		
Foxp3	0.58	2.62			6	24			5	35		
Ki67	3.42	0.06			218	1			158	2		
CD4T	0.11	10.75			6	124			5	176		
CD8T	0.25	1.19			16	21			12	31		
Treg	0.04	1.88			2	12			2	17		
Treg/CD3	0.10	0.13										
Treg/CD4T	0.40	0.17										
Treg/CD8T	0.17	1.58										
CD4T/CD3	0.25	0.74										
CD8T/CD3	0.60	0.08										
CD8T/CD4T	2.40	0.11										
Size of biopsy									0.72	1.41		

Table 136: JK3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	29.92	299.25	72.94	567.91	1912	3961	4988	6800	929	5747	1199	7120
CD123	11.62	167.18	35.67	436.61	773	2417	2700	5541	376	3507	649	5802
CD15	0.22	6.18	23.13	23.38	12	84	1356	329	6	122	326	345
CD279	5.68	117.01	3.37	158.48	374	1681	257	1858	182	2440	62	1946
CD3	10.67	390.01	9.17	466.13	691	4801	644	4706	336	6967	155	4928
CD4	19.83	397.16	27.31	512.80	1278	4947	1863	5431	621	7178	448	5687
CD45	40.01	718.13	111.29	956.26	2548	8180	6814	10160	1238	11869	1638	10638
CD56	4.66	33.62	2.39	44.92	312	461	183	472	152	670	44	495
CD68	20.09	136.78	73.17	297.18	1282	1938	4667	3912	623	2813	1122	4096
CD68_raw	27.99	107.93	64.00	224.08	1770	1540	3873	2950	860	2235	931	3089
CD69	22.71	351.83	50.68	615.28	1504	4867	3736	7328	731	7062	898	7673
CD8	5.50	116.92	3.49	145.98	362	1541	257	1494	176	2236	62	1565
Foxp3	1.13	13.09	0.49	10.83	65	177	37	120	32	257	9	126
Ki67	3.62	3.47	6.53	5.19	242	37	274	60	118	54	66	63
CD4T	4.49	254.52	2.94	297.23	288	3125	224	2996	140	4534	54	3137
CD8T	4.87	93.52	2.28	114.93	316	1268	174	1206	154	1840	42	1263
Treg	1.03	14.42	0.65	14.27	61	205	49	170	30	298	12	178
Treg/CD3	0.10	0.04	0.07	0.03								
Treg/CD4T	0.23	0.06	0.22	0.05								
Treg/CD8T	0.21	0.15	0.29	0.12								
CD4T/CD3	0.42	0.65	0.32	0.64								
CD8T/CD3	0.46	0.24	0.25	0.25								
CD8T/CD4T	1.09	0.37	0.78	0.39								
Size of biopsy									0.49	1.45	0.24	1.05

Table 137: JM1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	46.54	190.87			2517	3090			1561	4294		
CD123	6.79	93.14			480	1513			298	2103		
CD15	2.28	3.36			19	54			12	76		
CD279	3.63	18.93			259	367			161	511		
CD3	9.13	186.93			649	3505			403	4870		
CD4	15.10	251.73			1058	3866			656	5371		
CD45	19.18	172.70			1287	3265			798	4536		
CD56	4.25	26.44			303	488			188	678		
CD68	26.94	74.47			1367	1336			848	1857		
CD68_raw	89.79	86.82			4578	1578			2839	2193		
CD69	17.59	237.43			1274	4354			790	6050		
CD69_raw	17.66	237.43			1275	4354			791	6050		
CD8	4.60	81.39			340	1502			211	2087		
Foxp3	1.20	18.13			83	323			52	450		
Ki67	21.67	4.36			1582	97			981	135		
CD4T	4.40	114.29			314	2087			195	2900		
CD8T	2.61	41.05			193	873			120	1214		
Treg	0.86	8.88			61	174			38	243		
Treg/CD3	0.09	0.05										
Treg/CD4T	0.20	0.08										
Treg/CD8T	0.33	0.22										
CD4T/CD3	0.48	0.61										
CD8T/CD3	0.29	0.22										
CD8T/CD4T	0.59	0.36										
Size of biopsy									0.62	1.39		

Table 138: JM2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	6.92	182.21			449	3775			233	4303		
CD8	5.11	71.95			328	1535			170	1750		
Foxp3	0.98	4.31			59	99			31	113		
CD8T	2.67	44.53			181	1045			94	1192		
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3												
CD8T/CD3	0.39	0.24										
CD8T/CD4T												
Size of biopsy									0.52	1.14		

Table 139: JM3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	1.07	50.45			107	652			24	1182		
CD123	0.40	39.57			40	494			9	896		
CD15	0.18	10.64			17	120			4	218		
CD279	0.67	6.69			66	82			15	149		
CD3	4.11	51.46			410	659			92	1195		
CD4	3.21	52.39			321	655			72	1189		
CD45	7.19	153.46			718	1871			161	3393		
CD56	0.36	7.47			35	95			8	174		
CD68	10.80	40.85			1084	509			243	923		
CD68_raw	24.91	42.92			2489	527			558	956		
CD8	2.41	23.83			240	285			54	518		
Foxp3	0.13	4.25			13	53			3	97		
Foxp3_raw	3.12	4.25			312	53			70	97		
Ki67	3.44	0.22			343	2			77	5		
CD4T	1.96	28.47			196	366			44	664		
CD8T	1.92	15.02			191	188			43	342		
Treg	0.04	2.58			4	34			1	63		
Treg/CD3	0.01	0.05										
Treg/CD4T	0.02	0.09										
Treg/CD8T	0.02	0.17										
CD4T/CD3	0.48	0.55										
CD8T/CD3	0.47	0.29										
CD8T/CD4T	0.98	0.53										
Size of biopsy									0.22	1.81		

Table 140: JT_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	2.12	220.61			118	3033			41	2501		
CD123	0.75	129.48			58	1939			20	1599		
CD15	0.48	19.21			14	213			5	176		
CD279	3.82	31.19			258	533			89	440		
CD3	20.94	236.59			1566	3773			540	3111		
CD4	8.29	161.99			606	2443			209	2014		
CD45	31.81	461.39			2302	6872			794	5665		
CD56	1.79	9.97			139	174			48	144		
CD68	9.69	62.63			675	1045			233	862		
CD69	15.12	180.56			1136	2707			392	2232		
CD8	8.32	73.90			646	1204			223	993		
Foxp3	0.58	3.25			37	50			13	42		
Foxp3_raw	0.72	3.25			40	50			14	42		
Ki67	4.60	170.61			165	1688			57	1392		
CD4T	3.75	59.77			261	884			90	729		
CD8T	6.83	27.91			530	497			183	410		
Treg	0.30	1.30			23	21			8	18		
Treg/CD3	0.01	0.01										
Treg/CD4T	0.08	0.02										
Treg/CD8T	0.04	0.05										
CD4T/CD3	0.18	0.25										
CD8T/CD3	0.33	0.12										
CD8T/CD4T	1.82	0.47										
Size of biopsy									0.34	0.82		

Table 141: LD_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	35.21	233.15	75.43	447.10	2325	2548	4586	4525	1074	5057	942	5215
CD123	4.05	37.29	44.38	112.49	285	461	2984	1299	132	916	613	1498
CD15	0.23	4.39	0.39	4.04	12	50	29	42	6	101	6	49
CD279	1.81	13.92	0.85	24.69	129	178	63	238	60	354	13	275
CD3	6.43	81.64	6.20	129.26	463	992	443	1279	214	1969	91	1474
CD4	9.05	112.36	6.72	193.62	656	1298	462	1899	303	2577	95	2189
CD45	30.51	295.00	61.86	505.24	2093	3262	3885	5037	967	6473	798	5806
CD56	1.10	10.25	0.39	21.82	73	124	29	209	34	247	6	242
CD69	5.60	47.77	4.96	106.92	365	587	355	1062	169	1166	73	1225
CD8	5.54	60.34	4.63	107.04	385	714	335	1061	178	1417	69	1223
Foxp3	1.31	14.54	0.85	19.24	93	174	63	193	43	347	13	223
Ki67	1.10	1.80	0.07	2.01	73	18	4	19	34	36	1	22
CD4T	2.60	44.15	1.63	72.97	188	526	121	715	87	1044	25	825
CD8T	2.63	29.89	1.76	48.16	190	361	131	472	88	718	27	544
Treg	0.67	5.78	0.39	6.78	49	74	29	69	23	148	6	80
Treg/CD3	0.10	0.07	0.06	0.05								
Treg/CD4T	0.26	0.13	0.24	0.09								
Treg/CD8T	0.26	0.19	0.22	0.14								
CD4T/CD3	0.40	0.54	0.26	0.56								
CD8T/CD3	0.41	0.37	0.28	0.37								
CD8T/CD4T	1.01	0.68	1.08	0.66								
Size of biopsy									0.46	1.98	0.21	1.15

Table 142: LG1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	3.49	209.49			274	2123			93	5966		
CD123	0.15	36.68			14	372			5	1047		
CD15	0.03	60.03			2	576			1	1619		
CD279	1.32	18.82			126	191			43	537		
CD3	1.79	157.37			170	1558			58	4379		
CD4	3.49	180.55			271	1807			92	5078		
CD45	6.60	353.56			571	3556			194	9993		
CD56	0.25	31.46			23	311			8	874		
CD68	32.81	110.36			2836	1151			962	3235		
CD68_raw	30.41	58.75			2850	615			967	1731		
CD69	3.02	92.38			288	935			98	2628		
CD8	1.23	89.90			117	891			40	2504		
Foxp3	0.09	3.95			8	39			3	110		
Foxp3_raw	0.09	3.95			8	39			3	110		
Ki67	9.03	1.72			863	17			293	50		
CD4T	0.89	110.14			85	1086			29	3053		
CD8T	0.92	70.24			88	696			30	1958		
Treg	0.03	2.19			2	21			1	61		
Treg/CD3	0.02	0.01										
Treg/CD4T	0.03	0.02										
Treg/CD8T	0.03	0.03										
CD4T/CD3	0.50	0.70										
CD8T/CD3	0.52	0.45										
CD8T/CD4T	1.03	0.64										
Size of biopsy									0.34	2.81		

Table 143: LG2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	8.87	129.40	10.33	203.83	632	1458	472	2126	287	2999	149	2526
CD4	12.28	151.05	14.47	246.94	887	1651	763	2570	403	3396	241	3053
CD68	29.44	61.35	77.97	107.80	1824	681	3608	1272	828	1401	1139	1512
CD68_raw	54.90	88.11	115.56	159.14	3364	973	5250	1833	1527	2002	1657	2178
CD8	5.84	77.46	7.35	135.37	411	871	307	1386	187	1791	97	1647
CD4T	3.23	76.12	3.29	117.82	235	841	161	1225	107	1730	51	1456
CD8T	4.42	60.86	5.00	93.34	310	687	224	967	141	1413	71	1149
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.36	0.59	0.32	0.58								
CD8T/CD3	0.50	0.47	0.48	0.46								
CD8T/CD4T	1.37	0.80	1.52	0.79								
Size of biopsy									0.45	2.06	0.32	1.19

Table 144: LG3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	8.71	343.76			745	3594			298	7681		
CD123	0.50	69.53			45	763			18	1632		
CD15	1.80	18.79			162	241			65	517		
CD279	1.08	7.15			97	82			39	177		
CD3	6.46	439.93			563	4619			225	9871		
CD4	10.03	725.26			885	7504			354	16036		
CD45	14.27	848.60			1206	8641			482	18467		
CD56	1.25	40.80			112	433			45	926		
CD68	2.44	64.50			220	731			88	1563		
CD69	2.13	131.50			192	1357			77	2900		
CD8	3.69	188.11			312	1916			125	4096		
Foxp3	0.17	7.37			15	66			6	142		
CD4T	1.94	353.54			175	3701			70	7909		
CD8T	2.09	74.92			167	778			67	1663		
Treg	0.11	4.21			10	41			4	89		
Treg/CD3	0.02	0.01										
Treg/CD4T	0.06	0.01										
Treg/CD8T	0.05	0.06										
CD4T/CD3	0.30	0.80										
CD8T/CD3	0.32	0.17										
CD8T/CD4T	1.08	0.21										
Size of biopsy									0.40	2.14		

Table 145: LM_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	39.50	257.99			2030	2842			1402	7533		
CD11c_raw	39.50	257.99			2030	2842			1402	7533		
CD123	3.35	48.76			172	528			119	1401		
CD15	0.87	1.61			23	18			16	49		
CD279	13.22	160.11			718	1546			496	4097		
CD3	16.34	395.04			1002	3901			692	10338		
CD4	20.16	376.67			1177	3882			813	10287		
CD45	43.28	516.49			2450	5305			1692	14059		
CD56	3.13	47.97			192	456			133	1209		
CD68	23.69	55.02			1315	649			908	1720		
CD68_raw	37.07	74.67			2060	885			1423	2347		
CD69	24.46	286.40			1461	2962			1009	7850		
CD8	6.92	130.53			421	1294			291	3429		
Foxp3	3.29	40.41			194	432			134	1145		
Ki67	8.32	2.06			519	20			359	54		
CD4T	8.66	304.37			514	2968			355	7865		
CD8T	4.81	88.79			315	896			218	2375		
Treg	2.67	29.30			156	325			108	862		
Treg/CD3	0.16	0.07										
Treg/CD4T	0.31	0.10										
Treg/CD8T	0.55	0.33										
CD4T/CD3	0.53	0.77										
CD8T/CD3	0.29	0.22										
CD8T/CD4T	0.56	0.29										
Size of biopsy									0.69	2.65		

Table 146: LS1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	32.96	251.85			1490	2658			1567	7637		
CD123	10.31	97.19			453	1113			477	3198		
CD15	0.12	0.87			5	10			6	30		
CD279	6.03	50.99			325	538			342	1547		
CD3	16.87	377.75			932	3855			980	11077		
CD4	21.44	427.50			1168	4427			1229	12721		
CD45	37.43	517.11			1845	5292			1941	15205		
CD56	1.19	25.19			68	224			72	644		
CD68	31.55	91.35			1531	1069			1610	3072		
CD68_raw	73.37	144.83			3303	1684			3474	4839		
CD69	11.19	179.35			620	1848			652	5312		
CD8	5.06	99.61			287	1018			302	2926		
Foxp3	2.17	18.81			106	213			112	612		
Ki67	9.10	1.12			515	10			542	31		
CD4T	7.66	271.64			436	2718			459	7812		
CD8T	3.49	61.99			201	639			212	1837		
Treg	1.21	12.70			70	146			74	420		
Treg/CD3	0.07	0.03										
Treg/CD4T	0.16	0.05										
Treg/CD8T	0.35	0.20										
CD4T/CD3	0.45	0.72										
CD8T/CD3	0.21	0.16										
CD8T/CD4T	0.46	0.23										
Size of biopsy									1.05	2.87		

Table 147: LS2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	11.53	400.44			646	4049			643	11896		
CD4	15.08	430.35			800	4430			797	13016		
CD68	56.04	98.09			2807	1184			2794	3479		
CD68_raw	88.36	140.33			4149	1662			4129	4884		
CD8	5.41	133.85			320	1346			319	3956		
CD4T	5.81	231.48			316	2325			315	6833		
CD8T	3.27	81.98			192	848			192	2494		
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.50	0.58										
CD8T/CD3	0.28	0.20										
CD8T/CD4T	0.56	0.35										
Size of biopsy									1.00	2.94		

Table 148: LS3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	11.30	237.32	136.06	239.81	909	2831	3948	3506	84	2383	3133	4770
CD123	4.25	132.63	48.11	131.26	400	1617	1993	2093	37	1361	1582	2848
CD15	2.07	45.51	150.52	65.17	194	564	2237	1098	18	475	1775	1494
CD279	4.94	76.98	16.69	57.60	465	939	686	1017	43	791	545	1384
CD3	7.93	102.74	18.89	82.23	746	1263	903	1239	69	1063	717	1686
CD4	3.45	93.16	10.69	85.70	324	1131	530	1440	30	952	421	1960
CD45	22.86	360.64	178.12	382.36	2154	4314	5155	5463	199	3631	4090	7433
CD56	0.69	25.75	0.91	18.31	64	311	51	279	6	262	41	380
CD8	4.14	44.77	8.17	38.72	389	547	397	709	36	461	315	965
Foxp3	1.49	13.71	4.68	4.08	140	172	134	97	13	145	107	132
CD4T	2.53	65.55	6.21	52.89	238	793	334	818	22	668	265	1114
CD8T	2.53	65.55	6.21	52.89	238	793	334	818	22	668	265	1114
Treg	1.26	16.28	1.72	4.09	119	200	95	85	11	169	76	117
Treg/CD3	0.16	0.16	0.09	0.05								
Treg/CD4T	0.50	0.25	0.28	0.08								
Treg/CD8T	0.50	0.25	0.28	0.08								
CD4T/CD3	0.32	0.64	0.33	0.64								
CD8T/CD3	0.32	0.64	0.33	0.64								
CD8T/CD4T	1	1	1	1								
Size of biopsy									0.09	0.84	0.79	1.36

Table 149: SK1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	32.13	243.41			1491	2628			1024	7035		
CD123	3.87	30.02			139	353			96	945		
CD15	11.85	34.56			500	401			344	1075		
CD279	4.06	25.94			198	309			136	827		
CD3	12.67	153.03			499	1718			343	4600		
CD4	18.12	182.59			844	2047			580	5479		
CD45	24.07	244.32			1103	2664			758	7130		
CD45_raw	24.07	244.32			1103	2664			758	7130		
CD56	1.36	9.32			46	105			32	281		
CD68	17.64	49.17			802	570			551	1528		
CD69	25.22	117.50			1083	1380			744	3693		
CD8	4.83	29.65			212	341			146	914		
Foxp3	2.30	8.15			72	94			50	254		
Foxp3_raw	1.78	7.24			61	82			42	222		
Ki67	4.43	0.56			305	8			210	24		
CD4T	5.85	108.88			215	1214			148	3250		
CD8T	2.70	20.36			116	235			80	630		
Treg	2.01	5.53			55	65			38	175		
Treg/CD3	0.16	0.04										
Treg/CD4T	0.34	0.05										
Treg/CD8T	0.75	0.27										
CD4T/CD3	0.46	0.71										
CD8T/CD3	0.21	0.13										
CD8T/CD4T	0.46	0.19										
Size of biopsy									0.69	2.68		

Table 150: SK2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	8.91	148.44			740	1626			444	4568		
CD123	2.68	92.76			225	1027			135	2885		
CD279	0.68	3.78			56	44			34	124		
CD3	6.00	177.18			430	1949			258	5477		
CD4	7.91	178.83			592	1972			355	5541		
CD68	31.40	41.34			1746	506			1047	1423		
CD68_raw	53.27	97.19			3245	1169			1946	3284		
CD8	2.79	40.87			205	464			123	1305		
Foxp3	1.02	9.22			63	106			38	300		
CD4T	2.63	107.05			191	1178			115	3311		
CD8T	2.37	24.33			176	284			106	800		
Treg	0.56	5.94			46	70			28	199		
Treg/CD3	0.09	0.03										
Treg/CD4T	0.21	0.06										
Treg/CD8T	0.24	0.24										
CD4T/CD3	0.44	0.60										
CD8T/CD3	0.39	0.14										
CD8T/CD4T	0.90	0.23										
Size of biopsy									0.60	2.81		

Table 151: SK3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.