report_32bit

April 26, 2025

Introduction

There are 13 lesion biopsies in total, including AS. Different biopsy samples or even different slices from the same biopsy sample may have different amount of lesion tissues. Some completely lack lesion. List of available markers per slide:

$AS1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$AS2_Les [1] CD11c CD123 CD279 CD3 CD4 CD4_raw CD8 Foxp3 CD4T CD8T Treg

$AS3_Les [1] CD279 CD3 CD4 CD56 CD8 Foxp3 CD4T CD8T Treg

$CF_8wph [1]

$CF1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD8 Foxp3 Ki67 CD4T CD8T Treg

$CF2_Les [1] CD11c CD123 CD279 CD3 CD4 CD8 Foxp3 CD4T CD8T Treg

$CF5_Les [1] CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T

$CJ1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$CJ2_Les [1] CD11c CD123 CD15 CD3 CD4 CD45 CD68 CD8 CD4T CD8T

$DD_8wph [1]

$DD1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3_2 Foxp3 CD4T CD8T Treg

$DD2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$DD3_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$EB_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JK_8wph [1]

$JK1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JK2_Les [1] CD3 CD4 CD8 CD4T CD8T

$JK3_Les [1] CD123 CD15 CD279 CD3 CD4 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM3_Les [1] CD3 CD8 Foxp3 CD8T

$JT_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD8 Foxp3 Ki67 CD4T CD8T Treg

$LD_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG3_Les [1] CD3 CD4 CD68 CD68_raw CD8 CD4T CD8T

$LM_9wph [1]

$LM_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$LS_8wph [1]

$LS1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LS2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD68_raw CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LS3_Les [1] CD3 CD4 CD68 CD68_raw CD8 CD4T CD8T

$SK1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD8 Foxp3 CD4T CD8T Treg

$SK2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$SK3_8wph_in_use [1]

$SK3_Les [1] CD11c CD123 CD279 CD3 CD4 CD68 CD68_raw CD8 Foxp3 CD4T CD8T Treg

Most lesion biopsies have multiple sections. The following choices of representative slides are made:

Select slide	Shedding rate
AS1_Les	83.9
CF1_Les	17.5
CJ1_Les	43.1
DD1_Les	39.4
EB_Les	4.6
JK1_Les	23.4
JM1_Les	24.6
JT_Les	54.3
LD_Les	18.8
LG2_Les	32.8
LM_Les	4.4
LS2_Les	31
SK2_Les	53

The key markers are: CD3 CD11c CD123 CD15 CD56 CD68.

Note that the CD68 antibody stained the epidermis of some tissues. CD68_raw.png is the raw image, and CD68.png is the processed image with reduced epidermis brightness to improve quality of segmentation. Furthermore, for CF lesion CD68 staining, CF5_Les instead of CF1_Les is used due to quality reasons.

Association studies and scatterplots

Based on the previous report, we decided to

- focus on normalized counts
- focus on average across slides and select slides and not all slides, which has low correlation
- focus on these metrics
  - DEJ1000, DI
  - DEJ500, DI
  - skin1000, I
  - skin500, I
  - EI


Normalized count is the number of cells in a vertical strip 100um wide.

R2* is computed without slides from AS_Les, which has the highest shedding rate and appears an outlier.


Note that:

- Treg counts from JK1_Les and JK3_Les are quite different: 19 and 161. This led the R2 for Treg/CD3 in DI to be higher for select slides than for average slides.







Each biopsy is represented by the average of all available slides from the biopsy.




Each biopsy is represented by one select slide.




Each biopsy is represented by the average of all available slides from the biopsy.



Each biopsy is represented by one select slide.



Each biopsy is represented by the average of all available slides from the biopsy.



Each biopsy is represented by one select slide.

Depth density function


Depth density function is a function of the number of cells per 100x100 um2 tissue over the distance to skin or DEJ in 100 um increment. Each bin in the histogram represents the count in a 100x100 um2 area. Normalized counts used in the correlates study is computed as the area under the cell density gradient curve (restricted to certain depth if applicable).


A gap in depth density ratio function is often due to the denominator being 0.


Intact vs. ulcerative - representative slides


In this subsection, there are two figures, one for dist2skin and one for dist2DEJ. Each figure shows 13 representative slides. Some observations:


- Comparing the CD3 cell distribution between CF and DD, we see that the ratio of the area under the curve across both epi and dermis between red and blue(ulcerative and intact) is about 1 for CD3/CF and 1/3 for CD3/DD. This suggests that CD3 is depleted in lesion in DD, but not in CF.
- Comparing the CD15 cell distribution in CF between intact and ulcerative, we see that the lesion peak is shifted to the left compared to the normal peak. This pattern is more clear in CF than in DD. We don't see this pattern for CD3.



CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2skin (um)
intact
ulcerative


CD3
CD4T
CD8T
Treg
intact
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells*10e3/0.1um2
dist2skin (um)
0
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
percent
dist2skin (um)
intact
ulcerative



CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2DEJ (um)
intact
ulcerative



CD3
CD4T
CD8T
Treg
intact
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells*100/(0.1um2)
distZDEJ (um)



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
AS1_Les
CF1_Les
CJI_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
percent
dist2DEJ (um)
intact
ulcerative


Intact vs. ulcerrative - all slides


In this subsection, each figure shows all slides from a single biopsy.



CD3
CD11c
CD123
CD15
CD56
CD68
intact
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500



CD3
CD4T
CD8T
Treg
intact
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
0
500
1000
1500
2000
2500



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
AS1_Les
AS2_Les
AS3_Les
percent
intact
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
AS2_Les
AS3_Les
intact
Cells/100x100 um2
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100



CD3
CD4T
CD8T
Treg
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
-500
0
500
1000
1500
dist2DEJ (um)



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
AS1_Les
AS2_Les
AS3_Les
percent
intact
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
dist2skin (um)



CD3
CD4T
CD8T
Treg
intact
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
CF1_Les
CF2_Les
CF5_Les
percent
intact
ulcerative
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100



CD3
CD4T
CD8T
Treg
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
ulcerative
-500
0
500
1000
1500
dist2DEJ (um)



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
CF1_Les
CF2_Les
CF5_Les
percent
intact
ulcerative
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500



CD3
CD4T
CD8T
Treg
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500



CJ1_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
intact
dist2skin (um)
CJ2_Les
percent
intact
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)



CD3
CD4T
CD8T
Treg
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)



CJ1_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
intact
dist2DEJ (um)
CJ2_Les
percent
intact
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2skin (um)



CD3
CD4T
CD8T
Treg
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2skin (um)



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
DD1_Les
DD2_Les
DD3_Les
percent
intact
ulcerative
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100



CD3
CD4T
CD8T
Treg
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
ulcerative
-500
0
500
1000
1500
dist2DEJ (um)



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
DD1_Les
DD2_Les
DD3_Les
percent
intact
ulcerative
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
EB_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)



CD3
CD4T
CD8T
Treg
intact
EB_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)



EB_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
intact
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
EB_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)



CD3
CD4T
CD8T
Treg
intact
EB_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)



EB_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
intact
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500



CD3
CD4T
CD8T
Treg
intact
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
JK1_Les
JK2_Les
JK3_Les
percent
intact
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
intact
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100



CD3
CD4T
CD8T
Treg
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
-500
0
500
1000
1500
dist2DEJ (um)



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
JK1_Les
JK2_Les
JK3_Les
percent
intact
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2skin (um)



CD3
CD4T
CD8T
Treg
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2skin (um)



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
JM1_Les
JM2_Les
JM3_Les
percent
intact
ulcerative
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2DEJ (um)



CD3
CD4T
CD8T
Treg
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
JM1_Les
JM2_Les
JM3_Les
percent
intact
ulcerative
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
JT_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)



CD3
CD4T
CD8T
Treg
intact
JT_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)



JT_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
intact
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
JT_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)



JT_Les
Cells/100x100 um2
0
20
40
60
80
100
CD3
CD4T
CD8T
Treg
intact
-500
0
500
1000
1500
dist2DEJ (um)



JT_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
intact
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)



CD3
CD4T
CD8T
Treg
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)



LD_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
intact
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
LD_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)



CD3
CD4T
CD8T
Treg
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)



LD_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
intact
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
dist2skin (um)



CD3
CD4T
CD8T
Treg
intact
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
LG1_Les
LG2_Les
LG3_Les
percent
intact
ulcerative
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)



CD3
CD4T
CD8T
Treg
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
ulcerative
-500
0
500
1000
1500
dist2DEJ (um)



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
LG1_Les
LG2_Les
LG3_Les
percent
intact
ulcerative
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)



LM_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
intact
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
LM_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)



CD3
CD4T
CD8T
Treg
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)



LM_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
intact
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500



CD3
CD4T
CD8T
Treg
intact
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
LS1_Les
LS2_Les
LS3_Les
percent
intact
dist2skin (um)



CD3
CD11c
CD123
CD15
CD56
CD68
LS1_Les
LS2_Les
LS3_Les
intact
Cells/100x100 um2
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100



CD3
CD4T
CD8T
Treg
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
intact
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
LS1_Les
LS2_Les
LS3_Les
percent
intact
dist2DEJ (um)



CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
SK1_Les
SK2_Les
SK3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2DEJ (um)



CD3
CD4T
CD8T
Treg
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0 20 40 60 80 100
intact
ulcerative
-500 0 500 1000 1500
dist2DEJ (um)



Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD4T/CD8T
SK1_Les
SK2_Les
SK3_Les
percent
intact
ulcerative
dist2DEJ (um)

Markers comparison - select slides

In this subsection, there is one figure showing 13 representative slides. Some observations:


- The CD15 dist2skin peak in DD/lesion is near skin while the corresponding dist2DEJ peak is near DEJ is due to the fact that the DEJ line is very curvy.



intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100um^2
dist2skin (um)
dist2DEJ (um)
CD3
CD11c
CD123
CD15
CD56
CD68



intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100um2
CD3
CD4T
CD8T
Treg
dist2skin (um)
dist2DEJ (um)


Markers comparison - all slides


In this subsection, each figure shows all slides from a single biopsy.



intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
CD3
CD4T
CD8T
Treg
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
CJ1_Les
CJ2_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
CJ1_Les
CJ2_Les
Cells/100x100 um2
CD3
CD4T
CD8T
Treg
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
EB_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
CD3
CD4T
CD8T
Treg
EB_Les
Cells/100x100 um2
0
20
60
100
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
JT_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
CD3
CD4T
CD8T
Treg
JT_Les
Cells/100x100 um2
0
20
60
100
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
LD_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
CD3
CD4T
CD8T
Treg
LD_Les
Cells/100x100 um2
0
20
60
100
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
CD3
CD4T
CD8T
Treg
dist2skin (um)
dist2DEJ (um)



intact
intact
ulcerative
ulcerative
LM_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CD3
CD4T
CD8T
Treg
LM_Les
Cells/100x100 um2
0
20
60
100
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
CD3
CD4T
CD8T
Treg
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
CD3
CD4T
CD8T
Treg
dist2skin (um)
dist2DEJ (um)

Tables by markers

Table 2: CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1915	38853			
CF_Les_avg	1467	34125	2492	45888	83972
CJ_Les_avg	310	11336			
DD_Les_avg	1828	27617	711	16939	47095
EB_Les_avg	575	52266			
JK_Les_avg	41	1747			
JM_Les_avg	890	25304	916	46612	73723
JT_Les_avg	410	5146			
LD_Les_avg	2094	23659			
LG_Les_avg	558	12381	793	16001	29733
LM_Les_avg	646	43993			
LS_Les_avg	1491	39107			
SK_Les_avg	886	14430	1889	8222	25427

Table 3: CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1915	21709			
CF_Les_avg	1467	21136	2492	29117	54211
CJ_Les_avg	310	5442			
DD_Les_avg	1828	21989	711	11483	36010
EB_Les_avg	575	26876			
JK_Les_avg	41	1157			
JM_Les_avg	890	21438	916	24492	47736
JT_Les_avg	410	4707			
LD_Les_avg	2094	22030			
LG_Les_avg	558	8741	793	11484	21576
LM_Les_avg	646	25506			
LS_Les_avg	1491	20054			
SK_Les_avg	886	12626	1889	4649	20050

Table 4: CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	36633		
CF_Les_avg	30886	40371	71257
CJ_Les_avg	8894		
DD_Les_avg	31896	17519	49415
EB_Les_avg	45277		
JK_Les_avg	1804		
JM_Les_avg	30095	43011	73106
JT_Les_avg	5519		
LD_Les_avg	29572		
LG_Les_avg	13847	16465	30312
LM_Les_avg	42423		
LS_Les_avg	30250		
SK_Les_avg	18723	12059	30782

Table 5: CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	15239		
CF_Les_avg	12122	11144	23267
CJ_Les_avg	2626		
DD_Les_avg	5331	2324	7655
EB_Les_avg	14733		
JK_Les_avg	832		
JM_Les_avg	16607	15069	31676
JT_Les_avg	5209		
LD_Les_avg	17415		
LG_Les_avg	8756	9456	18212
LM_Les_avg	18316		
LS_Les_avg	12270		
SK_Les_avg	10432	4481	14913

Table 6: CD11c, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1892	18036			
CF_Les_avg	4012	52179	10158	45079	111429
CJ_Les_avg	528	17294			
DD_Les_avg	6484	42021	30813	47220	126538
EB_Les_avg	257	34015			
JK_Les_avg	585	20015			
JM_Les_avg	3823	24504	7293	56790	92410
JT_Les_avg	107	5045			
LD_Les_avg	212	22060			
LG_Les_avg	1934	22126	7543	44710	76314
LM_Les_avg	871	34376			
LS_Les_avg	3622	25488			
SK_Les_avg	1744	20969	13606	23970	60289

Table 7: CD11c, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1892	10634			
CF_Les_avg	4012	28034	10158	22728	64933
CJ_Les_avg	528	9266			
DD_Les_avg	6484	25942	30813	29173	92412
EB_Les_avg	257	17398			
JK_Les_avg	585	12637			
JM_Les_avg	3823	19840	7293	42335	73291
JT_Les_avg	107	4627			
LD_Les_avg	212	17765			
LG_Les_avg	1934	14328	7543	30664	54469
LM_Les_avg	871	19770			
LS_Les_avg	3622	13877			
SK_Les_avg	1744	15311	13606	14831	45493

Table 8: CD11c, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	19204		
CF_Les_avg	45563	40808	86371
CJ_Les_avg	14960		
DD_Les_avg	44405	61945	106350
EB_Les_avg	29777		
JK_Les_avg	19849		
JM_Les_avg	32713	66497	99210
JT_Les_avg	5181		
LD_Les_avg	23725		
LG_Les_avg	23958	52808	76766
LM_Les_avg	32881		
LS_Les_avg	24928		
SK_Les_avg	25785	39531	65316

Table 9: CD11c, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	9664		
CF_Les_avg	17926	20374	38301
CJ_Les_avg	5820		
DD_Les_avg	15630	30324	45954
EB_Les_avg	10251		
JK_Les_avg	6088		
JM_Les_avg	20624	41023	61647
JT_Les_avg	4871		
LD_Les_avg	6674		
LG_Les_avg	13940	31685	45626
LM_Les_avg	15070		
LS_Les_avg	12202		
SK_Les_avg	13229	21114	34343

Table 10: CD123, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	806	11191			
CF_Les_avg	1631	26597	2768	15980	46976
CJ_Les_avg	71	7514			
DD_Les_avg	4433	26913	6276	33921	71543
EB_Les_avg	199	21263			
JK_Les_avg	40	3090			
JM_Les_avg	920	13016	3566	43661	61162
JT_Les_avg	40	3957			
LD_Les_avg	74	12947			
LG_Les_avg	210	3696	4437	11243	19586
LM_Les_avg	49	6953			
LS_Les_avg	682	7296			
SK_Les_avg	360	8513	4810	13121	26804

Table 11: CD123, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	806	6580			
CF_Les_avg	1631	17818	2768	10528	32746
CJ_Les_avg	71	4004			
DD_Les_avg	4433	23105	6276	26527	60341
EB_Les_avg	199	11761			
JK_Les_avg	40	1258			
JM_Les_avg	920	11156	3566	36479	52120
JT_Les_avg	40	3403			
LD_Les_avg	74	12073			
LG_Les_avg	210	2758	4437	10174	17579
LM_Les_avg	49	4488			
LS_Les_avg	682	4203			
SK_Les_avg	360	7344	4810	8445	20959

Table 12: CD123, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	11412		
CF_Les_avg	27073	16722	43796
CJ_Les_avg	6386		
DD_Les_avg	39136	45100	84236
EB_Les_avg	19228		
JK_Les_avg	2533		
JM_Les_avg	16224	50252	66476
JT_Les_avg	3797		
LD_Les_avg	14110		
LG_Les_avg	4281	19239	23520
LM_Les_avg	6703		
LS_Les_avg	6788		
SK_Les_avg	11892	22829	34721

Table 13: CD123, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	5664		
CF_Les_avg	11973	7901	19874
CJ_Les_avg	2104		
DD_Les_avg	13585	14918	28503
EB_Les_avg	8024		
JK_Les_avg	1034		
JM_Les_avg	11394	35686	47080
JT_Les_avg	3502		
LD_Les_avg	5228		
LG_Les_avg	2966	17741	20707
LM_Les_avg	3289		
LS_Les_avg	3356		
SK_Les_avg	6051	11511	17562

Table 14: CD15, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	10	1990			
CF_Les_avg	1442	15778	10037	3842	31100
CJ_Les_avg	4	252			
DD_Les_avg	1131	5885	32161	9311	48487
EB_Les_avg	36	997			
JK_Les_avg	832	9915			
JM_Les_avg	125	477	2312	2337	5251
JT_Les_avg	17	1063			
LD_Les_avg	48	1921			
LG_Les_avg	13	3220	143	403	3780
LM_Les_avg	179	1878			
LS_Les_avg	49	124			
SK_Les_avg	696	4004	15051	6516	26266

Table 15: CD15, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	10	831			
CF_Les_avg	1442	11704	10037	3092	26274
CJ_Les_avg	4	200			
DD_Les_avg	1131	5772	32161	8798	47861
EB_Les_avg	36	711			
JK_Les_avg	832	4720			
JM_Les_avg	125	312	2312	2177	4926
JT_Les_avg	17	781			
LD_Les_avg	48	1199			
LG_Les_avg	13	1159	143	251	1566
LM_Les_avg	179	1620			
LS_Les_avg	49	104			
SK_Les_avg	696	3238	15051	5117	24102

Table 16: CD15, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	1583		
CF_Les_avg	18028	11956	29984
CJ_Les_avg	276		
DD_Les_avg	8567	38625	47192
EB_Les_avg	1026		
JK_Les_avg	8964		
JM_Les_avg	510	4589	5100
JT_Les_avg	1053		
LD_Les_avg	1437		
LG_Les_avg	2769	568	3337
LM_Les_avg	2291		
LS_Les_avg	135		
SK_Les_avg	6000	16375	22374

Table 17: CD15, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	532		
CF_Les_avg	7152	9871	17022
CJ_Les_avg	130		
DD_Les_avg	1329	30567	31896
EB_Les_avg	584		
JK_Les_avg	1011		
JM_Les_avg	398	4235	4632
JT_Les_avg	736		
LD_Les_avg	958		
LG_Les_avg	911	382	1293
LM_Les_avg	2002		
LS_Les_avg	80		
SK_Les_avg	3226	11427	14653

Table 18: CD56, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	129	4315			
CF_Les_avg	137	2316	253	4217	6923
CJ_Les_avg	34	4732			
DD_Les_avg	201	2536	68	1956	4761
EB_Les_avg	30	4827			
JK_Les_avg	11	745			
JM_Les_avg	445	3002	239	4491	8178
JT_Les_avg	35	746			
LD_Les_avg	179	997			
LG_Les_avg	67	2085	39	2182	4373
LM_Les_avg	124	4079			
LS_Les_avg	216	3658			
SK_Les_avg	102	1752	91	1830	3776

Table 19: CD56, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	129	2064			
CF_Les_avg	137	1376	253	2792	4558
CJ_Les_avg	34	1592			
DD_Les_avg	201	1694	68	1126	3089
EB_Les_avg	30	2508			
JK_Les_avg	11	432			
JM_Les_avg	445	2594	239	2641	5918
JT_Les_avg	35	596			
LD_Les_avg	179	978			
LG_Les_avg	67	1146	39	1459	2712
LM_Les_avg	124	2413			
LS_Les_avg	216	1234			
SK_Les_avg	102	1573	91	1194	2960

Table 20: CD56, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	4050		
CF_Les_avg	2031	3872	5903
CJ_Les_avg	3327		
DD_Les_avg	2359	1404	3763
EB_Les_avg	4245		
JK_Les_avg	730		
JM_Les_avg	4311	4481	8792
JT_Les_avg	722		
LD_Les_avg	1492		
LG_Les_avg	2149	2195	4344
LM_Les_avg	3989		
LS_Les_avg	2605		
SK_Les_avg	2513	1784	4297

Table 21: CD56, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	1799		
CF_Les_avg	930	1403	2332
CJ_Les_avg	1030		
DD_Les_avg	322	63	384
EB_Les_avg	1460		
JK_Les_avg	321		
JM_Les_avg	2886	1741	4628
JT_Les_avg	685		
LD_Les_avg	949		
LG_Les_avg	1030	1028	2058
LM_Les_avg	1895		
LS_Les_avg	1076		
SK_Les_avg	1004	659	1664

Table 22: CD68, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1900	8056			
CF_Les_avg	7826	18920	0	0	26746
CJ_Les_avg	1326	10592			
DD_Les_avg	3148	15128	4807	21648	44730
EB_Les_avg	551	25910			
JK_Les_avg	2432	10486			
JM_Les_avg	2350	10562	7316	29718	49946
JT_Les_avg	1080	4081			
LD_Les_avg	968	6262			
LG_Les_avg	3112	8582	7797	10768	30259
LM_Les_avg	243	6450			
LS_Les_avg	3709	8147			
SK_Les_avg	2452	4524			

Table 23: CD68, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1900	5345			
CF_Les_avg	7826	13748	0	0	21574
CJ_Les_avg	1326	6144			
DD_Les_avg	3148	9559	4807	14124	31638
EB_Les_avg	551	14187			
JK_Les_avg	2432	5480			
JM_Les_avg	2350	9121	7316	25719	44506
JT_Les_avg	1080	3491			
LD_Les_avg	968	5774			
LG_Les_avg	3112	5843	7797	8632	25384
LM_Les_avg	243	4356			
LS_Les_avg	3709	5019			
SK_Les_avg	2452	3716			

Table 24: CD68, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	8813		
CF_Les_avg	28655	0	28655
CJ_Les_avg	10684		
DD_Les_avg	17060	23578	40638
EB_Les_avg	23472		
JK_Les_avg	12394		
JM_Les_avg	15849	39431	55280
JT_Les_avg	4920		
LD_Les_avg	8679		
LG_Les_avg	11854	20549	32402
LM_Les_avg	6937		
LS_Les_avg	11862		
SK_Les_avg	7665		

Table 25: CD68, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	5532		
CF_Les_avg	21744	0	21744
CJ_Les_avg	5338		
DD_Les_avg	6636	8364	14999
EB_Les_avg	9608		
JK_Les_avg	5700		
JM_Les_avg	10816	30605	41422
JT_Les_avg	4432		
LD_Les_avg	4987		
LG_Les_avg	8522	17599	26120
LM_Les_avg	3811		
LS_Les_avg	8344		
SK_Les_avg	5599		

Table 26: CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	959	42160			
CF1_Les	1787	46457	2077	54733	105054
CJ1_Les	539	11796			
DD1_Les	1741	35776	489	23291	61297
EB_Les	575	52266			
JK1_Les	50	1528			
JM1_Les	1067	39000	916	46612	87595
JT_Les	410	5146			
LD_Les	2094	23659			
LG2_Les	178	15736			
LM_Les	646	43993			
LS2_Les	1687	37773			
SK2_Les	1266	15300			

Table 27: CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	959	18495			
CF1_Les	1787	28050	2077	35313	67227
CJ1_Les	539	5266			
DD1_Les	1741	29554	489	14886	46670
EB_Les	575	26876			
JK1_Les	50	1192			
JM1_Les	1067	29760	916	24492	56235
JT_Les	410	4707			
LD_Les	2094	22030			
LG2_Les	178	8488			
LM_Les	646	25506			
LS2_Les	1687	19686			
SK2_Les	1266	12899			

Table 28: CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	32973		
CF1_Les	41338	47917	89255
CJ1_Les	9170		
DD1_Les	42345	17897	60242
EB_Les	45277		
JK1_Les	1708		
JM1_Les	40402	43011	83413
JT_Les	5519		
LD_Les	29572		
LG2_Les	15131		
LM_Les	42423		
LS2_Les	29439		
SK2_Les	17696		

Table 29: CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	13262		
CF1_Les	16177	13024	29201
CJ1_Les	2847		
DD1_Les	8367	889	9256
EB_Les	14733		
JK1_Les	984		
JM1_Les	20478	15069	35547
JT_Les	5209		
LD_Les	17415		
LG2_Les	6102		
LM_Les	18316		
LS2_Les	12917		
SK2_Les	8453		

Table 30: CD11c, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	92	13053			
CF1_Les	2907	52760	12230	45841	113738
CJ1_Les	394	16571			
DD1_Les	7205	53221	43754	66339	170519
EB_Les	257	34015			
JK1_Les	585	20015			
JM1_Les	2992	29925	7293	56790	97000
JT_Les	107	5045			
LD_Les	212	22060			
LG2_Les	348	20945			
LM_Les	871	34376			
LS2_Les	3296	25181			
SK2_Les	3213	24341			

Table 31: CD11c, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	92	6084			
CF1_Les	2907	29230	12230	25688	70055
CJ1_Les	394	8333			
DD1_Les	7205	34455	43754	41080	126494
EB_Les	257	17398			
JK1_Les	585	12637			
JM1_Les	2992	23720	7293	42335	76340
JT_Les	107	4627			
LD_Les	212	17765			
LG2_Les	348	11764			
LM_Les	871	19770			
LS2_Les	3296	12709			
SK2_Les	3213	16105			

Table 32: CD11c, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	11281		
CF1_Les	46476	46831	93307
CJ1_Les	13832		
DD1_Les	56559	84173	140732
EB_Les	29777		
JK1_Les	19849		
JM1_Les	38068	66497	104565
JT_Les	5181		
LD_Les	23725		
LG2_Les	19903		
LM_Les	32881		
LS2_Les	22370		
SK2_Les	26575		

Table 33: CD11c, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	4498		
CF1_Les	17394	24990	42384
CJ1_Les	4872		
DD1_Les	19472	42487	61959
EB_Les	10251		
JK1_Les	6088		
JM1_Les	22504	41023	63527
JT_Les	4871		
LD_Les	6674		
LG2_Les	10020		
LM_Les	15070		
LS2_Les	11140		
SK2_Les	11965		

Table 34: CD123, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	76	12564			
CF1_Les	590	25933	3150	14609	44282
CJ1_Les	32	7443			
DD1_Les	6258	36367	9729	52046	104400
EB_Les	199	21263			
JK1_Les	44	2360			
JM1_Les	1161	16718	3566	43661	65106
JT_Les	40	3957			
LD_Les	74	12947			
LG2_Les	15	3668			
LM_Les	49	6953			
LS2_Les	1030	9718			
SK2_Les	387	3002			

Table 35: CD123, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	76	6422			
CF1_Les	590	15047	3150	10262	29049
CJ1_Les	32	3818			
DD1_Les	6258	32276	9729	36635	84898
EB_Les	199	11761			
JK1_Les	44	1103			
JM1_Les	1161	14268	3566	36479	55474
JT_Les	40	3403			
LD_Les	74	12073			
LG2_Les	15	2296			
LM_Les	49	4488			
LS2_Les	1030	5672			
SK2_Les	387	2460			

Table 36: CD123, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	10944		
CF1_Les	22277	16962	39239
CJ1_Les	6188		
DD1_Les	52739	53785	106524
EB_Les	19228		
JK1_Les	2313		
JM1_Les	21110	50252	71362
JT_Les	3797		
LD_Les	14110		
LG2_Les	3525		
LM_Les	6703		
LS2_Les	9089		
SK2_Les	3729		

Table 37: CD123, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	4858		
CF1_Les	7277	9299	16576
CJ1_Les	1911		
DD1_Les	18649	15618	34267
EB_Les	8024		
JK1_Les	995		
JM1_Les	15290	35686	50976
JT_Les	3502		
LD_Les	5228		
LG2_Les	1772		
LM_Les	3289		
LS2_Les	4720		
SK2_Les	1774		

Table 38: CD15, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	10	1990			
CF1_Les	43	16362	10037	3842	30284
CJ1_Les	2	394			
DD1_Les	2180	4354	39371	12121	58026
EB_Les	36	997			
JK1_Les	1646	13542			
JM1_Les	22	618	2312	2337	5289
JT_Les	17	1063			
LD_Les	48	1921			
LG2_Les	3	6002			
LM_Les	179	1878			
LS2_Les	12	87			
SK2_Les	1185	3456			

Table 39: CD15, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	10	831			
CF1_Les	43	10521	10037	3092	23693
CJ1_Les	2	317			
DD1_Les	2180	4296	39371	10928	56775
EB_Les	36	711			
JK1_Les	1646	6863			
JM1_Les	22	404	2312	2177	4915
JT_Les	17	781			
LD_Les	48	1199			
LG2_Les	3	1966			
LM_Les	179	1620			
LS2_Les	12	72			
SK2_Les	1185	2332			

Table 40: CD15, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	1583		
CF1_Les	15442	11956	27398
CJ1_Les	443		
DD1_Les	6630	43860	50490
EB_Les	1026		
JK1_Les	11476		
JM1_Les	614	4589	5203
JT_Les	1053		
LD_Les	1437		
LG2_Les	5045		
LM_Les	2291		
LS2_Les	97		
SK2_Les	4528		

Table 41: CD15, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	532		
CF1_Les	3428	9871	13299
CJ1_Les	203		
DD1_Les	1396	34433	35829
EB_Les	584		
JK1_Les	1262		
JM1_Les	518	4235	4753
JT_Les	736		
LD_Les	958		
LG2_Les	1485		
LM_Les	2002		
LS2_Les	40		
SK2_Les	2936		

Table 42: CD56, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	61	3287			
CF1_Les	271	3328	253	4217	8069
CJ1_Les	34	4732			
DD1_Les	131	3511	8	2359	6009
EB_Les	30	4827			
JK1_Les	11	745			
JM1_Les	465	3362	239	4491	8557
JT_Les	35	746			
LD_Les	179	997			
LG2_Les	24	3145			
LM_Les	124	4079			
LS2_Les	119	2519			
SK2_Les	136	931			

Table 43: CD56, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	61	1606			
CF1_Les	271	2133	253	2792	5449
CJ1_Les	34	1592			
DD1_Les	131	2563	8	1389	4091
EB_Les	30	2508			
JK1_Les	11	432			
JM1_Les	465	2801	239	2641	6146
JT_Les	35	596			
LD_Les	179	978			
LG2_Les	24	1411			
LM_Les	124	2413			
LS2_Les	119	678			
SK2_Les	136	665			

Table 44: CD56, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	3115		
CF1_Les	3184	3872	7056
CJ1_Les	3327		
DD1_Les	3398	1656	5054
EB_Les	4245		
JK1_Les	730		
JM1_Les	4550	4481	9031
JT_Les	722		
LD_Les	1492		
LG2_Les	2959		
LM_Les	3989		
LS2_Les	1612		
SK2_Les	1085		

Table 45: CD56, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	1304		
CF1_Les	1743	1403	3146
CJ1_Les	1030		
DD1_Les	219	36	255
EB_Les	1460		
JK1_Les	321		
JM1_Les	3001	1741	4742
JT_Les	685		
LD_Les	949		
LG2_Les	958		
LM_Les	1895		
LS2_Les	613		
SK2_Les	601		

Table 46: CD68, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1900	8056			
CF1_Les	7300	22311	0	0	29611
CJ1_Les	1789	11190			
DD1_Les	3040	16217	6153	30047	55457
EB_Les	551	25910			
JK1_Les	2983	11112			
JM1_Les	2008	13678	7316	29718	52720
JT_Les	1080	4081			
LD_Les	968	6262			
LG2_Les	3281	11030			
LM_Les	243	6450			
LS2_Les	3155	9133			
SK2_Les	1764	4916			

Table 47: CD68, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1900	5345			
CF1_Les	7300	16102	0	0	23402
CJ1_Les	1789	6030			
DD1_Les	3040	11068	6153	19121	39382
EB_Les	551	14187			
JK1_Les	2983	4668			
JM1_Les	2008	11438	7316	25719	46481
JT_Les	1080	3491			
LD_Les	968	5774			
LG2_Les	3281	7090			
LM_Les	243	4356			
LS2_Les	3155	5573			
SK2_Les	1764	3761			

Table 48: CD68, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	8813		
CF1_Les	32016	0	32016
CJ1_Les	11458		
DD1_Les	18972	29688	48660
EB_Les	23472		
JK1_Les	13339		
JM1_Les	19083	39431	58514
JT_Les	4920		
LD_Les	8679		
LG2_Les	13419		
LM_Les	6937		
LS2_Les	11565		
SK2_Les	7072		

Table 49: CD68, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	5532		
CF1_Les	23591	0	23591
CJ1_Les	5731		
DD1_Les	7207	9330	16537
EB_Les	9608		
JK1_Les	5348		
JM1_Les	12991	30605	43596
JT_Les	4432		
LD_Les	4987		
LG2_Les	8920		
LM_Les	3811		
LS2_Les	7597		
SK2_Les	4520		

Table 50: CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1915	38853			
CF_Les_avg	1467	34125	2492	45888	83972
CJ_Les_avg	310	11336			
DD_Les_avg	1828	27617	711	16939	47095
EB_Les_avg	575	52266			
JK_Les_avg	41	1747			
JM_Les_avg	890	25304	916	46612	73723
JT_Les_avg	410	5146			
LD_Les_avg	2094	23659			
LG_Les_avg	558	12381	793	16001	29733
LM_Les_avg	646	43993			
LS_Les_avg	1491	39107			
SK_Les_avg	886	14430	1889	8222	25427

Table 51: CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1915	21709			
CF_Les_avg	1467	21136	2492	29117	54211
CJ_Les_avg	310	5442			
DD_Les_avg	1828	21989	711	11483	36010
EB_Les_avg	575	26876			
JK_Les_avg	41	1157			
JM_Les_avg	890	21438	916	24492	47736
JT_Les_avg	410	4707			
LD_Les_avg	2094	22030			
LG_Les_avg	558	8741	793	11484	21576
LM_Les_avg	646	25506			
LS_Les_avg	1491	20054			
SK_Les_avg	886	12626	1889	4649	20050

Table 52: CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	36633		
CF_Les_avg	30886	40371	71257
CJ_Les_avg	8894		
DD_Les_avg	31896	17519	49415
EB_Les_avg	45277		
JK_Les_avg	1804		
JM_Les_avg	30095	43011	73106
JT_Les_avg	5519		
LD_Les_avg	29572		
LG_Les_avg	13847	16465	30312
LM_Les_avg	42423		
LS_Les_avg	30250		
SK_Les_avg	18723	12059	30782

Table 53: CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	15239		
CF_Les_avg	12122	11144	23267
CJ_Les_avg	2626		
DD_Les_avg	5331	2324	7655
EB_Les_avg	14733		
JK_Les_avg	832		
JM_Les_avg	16607	15069	31676
JT_Les_avg	5209		
LD_Les_avg	17415		
LG_Les_avg	8756	9456	18212
LM_Les_avg	18316		
LS_Les_avg	12270		
SK_Les_avg	10432	4481	14913

Table 54: CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	529	22728			
CF_Les_avg	488	16122	541	19961	37112
CJ_Les_avg	186	6784			
DD_Les_avg	649	17437	244	10645	28976
EB_Les_avg	297	34412			
JK_Les_avg	13	1123			
JM_Les_avg	444	18440	293	29722	48900
JT_Les_avg	196	2846			
LD_Les_avg	375	5977			
LG_Les_avg	219	7622	246	9264	17351
LM_Les_avg	193	35354			
LS_Les_avg	737	26915			
SK_Les_avg	366	9382	621	5289	15658

Table 55: CD4T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	529	11934			
CF_Les_avg	488	9421	541	10606	21056
CJ_Les_avg	186	3354			
DD_Les_avg	649	14110	244	6712	21716
EB_Les_avg	297	18014			
JK_Les_avg	13	799			
JM_Les_avg	444	15016	293	15866	31619
JT_Les_avg	196	2639			
LD_Les_avg	375	5212			
LG_Les_avg	219	5363	246	6350	12178
LM_Les_avg	193	20663			
LS_Les_avg	737	13163			
SK_Les_avg	366	8334	621	3141	12462

Table 56: CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	20206		
CF_Les_avg	13697	14111	27808
CJ_Les_avg	5400		
DD_Les_avg	19277	9339	28616
EB_Les_avg	29975		
JK_Les_avg	1153		
JM_Les_avg	20588	27287	47874
JT_Les_avg	3014		
LD_Les_avg	7020		
LG_Les_avg	8204	9044	17248
LM_Les_avg	33641		
LS_Les_avg	19562		
SK_Les_avg	11888	6875	18763

Table 57: CD4T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	6547		
CF_Les_avg	5355	2884	8239
CJ_Les_avg	1536		
DD_Les_avg	2118	379	2498
EB_Les_avg	9614		
JK_Les_avg	522		
JM_Les_avg	10998	8882	19880
JT_Les_avg	2918		
LD_Les_avg	3329		
LG_Les_avg	4928	5092	10020
LM_Les_avg	14217		
LS_Les_avg	8014		
SK_Les_avg	6255	1832	8087

Table 58: CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1212	11798			
CF_Les_avg	601	13322	1235	27747	42904
CJ_Les_avg	50	2987			
DD_Les_avg	683	7988	185	4917	13772
EB_Les_avg	144	16216			
JK_Les_avg	26	192			
JM_Les_avg	338	5970	228	11493	18029
JT_Les_avg	191	1501			
LD_Les_avg	682	2790			
LG_Les_avg	259	5577	328	6839	13003
LM_Les_avg	208	7491			
LS_Les_avg	385	7758			
SK_Les_avg	252	3674	621	5289	9837

Table 59: CD8T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1212	6762			
CF_Les_avg	601	8267	1235	17366	27469
CJ_Les_avg	50	1418			
DD_Les_avg	683	6445	185	2991	10304
EB_Les_avg	144	8200			
JK_Les_avg	26	178			
JM_Les_avg	338	5434	228	6450	12451
JT_Les_avg	191	1319			
LD_Les_avg	682	2790			
LG_Les_avg	259	4037	328	5002	9626
LM_Les_avg	208	4143			
LS_Les_avg	385	3913			
SK_Les_avg	252	3521	621	3141	7535

Table 60: CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	12194		
CF_Les_avg	11915	23854	35769
CJ_Les_avg	2284		
DD_Les_avg	9563	4361	13924
EB_Les_avg	13781		
JK_Les_avg	259		
JM_Les_avg	8015	11528	19543
JT_Les_avg	1645		
LD_Les_avg	4482		
LG_Les_avg	6276	7060	13336
LM_Les_avg	7428		
LS_Les_avg	6047		
SK_Les_avg	5673	6875	12548

Table 61: CD8T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	5760		
CF_Les_avg	4904	6400	11304
CJ_Les_avg	575		
DD_Les_avg	1537	242	1780
EB_Les_avg	4338		
JK_Les_avg	201		
JM_Les_avg	5214	4085	9299
JT_Les_avg	1524		
LD_Les_avg	3241		
LG_Les_avg	3906	3960	7865
LM_Les_avg	2788		
LS_Les_avg	2673		
SK_Les_avg	3565	1832	5397

Table 62: Treg, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	93	881			
CF_Les_avg	118	828	90	1524	2560
CJ_Les_avg	14	382			
DD_Les_avg	140	758	26	1008	1932
EB_Les_avg	8	278			
JK_Les_avg	4	124			
JM_Les_avg	94	1164	65	1426	2749
JT_Les_avg	8	309			
LD_Les_avg	29	95			
LG_Les_avg	38	392	32	580	1042
LM_Les_avg	11	420			
LS_Les_avg	193	2100			
SK_Les_avg	160	1158	172	409	1898

Table 63: Treg, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	93	578			
CF_Les_avg	118	514	90	872	1594
CJ_Les_avg	14	253			
DD_Les_avg	140	560	26	621	1347
EB_Les_avg	8	57			
JK_Les_avg	4	56			
JM_Les_avg	94	1081	65	1192	2432
JT_Les_avg	8	309			
LD_Les_avg	29	84			
LG_Les_avg	38	346	32	527	944
LM_Les_avg	11	175			
LS_Les_avg	193	1195			
SK_Les_avg	160	1120	172	313	1765

Table 64: Treg, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	1008		
CF_Les_avg	792	1238	2030
CJ_Les_avg	402		
DD_Les_avg	1007	809	1816
EB_Les_avg	190		
JK_Les_avg	104		
JM_Les_avg	1620	1635	3254
JT_Les_avg	339		
LD_Les_avg	162		
LG_Les_avg	535	678	1213
LM_Les_avg	421		
LS_Les_avg	1995		
SK_Les_avg	1841	1046	2887

Table 65: Treg, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	485		
CF_Les_avg	420	262	682
CJ_Les_avg	184		
DD_Les_avg	253	7	260
EB_Les_avg	53		
JK_Les_avg	66		
JM_Les_avg	978	778	1756
JT_Les_avg	329		
LD_Les_avg	111		
LG_Les_avg	444	590	1034
LM_Les_avg	119		
LS_Les_avg	1200		
SK_Les_avg	1385	393	1778

Table 66: CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	959	42160			
CF1_Les	1787	46457	2077	54733	105054
CJ1_Les	539	11796			
DD1_Les	1741	35776	489	23291	61297
EB_Les	575	52266			
JK1_Les	50	1528			
JM1_Les	1067	39000	916	46612	87595
JT_Les	410	5146			
LD_Les	2094	23659			
LG2_Les	178	15736			
LM_Les	646	43993			
LS2_Les	1687	37773			
SK2_Les	1266	15300			

Table 67: CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	959	18495			
CF1_Les	1787	28050	2077	35313	67227
CJ1_Les	539	5266			
DD1_Les	1741	29554	489	14886	46670
EB_Les	575	26876			
JK1_Les	50	1192			
JM1_Les	1067	29760	916	24492	56235
JT_Les	410	4707			
LD_Les	2094	22030			
LG2_Les	178	8488			
LM_Les	646	25506			
LS2_Les	1687	19686			
SK2_Les	1266	12899			

Table 68: CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	32973		
CF1_Les	41338	47917	89255
CJ1_Les	9170		
DD1_Les	42345	17897	60242
EB_Les	45277		
JK1_Les	1708		
JM1_Les	40402	43011	83413
JT_Les	5519		
LD_Les	29572		
LG2_Les	15131		
LM_Les	42423		
LS2_Les	29439		
SK2_Les	17696		

Table 69: CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	13262		
CF1_Les	16177	13024	29201
CJ1_Les	2847		
DD1_Les	8367	889	9256
EB_Les	14733		
JK1_Les	984		
JM1_Les	20478	15069	35547
JT_Les	5209		
LD_Les	17415		
LG2_Les	6102		
LM_Les	18316		
LS2_Les	12917		
SK2_Les	8453		

Table 70: CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	261	23916			
CF1_Les	657	20062	376	23560	44655
CJ1_Les	336	8324			
DD1_Les	548	27548	64	16819	44979
EB_Les	297	34412			
JK1_Les	15	952			
JM1_Les	448	25452	293	29722	55915
JT_Les	196	2846			
LD_Les	375	5977			
LG2_Les	89	11013			
LM_Les	193	35354			
LS2_Les	766	27162			
SK2_Les	584	10887			

Table 71: CD4T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	261	8893			
CF1_Les	657	11586	376	14676	27295
CJ1_Les	336	3738			
DD1_Les	548	22715	64	10408	33735
EB_Les	297	18014			
JK1_Les	15	772			
JM1_Les	448	19493	293	15866	36100
JT_Les	196	2639			
LD_Les	375	5212			
LG2_Les	89	6034			
LM_Les	193	20663			
LS2_Les	766	13596			
SK2_Les	584	9169			

Table 72: CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	17508		
CF1_Les	17122	19322	36444
CJ1_Les	6503		
DD1_Les	31084	12282	43366
EB_Les	29975		
JK1_Les	1076		
JM1_Les	26018	27287	53305
JT_Les	3014		
LD_Les	7020		
LG2_Les	10571		
LM_Les	33641		
LS2_Les	19808		
SK2_Les	12186		

Table 73: CD4T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	5154		
CF1_Les	6937	3847	10784
CJ1_Les	1929		
DD1_Les	3626	245	3871
EB_Les	9614		
JK1_Les	561		
JM1_Les	13020	8882	21902
JT_Les	2918		
LD_Les	3329		
LG2_Les	4144		
LM_Les	14217		
LS2_Les	8396		
SK2_Les	5578		

Table 74: CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	610	11146			
CF1_Les	782	20196	1041	30591	52610
CJ1_Les	86	3280			
DD1_Les	749	11266	71	7374	19460
EB_Les	144	16216			
JK1_Les	34	220			
JM1_Les	487	9352	228	11493	21560
JT_Les	191	1501			
LD_Les	682	2790			
LG2_Les	92	7024			
LM_Les	208	7491			
LS2_Les	348	6198			
SK2_Les	269	2035			

Table 75: CD8T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	610	5196			
CF1_Les	782	12933	1041	20170	34926
CJ1_Les	86	1487			
DD1_Les	749	9144	71	4319	14283
EB_Les	144	8200			
JK1_Les	34	220			
JM1_Les	487	7914	228	6450	15079
JT_Les	191	1319			
LD_Les	682	2790			
LG2_Les	92	4227			
LM_Les	208	4143			
LS2_Les	348	3178			
SK2_Les	269	1827			

Table 76: CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	9611		
CF1_Les	18491	27248	45739
CJ1_Les	2511		
DD1_Les	13332	5186	18518
EB_Les	13781		
JK1_Les	315		
JM1_Les	11124	11528	22652
JT_Les	1645		
LD_Les	4482		
LG2_Les	6853		
LM_Les	7428		
LS2_Les	4754		
SK2_Les	2538		

Table 77: CD8T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	4237		
CF1_Les	7919	7526	15445
CJ1_Les	622		
DD1_Les	2227	145	2372
EB_Les	4338		
JK1_Les	273		
JM1_Les	6822	4085	10907
JT_Les	1524		
LD_Les	3241		
LG2_Les	2797		
LM_Les	2788		
LS2_Les	2287		
SK2_Les	1578		

Table 78: Treg, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	30	1077			
CF1_Les	143	1301	60	1938	3442
CJ1_Les	14	382			
DD1_Les	112	1847	2	2425	4386
EB_Les	8	278			
JK1_Les	5	62			
JM1_Les	102	1441	65	1426	3034
JT_Les	8	309			
LD_Les	29	95			
LG2_Les	3	218			
LM_Les	11	420			
LS2_Les	120	1269			
SK2_Les	298	1251			

Table 79: Treg, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	30	473			
CF1_Les	143	810	60	983	1996
CJ1_Les	14	253			
DD1_Les	112	1448	2	1468	3030
EB_Les	8	57			
JK1_Les	5	62			
JM1_Les	102	1333	65	1192	2692
JT_Les	8	309			
LD_Les	29	84			
LG2_Les	3	134			
LM_Les	11	175			
LS2_Les	120	719			
SK2_Les	298	1201			

Table 80: Treg, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	800		
CF1_Les	1239	1357	2596
CJ1_Les	402		
DD1_Les	2214	1751	3965
EB_Les	190		
JK1_Les	90		
JM1_Les	1895	1635	3530
JT_Les	339		
LD_Les	162		
LG2_Les	221		
LM_Les	421		
LS2_Les	1138		
SK2_Les	1802		

Table 81: Treg, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	315		
CF1_Les	683	261	944
CJ1_Les	184		
DD1_Les	358	10	368
EB_Les	53		
JK1_Les	81		
JM1_Les	1098	778	1876
JT_Les	329		
LD_Les	111		
LG2_Les	80		
LM_Les	119		
LS2_Les	699		
SK2_Les	1241		

Table 82: Treg/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.05	0.02			
CF_Les_avg	0.08	0.02	0.04	0.03	0.17
CJ_Les_avg	0.05	0.03			
DD_Les_avg	0.08	0.03	0.04	0.06	0.2
EB_Les_avg	0.01	0.01			
JK_Les_avg	0.11	0.07			
JM_Les_avg	0.11	0.05	0.07	0.03	0.25
JT_Les_avg	0.02	0.06			
LD_Les_avg	0.01	0.00			
LG_Les_avg	0.07	0.03	0.04	0.04	0.18
LM_Les_avg	0.02	0.01			
LS_Les_avg	0.13	0.05			
SK_Les_avg	0.18	0.08	0.09	0.05	0.4

Table 83: Treg/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.05	0.03			
CF_Les_avg	0.08	0.02	0.04	0.03	0.17
CJ_Les_avg	0.05	0.05			
DD_Les_avg	0.08	0.03	0.04	0.05	0.19
EB_Les_avg	0.01	0.00			
JK_Les_avg	0.11	0.05			
JM_Les_avg	0.11	0.05	0.07	0.05	0.28
JT_Les_avg	0.02	0.07			
LD_Les_avg	0.01	0.00			
LG_Les_avg	0.07	0.04	0.04	0.05	0.19
LM_Les_avg	0.02	0.01			
LS_Les_avg	0.13	0.06			
SK_Les_avg	0.18	0.09	0.09	0.07	0.43

Table 84: Treg/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.03		
CF_Les_avg	0.03	0.03	0.06
CJ_Les_avg	0.05		
DD_Les_avg	0.03	0.05	0.08
EB_Les_avg	0.00		
JK_Les_avg	0.06		
JM_Les_avg	0.05	0.04	0.09
JT_Les_avg	0.06		
LD_Les_avg	0.01		
LG_Les_avg	0.04	0.04	0.08
LM_Les_avg	0.01		
LS_Les_avg	0.07		
SK_Les_avg	0.10	0.09	0.19

Table 85: Treg/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.03		
CF_Les_avg	0.03	0.02	0.06
CJ_Les_avg	0.07		
DD_Les_avg	0.05	0	0.05
EB_Les_avg	0.00		
JK_Les_avg	0.08		
JM_Les_avg	0.06	0.05	0.11
JT_Les_avg	0.06		
LD_Les_avg	0.01		
LG_Les_avg	0.05	0.06	0.11
LM_Les_avg	0.01		
LS_Les_avg	0.10		
SK_Les_avg	0.13	0.09	0.22

Table 86: Treg/CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.18	0.04			
CF_Les_avg	0.24	0.05	0.17	0.08	0.54
CJ_Les_avg	0.08	0.06			
DD_Les_avg	0.22	0.04	0.11	0.09	0.46
EB_Les_avg	0.03	0.01			
JK_Les_avg	0.36	0.11			
JM_Les_avg	0.21	0.06	0.22	0.05	0.54
JT_Les_avg	0.04	0.11			
LD_Les_avg	0.08	0.02			
LG_Les_avg	0.17	0.05	0.13	0.06	0.42
LM_Les_avg	0.06	0.01			
LS_Les_avg	0.26	0.08			
SK_Les_avg	0.44	0.12	0.28	0.08	0.91

Table 87: Treg/CD4T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.18	0.05			
CF_Les_avg	0.24	0.05	0.17	0.08	0.55
CJ_Les_avg	0.08	0.08			
DD_Les_avg	0.22	0.04	0.11	0.09	0.46
EB_Les_avg	0.03	0.00			
JK_Les_avg	0.36	0.07			
JM_Les_avg	0.21	0.07	0.22	0.08	0.58
JT_Les_avg	0.04	0.12			
LD_Les_avg	0.08	0.02			
LG_Les_avg	0.17	0.06	0.13	0.08	0.45
LM_Les_avg	0.06	0.01			
LS_Les_avg	0.26	0.09			
SK_Les_avg	0.44	0.13	0.28	0.1	0.95

Table 88: Treg/CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.05		
CF_Les_avg	0.06	0.09	0.15
CJ_Les_avg	0.07		
DD_Les_avg	0.05	0.09	0.14
EB_Les_avg	0.01		
JK_Les_avg	0.09		
JM_Les_avg	0.08	0.06	0.14
JT_Les_avg	0.11		
LD_Les_avg	0.02		
LG_Les_avg	0.07	0.07	0.14
LM_Les_avg	0.01		
LS_Les_avg	0.10		
SK_Les_avg	0.15	0.15	0.31

Table 89: Treg/CD4T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.07		
CF_Les_avg	0.08	0.09	0.17
CJ_Les_avg	0.12		
DD_Les_avg	0.12	0.02	0.14
EB_Les_avg	0.01		
JK_Les_avg	0.13		
JM_Les_avg	0.09	0.09	0.18
JT_Les_avg	0.11		
LD_Les_avg	0.03		
LG_Les_avg	0.09	0.12	0.21
LM_Les_avg	0.01		
LS_Les_avg	0.15		
SK_Les_avg	0.22	0.21	0.44

Table 90: Treg/CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.08	0.07			
CF_Les_avg	0.20	0.06	0.07	0.05	0.39
CJ_Les_avg	0.28	0.13			
DD_Les_avg	0.21	0.09	0.14	0.21	0.65
EB_Les_avg	0.06	0.02			
JK_Les_avg	0.17	0.65			
JM_Les_avg	0.28	0.20	0.29	0.12	0.88
JT_Les_avg	0.04	0.21			
LD_Les_avg	0.04	0.03			
LG_Les_avg	0.15	0.07	0.1	0.08	0.4
LM_Les_avg	0.05	0.06			
LS_Les_avg	0.50	0.27			
SK_Les_avg	0.63	0.32	0.28	0.08	1.3

Table 91: Treg/CD8T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.08	0.09			
CF_Les_avg	0.20	0.06	0.07	0.05	0.38
CJ_Les_avg	0.28	0.18			
DD_Les_avg	0.21	0.09	0.14	0.21	0.64
EB_Les_avg	0.06	0.01			
JK_Les_avg	0.17	0.31			
JM_Les_avg	0.28	0.20	0.29	0.18	0.95
JT_Les_avg	0.04	0.23			
LD_Les_avg	0.04	0.03			
LG_Les_avg	0.15	0.09	0.1	0.11	0.44
LM_Les_avg	0.05	0.04			
LS_Les_avg	0.50	0.31			
SK_Les_avg	0.63	0.32	0.28	0.1	1.33

Table 92: Treg/CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.08		
CF_Les_avg	0.07	0.05	0.12
CJ_Les_avg	0.18		
DD_Les_avg	0.11	0.19	0.29
EB_Les_avg	0.01		
JK_Les_avg	0.40		
JM_Les_avg	0.20	0.14	0.34
JT_Les_avg	0.21		
LD_Les_avg	0.04		
LG_Les_avg	0.09	0.1	0.18
LM_Les_avg	0.06		
LS_Les_avg	0.33		
SK_Les_avg	0.32	0.15	0.48

Table 93: Treg/CD8T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.08		
CF_Les_avg	0.09	0.04	0.13
CJ_Les_avg	0.32		
DD_Les_avg	0.16	0.03	0.19
EB_Les_avg	0.01		
JK_Les_avg	0.33		
JM_Les_avg	0.19	0.19	0.38
JT_Les_avg	0.22		
LD_Les_avg	0.03		
LG_Les_avg	0.11	0.15	0.26
LM_Les_avg	0.04		
LS_Les_avg	0.45		
SK_Les_avg	0.39	0.21	0.6

Table 94: CD4T/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.28	0.58			
CF_Les_avg	0.33	0.47	0.22	0.43	1.46
CJ_Les_avg	0.60	0.60			
DD_Les_avg	0.36	0.63	0.34	0.63	1.96
EB_Les_avg	0.52	0.66			
JK_Les_avg	0.31	0.64			
JM_Les_avg	0.50	0.73	0.32	0.64	2.18
JT_Les_avg	0.48	0.55			
LD_Les_avg	0.18	0.25			
LG_Les_avg	0.39	0.62	0.31	0.58	1.9
LM_Les_avg	0.30	0.80			
LS_Les_avg	0.49	0.69			
SK_Les_avg	0.41	0.65	0.33	0.64	2.04

Table 95: CD4T/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.28	0.55			
CF_Les_avg	0.33	0.45	0.22	0.36	1.36
CJ_Les_avg	0.60	0.62			
DD_Les_avg	0.36	0.64	0.34	0.58	1.93
EB_Les_avg	0.52	0.67			
JK_Les_avg	0.31	0.69			
JM_Les_avg	0.50	0.70	0.32	0.65	2.17
JT_Les_avg	0.48	0.56			
LD_Les_avg	0.18	0.24			
LG_Les_avg	0.39	0.61	0.31	0.55	1.87
LM_Les_avg	0.30	0.81			
LS_Les_avg	0.49	0.66			
SK_Les_avg	0.41	0.66	0.33	0.68	2.08

Table 96: CD4T/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.55		
CF_Les_avg	0.44	0.35	0.79
CJ_Les_avg	0.61		
DD_Les_avg	0.60	0.53	1.14
EB_Les_avg	0.66		
JK_Les_avg	0.64		
JM_Les_avg	0.68	0.63	1.32
JT_Les_avg	0.55		
LD_Les_avg	0.24		
LG_Les_avg	0.59	0.55	1.14
LM_Les_avg	0.79		
LS_Les_avg	0.65		
SK_Les_avg	0.63	0.57	1.21

Table 97: CD4T/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.43		
CF_Les_avg	0.44	0.26	0.7
CJ_Les_avg	0.58		
DD_Les_avg	0.40	0.16	0.56
EB_Les_avg	0.65		
JK_Les_avg	0.63		
JM_Les_avg	0.66	0.59	1.25
JT_Les_avg	0.56		
LD_Les_avg	0.19		
LG_Les_avg	0.56	0.54	1.1
LM_Les_avg	0.78		
LS_Les_avg	0.65		
SK_Les_avg	0.60	0.41	1.01

Table 98: CD8T/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.63	0.30			
CF_Les_avg	0.41	0.39	0.5	0.6	1.9
CJ_Les_avg	0.16	0.26			
DD_Les_avg	0.37	0.29	0.26	0.29	1.21
EB_Les_avg	0.25	0.31			
JK_Les_avg	0.63	0.11			
JM_Les_avg	0.38	0.24	0.25	0.25	1.11
JT_Les_avg	0.47	0.29			
LD_Les_avg	0.33	0.12			
LG_Les_avg	0.46	0.45	0.41	0.43	1.76
LM_Les_avg	0.32	0.17			
LS_Les_avg	0.26	0.20			
SK_Les_avg	0.28	0.25	0.33	0.64	1.51

Table 99: CD8T/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.63	0.31			
CF_Les_avg	0.41	0.39	0.5	0.6	1.89
CJ_Les_avg	0.16	0.26			
DD_Les_avg	0.37	0.29	0.26	0.26	1.19
EB_Les_avg	0.25	0.31			
JK_Les_avg	0.63	0.15			
JM_Les_avg	0.38	0.25	0.25	0.26	1.15
JT_Les_avg	0.47	0.28			
LD_Les_avg	0.33	0.13			
LG_Les_avg	0.46	0.46	0.41	0.44	1.78
LM_Les_avg	0.32	0.16			
LS_Les_avg	0.26	0.20			
SK_Les_avg	0.28	0.28	0.33	0.68	1.57

Table 100: CD8T/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.33		
CF_Les_avg	0.39	0.59	0.98
CJ_Les_avg	0.26		
DD_Les_avg	0.30	0.25	0.55
EB_Les_avg	0.30		
JK_Les_avg	0.14		
JM_Les_avg	0.27	0.27	0.53
JT_Les_avg	0.30		
LD_Les_avg	0.15		
LG_Les_avg	0.45	0.43	0.88
LM_Les_avg	0.18		
LS_Les_avg	0.20		
SK_Les_avg	0.30	0.57	0.87

Table 101: CD8T/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.38		
CF_Les_avg	0.40	0.57	0.98
CJ_Les_avg	0.22		
DD_Les_avg	0.29	0.1	0.39
EB_Les_avg	0.29		
JK_Les_avg	0.24		
JM_Les_avg	0.31	0.27	0.59
JT_Les_avg	0.29		
LD_Les_avg	0.19		
LG_Les_avg	0.45	0.42	0.86
LM_Les_avg	0.15		
LS_Les_avg	0.22		
SK_Les_avg	0.34	0.41	0.75

Table 102: CD4T/CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.44	1.93			
CF_Les_avg	0.81	1.21	0.44	0.72	3.18
CJ_Les_avg	3.67	2.27			
DD_Les_avg	0.95	2.18	1.32	2.17	6.62
EB_Les_avg	2.06	2.12			
JK_Les_avg	0.49	5.85			
JM_Les_avg	1.31	3.09	1.29	2.59	8.27
JT_Les_avg	1.03	1.90			
LD_Les_avg	0.55	2.14			
LG_Les_avg	0.84	1.37	0.75	1.35	4.32
LM_Les_avg	0.93	4.72			
LS_Les_avg	1.92	3.47			
SK_Les_avg	1.45	2.55	1	1	6.01

Table 103: CD4T/CD8T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.44	1.76			
CF_Les_avg	0.81	1.14	0.44	0.61	3
CJ_Les_avg	3.67	2.36			
DD_Les_avg	0.95	2.19	1.32	2.24	6.7
EB_Les_avg	2.06	2.20			
JK_Les_avg	0.49	4.48			
JM_Les_avg	1.31	2.76	1.29	2.46	7.82
JT_Les_avg	1.03	2.00			
LD_Les_avg	0.55	1.87			
LG_Les_avg	0.84	1.33	0.75	1.27	4.19
LM_Les_avg	0.93	4.99			
LS_Les_avg	1.92	3.36			
SK_Les_avg	1.45	2.37	1	1	5.82

Table 104: CD4T/CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	1.66		
CF_Les_avg	1.15	0.59	1.74
CJ_Les_avg	2.36		
DD_Les_avg	2.02	2.14	4.16
EB_Les_avg	2.18		
JK_Les_avg	4.45		
JM_Les_avg	2.57	2.37	4.94
JT_Les_avg	1.83		
LD_Les_avg	1.57		
LG_Les_avg	1.31	1.28	2.59
LM_Les_avg	4.53		
LS_Les_avg	3.23		
SK_Les_avg	2.10	1	3.1

Table 105: CD4T/CD8T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	1.14		
CF_Les_avg	1.09	0.45	1.54
CJ_Les_avg	2.67		
DD_Les_avg	1.38	1.57	2.94
EB_Les_avg	2.22		
JK_Les_avg	2.60		
JM_Les_avg	2.11	2.17	4.28
JT_Les_avg	1.91		
LD_Les_avg	1.03		
LG_Les_avg	1.26	1.29	2.55
LM_Les_avg	5.10		
LS_Les_avg	3.00		
SK_Les_avg	1.75	1	2.75

Table 106: Treg/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.03	0.03			
CF1_Les	0.08	0.03	0.03	0.04	0.17
CJ1_Les	0.03	0.03			
DD1_Les	0.06	0.05	0	0.1	0.22
EB_Les	0.01	0.01			
JK1_Les	0.10	0.04			
JM1_Les	0.10	0.04	0.07	0.03	0.23
JT_Les	0.02	0.06			
LD_Les	0.01	0.00			
LG2_Les	0.02	0.01			
LM_Les	0.02	0.01			
LS2_Les	0.07	0.03			
SK2_Les	0.24	0.08			

Table 107: Treg/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.03	0.03			
CF1_Les	0.08	0.03	0.03	0.03	0.17
CJ1_Les	0.03	0.05			
DD1_Les	0.06	0.05	0	0.1	0.22
EB_Les	0.01	0.00			
JK1_Les	0.10	0.05			
JM1_Les	0.10	0.04	0.07	0.05	0.26
JT_Les	0.02	0.07			
LD_Les	0.01	0.00			
LG2_Les	0.02	0.02			
LM_Les	0.02	0.01			
LS2_Les	0.07	0.04			
SK2_Les	0.24	0.09			

Table 108: Treg/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.02		
CF1_Les	0.03	0.03	0.06
CJ1_Les	0.04		
DD1_Les	0.05	0.1	0.15
EB_Les	0.00		
JK1_Les	0.05		
JM1_Les	0.05	0.04	0.08
JT_Les	0.06		
LD_Les	0.01		
LG2_Les	0.01		
LM_Les	0.01		
LS2_Les	0.04		
SK2_Les	0.10		

Table 109: Treg/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.02		
CF1_Les	0.04	0.02	0.06
CJ1_Les	0.06		
DD1_Les	0.04	0.01	0.05
EB_Les	0.00		
JK1_Les	0.08		
JM1_Les	0.05	0.05	0.11
JT_Les	0.06		
LD_Les	0.01		
LG2_Les	0.01		
LM_Les	0.01		
LS2_Les	0.05		
SK2_Les	0.15		

Table 110: Treg/CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.11	0.05			
CF1_Les	0.22	0.06	0.16	0.08	0.52
CJ1_Les	0.04	0.05			
DD1_Les	0.20	0.07	0.03	0.14	0.45
EB_Les	0.03	0.01			
JK1_Les	0.33	0.07			
JM1_Les	0.23	0.06	0.22	0.05	0.55
JT_Les	0.04	0.11			
LD_Les	0.08	0.02			
LG2_Les	0.03	0.02			
LM_Les	0.06	0.01			
LS2_Les	0.16	0.05			
SK2_Les	0.51	0.11			

Table 111: Treg/CD4T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.11	0.05			
CF1_Les	0.22	0.07	0.16	0.07	0.51
CJ1_Les	0.04	0.07			
DD1_Les	0.20	0.06	0.03	0.14	0.44
EB_Les	0.03	0.00			
JK1_Les	0.33	0.08			
JM1_Les	0.23	0.07	0.22	0.08	0.59
JT_Les	0.04	0.12			
LD_Les	0.08	0.02			
LG2_Les	0.03	0.02			
LM_Les	0.06	0.01			
LS2_Les	0.16	0.05			
SK2_Les	0.51	0.13			

Table 112: Treg/CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.05		
CF1_Les	0.07	0.07	0.14
CJ1_Les	0.06		
DD1_Les	0.07	0.14	0.21
EB_Les	0.01		
JK1_Les	0.08		
JM1_Les	0.07	0.06	0.13
JT_Les	0.11		
LD_Les	0.02		
LG2_Les	0.02		
LM_Les	0.01		
LS2_Les	0.06		
SK2_Les	0.15		

Table 113: Treg/CD4T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.06		
CF1_Les	0.10	0.07	0.17
CJ1_Les	0.10		
DD1_Les	0.10	0.04	0.14
EB_Les	0.01		
JK1_Les	0.14		
JM1_Les	0.08	0.09	0.17
JT_Les	0.11		
LD_Les	0.03		
LG2_Les	0.02		
LM_Les	0.01		
LS2_Les	0.08		
SK2_Les	0.22		

Table 114: Treg/CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.05	0.10			
CF1_Les	0.18	0.06	0.06	0.06	0.37
CJ1_Les	0.16	0.12			
DD1_Les	0.15	0.16	0.03	0.33	0.67
EB_Les	0.06	0.02			
JK1_Les	0.15	0.28			
JM1_Les	0.21	0.15	0.29	0.12	0.77
JT_Les	0.04	0.21			
LD_Les	0.04	0.03			
LG2_Les	0.03	0.03			
LM_Les	0.05	0.06			
LS2_Les	0.34	0.20			
SK2_Les	1.11	0.61			

Table 115: Treg/CD8T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.05	0.09			
CF1_Les	0.18	0.06	0.06	0.05	0.35
CJ1_Les	0.16	0.17			
DD1_Les	0.15	0.16	0.03	0.34	0.68
EB_Les	0.06	0.01			
JK1_Les	0.15	0.28			
JM1_Les	0.21	0.17	0.29	0.18	0.85
JT_Les	0.04	0.23			
LD_Les	0.04	0.03			
LG2_Les	0.03	0.03			
LM_Les	0.05	0.04			
LS2_Les	0.34	0.23			
SK2_Les	1.11	0.66			

Table 116: Treg/CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.08		
CF1_Les	0.07	0.05	0.12
CJ1_Les	0.16		
DD1_Les	0.17	0.34	0.5
EB_Les	0.01		
JK1_Les	0.29		
JM1_Les	0.17	0.14	0.31
JT_Les	0.21		
LD_Les	0.04		
LG2_Les	0.03		
LM_Les	0.06		
LS2_Les	0.24		
SK2_Les	0.71		

Table 117: Treg/CD8T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.07		
CF1_Les	0.09	0.03	0.12
CJ1_Les	0.30		
DD1_Les	0.16	0.07	0.23
EB_Les	0.01		
JK1_Les	0.30		
JM1_Les	0.16	0.19	0.35
JT_Les	0.22		
LD_Les	0.03		
LG2_Les	0.03		
LM_Les	0.04		
LS2_Les	0.31		
SK2_Les	0.79		

Table 118: CD4T/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.27	0.57			
CF1_Les	0.37	0.43	0.18	0.43	1.41
CJ1_Les	0.62	0.71			
DD1_Les	0.31	0.77	0.13	0.72	1.94
EB_Les	0.52	0.66			
JK1_Les	0.30	0.62			
JM1_Les	0.42	0.65	0.32	0.64	2.03
JT_Les	0.48	0.55			
LD_Les	0.18	0.25			
LG2_Les	0.50	0.70			
LM_Les	0.30	0.80			
LS2_Les	0.45	0.72			
SK2_Les	0.46	0.71			

Table 119: CD4T/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.27	0.48			
CF1_Les	0.37	0.41	0.18	0.42	1.38
CJ1_Les	0.62	0.71			
DD1_Les	0.31	0.77	0.13	0.7	1.91
EB_Les	0.52	0.67			
JK1_Les	0.30	0.65			
JM1_Les	0.42	0.66	0.32	0.65	2.04
JT_Les	0.48	0.56			
LD_Les	0.18	0.24			
LG2_Les	0.50	0.71			
LM_Les	0.30	0.81			
LS2_Les	0.45	0.69			
SK2_Les	0.46	0.71			

Table 120: CD4T/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.53		
CF1_Les	0.41	0.4	0.82
CJ1_Les	0.71		
DD1_Les	0.73	0.69	1.42
EB_Les	0.66		
JK1_Les	0.63		
JM1_Les	0.64	0.63	1.28
JT_Les	0.55		
LD_Les	0.24		
LG2_Les	0.70		
LM_Les	0.79		
LS2_Les	0.67		
SK2_Les	0.69		

Table 121: CD4T/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.39		
CF1_Les	0.43	0.3	0.72
CJ1_Les	0.68		
DD1_Les	0.43	0.28	0.71
EB_Les	0.65		
JK1_Les	0.57		
JM1_Les	0.64	0.59	1.23
JT_Les	0.56		
LD_Les	0.19		
LG2_Les	0.68		
LM_Les	0.78		
LS2_Les	0.65		
SK2_Les	0.66		

Table 122: CD8T/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.64	0.26			
CF1_Les	0.44	0.43	0.5	0.56	1.93
CJ1_Les	0.16	0.28			
DD1_Les	0.43	0.31	0.15	0.32	1.21
EB_Les	0.25	0.31			
JK1_Les	0.68	0.14			
JM1_Les	0.46	0.24	0.25	0.25	1.19
JT_Les	0.47	0.29			
LD_Les	0.33	0.12			
LG2_Les	0.52	0.45			
LM_Les	0.32	0.17			
LS2_Les	0.21	0.16			
SK2_Les	0.21	0.13			

Table 123: CD8T/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.64	0.28			
CF1_Les	0.44	0.46	0.5	0.57	1.97
CJ1_Les	0.16	0.28			
DD1_Les	0.43	0.31	0.15	0.29	1.17
EB_Les	0.25	0.31			
JK1_Les	0.68	0.18			
JM1_Les	0.46	0.27	0.25	0.26	1.23
JT_Les	0.47	0.28			
LD_Les	0.33	0.13			
LG2_Les	0.52	0.50			
LM_Les	0.32	0.16			
LS2_Les	0.21	0.16			
SK2_Les	0.21	0.14			

Table 124: CD8T/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.29		
CF1_Les	0.45	0.57	1.02
CJ1_Les	0.27		
DD1_Les	0.31	0.29	0.6
EB_Les	0.30		
JK1_Les	0.18		
JM1_Les	0.28	0.27	0.54
JT_Les	0.30		
LD_Les	0.15		
LG2_Les	0.45		
LM_Les	0.18		
LS2_Les	0.16		
SK2_Les	0.14		

Table 125: CD8T/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.32		
CF1_Les	0.49	0.58	1.07
CJ1_Les	0.22		
DD1_Les	0.27	0.16	0.43
EB_Les	0.29		
JK1_Les	0.28		
JM1_Les	0.33	0.27	0.6
JT_Les	0.29		
LD_Les	0.19		
LG2_Les	0.46		
LM_Les	0.15		
LS2_Les	0.18		
SK2_Les	0.19		

Table 126: CD4T/CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.43	2.15			
CF1_Les	0.84	0.99	0.36	0.77	2.96
CJ1_Les	3.91	2.54			
DD1_Les	0.73	2.45	0.9	2.28	6.36
EB_Les	2.06	2.12			
JK1_Les	0.44	4.33			
JM1_Les	0.92	2.72	1.29	2.59	7.51
JT_Les	1.03	1.90			
LD_Les	0.55	2.14			
LG2_Les	0.97	1.57			
LM_Les	0.93	4.72			
LS2_Les	2.20	4.38			
SK2_Les	2.17	5.35			

Table 127: CD4T/CD8T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.43	1.71			
CF1_Les	0.84	0.90	0.36	0.73	2.82
CJ1_Les	3.91	2.51			
DD1_Les	0.73	2.48	0.9	2.41	6.53
EB_Les	2.06	2.20			
JK1_Les	0.44	3.51			
JM1_Les	0.92	2.46	1.29	2.46	7.13
JT_Les	1.03	2.00			
LD_Les	0.55	1.87			
LG2_Les	0.97	1.43			
LM_Les	0.93	4.99			
LS2_Les	2.20	4.28			
SK2_Les	2.17	5.02			

Table 128: CD4T/CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	1.82		
CF1_Les	0.93	0.71	1.64
CJ1_Les	2.59		
DD1_Les	2.33	2.37	4.7
EB_Les	2.18		
JK1_Les	3.42		
JM1_Les	2.34	2.37	4.71
JT_Les	1.83		
LD_Les	1.57		
LG2_Les	1.54		
LM_Les	4.53		
LS2_Les	4.17		
SK2_Les	4.80		

Table 129: CD4T/CD8T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	1.22		
CF1_Les	0.88	0.51	1.39
CJ1_Les	3.10		
DD1_Les	1.63	1.69	3.32
EB_Les	2.22		
JK1_Les	2.05		
JM1_Les	1.91	2.17	4.08
JT_Les	1.91		
LD_Les	1.03		
LG2_Les	1.48		
LM_Les	5.10		
LS2_Les	3.67		
SK2_Les	3.53		

Tables by biopsies

For each slide, there is one table for up to 1000 um below DEJ.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	92	13053			90	1242			18	1372	0	0
CD123	76	12564			75	1225			15	1353	0	0
CD15	10	1990			10	176			2	195	0	0
CD279	354	15696			348	1316			69	1453	0	0
CD3	959	42160			944	3687			187	4071	0	0
CD4	472	34375			464	2931			92	3237	0	0
CD45	2032	66148			1701	6134			337	6773	0	0
CD56	61	3287			60	328			12	363	0	0
CD68	1900	8056			676	939			134	1037	0	0
CD68_raw	2177	7019			1246	845			247	933	0	0
CD69	1195	19755			1176	1736			233	1917	0	0
CD8	585	13988			575	1216			114	1343	0	0
Foxp3	30	924			30	84			6	93	0	0
Ki67	30	439			30	37			6	41	0	0
CD4T	261	23916			257	1942			51	2145	0	0
CD8T	610	11146			600	1012			119	1118	0	0
Treg	30	1077			30	92			6	102	0	0
Treg/CD3	0.03	0.03										
Treg/CD4T	0.11	0.05										
Treg/CD8T	0.05	0.10										
CD4T/CD3	0.27	0.57										
CD8T/CD3	0.64	0.26										
CD4T/CD8T	0.43	2.15										
Size of biopsy									0.20	1.10	0.00	0.00

Table 130: AS1_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	3692	23019			2052	2699			1396	7069	0	0
CD123	1535	9818			889	1191			605	3119	0	0
CD279	2279	13582			917	1525			624	3994	0	0
CD3	3525	33589			1887	3801			1284	9955	0	0
CD4	6013	25979			2403	2916			1635	7638	0	0
CD4_raw	6838	26655			3059	3063			2081	8021	0	0
CD8	2304	13076			1204	1497			819	3921	0	0
Foxp3	509	1334			197	161			134	423	0	0
CD4T	1075	19898			573	2205			390	5775	0	0
CD8T	2238	10628			1136	1228			773	3216	0	0
Treg	208	1134			86	153			59	401	0	0
Treg/CD3	0.06	0.03										
Treg/CD4T	0.19	0.06										
Treg/CD8T	0.09	0.11										
CD4T/CD3	0.30	0.59										
CD8T/CD3	0.63	0.32										
CD4T/CD8T	0.48	1.87										
Size of biopsy									0.68	2.62	0.00	0.00

Table 131: AS2_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD279	742	13267			569	1425			327	3620	0	0
CD3	1261	40809			1005	4276			578	10861	0	0
CD4	662	35977			525	3660			302	9296	0	0
CD56	197	5343			133	557			77	1416	0	0
CD8	1166	17642			936	1912			538	4858	0	0
Foxp3	186	779			142	100			82	256	0	0
CD4T	252	24371			210	2373			121	6027	0	0
CD8T	789	13620			635	1478			365	3756	0	0
Treg	42	431			36	51			21	130	0	0
Treg/CD3	0.03	0.01										
Treg/CD4T	0.17	0.02										
Treg/CD8T	0.05	0.03										
CD4T/CD3	0.20	0.60										
CD8T/CD3	0.63	0.33										
CD4T/CD8T	0.32	1.79										
Size of biopsy									0.57	2.54	0.00	0.00

Table 132: AS3_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	2907	52760	12230	45841	1443	5346	3886	4860	631	7926	1505	4139
CD123	590	25933	3150	14609	283	2630	1051	1710	124	3900	407	1457
CD15	43	16362	10037	3842	18	1659	2412	473	8	2460	934	403
CD279	744	10504	469	13459	363	1094	152	1466	159	1622	59	1249
CD3	1787	46457	2077	54733	926	4774	715	5919	405	7078	277	5041
CD4	1496	37276	1501	39378	764	3769	557	4095	334	5588	216	3488
CD45	2398	57788	7396	60701	1235	5868	2569	6503	540	8700	995	5538
CD56	271	3328	253	4217	146	356	92	474	64	529	36	404
CD68	7300	22311	0	0	3605	2495	0	0	1576	3700	0	0
CD8	2096	23813	1683	32354	677	2474	542	3511	296	3668	210	2990
Foxp3	257	2417	667	2749	96	234	211	260	42	348	82	222
Ki67	730	142	1677	88	386	13	519	7	169	20	201	6
CD4T	657	20062	376	23560	350	2043	142	2482	153	3029	55	2114
CD8T	782	20196	1041	30591	411	2116	351	3358	180	3138	136	2860
Treg	143	1301	60	1938	75	133	23	192	33	198	9	164
Treg/CD3	0.08	0.03	0.03	0.04								
Treg/CD4T	0.22	0.06	0.16	0.08								
Treg/CD8T	0.18	0.06	0.06	0.06								
CD4T/CD3	0.37	0.43	0.18	0.43								
CD8T/CD3	0.44	0.43	0.50	0.56								
CD4T/CD8T	0.84	0.99	0.36	0.77								
Size of biopsy									0.44	1.48	0.39	0.85

Table 133: CF1_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	5118	51598	8087	44317	1861	5285	2566	4205	1018	9592	752	1646
CD123	1518	38497	2387	17351	534	4183	798	2000	292	7591	234	783
CD279	895	10283	1455	11599	345	1110	518	1318	189	2016	152	516
CD3	1558	30921	2906	37044	603	3278	1034	4169	330	5949	303	1632
CD4	695	23029	1420	30291	248	2318	505	2598	136	4208	148	1017
CD8	1156	23975	2443	40968	481	2499	890	4169	263	4535	261	1632
Foxp3	60	1277	144	1381	20	131	44	153	11	239	13	60
CD4T	370	9569	706	16362	133	989	252	1221	73	1796	74	478
CD8T	622	13391	1429	24903	270	1426	522	2664	148	2589	153	1043
Treg	93	354	121	1110	21	37	44	122	12	68	13	48
Treg/CD3	0.06	0.01	0.04	0.03								
Treg/CD4T	0.25	0.04	0.17	0.07								
Treg/CD8T	0.15	0.03	0.08	0.04								
CD4T/CD3	0.24	0.31	0.24	0.44								
CD8T/CD3	0.40	0.43	0.49	0.67								
CD4T/CD8T	0.59	0.71	0.49	0.66								
Size of biopsy									0.55	1.81	0.29	0.39

Table 134: CF2_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD123	2786	15360			1901	1711			698	3776	0	0
CD15	2841	15195			1672	1637			614	3611	0	0
CD279	348	11177			231	1168			85	2577	0	0
CD3	1055	24997			716	2526			263	5572	0	0
CD4	2738	49454			1375	4926			505	10867	0	0
CD45	6687	57380			4123	5822			1514	12844	0	0
CD56	3	1304			2	126			1	279	0	0
CD68	8352	15530			4292	1677			1576	3700	0	0
CD69	1371	13272			697	1342			256	2961	0	0
CD8	1037	8995			544	880			200	1943	0	0
Foxp3	0	34			0	3			0	8	0	0
Ki67	4235	987			1310	111			481	245	0	0
CD4T	438	18735			305	1878			112	4143	0	0
CD8T	398	6378			261	623			96	1376	0	0
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.42	0.75										
CD8T/CD3	0.38	0.26										
CD4T/CD8T	1.10	2.94										
Size of biopsy									0.37	2.21	0.00	0.00

Table 135: CF5_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	394	16571			306	1621			157	3201	0	0
CD123	32	7443			25	729			13	1440	0	0
CD15	2	394			1	44			1	88	0	0
CD279	403	4267			275	425			141	841	0	0
CD3	539	11796			382	1097			196	2168	0	0
CD4	1145	24444			775	2457			397	4852	0	0
CD45	1466	38629			1033	3809			529	7523	0	0
CD56	34	4732			27	438			14	866	0	0
CD68	1789	11190			1134	1138			581	2248	0	0
CD68_raw	834	6154			513	620			263	1226	0	0
CD69	576	9179			378	879			194	1736	0	0
CD8	115	4304			85	394			44	779	0	0
Foxp3	43	931			17	92			9	183	0	0
Ki67	683	480			501	46			257	91	0	0
CD4T	336	8324			238	779			122	1540	0	0
CD8T	86	3280			68	304			35	602	0	0
Treg	14	382			11	42			6	83	0	0
Treg/CD3	0.03	0.03										
Treg/CD4T	0.04	0.05										
Treg/CD8T	0.16	0.12										
CD4T/CD3	0.62	0.71										
CD8T/CD3	0.16	0.28										
CD4T/CD8T	3.91	2.54										
Size of biopsy									0.51	1.97	0.00	0.00

Table 136: CJ1_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	662	18016			494	1844			323	4247	0	0
CD123	110	7586			85	755			56	1739	0	0
CD15	5	109			4	12			3	28	0	0
CD3	80	10875			55	1039			36	2392	0	0
CD4	143	11851			91	1140			60	2626	0	0
CD45	1035	28755			749	2896			489	6667	0	0
CD68	862	9994			611	1064			399	2450	0	0
CD8	115	3759			70	349			46	805	0	0
CD4T	35	5244			19	509			13	1172	0	0
CD8T	15	2694			12	253			8	583	0	0
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.44	0.48										
CD8T/CD3	0.19	0.25										
CD4T/CD8T	2.33	1.95										
Size of biopsy									0.65	2.30	0.00	0.00

Table 137: CJ2_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	7205	53221	43754	66339	3096	5711	8365	6840	360	2203	10865	17752
CD123	6258	36367	9729	52046	2649	4145	2357	5451	308	1599	3062	14146
CD15	2180	4354	39371	12121	103	552	7161	1357	12	213	9301	3522
CD279	318	13924	1015	12465	146	1540	221	1262	17	594	288	3275
CD3	1741	35776	489	23291	731	3979	107	2360	85	1535	140	6126
CD4	4824	50101	1359	43563	2004	5514	341	4404	233	2127	443	11429
CD45	11376	70949	50764	77974	3879	7609	9604	8041	451	2935	12474	20869
CD56	131	3511	8	2359	60	347	2	235	7	134	3	612
CD68	3040	16217	6153	30047	1212	1744	1399	3116	141	673	1818	8087
CD69	356	5757	141	8925	163	655	23	879	19	253	31	2283
CD8	745	15279	254	10356	318	1643	57	1037	37	634	75	2692
Foxp3_2	93	1952	485	3097	43	194	83	302	5	75	109	786
Foxp3	93	1952	3313	3168	43	194	751	312	5	75	976	810
CD4T	548	27548	64	16819	249	3007	16	1688	29	1160	21	4381
CD8T	749	11266	71	7374	318	1228	16	739	37	474	22	1919
Treg	112	1847	2	2425	51	207	0	242	6	80	1	628
Treg/CD3	0.06	0.05	0.00	0.10								
Treg/CD4T	0.20	0.07	0.03	0.14								
Treg/CD8T	0.15	0.16	0.03	0.33								
CD4T/CD3	0.31	0.77	0.13	0.72								
CD8T/CD3	0.43	0.31	0.15	0.32								
CD4T/CD8T	0.73	2.45	0.90	2.28								
Size of biopsy									0.12	0.39	1.30	2.60

Table 138: DD1_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	7053	23107	1576	21968	3036	2332	1294	2193	875	1740	1003	7548
CD123	2279	8863	1460	11431	923	996	979	1568	266	743	759	5397
CD15	139	4745	16106	6596	41	529	3784	1130	12	395	2932	3889
CD279	226	487	65	317	93	53	47	37	27	40	37	128
CD3	2662	27447	844	15482	1016	2966	579	1903	293	2213	449	6549
CD4	2055	15767	529	10856	836	1710	404	1258	241	1276	313	4330
CD45	10267	63838	9448	57016	3984	6685	4664	6521	1148	4987	3613	22440
CD56	264	1015	112	1234	104	117	92	130	30	88	72	449
CD68	1371	2901	1218	3451	562	333	533	421	162	249	413	1451
CD69	4454	19816	898	12679	1839	2051	746	1553	530	1530	578	5345
CD8	1051	7461	208	4087	430	824	166	489	124	615	129	1683
Foxp3	383	248	32	366	107	28	27	40	31	21	21	140
Ki67	787	281	3092	901	131	26	941	159	38	20	729	549
CD4T	850	8957	207	5356	326	941	172	628	94	702	134	2163
CD8T	885	5376	171	2827	378	600	142	341	109	448	110	1174
Treg	252	82	28	160	86	6	23	19	25	5	18	68
Treg/CD3	0.09	0.00	0.03	0.01								
Treg/CD4T	0.30	0.01	0.14	0.03								
Treg/CD8T	0.28	0.02	0.16	0.06								
CD4T/CD3	0.32	0.33	0.25	0.35								
CD8T/CD3	0.33	0.20	0.20	0.18								
CD4T/CD8T	0.96	1.67	1.21	1.89								
Size of biopsy									0.29	0.75	0.77	3.44

Table 139: DD2_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	5194	49735	47109	53352	2745	5173	8695	5795	478	2859	10260	17020
CD123	4761	35510	7639	38287	2630	3914	2545	4560	458	2163	3003	13393
CD15	1073	8555	41005	9217	264	957	7437	1197	46	529	8776	3516
CD279	237	4960	449	4922	126	466	157	538	22	258	186	1580
CD3	1080	19628	799	12045	557	1965	300	1259	97	1086	355	3700
CD4	3918	43370	1312	39616	2136	4520	506	4119	372	2498	598	12097
CD45	5589	55162	52430	55338	2923	5785	9442	6031	509	3197	11142	17714
CD56	208	3082	84	2274	103	287	34	227	18	159	41	669
CD68	5034	26265	7049	31445	1975	2690	1949	3415	344	1487	2300	10029
CD69	28	1218	198	1274	11	114	81	132	2	63	96	388
CD8	691	13630	514	9308	350	1306	178	933	61	722	211	2741
Foxp3	178	892	573	909	80	85	185	101	14	47	219	298
CD4T	550	15807	462	9761	292	1545	187	1000	51	854	221	2939
CD8T	414	7321	314	4549	195	707	125	460	34	391	148	1351
Treg	56	344	49	440	28	34	20	45	5	19	24	135
Treg/CD3	0.05	0.02	0.06	0.04								
Treg/CD4T	0.10	0.02	0.11	0.05								
Treg/CD8T	0.14	0.05	0.16	0.10								
CD4T/CD3	0.51	0.81	0.58	0.81								
CD8T/CD3	0.38	0.37	0.39	0.38								
CD4T/CD8T	1.33	2.16	1.47	2.15								
Size of biopsy									0.17	0.55	1.18	2.94

Table 140: DD3_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	257	34015			177	3319			56	5795	0	0
CD123	199	21263			148	2094			47	3656	0	0
CD15	36	997			28	101			9	178	0	0
CD279	181	1174			142	116			45	203	0	0
CD3	575	52266			452	5082			143	8872	0	0
CD4	1050	63091			699	6191			221	10807	0	0
CD45	1615	82869			1236	8160			391	14245	0	0
CD56	30	4827			15	472			5	825	0	0
CD68	551	25910			382	2557			121	4464	0	0
CD8	368	22595			196	2202			62	3844	0	0
Foxp3	36	394			28	39			9	69	0	0
Ki67	923	481			632	47			200	83	0	0
CD4T	297	34412			234	3340			74	5830	0	0
CD8T	144	16216			113	1577			36	2753	0	0
Treg	8	278			6	28			2	49	0	0
Treg/CD3	0.01	0.01										
Treg/CD4T	0.03	0.01										
Treg/CD8T	0.06	0.02										
CD4T/CD3	0.52	0.66										
CD8T/CD3	0.25	0.31										
CD4T/CD8T	2.06	2.12										
Size of biopsy									0.32	1.75	0.00	0.00

Table 141: EB_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	585	20015			309	2313			255	3684	0	0
CD123	44	2360			26	273			22	435	0	0
CD15	1646	13542			89	1091			74	1738	0	0
CD279	63	378			26	60			22	97	0	0
CD3	50	1528			31	245			26	391	0	0
CD4	189	9633			83	1041			69	1659	0	0
CD56	11	745			7	92			6	148	0	0
CD68	2983	11112			1601	984			1321	1568	0	0
CD68_raw	3900	15586			2062	1493			1701	2379	0	0
CD69	64	540			40	103			33	165	0	0
CD8	46	327			29	69			24	110	0	0
Foxp3	24	138			12	33			10	54	0	0
Ki67	1308	114			811	30			669	48	0	0
CD4T	15	952			9	156			8	249	0	0
CD8T	34	220			21	46			18	74	0	0
Treg	5	62			3	15			3	25	0	0
Treg/CD3	0.10	0.04										
Treg/CD4T	0.33	0.07										
Treg/CD8T	0.15	0.28										
CD4T/CD3	0.30	0.62										
CD8T/CD3	0.68	0.14										
CD4T/CD8T	0.44	4.33										
Size of biopsy									0.82	1.59	0.00	0.00

Table 142: JK1_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	32	2258			23	274			18	417	0	0
CD4	216	8909			112	1150			86	1748	0	0
CD8	27	373			17	63			13	97	0	0
CD4T	13	1343			9	178			7	271	0	0
CD8T	19	237			13	40			10	62	0	0
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.41	0.59										
CD8T/CD3	0.59	0.10										
CD4T/CD8T	0.68	5.67										
Size of biopsy									0.76	1.52	0.00	0.00

Table 143: JK2_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD123	36	3820			23	325			17	459	0	0
CD15	19	6288			9	508			7	717	0	0
CD279	35	900			23	103			17	146	0	0
CD3	42	1455			27	177			20	251	0	0
CD4	154	7004			94	1008			68	1422	0	0
CD68	1882	9861			1045	1272			756	1795	0	0
CD68_raw	3015	8771			1745	1062			1263	1499	0	0
CD69	91	1235			30	112			22	158	0	0
CD8	31	239			20	39			15	56	0	0
Foxp3	57	262			6	24			5	35	0	0
Ki67	342	6			218	1			158	2	0	0
CD4T	10	1075			6	124			5	176	0	0
CD8T	25	119			16	21			12	31	0	0
Treg	4	187			2	12			2	17	0	0
Treg/CD3	0.10	0.13										
Treg/CD4T	0.40	0.17										
Treg/CD8T	0.16	1.57										
CD4T/CD3	0.24	0.74										
CD8T/CD3	0.60	0.08										
CD4T/CD8T	0.40	9.03										
Size of biopsy									0.72	1.41	0.00	0.00

Table 144: JK3_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	2992	29925	7293	56790	1912	3961	4988	6800	929	5747	1199	7120
CD123	1161	16718	3566	43661	773	2417	2700	5541	376	3507	649	5802
CD15	22	618	2312	2337	12	84	1356	329	6	122	326	345
CD279	568	11701	337	15847	374	1681	257	1858	182	2440	62	1946
CD3	1067	39000	916	46612	691	4801	644	4706	336	6967	155	4928
CD4	1983	39716	2730	51280	1278	4947	1863	5431	621	7178	448	5687
CD45	4000	71812	11128	95625	2548	8180	6814	10160	1238	11869	1638	10638
CD56	465	3362	239	4491	312	461	183	472	152	670	44	495
CD68	2008	13678	7316	29718	1282	1938	4667	3912	623	2813	1122	4096
CD68_raw	2799	10790	6400	22408	1770	1540	3873	2950	860	2235	931	3089
CD69	2271	35183	5068	61528	1504	4867	3736	7328	731	7062	898	7673
CD8	550	11692	349	14598	362	1541	257	1494	176	2236	62	1565
Foxp3	112	1308	48	1082	65	177	37	120	32	257	9	126
Ki67	362	346	653	518	242	37	274	60	118	54	66	63
CD4T	448	25452	293	29722	288	3125	224	2996	140	4534	54	3137
CD8T	487	9352	228	11493	316	1268	174	1206	154	1840	42	1263
Treg	102	1441	65	1426	61	205	49	170	30	298	12	178
Treg/CD3	0.10	0.04	0.07	0.03								
Treg/CD4T	0.23	0.06	0.22	0.05								
Treg/CD8T	0.21	0.15	0.29	0.12								
CD4T/CD3	0.42	0.65	0.32	0.64								
CD8T/CD3	0.46	0.24	0.25	0.25								
CD4T/CD8T	0.92	2.72	1.29	2.59								
Size of biopsy									0.49	1.45	0.24	1.05

Table 145: JM1_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	4654	19082			2517	3090			1561	4294	0	0
CD123	678	9314			480	1513			298	2103	0	0
CD15	228	336			19	54			12	76	0	0
CD279	362	1893			259	367			161	511	0	0
CD3	912	18692			649	3505			403	4870	0	0
CD4	1510	25163			1058	3866			656	5371	0	0
CD45	1918	17267			1287	3265			798	4536	0	0
CD56	425	2643			303	488			188	678	0	0
CD68	2693	7446			1367	1336			848	1857	0	0
CD68_raw	8979	8682			4578	1578			2839	2193	0	0
CD69	1766	23733			1275	4354			791	6050	0	0
CD8	460	8138			340	1502			211	2087	0	0
Foxp3	120	1812			83	323			52	450	0	0
Ki67	2166	435			1582	97			981	135	0	0
CD4T	440	11429			314	2087			195	2900	0	0
CD8T	261	4104			193	873			120	1214	0	0
Treg	85	888			61	174			38	243	0	0
Treg/CD3	0.09	0.05										
Treg/CD4T	0.19	0.08										
Treg/CD8T	0.33	0.22										
CD4T/CD3	0.48	0.61										
CD8T/CD3	0.29	0.22										
CD4T/CD8T	1.69	2.78										
Size of biopsy									0.62	1.39	0.00	0.00

Table 146: JM2_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	692	18221			449	3775			233	4303	0	0
CD8	511	7195			328	1535			170	1750	0	0
Foxp3	97	431			59	99			31	113	0	0
CD8T	267	4453			181	1045			94	1192	0	0
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3												
CD8T/CD3	0.39	0.24										
CD4T/CD8T												
Size of biopsy									0.52	1.14	0.00	0.00

Table 147: JM3_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	107	5045			107	652			24	1182	0	0
CD123	40	3957			40	494			9	896	0	0
CD15	17	1063			17	120			4	218	0	0
CD279	66	668			66	82			15	149	0	0
CD3	410	5146			410	659			92	1195	0	0
CD4	321	5238			321	655			72	1189	0	0
CD45	718	15345			718	1871			161	3393	0	0
CD56	35	746			35	95			8	174	0	0
CD68	1080	4081			1084	509			243	923	0	0
CD68_raw	2490	4291			2489	527			558	956	0	0
CD8	241	2383			240	285			54	518	0	0
Foxp3	312	425			312	53			70	97	0	0
Ki67	343	22			343	2			77	5	0	0
CD4T	196	2846			196	366			44	664	0	0
CD8T	191	1501			191	188			43	342	0	0
Treg	8	309			8	41			2	75	0	0
Treg/CD3	0.02	0.06										
Treg/CD4T	0.04	0.11										
Treg/CD8T	0.04	0.21										
CD4T/CD3	0.48	0.55										
CD8T/CD3	0.47	0.29										
CD4T/CD8T	1.03	1.90										
Size of biopsy									0.22	1.81	0.00	0.00

Table 148: JT_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	212	22060			118	3033			41	2501	0	0
CD123	74	12947			58	1939			20	1599	0	0
CD15	48	1921			14	213			5	176	0	0
CD279	381	3119			258	533			89	440	0	0
CD3	2094	23659			1566	3773			540	3111	0	0
CD4	829	16198			606	2443			209	2014	0	0
CD45	3180	46138			2302	6872			794	5665	0	0
CD56	179	997			139	174			48	144	0	0
CD68	968	6262			675	1045			233	862	0	0
CD69	1512	18055			1136	2707			392	2232	0	0
CD8	832	7389			646	1204			223	993	0	0
Foxp3	72	325			40	50			14	42	0	0
Ki67	460	17061			165	1688			57	1392	0	0
CD4T	375	5977			261	884			90	729	0	0
CD8T	682	2790			530	497			183	410	0	0
Treg	29	95			23	15			8	13	0	0
Treg/CD3	0.01	0.00										
Treg/CD4T	0.08	0.02										
Treg/CD8T	0.04	0.03										
CD4T/CD3	0.18	0.25										
CD8T/CD3	0.33	0.12										
CD4T/CD8T	0.55	2.14										
Size of biopsy									0.34	0.82	0.00	0.00

Table 149: LD_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	3520	23308	7543	44710	2325	2548	4586	4525	1074	5057	942	5215
CD123	405	3725	4437	11243	285	461	2984	1299	132	916	613	1498
CD15	23	439	143	403	12	50	68	42	6	101	14	49
CD279	206	1335	84	2303	145	170	63	223	67	339	13	257
CD3	610	8466	554	11619	443	1007	404	1151	205	2000	83	1327
CD4	905	11282	672	19361	656	1303	462	1899	303	2587	95	2189
CD45	3051	29496	6186	50511	2093	3262	3885	5037	967	6473	798	5806
CD56	110	1025	39	2182	73	124	29	209	34	247	6	242
CD69	560	4777	496	10685	365	587	355	1062	169	1166	73	1225
CD8	553	7343	463	10704	385	838	335	1061	178	1663	69	1223
Foxp3	220	1461	137	1923	142	176	102	193	66	350	21	223
Ki67	110	179	6	200	73	18	4	19	34	36	1	22
CD4T	245	4243	163	6745	177	505	121	662	82	1003	25	764
CD8T	245	3622	156	4345	181	418	116	426	84	831	24	491
Treg	73	567	32	580	54	75	24	59	25	150	5	68
Treg/CD3	0.12	0.07	0.06	0.05								
Treg/CD4T	0.30	0.13	0.20	0.09								
Treg/CD8T	0.30	0.16	0.21	0.13								
CD4T/CD3	0.40	0.50	0.29	0.58								
CD8T/CD3	0.40	0.43	0.28	0.37								
CD4T/CD8T	1	1.17	1.04	1.55								
Size of biopsy									0.46	1.98	0.21	1.15

Table 150: LG1_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	348	20945			274	2123			93	5966	0	0
CD123	15	3668			14	372			5	1047	0	0
CD15	3	6002			2	576			1	1619	0	0
CD279	132	1881			126	191			43	537	0	0
CD3	178	15736			170	1558			58	4379	0	0
CD4	348	18055			271	1807			92	5078	0	0
CD45	659	35352			571	3556			194	9993	0	0
CD56	24	3145			23	311			8	874	0	0
CD68	3281	11030			2836	1151			962	3235	0	0
CD68_raw	3041	5872			2850	615			967	1731	0	0
CD69	301	9238			288	935			98	2628	0	0
CD8	123	8989			117	891			40	2504	0	0
Foxp3	9	395			8	39			3	110	0	0
Ki67	902	172			863	17			293	50	0	0
CD4T	89	11013			85	1086			29	3053	0	0
CD8T	92	7024			88	696			30	1958	0	0
Treg	3	218			2	21			1	61	0	0
Treg/CD3	0.02	0.01										
Treg/CD4T	0.03	0.02										
Treg/CD8T	0.03	0.03										
CD4T/CD3	0.50	0.70										
CD8T/CD3	0.52	0.45										
CD4T/CD8T	0.97	1.57										
Size of biopsy									0.34	2.81	0.00	0.00

Table 151: LG2_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	886	12940	1032	20383	632	1458	472	2126	287	2999	149	2526
CD4	1227	15101	1447	24688	887	1651	763	2570	403	3396	241	3053
CD68	2943	6134	7797	10768	1824	681	3608	1272	828	1401	1139	1512
CD68_raw	5489	8811	11556	15902	3364	973	5250	1833	1527	2002	1657	2178
CD8	584	7745	735	13536	411	871	307	1386	187	1791	97	1647
CD4T	323	7611	329	11782	235	841	161	1225	107	1730	51	1456
CD8T	441	6085	499	9333	310	687	224	967	141	1413	71	1149
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.36	0.59	0.32	0.58								
CD8T/CD3	0.50	0.47	0.48	0.46								
CD4T/CD8T	0.73	1.25	0.66	1.26								
Size of biopsy									0.45	2.06	0.32	1.19

Table 152: LG3_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	871	34376			745	3594			298	7681	0	0
CD123	49	6953			45	763			18	1632	0	0
CD15	179	1878			162	241			65	517	0	0
CD279	107	715			97	82			39	177	0	0
CD3	646	43993			563	4619			225	9871	0	0
CD4	1003	72526			885	7504			354	16036	0	0
CD45	1427	84859			1206	8641			482	18467	0	0
CD56	124	4079			112	433			45	926	0	0
CD68	243	6450			220	731			88	1563	0	0
CD69	213	13150			192	1357			77	2900	0	0
CD8	369	18810			312	1916			125	4096	0	0
Foxp3	16	737			15	66			6	142	0	0
CD4T	193	35354			175	3701			70	7909	0	0
CD8T	208	7491			167	778			67	1663	0	0
Treg	11	420			10	41			4	89	0	0
Treg/CD3	0.02	0.01										
Treg/CD4T	0.06	0.01										
Treg/CD8T	0.05	0.06										
CD4T/CD3	0.30	0.80										
CD8T/CD3	0.32	0.17										
CD4T/CD8T	0.93	4.72										
Size of biopsy									0.40	2.14	0.00	0.00

Table 153: LM_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	3949	25795			2030	2842			1402	7533	0	0
CD123	334	4875			172	528			119	1401	0	0
CD15	86	161			23	18			16	49	0	0
CD279	1321	16011			718	1546			496	4097	0	0
CD3	1633	39504			1002	3901			692	10338	0	0
CD4	2016	37665			1177	3882			813	10287	0	0
CD45	4327	51646			2450	5305			1692	14059	0	0
CD56	312	4796			192	456			133	1209	0	0
CD68	2368	5501			1315	649			908	1720	0	0
CD68_raw	3706	7467			2060	885			1423	2347	0	0
CD69	2446	28639			1461	2962			1009	7850	0	0
CD8	692	13052			421	1294			291	3429	0	0
Foxp3	328	4041			194	432			134	1145	0	0
Ki67	831	205			519	20			359	54	0	0
CD4T	866	30436			514	2968			355	7865	0	0
CD8T	481	8878			315	896			218	2375	0	0
Treg	266	2930			156	325			108	862	0	0
Treg/CD3	0.16	0.07										
Treg/CD4T	0.31	0.10										
Treg/CD8T	0.55	0.33										
CD4T/CD3	0.53	0.77										
CD8T/CD3	0.29	0.22										
CD4T/CD8T	1.80	3.43										
Size of biopsy									0.69	2.65	0.00	0.00

Table 154: LS1_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	3296	25181			1490	2658			1567	7637	0	0
CD123	1030	9718			453	1113			477	3198	0	0
CD15	12	87			5	10			6	30	0	0
CD279	603	5099			325	538			342	1547	0	0
CD3	1687	37773			932	3855			980	11077	0	0
CD4	2143	42750			1168	4427			1229	12721	0	0
CD45	3742	51709			1845	5292			1941	15205	0	0
CD56	119	2519			68	224			72	644	0	0
CD68	3155	9133			1531	1069			1610	3072	0	0
CD68_raw	7336	14481			3303	1684			3474	4839	0	0
CD69	1119	17934			620	1848			652	5312	0	0
CD8	505	9961			287	1018			302	2926	0	0
Foxp3	217	1880			106	213			112	612	0	0
Ki67	910	112			515	10			542	31	0	0
CD4T	766	27162			436	2718			459	7812	0	0
CD8T	348	6198			201	639			212	1837	0	0
Treg	120	1269			70	146			74	420	0	0
Treg/CD3	0.07	0.03										
Treg/CD4T	0.16	0.05										
Treg/CD8T	0.34	0.20										
CD4T/CD3	0.45	0.72										
CD8T/CD3	0.21	0.16										
CD4T/CD8T	2.20	4.38										
Size of biopsy									1.05	2.87	0.00	0.00

Table 155: LS2_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	1152	40044			646	4049			643	11896	0	0
CD4	1507	43035			800	4430			797	13016	0	0
CD68	5603	9808			2807	1184			2794	3479	0	0
CD68_raw	8835	14032			4149	1662			4129	4884	0	0
CD8	540	13384			320	1346			319	3956	0	0
CD4T	580	23148			316	2325			315	6833	0	0
CD8T	326	8198			192	848			192	2494	0	0
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.50	0.58										
CD8T/CD3	0.28	0.20										
CD4T/CD8T	1.78	2.82										
Size of biopsy									1.00	2.94	0.00	0.00

Table 156: LS3_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	1129	23723	13606	23970	909	2831	3948	3506	84	2383	3133	4770
CD123	425	13263	4810	13121	400	1617	1993	2093	37	1361	1582	2848
CD15	206	4551	15051	6516	194	564	2237	1098	18	475	1775	1494
CD279	493	7698	1669	5757	465	939	686	1017	43	791	545	1384
CD3	792	10273	1889	8222	746	1263	903	1239	69	1063	717	1686
CD4	344	9315	1068	8570	324	1131	530	1440	30	952	421	1960
CD45	2285	36064	17812	38233	2154	4314	5155	5463	199	3631	4090	7433
CD56	68	2574	91	1830	64	311	51	279	6	262	41	380
CD8	413	4477	817	3871	389	547	397	709	36	461	315	965
Foxp3	149	1371	468	407	140	172	134	97	13	145	107	132
CD4T	252	6555	621	5289	238	793	334	818	22	668	265	1114
CD8T	252	6555	621	5289	238	793	334	818	22	668	265	1114
Treg	126	1628	172	409	119	200	95	85	11	169	76	117
Treg/CD3	0.16	0.16	0.09	0.05								
Treg/CD4T	0.50	0.25	0.28	0.08								
Treg/CD8T	0.50	0.25	0.28	0.08								
CD4T/CD3	0.32	0.64	0.33	0.64								
CD8T/CD3	0.32	0.64	0.33	0.64								
CD4T/CD8T	1	1	1	1								
Size of biopsy									0.09	0.84	0.79	1.36

Table 157: SK1_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	3213	24341			1491	2628			1024	7035	0	0
CD123	387	3002			139	353			96	945	0	0
CD15	1185	3456			500	401			344	1075	0	0
CD279	406	2593			198	309			136	827	0	0
CD3	1266	15300			499	1718			343	4600	0	0
CD4	1811	18259			844	2047			580	5479	0	0
CD45	2406	24432			1103	2664			758	7130	0	0
CD56	136	931			46	105			32	281	0	0
CD68	1764	4916			802	570			551	1528	0	0
CD69	2522	11749			1083	1380			744	3693	0	0
CD8	482	2965			212	341			146	914	0	0
Foxp3	177	723			61	82			42	222	0	0
Ki67	443	55			305	8			210	24	0	0
CD4T	584	10887			215	1214			148	3250	0	0
CD8T	269	2035			116	235			80	630	0	0
Treg	298	1251			100	161			69	433	0	0
Treg/CD3	0.24	0.08										
Treg/CD4T	0.51	0.11										
Treg/CD8T	1.11	0.61										
CD4T/CD3	0.46	0.71										
CD8T/CD3	0.21	0.13										
CD4T/CD8T	2.17	5.35										
Size of biopsy									0.69	2.68	0.00	0.00

Table 158: SK2_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	891	14843			740	1626			444	4568	0	0
CD123	268	9275			225	1027			135	2885	0	0
CD279	67	377			56	44			34	124	0	0
CD3	599	17717			430	1949			258	5477	0	0
CD4	790	17882			592	1972			355	5541	0	0
CD68	3140	4132			1746	506			1047	1423	0	0
CD68_raw	5326	9716			3245	1169			1946	3284	0	0
CD8	279	4087			205	464			123	1305	0	0
Foxp3	101	921			63	106			38	300	0	0
CD4T	263	10704			191	1178			115	3311	0	0
CD8T	236	2433			176	284			106	800	0	0
Treg	55	594			46	70			28	199	0	0
Treg/CD3	0.09	0.03										
Treg/CD4T	0.21	0.06										
Treg/CD8T	0.23	0.24										
CD4T/CD3	0.44	0.60										
CD8T/CD3	0.39	0.14										
CD4T/CD8T	1.11	4.40										
Size of biopsy									0.60	2.81	0.00	0.00

Table 159: SK3_Les. All measurements are up to 1000 um below DEJ. The unit of area is mm2; the unit of density is count/mm2. Normalized count is cell count in a vertical strip 100um wide, i.e. each depth is weighted equally instead of variable depending on the tissue shape.