# report_32bit

July 10, 2025

## Introduction

There are 13 lesion biopsies in total, including AS. Different biopsy samples or even different slices from the same biopsy sample may have different amount of lesion tissues. Some completely lack lesion. List of available markers per slide:

$AS1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$AS2_Les [1] CD11c CD123 CD279 CD3 CD4 CD8 Foxp3 CD4T CD8T Treg

$AS3_Les [1] CD279 CD3 CD4 CD56 CD8 Foxp3 CD4T CD8T Treg

$CF_8wph [1]

$CF1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD8 Foxp3 Ki67 CD4T CD8T Treg

$CF2_Les [1] CD11c CD123 CD279 CD3 CD4 CD8 Foxp3 CD4T CD8T Treg

$CF5_Les [1] CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T

$CJ1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$CJ2_Les [1] CD11c CD123 CD15 CD3 CD4 CD45 CD68 CD8 CD4T CD8T

$DD_8wph [1]

$DD1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$DD2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$DD3_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$EB_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JK_8wph [1]

$JK1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JK2_Les [1] CD3 CD4 CD8 CD4T CD8T

$JK3_Les [1] CD123 CD15 CD279 CD3 CD4 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM3_Les [1] CD3 CD8 Foxp3 CD8T

$JT_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LD_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG3_Les [1] CD3 CD4 CD68 CD8 CD4T CD8T

$LM_9wph [1]

$LM_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$LS_8wph [1]

$LS1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LS2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LS3_Les [1] CD3 CD4 CD68 CD8 CD4T CD8T

$SK1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD8 Foxp3 CD4T CD8T Treg

$SK2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$SK3_8wph_in_use [1]

$SK3_Les [1] CD11c CD123 CD279 CD3 CD4 CD68 CD8 Foxp3 CD4T CD8T Treg

Most lesion biopsies have multiple sections. The following choices of representative slides are made:

| Select slide | Shedding rate |
|---|---|
| AS1_Les | 83.9 |
| CF1_Les | 17.5 |
| CJ1_Les | 43.1 |
| DD1_Les | 39.4 |
| EB_Les | 4.6 |
| JK1_Les | 23.4 |
| JM1_Les | 24.6 |
| JT_Les | 54.3 |
| LD_Les | 18.8 |
| LG2_Les | 32.8 |
| LM_Les | 4.4 |
| LS2_Les | 31 |
| SK2_Les | 53 |

The key markers are: CD3 CD11c CD123 CD15 CD56 CD68.

Note that the CD68 antibody stained the epidermis of some tissues. CD68_raw.png is the raw image, and CD68.png is the processed image with reduced epidermis brightness to improve quality of segmentation. Furthermore, for CF lesion CD68 staining, CF5_Les instead of CF1_Les is used due to quality reasons.

## Correlation with shedding rate

Based on the previous report, we decided to

- focus on normalized counts
- focus on average across slides and select slides and not all slides, which has low correlation
- focus on these metrics
  - DEJ1000, DI
  - DEJ500, DI
  - skin1000, I
  - skin500, I
  - EI

Notes on methods:

- Density is the number of cells/$mm^2$. The size of biopsy is on the order of $mm^2$.
- Depth density function is a function of the number of cells per 100x100 um2 tissue over the distance to skin or DEJ in 100 um increment. Each bin in the histogram represents the count in a 100x100 um2 area.
- Normalized count is the number of cells in a vertical strip 100um wide, and is equivalent to the area under the depth density function (restricted to certain depth if applicable). It is called normalized count because each depth is weighted equally instead of variable depending on the tissue shape.
- Ratio is presented as fraction in tables and percentages in graphs. A gap in depth density ratio function is often due to the denominator being 0.
- Ratio for average slides is computed as the ratio of averages, and not the average of normalized counts, across all slides.
- $R^2$ is computed without slides from AS_Les, which has the highest shedding rate and appears an outlier.

Notes on results:

- Treg counts from JK1_Les and JK3_Les are quite different: 19 and 161. This led the R2 for Treg/CD3 in DI to be higher for select slides than for average slides.

# Legend for biopsies

Select Slides. CD3, CD11c, CD123, CD15, CD56, CD68



Average Slides. CD3, CD11c, CD123, CD15, CD56, CD68



Select Slides. CD4T, CD8T, Treg



Average Slides. CD4T, CD8T, Treg



Select Slides. Treg/CD3, Treg/CD4T, Treg/CD8T, CD4T/CD3, CD8T/CD3, CD8T/CD4T



Average Slides. Treg/CD3, Treg/CD4T, Treg/CD8T, CD4T/CD3, CD8T/CD3, CD8T/CD4T



## Depth density function

### Intact vs. ulcerative - select slides

In this subsection, there are two sets of figures, one for dist2skin and one for dist2DEJ. Each figure shows 13 representative slides.


CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2skin (um)
intact
ulcerative


CD3
CD4T
CD8T
Treg
intact
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells*10e3/0.1um2
dist2skin (um)
0
500
1000
1500
2000
2500
20
40
60
80
100


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
CF1_Les
CJI_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
percent
dist2skin (um)
intact
ulcerative


CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2DEJ (um)
intact
ulcerative


CD3
CD4T
CD8T
Treg
intact
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells*100/Tissue_area
distZDEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
CF1_Les
CJI_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
percent
distZDEJ (um)
intact
ulcerative

**Intact vs. ulcerative - lesion slides**

In this subsection, there are two sets of figures, one for dist2skin and one for dist2DEJ. Each figure shows the 9 slides with lesions.


CD3
CD11c
CD123
CD15
CD56
CD68
CF1_Les
CF2_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
Cells/100x100 um2
dist2skin (um)
intact
ulcerative


CD3
CD4T
CD8T
Treg
intact
ulcerative
CF1_Les
CF2_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
Cells/100x100 um2
dist2skin (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
CF1_Les
CF2_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
CF1_Les
CF2_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
Cells/100x100 um2
dist2DEJ (um)
intact
ulcerative


CD3
CD4T
CD8T
Treg
CF1_Les
CF2_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
Cells/100x100 um2
dist2DEJ (um)
intact
ulcerative


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
CF1_Les
CF2_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
percent
intact
ulcerative
dist2DEJ (um)

### Intact vs. ulcerrative - all slides

In this subsection, each figure shows all slides from a single biopsy.


CD3
CD11c
CD123
CD15
CD56
CD68
intact
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CD3
CD4T
CD8T
Treg
intact
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
0
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
AS2_Les
AS3_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
AS2_Les
AS3_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CD3
CD4T
CD8T
Treg
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
dist2skin (um)
intact
ulcerative


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
CF1_Les
CF2_Les
CF5_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0 20 40 60 80 100
intact
ulcerative
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
ulcerative
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
CF1_Les
CF2_Les
CF5_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CD3
CD4T
CD8T
Treg
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CJ1_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)
CJ2_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


CJ1_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)
CJ2_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2skin (um)


CD3
CD4T
CD8T
Treg
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2skin (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
DD1_Les
DD2_Les
DD3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD4T
CD8T
Treg
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
ulcerative
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
DD1_Les
DD2_Les
DD3_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
EB_Les
Cells/100x100 um2
0 20 40 60 80 100
0 500 1000 1500 2000 2500
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
EB_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


EB_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
EB_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
EB_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


EB_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
JK1_Les
JK2_Les
JK3_Les
intact
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CD3
CD4T
CD8T
Treg
intact
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JK1_Les
JK2_Les
JK3_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
intact
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD4T
CD8T
Treg
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0 20 40 60 80 100
intact
-500 0 500 1000 1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JK1_Les
JK2_Les
JK3_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JM1_Les
JM2_Les
JM3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JM1_Les
JM2_Les
JM3_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
JT_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
JT_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


JT_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
JT_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
JT_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


JT_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


LD_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LD_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


LD_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LG1_Les
LG2_Les
LG3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD4T
CD8T
Treg
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LG1_Les
LG2_Les
LG3_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


LM_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LM_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


LM_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CD3
CD4T
CD8T
Treg
intact
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LS1_Les
LS2_Les
LS3_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
intact
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LS1_Les
LS2_Les
LS3_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD4T
CD8T
Treg
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
SK1_Les
SK2_Les
SK3_Les
percent
intact
ulcerative
dist2skin (um)

CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2DEJ (um)


CD3
CD4T
CD8T
Treg
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
SK1_Les
SK2_Les
SK3_Les
percent
intact
ulcerative
dist2DEJ (um)

### Markers comparison - select slides

In this subsection, there is one figure showing 13 representative slides.


intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
C_I1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2skin (um)
dist2DEJ (um)
CD3
CD11c
CD123
CD15
CD56
CD68


intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
C_I1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
CD3
CD4T
CD8T
Treg
Cells/100x100 um2
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
percent
dist2skin (um)
dist2DEJ (um)
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T

### Markers comparison - all slides

In this subsection, each figure shows all slides from a single biopsy.


intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CJ1_Les
CJ2_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CJ1_Les
CJ2_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CJ1_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)
CJ2_Les
percent
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
EB_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
EB_Les
Cells/100x100 um2
0
20
60
100
CD3
CD4T
CD8T
Treg
0
500
1000
1500
2000
2500
-500
0
500
1000
1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
EB_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
dist2skin (um)
-500 0 500 1000 1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JT_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JT_Les
Cells/100x100 um2
0
20
60
100
CD3
CD4T
CD8T
Treg
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JT_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LD_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LD_Les
Cells/100x100 um2
0
20
60
100
CD3
CD4T
CD8T
Treg
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LD_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
CD3
CD4T
CD8T
Treg
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LM_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LM_Les
Cells/100x100 um2
0
20
60
100
CD3
CD4T
CD8T
Treg
0
500
1000
1500
2000
2500
-500
0
500
1000
1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LM_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD4T
CD8T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
percent
dist2skin (um)
dist2DEJ (um)
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T

## Tables by markers

Table 2: CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 10 | 422 | | | |
| CF1_Les | 18 | 465 | 21 | 547 | 1051 |
| CJ1_Les | 5 | 118 | | | |
| DD1_Les | 17 | 358 | 5 | 233 | 613 |
| EB_Les | 6 | 523 | | | |
| JK1_Les | 1 | 15 | | | |
| JM1_Les | 11 | 390 | 9 | 466 | 876 |
| JT_Les | 4 | 51 | | | |
| LD_Les | 21 | 237 | | | |
| LG2_Les | 2 | 157 | | | |
| LM_Les | 6 | 440 | | | |
| LS2_Les | 17 | 378 | | | |
| SK2_Les | 13 | 153 | | | |

Table 3: CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 10 | 185 | | | |
| CF1_Les | 18 | 281 | 21 | 353 | 672 |
| CJ1_Les | 5 | 53 | | | |
| DD1_Les | 17 | 296 | 5 | 149 | 467 |
| EB_Les | 6 | 269 | | | |
| JK1_Les | 1 | 12 | | | |
| JM1_Les | 11 | 298 | 9 | 245 | 562 |
| JT_Les | 4 | 47 | | | |
| LD_Les | 21 | 220 | | | |
| LG2_Les | 2 | 85 | | | |
| LM_Les | 6 | 255 | | | |
| LS2_Les | 17 | 197 | | | |
| SK2_Les | 13 | 129 | | | |

Table 4: CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 330 | | |
| CF1_Les | 413 | 479 | 893 |
| CJ1_Les | 92 | | |
| DD1_Les | 423 | 179 | 602 |
| EB_Les | 453 | | |
| JK1_Les | 17 | | |
| JM1_Les | 404 | 430 | 834 |
| JT_Les | 55 | | |
| LD_Les | 296 | | |
| LG2_Les | 151 | | |
| LM_Les | 424 | | |
| LS2_Les | 294 | | |
| SK2_Les | 177 | | |

Table 5: CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 133 | | |
| CF1_Les | 162 | 130 | 292 |
| CJ1_Les | 28 | | |
| DD1_Les | 84 | 9 | 93 |
| EB_Les | 147 | | |
| JK1_Les | 10 | | |
| JM1_Les | 205 | 151 | 355 |
| JT_Les | 52 | | |
| LD_Les | 174 | | |
| LG2_Les | 61 | | |
| LM_Les | 183 | | |
| LS2_Les | 129 | | |
| SK2_Les | 85 | | |

Table 6: CD11c, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 1 | 131 | | | |
| CF1_Les | 29 | 528 | 122 | 458 | 1137 |
| CJ1_Les | 4 | 166 | | | |
| DD1_Les | 72 | 532 | 438 | 663 | 1705 |
| EB_Les | 3 | 340 | | | |
| JK1_Les | 6 | 200 | | | |
| JM1_Les | 30 | 299 | 73 | 568 | 970 |
| JT_Les | 1 | 50 | | | |
| LD_Les | 2 | 221 | | | |
| LG2_Les | 3 | 209 | | | |
| LM_Les | 9 | 344 | | | |
| LS2_Les | 33 | 252 | | | |
| SK2_Les | 32 | 243 | | | |

Table 7: CD11c, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 1 | 61 | | | |
| CF1_Les | 29 | 292 | 122 | 257 | 701 |
| CJ1_Les | 4 | 83 | | | |
| DD1_Les | 72 | 345 | 438 | 411 | 1265 |
| EB_Les | 3 | 174 | | | |
| JK1_Les | 6 | 126 | | | |
| JM1_Les | 30 | 237 | 73 | 423 | 763 |
| JT_Les | 1 | 46 | | | |
| LD_Les | 2 | 178 | | | |
| LG2_Les | 3 | 118 | | | |
| LM_Les | 9 | 198 | | | |
| LS2_Les | 33 | 127 | | | |
| SK2_Les | 32 | 161 | | | |

Table 8: CD11c, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 113 | | |
| CF1_Les | 465 | 468 | 933 |
| CJ1_Les | 138 | | |
| DD1_Les | 566 | 842 | 1407 |
| EB_Les | 298 | | |
| JK1_Les | 198 | | |
| JM1_Les | 381 | 665 | 1046 |
| JT_Les | 52 | | |
| LD_Les | 237 | | |
| LG2_Les | 199 | | |
| LM_Les | 329 | | |
| LS2_Les | 224 | | |
| SK2_Les | 266 | | |

Table 9: CD11c, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 45 | | |
| CF1_Les | 174 | 250 | 424 |
| CJ1_Les | 49 | | |
| DD1_Les | 195 | 425 | 620 |
| EB_Les | 103 | | |
| JK1_Les | 61 | | |
| JM1_Les | 225 | 410 | 635 |
| JT_Les | 49 | | |
| LD_Les | 67 | | |
| LG2_Les | 100 | | |
| LM_Les | 151 | | |
| LS2_Les | 111 | | |
| SK2_Les | 120 | | |

Table 10: CD123, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 1 | 38 | | | |
| CF1_Les | 4 | 228 | 29 | 122 | 384 |
| CJ1_Les | 0 | 22 | | | |
| DD1_Les | 63 | 321 | 97 | 507 | 988 |
| EB_Les | 1 | 158 | | | |
| JK1_Les | 0 | 6 | | | |
| JM1_Les | 11 | 133 | 35 | 389 | 568 |
| JT_Les | 0 | 19 | | | |
| LD_Les | 1 | 79 | | | |
| LG2_Les | 0 | 25 | | | |
| LM_Les | 0 | 29 | | | |
| LS2_Les | 8 | 53 | | | |
| SK2_Les | 3 | 16 | | | |

Table 11: CD123, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 1 | 30 | | | |
| CF1_Les | 4 | 133 | 29 | 87 | 253 |
| CJ1_Les | 0 | 11 | | | |
| DD1_Les | 63 | 280 | 97 | 362 | 803 |
| EB_Les | 1 | 85 | | | |
| JK1_Les | 0 | 3 | | | |
| JM1_Les | 11 | 122 | 35 | 349 | 517 |
| JT_Les | 0 | 17 | | | |
| LD_Les | 1 | 75 | | | |
| LG2_Les | 0 | 15 | | | |
| LM_Les | 0 | 20 | | | |
| LS2_Les | 8 | 31 | | | |
| SK2_Les | 3 | 13 | | | |

Table 12: CD123, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 38 | | |
| CF1_Les | 195 | 148 | 342 |
| CJ1_Les | 16 | | |
| DD1_Les | 471 | 533 | 1005 |
| EB_Les | 140 | | |
| JK1_Les | 6 | | |
| JM1_Les | 183 | 467 | 650 |
| JT_Les | 19 | | |
| LD_Les | 87 | | |
| LG2_Les | 24 | | |
| LM_Les | 30 | | |
| LS2_Les | 50 | | |
| SK2_Les | 20 | | |

Table 13: CD123, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 23 | | |
| CF1_Les | 62 | 83 | 145 |
| CJ1_Les | 4 | | |
| DD1_Les | 186 | 156 | 343 |
| EB_Les | 55 | | |
| JK1_Les | 2 | | |
| JM1_Les | 140 | 347 | 487 |
| JT_Les | 18 | | |
| LD_Les | 37 | | |
| LG2_Les | 11 | | |
| LM_Les | 15 | | |
| LS2_Les | 27 | | |
| SK2_Les | 9 | | |

Table 14: CD15, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0 | 20 | | | |
| CF1_Les | 0 | 164 | 100 | 38 | 303 |
| CJ1_Les | 0 | 4 | | | |
| DD1_Les | 22 | 44 | 394 | 121 | 580 |
| EB_Les | 0 | 10 | | | |
| JK1_Les | 16 | 135 | | | |
| JM1_Les | 0 | 6 | 23 | 23 | 53 |
| JT_Les | 0 | 11 | | | |
| LD_Les | 0 | 19 | | | |
| LG2_Les | 0 | 60 | | | |
| LM_Les | 2 | 19 | | | |
| LS2_Les | 0 | 1 | | | |
| SK2_Les | 12 | 35 | | | |

Table 15: CD15, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0 | 8 | | | |
| CF1_Les | 0 | 105 | 100 | 31 | 237 |
| CJ1_Les | 0 | 3 | | | |
| DD1_Les | 22 | 43 | 394 | 109 | 568 |
| EB_Les | 0 | 7 | | | |
| JK1_Les | 16 | 69 | | | |
| JM1_Les | 0 | 4 | 23 | 22 | 49 |
| JT_Les | 0 | 8 | | | |
| LD_Les | 0 | 12 | | | |
| LG2_Les | 0 | 20 | | | |
| LM_Les | 2 | 16 | | | |
| LS2_Les | 0 | 1 | | | |
| SK2_Les | 12 | 23 | | | |

Table 16: CD15, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 16 | | |
| CF1_Les | 154 | 120 | 274 |
| CJ1_Les | 4 | | |
| DD1_Les | 66 | 439 | 505 |
| EB_Les | 10 | | |
| JK1_Les | 115 | | |
| JM1_Les | 6 | 46 | 52 |
| JT_Les | 11 | | |
| LD_Les | 14 | | |
| LG2_Les | 50 | | |
| LM_Les | 23 | | |
| LS2_Les | 1 | | |
| SK2_Les | 45 | | |

Table 17: CD15, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 5 | | |
| CF1_Les | 34 | 99 | 133 |
| CJ1_Les | 2 | | |
| DD1_Les | 14 | 344 | 358 |
| EB_Les | 6 | | |
| JK1_Les | 13 | | |
| JM1_Les | 5 | 42 | 48 |
| JT_Les | 7 | | |
| LD_Les | 10 | | |
| LG2_Les | 15 | | |
| LM_Les | 20 | | |
| LS2_Les | 0 | | |
| SK2_Les | 29 | | |

Table 18: CD56, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 1 | 8 | | | |
| CF1_Les | 2 | 20 | 1 | 27 | 50 |
| CJ1_Les | 0 | 8 | | | |
| DD1_Les | 1 | 24 | 0 | 16 | 41 |
| EB_Les | 0 | 25 | | | |
| JK1_Les | 0 | 1 | | | |
| JM1_Les | 3 | 16 | 2 | 19 | 41 |
| JT_Les | 0 | 1 | | | |
| LD_Les | 1 | 3 | | | |
| LG2_Les | 0 | 4 | | | |
| LM_Les | 1 | 23 | | | |
| LS2_Les | 0 | 2 | | | |
| SK2_Les | 1 | 2 | | | |

Table 19: CD56, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 1 | 5 | | | |
| CF1_Les | 2 | 13 | 1 | 19 | 35 |
| CJ1_Les | 0 | 3 | | | |
| DD1_Les | 1 | 22 | 0 | 10 | 34 |
| EB_Les | 0 | 13 | | | |
| JK1_Les | 0 | 1 | | | |
| JM1_Les | 3 | 16 | 2 | 14 | 35 |
| JT_Les | 0 | 1 | | | |
| LD_Les | 1 | 3 | | | |
| LG2_Les | 0 | 2 | | | |
| LM_Les | 1 | 15 | | | |
| LS2_Les | 0 | 1 | | | |
| SK2_Les | 1 | 2 | | | |

Table 20: CD56, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 9 | | |
| CF1_Les | 20 | 25 | 45 |
| CJ1_Les | 5 | | |
| DD1_Les | 31 | 12 | 43 |
| EB_Les | 22 | | |
| JK1_Les | 1 | | |
| JM1_Les | 27 | 22 | 48 |
| JT_Les | 1 | | |
| LD_Les | 6 | | |
| LG2_Les | 4 | | |
| LM_Les | 24 | | |
| LS2_Les | 2 | | |
| SK2_Les | 4 | | |

Table 21: CD56, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 4 | | |
| CF1_Les | 11 | 7 | 18 |
| CJ1_Les | 1 | | |
| DD1_Les | 2 | 0 | 2 |
| EB_Les | 6 | | |
| JK1_Les | 0 | | |
| JM1_Les | 20 | 11 | 31 |
| JT_Les | 1 | | |
| LD_Les | 4 | | |
| LG2_Les | 1 | | |
| LM_Les | 12 | | |
| LS2_Les | 1 | | |
| SK2_Les | 3 | | |

Table 22: CD68, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 3 | 82 | | | |
| CJ1_Les | 6 | 78 | | | |
| DD1_Les | 28 | 152 | 54 | 293 | 527 |
| EB_Les | 4 | 239 | | | |
| JK1_Les | 3 | 119 | | | |
| JM1_Les | 13 | 133 | 57 | 296 | 499 |
| JT_Les | 2 | 34 | | | |
| LD_Les | 8 | 47 | | | |
| LG2_Les | 6 | 99 | | | |
| LM_Les | 2 | 60 | | | |
| LS2_Les | 20 | 81 | | | |
| SK2_Les | 14 | 41 | | | |

Table 23: CD68, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 3 | 55 | | | |
| CJ1_Les | 6 | 43 | | | |
| DD1_Les | 28 | 111 | 54 | 187 | 380 |
| EB_Les | 4 | 134 | | | |
| JK1_Les | 3 | 59 | | | |
| JM1_Les | 13 | 111 | 57 | 256 | 437 |
| JT_Les | 2 | 30 | | | |
| LD_Les | 8 | 43 | | | |
| LG2_Les | 6 | 62 | | | |
| LM_Les | 2 | 41 | | | |
| LS2_Les | 20 | 47 | | | |
| SK2_Les | 14 | 33 | | | |

Table 24: CD68, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 86 | | |
| CJ1_Les | 73 | | |
| DD1_Les | 186 | 286 | 473 |
| EB_Les | 218 | | |
| JK1_Les | 113 | | |
| JM1_Les | 176 | 383 | 559 |
| JT_Les | 36 | | |
| LD_Les | 67 | | |
| LG2_Les | 101 | | |
| LM_Les | 65 | | |
| LS2_Les | 88 | | |
| SK2_Les | 60 | | |

Table 25: CD68, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 53 | | |
| CJ1_Les | 36 | | |
| DD1_Les | 69 | 89 | 158 |
| EB_Les | 89 | | |
| JK1_Les | 34 | | |
| JM1_Les | 117 | 295 | 412 |
| JT_Les | 32 | | |
| LD_Les | 42 | | |
| LG2_Les | 59 | | |
| LM_Les | 36 | | |
| LS2_Les | 52 | | |
| SK2_Les | 39 | | |

Table 26: CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 19 | 389 | | | |
| CF_Les_avg | 15 | 341 | 25 | 459 | 840 |
| CJ_Les_avg | 3 | 113 | | | |
| DD_Les_avg | 18 | 276 | 7 | 169 | 471 |
| EB_Les_avg | 6 | 523 | | | |
| JK_Les_avg | 0 | 17 | | | |
| JM_Les_avg | 9 | 253 | 9 | 466 | 737 |
| JT_Les_avg | 4 | 51 | | | |
| LD_Les_avg | 21 | 237 | | | |
| LG_Les_avg | 6 | 123 | 8 | 167 | 304 |
| LM_Les_avg | 6 | 440 | | | |
| LS_Les_avg | 15 | 391 | | | |
| SK_Les_avg | 9 | 144 | 19 | 82 | 254 |

Table 27: CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 19 | 217 | | | |
| CF_Les_avg | 15 | 211 | 25 | 291 | 542 |
| CJ_Les_avg | 3 | 54 | | | |
| DD_Les_avg | 18 | 220 | 7 | 115 | 360 |
| EB_Les_avg | 6 | 269 | | | |
| JK_Les_avg | 0 | 12 | | | |
| JM_Les_avg | 9 | 214 | 9 | 245 | 477 |
| JT_Les_avg | 4 | 47 | | | |
| LD_Les_avg | 21 | 220 | | | |
| LG_Les_avg | 6 | 89 | 8 | 120 | 222 |
| LM_Les_avg | 6 | 255 | | | |
| LS_Les_avg | 15 | 200 | | | |
| SK_Les_avg | 9 | 126 | 19 | 46 | 201 |

Table 28: CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 366 | | |
| CF_Les_avg | 309 | 404 | 713 |
| CJ_Les_avg | 89 | | |
| DD_Les_avg | 319 | 175 | 494 |
| EB_Les_avg | 453 | | |
| JK_Les_avg | 18 | | |
| JM_Les_avg | 301 | 430 | 731 |
| JT_Les_avg | 55 | | |
| LD_Les_avg | 296 | | |
| LG_Les_avg | 138 | 172 | 309 |
| LM_Les_avg | 424 | | |
| LS_Les_avg | 302 | | |
| SK_Les_avg | 187 | 121 | 308 |

Table 29: CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 152 | | |
| CF_Les_avg | 121 | 111 | 233 |
| CJ_Les_avg | 26 | | |
| DD_Les_avg | 53 | 23 | 77 |
| EB_Les_avg | 147 | | |
| JK_Les_avg | 8 | | |
| JM_Les_avg | 166 | 151 | 317 |
| JT_Les_avg | 52 | | |
| LD_Les_avg | 174 | | |
| LG_Les_avg | 89 | 98 | 187 |
| LM_Les_avg | 183 | | |
| LS_Les_avg | 123 | | |
| SK_Les_avg | 104 | 45 | 149 |

Table 30: CD11c, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 19 | 180 | | | |
| CF_Les_avg | 40 | 522 | 102 | 451 | 1114 |
| CJ_Les_avg | 5 | 173 | | | |
| DD_Les_avg | 65 | 420 | 308 | 472 | 1265 |
| EB_Les_avg | 3 | 340 | | | |
| JK_Les_avg | 6 | 200 | | | |
| JM_Les_avg | 38 | 245 | 73 | 568 | 924 |
| JT_Les_avg | 1 | 50 | | | |
| LD_Les_avg | 2 | 221 | | | |
| LG_Les_avg | 19 | 221 | 75 | 447 | 763 |
| LM_Les_avg | 9 | 344 | | | |
| LS_Les_avg | 36 | 255 | | | |
| SK_Les_avg | 17 | 210 | 136 | 240 | 603 |

Table 31: CD11c, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 19 | 106 | | | |
| CF_Les_avg | 40 | 280 | 102 | 227 | 649 |
| CJ_Les_avg | 5 | 93 | | | |
| DD_Les_avg | 65 | 259 | 308 | 292 | 924 |
| EB_Les_avg | 3 | 174 | | | |
| JK_Les_avg | 6 | 126 | | | |
| JM_Les_avg | 38 | 198 | 73 | 423 | 733 |
| JT_Les_avg | 1 | 46 | | | |
| LD_Les_avg | 2 | 178 | | | |
| LG_Les_avg | 19 | 143 | 75 | 307 | 545 |
| LM_Les_avg | 9 | 198 | | | |
| LS_Les_avg | 36 | 139 | | | |
| SK_Les_avg | 17 | 153 | 136 | 148 | 455 |

Table 32: CD11c, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 192 | | |
| CF_Les_avg | 456 | 408 | 864 |
| CJ_Les_avg | 150 | | |
| DD_Les_avg | 444 | 619 | 1064 |
| EB_Les_avg | 298 | | |
| JK_Les_avg | 198 | | |
| JM_Les_avg | 327 | 665 | 992 |
| JT_Les_avg | 52 | | |
| LD_Les_avg | 237 | | |
| LG_Les_avg | 240 | 528 | 768 |
| LM_Les_avg | 329 | | |
| LS_Les_avg | 249 | | |
| SK_Les_avg | 258 | 395 | 653 |

Table 33: CD11c, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 97 | | |
| CF_Les_avg | 179 | 204 | 383 |
| CJ_Les_avg | 58 | | |
| DD_Les_avg | 156 | 303 | 460 |
| EB_Les_avg | 103 | | |
| JK_Les_avg | 61 | | |
| JM_Les_avg | 206 | 410 | 616 |
| JT_Les_avg | 49 | | |
| LD_Les_avg | 67 | | |
| LG_Les_avg | 139 | 317 | 456 |
| LM_Les_avg | 151 | | |
| LS_Les_avg | 122 | | |
| SK_Les_avg | 132 | 211 | 343 |

Table 34: CD123, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 5 | 40 | | | |
| CF_Les_avg | 14 | 232 | 24 | 142 | 412 |
| CJ_Les_avg | 0 | 24 | | | |
| DD_Les_avg | 44 | 234 | 62 | 321 | 661 |
| EB_Les_avg | 1 | 158 | | | |
| JK_Les_avg | 0 | 6 | | | |
| JM_Les_avg | 7 | 92 | 35 | 389 | 523 |
| JT_Les_avg | 0 | 19 | | | |
| LD_Les_avg | 1 | 79 | | | |
| LG_Les_avg | 1 | 21 | 44 | 94 | 161 |
| LM_Les_avg | 0 | 29 | | | |
| LS_Les_avg | 5 | 36 | | | |
| SK_Les_avg | 3 | 56 | 42 | 96 | 197 |

Table 35: CD123, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 5 | 30 | | | |
| CF_Les_avg | 14 | 155 | 24 | 92 | 285 |
| CJ_Les_avg | 0 | 12 | | | |
| DD_Les_avg | 44 | 203 | 62 | 255 | 563 |
| EB_Les_avg | 1 | 85 | | | |
| JK_Les_avg | 0 | 4 | | | |
| JM_Les_avg | 7 | 86 | 35 | 349 | 477 |
| JT_Les_avg | 0 | 17 | | | |
| LD_Les_avg | 1 | 75 | | | |
| LG_Les_avg | 1 | 15 | 44 | 88 | 148 |
| LM_Les_avg | 0 | 20 | | | |
| LS_Les_avg | 5 | 21 | | | |
| SK_Les_avg | 3 | 49 | 42 | 63 | 156 |

Table 36: CD123, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 51 | | |
| CF_Les_avg | 237 | 146 | 383 |
| CJ_Les_avg | 18 | | |
| DD_Les_avg | 357 | 437 | 794 |
| EB_Les_avg | 140 | | |
| JK_Les_avg | 6 | | |
| JM_Les_avg | 123 | 467 | 590 |
| JT_Les_avg | 19 | | |
| LD_Les_avg | 87 | | |
| LG_Les_avg | 24 | 174 | 198 |
| LM_Les_avg | 30 | | |
| LS_Les_avg | 34 | | |
| SK_Les_avg | 80 | 186 | 267 |

Table 37: CD123, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 31 | | |
| CF_Les_avg | 105 | 70 | 175 |
| CJ_Les_avg | 5 | | |
| DD_Les_avg | 134 | 147 | 281 |
| EB_Les_avg | 55 | | |
| JK_Les_avg | 3 | | |
| JM_Les_avg | 90 | 347 | 438 |
| JT_Les_avg | 18 | | |
| LD_Les_avg | 37 | | |
| LG_Les_avg | 16 | 163 | 179 |
| LM_Les_avg | 15 | | |
| LS_Les_avg | 18 | | |
| SK_Les_avg | 45 | 98 | 143 |

Table 38: CD15, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0 | 20 | | | |
| CF_Les_avg | 14 | 158 | 100 | 38 | 311 |
| CJ_Les_avg | 0 | 3 | | | |
| DD_Les_avg | 11 | 59 | 322 | 93 | 485 |
| EB_Les_avg | 0 | 10 | | | |
| JK_Les_avg | 8 | 99 | | | |
| JM_Les_avg | 1 | 5 | 23 | 23 | 53 |
| JT_Les_avg | 0 | 11 | | | |
| LD_Les_avg | 0 | 19 | | | |
| LG_Les_avg | 0 | 32 | 0 | 4 | 37 |
| LM_Les_avg | 2 | 19 | | | |
| LS_Les_avg | 0 | 1 | | | |
| SK_Les_avg | 7 | 40 | 151 | 65 | 263 |

Table 39: CD15, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0 | 8 | | | |
| CF_Les_avg | 14 | 117 | 100 | 31 | 263 |
| CJ_Les_avg | 0 | 2 | | | |
| DD_Les_avg | 11 | 58 | 322 | 88 | 479 |
| EB_Les_avg | 0 | 7 | | | |
| JK_Les_avg | 8 | 47 | | | |
| JM_Les_avg | 1 | 3 | 23 | 22 | 49 |
| JT_Les_avg | 0 | 8 | | | |
| LD_Les_avg | 0 | 12 | | | |
| LG_Les_avg | 0 | 12 | 0 | 3 | 15 |
| LM_Les_avg | 2 | 16 | | | |
| LS_Les_avg | 0 | 1 | | | |
| SK_Les_avg | 7 | 32 | 151 | 51 | 241 |

Table 40: CD15, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 16 | | |
| CF_Les_avg | 180 | 120 | 300 |
| CJ_Les_avg | 3 | | |
| DD_Les_avg | 86 | 386 | 472 |
| EB_Les_avg | 10 | | |
| JK_Les_avg | 90 | | |
| JM_Les_avg | 5 | 46 | 51 |
| JT_Les_avg | 11 | | |
| LD_Les_avg | 14 | | |
| LG_Les_avg | 28 | 5 | 33 |
| LM_Les_avg | 23 | | |
| LS_Les_avg | 1 | | |
| SK_Les_avg | 60 | 164 | 224 |

Table 41: CD15, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 5 | | |
| CF_Les_avg | 72 | 99 | 170 |
| CJ_Les_avg | 2 | | |
| DD_Les_avg | 13 | 306 | 319 |
| EB_Les_avg | 6 | | |
| JK_Les_avg | 10 | | |
| JM_Les_avg | 4 | 42 | 46 |
| JT_Les_avg | 7 | | |
| LD_Les_avg | 10 | | |
| LG_Les_avg | 9 | 3 | 12 |
| LM_Les_avg | 20 | | |
| LS_Les_avg | 1 | | |
| SK_Les_avg | 32 | 114 | 147 |

Table 42: CD56, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 1 | 11 | | | |
| CF_Les_avg | 1 | 12 | 1 | 27 | 41 |
| CJ_Les_avg | 0 | 8 | | | |
| DD_Les_avg | 2 | 11 | 0 | 9 | 22 |
| EB_Les_avg | 0 | 25 | | | |
| JK_Les_avg | 0 | 1 | | | |
| JM_Les_avg | 2 | 12 | 2 | 19 | 35 |
| JT_Les_avg | 0 | 1 | | | |
| LD_Les_avg | 1 | 3 | | | |
| LG_Les_avg | 0 | 3 | 0 | 2 | 5 |
| LM_Les_avg | 1 | 23 | | | |
| LS_Les_avg | 0 | 3 | | | |
| SK_Les_avg | 1 | 4 | 1 | 4 | 9 |

Table 43: CD56, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 1 | 7 | | | |
| CF_Les_avg | 1 | 8 | 1 | 19 | 29 |
| CJ_Les_avg | 0 | 3 | | | |
| DD_Les_avg | 2 | 10 | 0 | 6 | 17 |
| EB_Les_avg | 0 | 13 | | | |
| JK_Les_avg | 0 | 1 | | | |
| JM_Les_avg | 2 | 12 | 2 | 14 | 31 |
| JT_Les_avg | 0 | 1 | | | |
| LD_Les_avg | 1 | 3 | | | |
| LG_Les_avg | 0 | 2 | 0 | 2 | 4 |
| LM_Les_avg | 1 | 15 | | | |
| LS_Les_avg | 0 | 1 | | | |
| SK_Les_avg | 1 | 4 | 1 | 2 | 8 |

Table 44: CD56, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 13 | | |
| CF_Les_avg | 11 | 25 | 37 |
| CJ_Les_avg | 5 | | |
| DD_Les_avg | 16 | 8 | 23 |
| EB_Les_avg | 22 | | |
| JK_Les_avg | 1 | | |
| JM_Les_avg | 20 | 22 | 42 |
| JT_Les_avg | 1 | | |
| LD_Les_avg | 6 | | |
| LG_Les_avg | 3 | 3 | 6 |
| LM_Les_avg | 24 | | |
| LS_Les_avg | 3 | | |
| SK_Les_avg | 7 | 6 | 14 |

Table 45: CD56, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 6 | | |
| CF_Les_avg | 6 | 7 | 13 |
| CJ_Les_avg | 1 | | |
| DD_Les_avg | 2 | 0 | 2 |
| EB_Les_avg | 6 | | |
| JK_Les_avg | 0 | | |
| JM_Les_avg | 15 | 11 | 27 |
| JT_Les_avg | 1 | | |
| LD_Les_avg | 4 | | |
| LG_Les_avg | 2 | 2 | 4 |
| LM_Les_avg | 12 | | |
| LS_Les_avg | 1 | | |
| SK_Les_avg | 5 | 3 | 7 |

Table 46: CD68, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 3 | 82 | | | |
| CF_Les_avg | 111 | 217 | | | |
| CJ_Les_avg | 6 | 85 | | | |
| DD_Les_avg | 23 | 128 | 38 | 205 | 394 |
| EB_Les_avg | 4 | 239 | | | |
| JK_Les_avg | 3 | 93 | | | |
| JM_Les_avg | 15 | 106 | 57 | 296 | 474 |
| JT_Les_avg | 2 | 34 | | | |
| LD_Les_avg | 8 | 47 | | | |
| LG_Les_avg | 11 | 73 | 65 | 97 | 247 |
| LM_Les_avg | 2 | 60 | | | |
| LS_Les_avg | 18 | 71 | | | |
| SK_Les_avg | 10 | 41 | | | |

Table 47: CD68, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 3 | 55 | | | |
| CF_Les_avg | 111 | 152 | | | |
| CJ_Les_avg | 6 | 51 | | | |
| DD_Les_avg | 23 | 86 | 38 | 135 | 283 |
| EB_Les_avg | 4 | 134 | | | |
| JK_Les_avg | 3 | 53 | | | |
| JM_Les_avg | 15 | 90 | 57 | 256 | 418 |
| JT_Les_avg | 2 | 30 | | | |
| LD_Les_avg | 8 | 43 | | | |
| LG_Les_avg | 11 | 49 | 65 | 80 | 206 |
| LM_Les_avg | 2 | 41 | | | |
| LS_Les_avg | 18 | 42 | | | |
| SK_Les_avg | 10 | 35 | | | |

Table 48: CD68, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 86 | | |
| CF_Les_avg | 340 | | |
| CJ_Les_avg | 81 | | |
| DD_Les_avg | 155 | 224 | 379 |
| EB_Les_avg | 218 | | |
| JK_Les_avg | 92 | | |
| JM_Les_avg | 148 | 383 | 531 |
| JT_Les_avg | 36 | | |
| LD_Les_avg | 67 | | |
| LG_Les_avg | 87 | 184 | 271 |
| LM_Les_avg | 65 | | |
| LS_Les_avg | 82 | | |
| SK_Les_avg | 59 | | |

Table 49: CD68, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 53 | | |
| CF_Les_avg | 255 | | |
| CJ_Les_avg | 40 | | |
| DD_Les_avg | 57 | 77 | 135 |
| EB_Les_avg | 89 | | |
| JK_Les_avg | 34 | | |
| JM_Les_avg | 98 | 295 | 393 |
| JT_Les_avg | 32 | | |
| LD_Les_avg | 42 | | |
| LG_Les_avg | 58 | 160 | 218 |
| LM_Les_avg | 36 | | |
| LS_Les_avg | 51 | | |
| SK_Les_avg | 39 | | |

Table 50: CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 3 | 239 | | | |
| CF1_Les | 7 | 201 | 4 | 236 | 447 |
| CJ1_Les | 3 | 83 | | | |
| DD1_Les | 5 | 275 | 1 | 168 | 450 |
| EB_Les | 3 | 344 | | | |
| JK1_Les | 0 | 10 | | | |
| JM1_Les | 4 | 255 | 3 | 297 | 559 |
| JT_Les | 2 | 28 | | | |
| LD_Les | 4 | 60 | | | |
| LG2_Les | 1 | 110 | | | |
| LM_Les | 2 | 370 | | | |
| LS2_Les | 8 | 272 | | | |
| SK2_Les | 6 | 109 | | | |

Table 51: CD4T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 3 | 89 | | | |
| CF1_Les | 7 | 116 | 4 | 147 | 273 |
| CJ1_Les | 3 | 37 | | | |
| DD1_Les | 5 | 227 | 1 | 104 | 337 |
| EB_Les | 3 | 180 | | | |
| JK1_Les | 0 | 8 | | | |
| JM1_Les | 4 | 195 | 3 | 159 | 361 |
| JT_Les | 2 | 26 | | | |
| LD_Les | 4 | 52 | | | |
| LG2_Les | 1 | 60 | | | |
| LM_Les | 2 | 216 | | | |
| LS2_Les | 8 | 136 | | | |
| SK2_Les | 6 | 92 | | | |

Table 52: CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 175 | | |
| CF1_Les | 171 | 193 | 364 |
| CJ1_Les | 65 | | |
| DD1_Les | 311 | 123 | 434 |
| EB_Les | 300 | | |
| JK1_Les | 11 | | |
| JM1_Les | 260 | 273 | 533 |
| JT_Les | 30 | | |
| LD_Les | 70 | | |
| LG2_Les | 106 | | |
| LM_Les | 353 | | |
| LS2_Les | 198 | | |
| SK2_Les | 122 | | |

Table 53: CD4T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 52 | | |
| CF1_Les | 69 | 38 | 108 |
| CJ1_Les | 19 | | |
| DD1_Les | 36 | 2 | 39 |
| EB_Les | 96 | | |
| JK1_Les | 6 | | |
| JM1_Les | 130 | 89 | 219 |
| JT_Les | 29 | | |
| LD_Les | 33 | | |
| LG2_Les | 41 | | |
| LM_Les | 149 | | |
| LS2_Les | 84 | | |
| SK2_Les | 56 | | |

Table 54: CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 6 | 111 | | | |
| CF1_Les | 8 | 202 | 10 | 306 | 526 |
| CJ1_Les | 1 | 33 | | | |
| DD1_Les | 7 | 113 | 1 | 74 | 195 |
| EB_Les | 1 | 162 | | | |
| JK1_Les | 0 | 2 | | | |
| JM1_Les | 5 | 94 | 2 | 115 | 216 |
| JT_Les | 2 | 15 | | | |
| LD_Les | 7 | 28 | | | |
| LG2_Les | 1 | 70 | | | |
| LM_Les | 3 | 116 | | | |
| LS2_Les | 3 | 62 | | | |
| SK2_Les | 3 | 21 | | | |

Table 55: CD8T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 6 | 52 | | | |
| CF1_Les | 8 | 129 | 10 | 202 | 349 |
| CJ1_Les | 1 | 15 | | | |
| DD1_Les | 7 | 91 | 1 | 43 | 143 |
| EB_Les | 1 | 82 | | | |
| JK1_Les | 0 | 2 | | | |
| JM1_Les | 5 | 79 | 2 | 65 | 151 |
| JT_Les | 2 | 13 | | | |
| LD_Les | 7 | 28 | | | |
| LG2_Les | 1 | 42 | | | |
| LM_Les | 3 | 64 | | | |
| LS2_Les | 3 | 32 | | | |
| SK2_Les | 3 | 18 | | | |

Table 56: CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 96 | | |
| CF1_Les | 185 | 272 | 457 |
| CJ1_Les | 25 | | |
| DD1_Les | 133 | 52 | 185 |
| EB_Les | 138 | | |
| JK1_Les | 3 | | |
| JM1_Les | 111 | 115 | 227 |
| JT_Les | 16 | | |
| LD_Les | 45 | | |
| LG2_Les | 69 | | |
| LM_Les | 114 | | |
| LS2_Les | 48 | | |
| SK2_Les | 27 | | |

Table 57: CD8T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 42 | | |
| CF1_Les | 79 | 75 | 154 |
| CJ1_Les | 6 | | |
| DD1_Les | 22 | 1 | 24 |
| EB_Les | 43 | | |
| JK1_Les | 3 | | |
| JM1_Les | 68 | 41 | 109 |
| JT_Les | 15 | | |
| LD_Les | 32 | | |
| LG2_Les | 28 | | |
| LM_Les | 42 | | |
| LS2_Les | 23 | | |
| SK2_Les | 17 | | |

Table 58: Treg, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0 | 11 | | | |
| CF1_Les | 1 | 10 | 0 | 18 | 30 |
| CJ1_Les | 0 | 4 | | | |
| DD1_Les | 1 | 18 | 0 | 24 | 44 |
| EB_Les | 0 | 3 | | | |
| JK1_Les | 0 | 1 | | | |
| JM1_Les | 1 | 14 | 1 | 14 | 30 |
| JT_Les | 0 | 3 | | | |
| LD_Les | 0 | 1 | | | |
| LG2_Les | 0 | 2 | | | |
| LM_Les | 0 | 4 | | | |
| LS2_Les | 1 | 13 | | | |
| SK2_Les | 2 | 6 | | | |

Table 59: Treg, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0 | 5 | | | |
| CF1_Les | 1 | 6 | 0 | 10 | 17 |
| CJ1_Les | 0 | 3 | | | |
| DD1_Les | 1 | 14 | 0 | 15 | 30 |
| EB_Les | 0 | 1 | | | |
| JK1_Les | 0 | 1 | | | |
| JM1_Les | 1 | 13 | 1 | 12 | 27 |
| JT_Les | 0 | 3 | | | |
| LD_Les | 0 | 1 | | | |
| LG2_Les | 0 | 1 | | | |
| LM_Les | 0 | 2 | | | |
| LS2_Les | 1 | 7 | | | |
| SK2_Les | 2 | 5 | | | |

Table 60: Treg, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 8 | | |
| CF1_Les | 9 | 13 | 23 |
| CJ1_Les | 4 | | |
| DD1_Les | 22 | 17 | 40 |
| EB_Les | 2 | | |
| JK1_Les | 1 | | |
| JM1_Les | 19 | 16 | 35 |
| JT_Les | 3 | | |
| LD_Les | 2 | | |
| LG2_Les | 2 | | |
| LM_Les | 4 | | |
| LS2_Les | 11 | | |
| SK2_Les | 8 | | |

Table 61: Treg, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 3 | | |
| CF1_Les | 6 | 2 | 9 |
| CJ1_Les | 2 | | |
| DD1_Les | 4 | 0 | 4 |
| EB_Les | 1 | | |
| JK1_Les | 1 | | |
| JM1_Les | 11 | 8 | 19 |
| JT_Les | 3 | | |
| LD_Les | 1 | | |
| LG2_Les | 1 | | |
| LM_Les | 1 | | |
| LS2_Les | 7 | | |
| SK2_Les | 5 | | |

Table 62: CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 5 | 227 | | | |
| CF_Les_avg | 5 | 161 | 5 | 200 | 371 |
| CJ_Les_avg | 2 | 68 | | | |
| DD_Les_avg | 6 | 174 | 2 | 106 | 290 |
| EB_Les_avg | 3 | 344 | | | |
| JK_Les_avg | 0 | 11 | | | |
| JM_Les_avg | 4 | 184 | 3 | 297 | 489 |
| JT_Les_avg | 2 | 28 | | | |
| LD_Les_avg | 4 | 60 | | | |
| LG_Les_avg | 2 | 78 | 3 | 95 | 178 |
| LM_Les_avg | 2 | 370 | | | |
| LS_Les_avg | 7 | 271 | | | |
| SK_Les_avg | 4 | 94 | 6 | 53 | 157 |

Table 63: CD4T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 5 | 119 | | | |
| CF_Les_avg | 5 | 94 | 5 | 106 | 211 |
| CJ_Les_avg | 2 | 34 | | | |
| DD_Les_avg | 6 | 141 | 2 | 67 | 217 |
| EB_Les_avg | 3 | 180 | | | |
| JK_Les_avg | 0 | 8 | | | |
| JM_Les_avg | 4 | 150 | 3 | 159 | 316 |
| JT_Les_avg | 2 | 26 | | | |
| LD_Les_avg | 4 | 52 | | | |
| LG_Les_avg | 2 | 55 | 3 | 66 | 125 |
| LM_Les_avg | 2 | 216 | | | |
| LS_Les_avg | 7 | 132 | | | |
| SK_Les_avg | 4 | 83 | 6 | 31 | 125 |

Table 64: CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 202 | | |
| CF_Les_avg | 137 | 141 | 278 |
| CJ_Les_avg | 54 | | |
| DD_Les_avg | 193 | 93 | 286 |
| EB_Les_avg | 300 | | |
| JK_Les_avg | 12 | | |
| JM_Les_avg | 206 | 273 | 479 |
| JT_Les_avg | 30 | | |
| LD_Les_avg | 70 | | |
| LG_Les_avg | 84 | 93 | 177 |
| LM_Les_avg | 353 | | |
| LS_Les_avg | 197 | | |
| SK_Les_avg | 119 | 69 | 188 |

Table 65: CD4T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 65 | | |
| CF_Les_avg | 54 | 29 | 82 |
| CJ_Les_avg | 15 | | |
| DD_Les_avg | 21 | 4 | 25 |
| EB_Les_avg | 96 | | |
| JK_Les_avg | 5 | | |
| JM_Les_avg | 110 | 89 | 199 |
| JT_Les_avg | 29 | | |
| LD_Les_avg | 33 | | |
| LG_Les_avg | 51 | 53 | 103 |
| LM_Les_avg | 149 | | |
| LS_Les_avg | 80 | | |
| SK_Les_avg | 63 | 18 | 81 |

Table 66: CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 12 | 118 | | | |
| CF_Les_avg | 6 | 133 | 12 | 277 | 429 |
| CJ_Les_avg | 1 | 30 | | | |
| DD_Les_avg | 7 | 80 | 2 | 49 | 138 |
| EB_Les_avg | 1 | 162 | | | |
| JK_Les_avg | 0 | 2 | | | |
| JM_Les_avg | 3 | 60 | 2 | 115 | 180 |
| JT_Les_avg | 2 | 15 | | | |
| LD_Les_avg | 7 | 28 | | | |
| LG_Les_avg | 3 | 54 | 4 | 71 | 133 |
| LM_Les_avg | 3 | 116 | | | |
| LS_Les_avg | 4 | 78 | | | |
| SK_Les_avg | 3 | 37 | 6 | 53 | 99 |

Table 67: CD8T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 12 | 68 | | | |
| CF_Les_avg | 6 | 83 | 12 | 174 | 275 |
| CJ_Les_avg | 1 | 14 | | | |
| DD_Les_avg | 7 | 64 | 2 | 30 | 103 |
| EB_Les_avg | 1 | 82 | | | |
| JK_Les_avg | 0 | 2 | | | |
| JM_Les_avg | 3 | 54 | 2 | 65 | 125 |
| JT_Les_avg | 2 | 13 | | | |
| LD_Les_avg | 7 | 28 | | | |
| LG_Les_avg | 3 | 41 | 4 | 52 | 100 |
| LM_Les_avg | 3 | 64 | | | |
| LS_Les_avg | 4 | 39 | | | |
| SK_Les_avg | 3 | 35 | 6 | 31 | 76 |

Table 68: CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 122 | | |
| CF_Les_avg | 119 | 239 | 358 |
| CJ_Les_avg | 23 | | |
| DD_Les_avg | 96 | 44 | 139 |
| EB_Les_avg | 138 | | |
| JK_Les_avg | 3 | | |
| JM_Les_avg | 80 | 115 | 195 |
| JT_Les_avg | 16 | | |
| LD_Les_avg | 45 | | |
| LG_Les_avg | 62 | 75 | 137 |
| LM_Les_avg | 114 | | |
| LS_Les_avg | 61 | | |
| SK_Les_avg | 57 | 69 | 126 |

Table 69: CD8T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 58 | | |
| CF_Les_avg | 49 | 64 | 113 |
| CJ_Les_avg | 6 | | |
| DD_Les_avg | 15 | 2 | 18 |
| EB_Les_avg | 43 | | |
| JK_Les_avg | 2 | | |
| JM_Les_avg | 52 | 41 | 93 |
| JT_Les_avg | 15 | | |
| LD_Les_avg | 32 | | |
| LG_Les_avg | 41 | 43 | 83 |
| LM_Les_avg | 42 | | |
| LS_Les_avg | 27 | | |
| SK_Les_avg | 36 | 18 | 54 |

Table 70: Treg, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 1 | 9 | | | |
| CF_Les_avg | 1 | 7 | 1 | 15 | 23 |
| CJ_Les_avg | 0 | 4 | | | |
| DD_Les_avg | 1 | 8 | 0 | 10 | 19 |
| EB_Les_avg | 0 | 3 | | | |
| JK_Les_avg | 0 | 1 | | | |
| JM_Les_avg | 1 | 12 | 1 | 14 | 28 |
| JT_Les_avg | 0 | 3 | | | |
| LD_Les_avg | 0 | 1 | | | |
| LG_Les_avg | 0 | 4 | 1 | 7 | 12 |
| LM_Les_avg | 0 | 4 | | | |
| LS_Les_avg | 2 | 21 | | | |
| SK_Les_avg | 1 | 9 | 2 | 4 | 16 |

Table 71: Treg, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 1 | 6 | | | |
| CF_Les_avg | 1 | 4 | 1 | 9 | 15 |
| CJ_Les_avg | 0 | 3 | | | |
| DD_Les_avg | 1 | 6 | 0 | 6 | 13 |
| EB_Les_avg | 0 | 1 | | | |
| JK_Les_avg | 0 | 1 | | | |
| JM_Les_avg | 1 | 11 | 1 | 12 | 24 |
| JT_Les_avg | 0 | 3 | | | |
| LD_Les_avg | 0 | 1 | | | |
| LG_Les_avg | 0 | 4 | 1 | 6 | 11 |
| LM_Les_avg | 0 | 2 | | | |
| LS_Les_avg | 2 | 12 | | | |
| SK_Les_avg | 1 | 9 | 2 | 3 | 15 |

Table 72: Treg, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 10 | | |
| CF_Les_avg | 6 | 12 | 19 |
| CJ_Les_avg | 4 | | |
| DD_Les_avg | 10 | 8 | 18 |
| EB_Les_avg | 2 | | |
| JK_Les_avg | 1 | | |
| JM_Les_avg | 16 | 16 | 33 |
| JT_Les_avg | 3 | | |
| LD_Les_avg | 2 | | |
| LG_Les_avg | 6 | 8 | 14 |
| LM_Les_avg | 4 | | |
| LS_Les_avg | 20 | | |
| SK_Les_avg | 15 | 10 | 25 |

Table 73: Treg, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 5 | | |
| CF_Les_avg | 4 | 3 | 7 |
| CJ_Les_avg | 2 | | |
| DD_Les_avg | 3 | 0 | 3 |
| EB_Les_avg | 1 | | |
| JK_Les_avg | 1 | | |
| JM_Les_avg | 10 | 8 | 18 |
| JT_Les_avg | 3 | | |
| LD_Les_avg | 1 | | |
| LG_Les_avg | 5 | 7 | 12 |
| LM_Les_avg | 1 | | |
| LS_Les_avg | 12 | | |
| SK_Les_avg | 11 | 4 | 15 |

Table 74: Treg/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0.03 | 0.03 | | | |
| CF1_Les | 0.08 | 0.02 | 0.02 | 0.03 | 0.16 |
| CJ1_Les | 0.03 | 0.03 | | | |
| DD1_Les | 0.06 | 0.05 | 0.01 | 0.1 | 0.23 |
| EB_Les | 0.01 | 0.01 | | | |
| JK1_Les | 0.12 | 0.04 | | | |
| JM1_Les | 0.10 | 0.04 | 0.07 | 0.03 | 0.24 |
| JT_Les | 0.01 | 0.05 | | | |
| LD_Les | 0.01 | 0.01 | | | |
| LG2_Les | 0.02 | 0.01 | | | |
| LM_Les | 0.02 | 0.01 | | | |
| LS2_Les | 0.07 | 0.03 | | | |
| SK2_Les | 0.16 | 0.04 | | | |

Table 75: Treg/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0.03 | 0.03 | | | |
| CF1_Les | 0.08 | 0.02 | 0.02 | 0.03 | 0.15 |
| CJ1_Les | 0.03 | 0.05 | | | |
| DD1_Les | 0.06 | 0.05 | 0.01 | 0.1 | 0.22 |
| EB_Les | 0.01 | 0.00 | | | |
| JK1_Les | 0.12 | 0.05 | | | |
| JM1_Les | 0.10 | 0.04 | 0.07 | 0.05 | 0.26 |
| JT_Les | 0.01 | 0.05 | | | |
| LD_Les | 0.01 | 0.01 | | | |
| LG2_Les | 0.02 | 0.02 | | | |
| LM_Les | 0.02 | 0.01 | | | |
| LS2_Les | 0.07 | 0.04 | | | |
| SK2_Les | 0.16 | 0.04 | | | |

Table 76: Treg/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.02 | | |
| CF1_Les | 0.02 | 0.03 | 0.05 |
| CJ1_Les | 0.04 | | |
| DD1_Les | 0.05 | 0.1 | 0.15 |
| EB_Les | 0.00 | | |
| JK1_Les | 0.05 | | |
| JM1_Les | 0.05 | 0.04 | 0.08 |
| JT_Les | 0.05 | | |
| LD_Les | 0.01 | | |
| LG2_Les | 0.01 | | |
| LM_Les | 0.01 | | |
| LS2_Les | 0.04 | | |
| SK2_Les | 0.04 | | |

Table 77: Treg/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.02 | | |
| CF1_Les | 0.04 | 0.02 | 0.06 |
| CJ1_Les | 0.06 | | |
| DD1_Les | 0.04 | 0.01 | 0.05 |
| EB_Les | 0.00 | | |
| JK1_Les | 0.08 | | |
| JM1_Les | 0.05 | 0.05 | 0.11 |
| JT_Les | 0.05 | | |
| LD_Les | 0.01 | | |
| LG2_Les | 0.01 | | |
| LM_Les | 0.01 | | |
| LS2_Les | 0.05 | | |
| SK2_Les | 0.06 | | |

Table 78: Treg/CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0.12 | 0.05 | | | |
| CF1_Les | 0.22 | 0.05 | 0.13 | 0.08 | 0.47 |
| CJ1_Les | 0.04 | 0.05 | | | |
| DD1_Les | 0.21 | 0.07 | 0.04 | 0.14 | 0.46 |
| EB_Les | 0.03 | 0.01 | | | |
| JK1_Les | 0.38 | 0.07 | | | |
| JM1_Les | 0.23 | 0.06 | 0.22 | 0.05 | 0.56 |
| JT_Les | 0.02 | 0.09 | | | |
| LD_Les | 0.08 | 0.02 | | | |
| LG2_Les | 0.03 | 0.02 | | | |
| LM_Les | 0.05 | 0.01 | | | |
| LS2_Les | 0.16 | 0.05 | | | |
| SK2_Les | 0.34 | 0.05 | | | |

Table 79: Treg/CD4T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0.12 | 0.05 | | | |
| CF1_Les | 0.22 | 0.05 | 0.13 | 0.07 | 0.46 |
| CJ1_Les | 0.04 | 0.07 | | | |
| DD1_Les | 0.21 | 0.06 | 0.04 | 0.14 | 0.45 |
| EB_Les | 0.03 | 0.00 | | | |
| JK1_Les | 0.38 | 0.08 | | | |
| JM1_Les | 0.23 | 0.07 | 0.22 | 0.08 | 0.59 |
| JT_Les | 0.02 | 0.10 | | | |
| LD_Les | 0.08 | 0.02 | | | |
| LG2_Les | 0.03 | 0.02 | | | |
| LM_Les | 0.05 | 0.01 | | | |
| LS2_Les | 0.16 | 0.05 | | | |
| SK2_Les | 0.34 | 0.06 | | | |

Table 80: Treg/CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.05 | | |
| CF1_Les | 0.05 | 0.07 | 0.12 |
| CJ1_Les | 0.06 | | |
| DD1_Les | 0.07 | 0.14 | 0.21 |
| EB_Les | 0.01 | | |
| JK1_Les | 0.08 | | |
| JM1_Les | 0.07 | 0.06 | 0.13 |
| JT_Les | 0.09 | | |
| LD_Les | 0.03 | | |
| LG2_Les | 0.02 | | |
| LM_Les | 0.01 | | |
| LS2_Les | 0.06 | | |
| SK2_Les | 0.06 | | |

Table 81: Treg/CD4T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.06 | | |
| CF1_Les | 0.09 | 0.06 | 0.16 |
| CJ1_Les | 0.10 | | |
| DD1_Les | 0.10 | 0.04 | 0.14 |
| EB_Les | 0.01 | | |
| JK1_Les | 0.14 | | |
| JM1_Les | 0.08 | 0.09 | 0.17 |
| JT_Les | 0.09 | | |
| LD_Les | 0.04 | | |
| LG2_Les | 0.02 | | |
| LM_Les | 0.01 | | |
| LS2_Les | 0.08 | | |
| SK2_Les | 0.09 | | |

Table 82: Treg/CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0.05 | 0.10 | | | |
| CF1_Les | 0.18 | 0.05 | 0.05 | 0.06 | 0.34 |
| CJ1_Les | 0.17 | 0.12 | | | |
| DD1_Les | 0.15 | 0.16 | 0.04 | 0.33 | 0.68 |
| EB_Les | 0.06 | 0.02 | | | |
| JK1_Les | 0.17 | 0.28 | | | |
| JM1_Les | 0.21 | 0.15 | 0.29 | 0.12 | 0.77 |
| JT_Les | 0.02 | 0.17 | | | |
| LD_Les | 0.04 | 0.05 | | | |
| LG2_Les | 0.03 | 0.03 | | | |
| LM_Les | 0.04 | 0.04 | | | |
| LS2_Les | 0.35 | 0.20 | | | |
| SK2_Les | 0.60 | 0.27 | | | |

Table 83: Treg/CD8T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0.05 | 0.09 | | | |
| CF1_Les | 0.18 | 0.04 | 0.05 | 0.05 | 0.32 |
| CJ1_Les | 0.17 | 0.17 | | | |
| DD1_Les | 0.15 | 0.16 | 0.04 | 0.34 | 0.69 |
| EB_Les | 0.06 | 0.01 | | | |
| JK1_Les | 0.17 | 0.28 | | | |
| JM1_Les | 0.21 | 0.17 | 0.29 | 0.18 | 0.85 |
| JT_Les | 0.02 | 0.20 | | | |
| LD_Les | 0.04 | 0.04 | | | |
| LG2_Les | 0.03 | 0.03 | | | |
| LM_Les | 0.04 | 0.03 | | | |
| LS2_Les | 0.35 | 0.23 | | | |
| SK2_Les | 0.60 | 0.27 | | | |

Table 84: Treg/CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.08 | | |
| CF1_Les | 0.05 | 0.05 | 0.1 |
| CJ1_Les | 0.16 | | |
| DD1_Les | 0.17 | 0.34 | 0.5 |
| EB_Les | 0.01 | | |
| JK1_Les | 0.29 | | |
| JM1_Les | 0.17 | 0.14 | 0.31 |
| JT_Les | 0.17 | | |
| LD_Les | 0.05 | | |
| LG2_Les | 0.03 | | |
| LM_Les | 0.04 | | |
| LS2_Les | 0.24 | | |
| SK2_Les | 0.28 | | |

Table 85: Treg/CD8T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.07 | | |
| CF1_Les | 0.08 | 0.03 | 0.11 |
| CJ1_Les | 0.30 | | |
| DD1_Les | 0.16 | 0.07 | 0.24 |
| EB_Les | 0.01 | | |
| JK1_Les | 0.30 | | |
| JM1_Les | 0.16 | 0.19 | 0.35 |
| JT_Les | 0.18 | | |
| LD_Les | 0.04 | | |
| LG2_Les | 0.03 | | |
| LM_Les | 0.03 | | |
| LS2_Les | 0.31 | | |
| SK2_Les | 0.30 | | |

Table 86: CD4T/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0.27 | 0.57 | | | |
| CF1_Les | 0.37 | 0.43 | 0.18 | 0.43 | 1.41 |
| CJ1_Les | 0.62 | 0.71 | | | |
| DD1_Les | 0.31 | 0.77 | 0.13 | 0.72 | 1.94 |
| EB_Les | 0.52 | 0.66 | | | |
| JK1_Les | 0.31 | 0.62 | | | |
| JM1_Les | 0.42 | 0.65 | 0.32 | 0.64 | 2.03 |
| JT_Les | 0.48 | 0.55 | | | |
| LD_Les | 0.18 | 0.25 | | | |
| LG2_Les | 0.50 | 0.70 | | | |
| LM_Les | 0.34 | 0.84 | | | |
| LS2_Les | 0.45 | 0.72 | | | |
| SK2_Les | 0.47 | 0.71 | | | |

Table 87: CD4T/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0.27 | 0.48 | | | |
| CF1_Les | 0.37 | 0.41 | 0.18 | 0.42 | 1.38 |
| CJ1_Les | 0.62 | 0.71 | | | |
| DD1_Les | 0.31 | 0.77 | 0.13 | 0.7 | 1.92 |
| EB_Les | 0.52 | 0.67 | | | |
| JK1_Les | 0.31 | 0.65 | | | |
| JM1_Les | 0.42 | 0.66 | 0.32 | 0.65 | 2.04 |
| JT_Les | 0.48 | 0.56 | | | |
| LD_Les | 0.18 | 0.24 | | | |
| LG2_Les | 0.50 | 0.71 | | | |
| LM_Les | 0.34 | 0.85 | | | |
| LS2_Les | 0.45 | 0.69 | | | |
| SK2_Les | 0.47 | 0.71 | | | |

Table 88: CD4T/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.53 | | |
| CF1_Les | 0.41 | 0.4 | 0.82 |
| CJ1_Les | 0.71 | | |
| DD1_Les | 0.73 | 0.69 | 1.42 |
| EB_Les | 0.66 | | |
| JK1_Les | 0.63 | | |
| JM1_Les | 0.64 | 0.63 | 1.28 |
| JT_Les | 0.55 | | |
| LD_Les | 0.24 | | |
| LG2_Les | 0.70 | | |
| LM_Les | 0.83 | | |
| LS2_Les | 0.67 | | |
| SK2_Les | 0.69 | | |

Table 89: CD4T/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.39 | | |
| CF1_Les | 0.43 | 0.3 | 0.72 |
| CJ1_Les | 0.68 | | |
| DD1_Les | 0.43 | 0.28 | 0.71 |
| EB_Les | 0.65 | | |
| JK1_Les | 0.57 | | |
| JM1_Les | 0.64 | 0.59 | 1.23 |
| JT_Les | 0.56 | | |
| LD_Les | 0.19 | | |
| LG2_Les | 0.68 | | |
| LM_Les | 0.81 | | |
| LS2_Les | 0.65 | | |
| SK2_Les | 0.67 | | |

Table 90: CD8T/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0.64 | 0.26 | | | |
| CF1_Les | 0.44 | 0.43 | 0.5 | 0.56 | 1.93 |
| CJ1_Les | 0.16 | 0.28 | | | |
| DD1_Les | 0.43 | 0.31 | 0.15 | 0.32 | 1.21 |
| EB_Les | 0.25 | 0.31 | | | |
| JK1_Les | 0.69 | 0.14 | | | |
| JM1_Les | 0.46 | 0.24 | 0.25 | 0.25 | 1.19 |
| JT_Les | 0.47 | 0.29 | | | |
| LD_Les | 0.33 | 0.12 | | | |
| LG2_Les | 0.52 | 0.45 | | | |
| LM_Les | 0.42 | 0.26 | | | |
| LS2_Les | 0.21 | 0.16 | | | |
| SK2_Les | 0.27 | 0.13 | | | |

Table 91: CD8T/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 0.64 | 0.28 | | | |
| CF1_Les | 0.44 | 0.46 | 0.5 | 0.57 | 1.97 |
| CJ1_Les | 0.16 | 0.28 | | | |
| DD1_Les | 0.43 | 0.31 | 0.15 | 0.29 | 1.18 |
| EB_Les | 0.25 | 0.31 | | | |
| JK1_Les | 0.69 | 0.18 | | | |
| JM1_Les | 0.46 | 0.27 | 0.25 | 0.26 | 1.24 |
| JT_Les | 0.47 | 0.28 | | | |
| LD_Les | 0.33 | 0.13 | | | |
| LG2_Les | 0.52 | 0.50 | | | |
| LM_Les | 0.42 | 0.25 | | | |
| LS2_Les | 0.21 | 0.16 | | | |
| SK2_Les | 0.27 | 0.14 | | | |

Table 92: CD8T/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.29 | | |
| CF1_Les | 0.45 | 0.57 | 1.02 |
| CJ1_Les | 0.27 | | |
| DD1_Les | 0.31 | 0.29 | 0.6 |
| EB_Les | 0.30 | | |
| JK1_Les | 0.18 | | |
| JM1_Les | 0.28 | 0.27 | 0.54 |
| JT_Les | 0.30 | | |
| LD_Les | 0.15 | | |
| LG2_Les | 0.45 | | |
| LM_Les | 0.27 | | |
| LS2_Les | 0.16 | | |
| SK2_Les | 0.15 | | |

Table 93: CD8T/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.32 | | |
| CF1_Les | 0.49 | 0.58 | 1.07 |
| CJ1_Les | 0.22 | | |
| DD1_Les | 0.27 | 0.16 | 0.43 |
| EB_Les | 0.29 | | |
| JK1_Les | 0.28 | | |
| JM1_Les | 0.33 | 0.27 | 0.6 |
| JT_Les | 0.29 | | |
| LD_Les | 0.19 | | |
| LG2_Les | 0.46 | | |
| LM_Les | 0.23 | | |
| LS2_Les | 0.18 | | |
| SK2_Les | 0.20 | | |

Table 94: CD8T/CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 2.33 | 0.47 | | | |
| CF1_Les | 1.19 | 1.01 | 2.76 | 1.3 | 6.26 |
| CJ1_Les | 0.26 | 0.39 | | | |
| DD1_Les | 1.37 | 0.41 | 1.09 | 0.44 | 3.31 |
| EB_Les | 0.49 | 0.47 | | | |
| JK1_Les | 2.25 | 0.23 | | | |
| JM1_Les | 1.09 | 0.37 | 0.78 | 0.39 | 2.62 |
| JT_Les | 0.98 | 0.53 | | | |
| LD_Les | 1.82 | 0.47 | | | |
| LG2_Les | 1.03 | 0.64 | | | |
| LM_Les | 1.25 | 0.31 | | | |
| LS2_Les | 0.46 | 0.23 | | | |
| SK2_Les | 0.57 | 0.19 | | | |

Table 95: CD8T/CD4T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS1_Les | 2.33 | 0.58 | | | |
| CF1_Les | 1.19 | 1.12 | 2.76 | 1.37 | 6.44 |
| CJ1_Les | 0.26 | 0.40 | | | |
| DD1_Les | 1.37 | 0.40 | 1.09 | 0.41 | 3.28 |
| EB_Les | 0.49 | 0.46 | | | |
| JK1_Les | 2.25 | 0.28 | | | |
| JM1_Les | 1.09 | 0.41 | 0.78 | 0.41 | 2.68 |
| JT_Les | 0.98 | 0.50 | | | |
| LD_Les | 1.82 | 0.54 | | | |
| LG2_Les | 1.03 | 0.70 | | | |
| LM_Les | 1.25 | 0.30 | | | |
| LS2_Les | 0.46 | 0.23 | | | |
| SK2_Les | 0.57 | 0.20 | | | |

Table 96: CD8T/CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.55 | | |
| CF1_Les | 1.08 | 1.41 | 2.49 |
| CJ1_Les | 0.39 | | |
| DD1_Les | 0.43 | 0.42 | 0.85 |
| EB_Les | 0.46 | | |
| JK1_Les | 0.29 | | |
| JM1_Les | 0.43 | 0.42 | 0.85 |
| JT_Les | 0.55 | | |
| LD_Les | 0.64 | | |
| LG2_Les | 0.65 | | |
| LM_Les | 0.32 | | |
| LS2_Les | 0.24 | | |
| SK2_Les | 0.22 | | |

Table 97: CD8T/CD4T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS1_Les | 0.82 | | |
| CF1_Les | 1.14 | 1.96 | 3.1 |
| CJ1_Les | 0.32 | | |
| DD1_Les | 0.61 | 0.59 | 1.21 |
| EB_Les | 0.45 | | |
| JK1_Les | 0.49 | | |
| JM1_Les | 0.52 | 0.46 | 0.98 |
| JT_Les | 0.52 | | |
| LD_Les | 0.97 | | |
| LG2_Les | 0.67 | | |
| LM_Les | 0.28 | | |
| LS2_Les | 0.27 | | |
| SK2_Les | 0.31 | | |

Table 98: Treg/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0.05 | 0.02 | | | |
| CF_Les_avg | 0.07 | 0.02 | 0.03 | 0.03 | 0.15 |
| CJ_Les_avg | 0.03 | 0.03 | | | |
| DD_Les_avg | 0.08 | 0.03 | 0.04 | 0.06 | 0.2 |
| EB_Les_avg | 0.01 | 0.01 | | | |
| JK_Les_avg | 0.11 | 0.09 | | | |
| JM_Les_avg | 0.10 | 0.04 | | | |
| JT_Les_avg | 0.01 | 0.05 | | | |
| LD_Les_avg | 0.01 | 0.01 | | | |
| LG_Les_avg | 0.10 | 0.04 | | | |
| LM_Les_avg | 0.02 | 0.01 | | | |
| LS_Les_avg | 0.12 | 0.05 | | | |
| SK_Les_avg | 0.14 | 0.06 | | | |

Table 99: Treg/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0.05 | 0.03 | | | |
| CF_Les_avg | 0.07 | 0.02 | 0.03 | 0.03 | 0.15 |
| CJ_Les_avg | 0.03 | 0.05 | | | |
| DD_Les_avg | 0.08 | 0.03 | 0.04 | 0.05 | 0.19 |
| EB_Les_avg | 0.01 | 0.00 | | | |
| JK_Les_avg | 0.11 | 0.06 | | | |
| JM_Les_avg | 0.10 | 0.05 | | | |
| JT_Les_avg | 0.01 | 0.05 | | | |
| LD_Les_avg | 0.01 | 0.01 | | | |
| LG_Les_avg | 0.10 | 0.05 | | | |
| LM_Les_avg | 0.02 | 0.01 | | | |
| LS_Les_avg | 0.12 | 0.06 | | | |
| SK_Les_avg | 0.14 | 0.07 | | | |

Table 100: Treg/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.03 | | |
| CF_Les_avg | 0.02 | 0.03 | 0.05 |
| CJ_Les_avg | 0.04 | | |
| DD_Les_avg | 0.03 | 0.05 | 0.08 |
| EB_Les_avg | 0.00 | | |
| JK_Les_avg | 0.07 | | |
| JM_Les_avg | 0.05 | | |
| JT_Les_avg | 0.05 | | |
| LD_Les_avg | 0.01 | | |
| LG_Les_avg | 0.05 | | |
| LM_Les_avg | 0.01 | | |
| LS_Les_avg | 0.07 | | |
| SK_Les_avg | 0.08 | | |

Table 101: Treg/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.03 | | |
| CF_Les_avg | 0.03 | 0.02 | 0.05 |
| CJ_Les_avg | 0.06 | | |
| DD_Les_avg | 0.05 | 0 | 0.05 |
| EB_Les_avg | 0.00 | | |
| JK_Les_avg | 0.09 | | |
| JM_Les_avg | 0.05 | | |
| JT_Les_avg | 0.05 | | |
| LD_Les_avg | 0.01 | | |
| LG_Les_avg | 0.07 | | |
| LM_Les_avg | 0.01 | | |
| LS_Les_avg | 0.09 | | |
| SK_Les_avg | 0.11 | | |

Table 102: Treg/CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0.18 | 0.04 | | | |
| CF_Les_avg | 0.23 | 0.05 | 0.16 | 0.07 | 0.51 |
| CJ_Les_avg | 0.04 | 0.05 | | | |
| DD_Les_avg | 0.22 | 0.04 | 0.11 | 0.09 | 0.46 |
| EB_Les_avg | 0.03 | 0.01 | | | |
| JK_Les_avg | 0.39 | 0.13 | | | |
| JM_Les_avg | 0.21 | 0.06 | | | |
| JT_Les_avg | 0.02 | 0.09 | | | |
| LD_Les_avg | 0.08 | 0.02 | | | |
| LG_Les_avg | 0.24 | 0.06 | | | |
| LM_Les_avg | 0.05 | 0.01 | | | |
| LS_Les_avg | 0.24 | 0.07 | | | |
| SK_Les_avg | 0.35 | 0.10 | | | |

Table 103: Treg/CD4T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0.18 | 0.05 | | | |
| CF_Les_avg | 0.23 | 0.04 | 0.16 | 0.08 | 0.51 |
| CJ_Les_avg | 0.04 | 0.07 | | | |
| DD_Les_avg | 0.22 | 0.04 | 0.11 | 0.09 | 0.46 |
| EB_Les_avg | 0.03 | 0.00 | | | |
| JK_Les_avg | 0.39 | 0.08 | | | |
| JM_Les_avg | 0.21 | 0.07 | | | |
| JT_Les_avg | 0.02 | 0.10 | | | |
| LD_Les_avg | 0.08 | 0.02 | | | |
| LG_Les_avg | 0.24 | 0.08 | | | |
| LM_Les_avg | 0.05 | 0.01 | | | |
| LS_Les_avg | 0.24 | 0.09 | | | |
| SK_Les_avg | 0.35 | 0.11 | | | |

Table 104: Treg/CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.05 | | |
| CF_Les_avg | 0.05 | 0.09 | 0.14 |
| CJ_Les_avg | 0.06 | | |
| DD_Les_avg | 0.05 | 0.09 | 0.14 |
| EB_Les_avg | 0.01 | | |
| JK_Les_avg | 0.11 | | |
| JM_Les_avg | 0.08 | | |
| JT_Les_avg | 0.09 | | |
| LD_Les_avg | 0.03 | | |
| LG_Les_avg | 0.07 | | |
| LM_Les_avg | 0.01 | | |
| LS_Les_avg | 0.10 | | |
| SK_Les_avg | 0.13 | | |

Table 105: Treg/CD4T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.07 | | |
| CF_Les_avg | 0.09 | 0.09 | 0.17 |
| CJ_Les_avg | 0.10 | | |
| DD_Les_avg | 0.12 | 0.01 | 0.13 |
| EB_Les_avg | 0.01 | | |
| JK_Les_avg | 0.15 | | |
| JM_Les_avg | 0.09 | | |
| JT_Les_avg | 0.09 | | |
| LD_Les_avg | 0.04 | | |
| LG_Les_avg | 0.11 | | |
| LM_Les_avg | 0.01 | | |
| LS_Les_avg | 0.14 | | |
| SK_Les_avg | 0.18 | | |

Table 106: Treg/CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0.08 | 0.07 | | | |
| CF_Les_avg | 0.17 | 0.04 | 0.07 | 0.05 | 0.33 |
| CJ_Les_avg | 0.17 | 0.12 | | | |
| DD_Les_avg | 0.21 | 0.09 | 0.14 | 0.2 | 0.65 |
| EB_Les_avg | 0.06 | 0.02 | | | |
| JK_Les_avg | 0.17 | 0.76 | | | |
| JM_Les_avg | 0.25 | 0.17 | | | |
| JT_Les_avg | 0.02 | 0.17 | | | |
| LD_Les_avg | 0.04 | 0.05 | | | |
| LG_Les_avg | 0.22 | 0.09 | | | |
| LM_Les_avg | 0.04 | 0.04 | | | |
| LS_Les_avg | 0.47 | 0.28 | | | |
| SK_Les_avg | 0.47 | 0.25 | | | |

Table 107: Treg/CD8T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0.08 | 0.09 | | | |
| CF_Les_avg | 0.17 | 0.04 | 0.07 | 0.05 | 0.32 |
| CJ_Les_avg | 0.17 | 0.17 | | | |
| DD_Les_avg | 0.21 | 0.09 | 0.14 | 0.21 | 0.64 |
| EB_Les_avg | 0.06 | 0.01 | | | |
| JK_Les_avg | 0.17 | 0.38 | | | |
| JM_Les_avg | 0.25 | 0.18 | | | |
| JT_Les_avg | 0.02 | 0.20 | | | |
| LD_Les_avg | 0.04 | 0.04 | | | |
| LG_Les_avg | 0.22 | 0.11 | | | |
| LM_Les_avg | 0.04 | 0.03 | | | |
| LS_Les_avg | 0.47 | 0.31 | | | |
| SK_Les_avg | 0.47 | 0.25 | | | |

Table 108: Treg/CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.08 | | |
| CF_Les_avg | 0.04 | 0.05 | 0.09 |
| CJ_Les_avg | 0.16 | | |
| DD_Les_avg | 0.11 | 0.18 | 0.29 |
| EB_Les_avg | 0.01 | | |
| JK_Les_avg | 0.45 | | |
| JM_Les_avg | 0.19 | | |
| JT_Les_avg | 0.17 | | |
| LD_Les_avg | 0.05 | | |
| LG_Les_avg | 0.11 | | |
| LM_Les_avg | 0.04 | | |
| LS_Les_avg | 0.34 | | |
| SK_Les_avg | 0.26 | | |

Table 109: Treg/CD8T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.08 | | |
| CF_Les_avg | 0.06 | 0.04 | 0.1 |
| CJ_Les_avg | 0.30 | | |
| DD_Les_avg | 0.16 | 0.02 | 0.19 |
| EB_Les_avg | 0.01 | | |
| JK_Les_avg | 0.36 | | |
| JM_Les_avg | 0.17 | | |
| JT_Les_avg | 0.18 | | |
| LD_Les_avg | 0.04 | | |
| LG_Les_avg | 0.16 | | |
| LM_Les_avg | 0.03 | | |
| LS_Les_avg | 0.46 | | |
| SK_Les_avg | 0.32 | | |

Table 110: CD4T/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0.28 | 0.59 | | | |
| CF_Les_avg | 0.33 | 0.47 | | | |
| CJ_Les_avg | 0.60 | 0.60 | | | |
| DD_Les_avg | 0.36 | 0.63 | 0.34 | 0.63 | 1.96 |
| EB_Les_avg | 0.52 | 0.66 | | | |
| JK_Les_avg | 0.32 | 0.65 | | | |
| JM_Les_avg | 0.45 | 0.64 | | | |
| JT_Les_avg | 0.48 | 0.55 | | | |
| LD_Les_avg | 0.18 | 0.25 | | | |
| LG_Les_avg | 0.40 | 0.63 | | | |
| LM_Les_avg | 0.34 | 0.84 | | | |
| LS_Les_avg | 0.50 | 0.69 | | | |
| SK_Les_avg | 0.42 | 0.65 | | | |

Table 111: CD4T/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0.28 | 0.55 | | | |
| CF_Les_avg | 0.33 | 0.45 | | | |
| CJ_Les_avg | 0.60 | 0.62 | | | |
| DD_Les_avg | 0.36 | 0.64 | 0.34 | 0.58 | 1.93 |
| EB_Les_avg | 0.52 | 0.67 | | | |
| JK_Les_avg | 0.32 | 0.70 | | | |
| JM_Les_avg | 0.45 | 0.64 | | | |
| JT_Les_avg | 0.48 | 0.56 | | | |
| LD_Les_avg | 0.18 | 0.24 | | | |
| LG_Les_avg | 0.40 | 0.62 | | | |
| LM_Les_avg | 0.34 | 0.85 | | | |
| LS_Les_avg | 0.50 | 0.66 | | | |
| SK_Les_avg | 0.42 | 0.66 | | | |

Table 112: CD4T/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.55 | | |
| CF_Les_avg | 0.44 | | |
| CJ_Les_avg | 0.61 | | |
| DD_Les_avg | 0.60 | 0.53 | 1.14 |
| EB_Les_avg | 0.66 | | |
| JK_Les_avg | 0.65 | | |
| JM_Les_avg | 0.62 | | |
| JT_Les_avg | 0.55 | | |
| LD_Les_avg | 0.24 | | |
| LG_Les_avg | 0.61 | | |
| LM_Les_avg | 0.83 | | |
| LS_Les_avg | 0.65 | | |
| SK_Les_avg | 0.64 | | |

Table 113: CD4T/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.43 | | |
| CF_Les_avg | 0.44 | | |
| CJ_Les_avg | 0.58 | | |
| DD_Les_avg | 0.40 | 0.16 | 0.56 |
| EB_Les_avg | 0.65 | | |
| JK_Les_avg | 0.64 | | |
| JM_Les_avg | 0.61 | | |
| JT_Les_avg | 0.56 | | |
| LD_Les_avg | 0.19 | | |
| LG_Les_avg | 0.57 | | |
| LM_Les_avg | 0.81 | | |
| LS_Les_avg | 0.65 | | |
| SK_Les_avg | 0.60 | | |

Table 114: CD8T/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0.63 | 0.30 | | | |
| CF_Les_avg | 0.41 | 0.39 | | | |
| CJ_Les_avg | 0.16 | 0.26 | | | |
| DD_Les_avg | 0.37 | 0.29 | 0.26 | 0.29 | 1.21 |
| EB_Les_avg | 0.25 | 0.31 | | | |
| JK_Les_avg | 0.63 | 0.11 | | | |
| JM_Les_avg | 0.38 | 0.24 | | | |
| JT_Les_avg | 0.47 | 0.29 | | | |
| LD_Les_avg | 0.33 | 0.12 | | | |
| LG_Les_avg | 0.49 | 0.44 | | | |
| LM_Les_avg | 0.42 | 0.26 | | | |
| LS_Les_avg | 0.26 | 0.20 | | | |
| SK_Les_avg | 0.31 | 0.26 | | | |

Table 115: CD8T/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 0.63 | 0.31 | | | |
| CF_Les_avg | 0.41 | 0.39 | | | |
| CJ_Les_avg | 0.16 | 0.26 | | | |
| DD_Les_avg | 0.37 | 0.29 | 0.26 | 0.26 | 1.19 |
| EB_Les_avg | 0.25 | 0.31 | | | |
| JK_Les_avg | 0.63 | 0.16 | | | |
| JM_Les_avg | 0.38 | 0.25 | | | |
| JT_Les_avg | 0.47 | 0.28 | | | |
| LD_Les_avg | 0.33 | 0.13 | | | |
| LG_Les_avg | 0.49 | 0.47 | | | |
| LM_Les_avg | 0.42 | 0.25 | | | |
| LS_Les_avg | 0.26 | 0.20 | | | |
| SK_Les_avg | 0.31 | 0.28 | | | |

Table 116: CD8T/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.33 | | |
| CF_Les_avg | 0.39 | | |
| CJ_Les_avg | 0.26 | | |
| DD_Les_avg | 0.30 | 0.25 | 0.55 |
| EB_Les_avg | 0.30 | | |
| JK_Les_avg | 0.15 | | |
| JM_Les_avg | 0.27 | | |
| JT_Les_avg | 0.30 | | |
| LD_Les_avg | 0.15 | | |
| LG_Les_avg | 0.45 | | |
| LM_Les_avg | 0.27 | | |
| LS_Les_avg | 0.20 | | |
| SK_Les_avg | 0.31 | | |

Table 117: CD8T/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.38 | | |
| CF_Les_avg | 0.40 | | |
| CJ_Les_avg | 0.22 | | |
| DD_Les_avg | 0.29 | 0.1 | 0.39 |
| EB_Les_avg | 0.29 | | |
| JK_Les_avg | 0.24 | | |
| JM_Les_avg | 0.31 | | |
| JT_Les_avg | 0.29 | | |
| LD_Les_avg | 0.19 | | |
| LG_Les_avg | 0.46 | | |
| LM_Les_avg | 0.23 | | |
| LS_Les_avg | 0.22 | | |
| SK_Les_avg | 0.35 | | |

Table 118: CD8T/CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 2.29 | 0.52 | | | |
| CF_Les_avg | 1.23 | 0.83 | | | |
| CJ_Les_avg | 0.28 | 0.44 | | | |
| DD_Les_avg | 1.05 | 0.46 | 0.76 | 0.46 | 2.73 |
| EB_Les_avg | 0.49 | 0.47 | | | |
| JK_Les_avg | 2.01 | 0.17 | | | |
| JM_Les_avg | 0.84 | 0.36 | | | |
| JT_Les_avg | 0.98 | 0.53 | | | |
| LD_Les_avg | 1.82 | 0.47 | | | |
| LG_Les_avg | 1.22 | 0.70 | | | |
| LM_Les_avg | 1.25 | 0.31 | | | |
| LS_Les_avg | 0.52 | 0.29 | | | |
| SK_Les_avg | 0.75 | 0.39 | | | |

Table 119: CD8T/CD4T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

| | EI | DI | EU | DU | total |
|---|---|---|---|---|---|
| AS_Les_avg | 2.29 | 0.57 | | | |
| CF_Les_avg | 1.23 | 0.88 | | | |
| CJ_Les_avg | 0.28 | 0.42 | | | |
| DD_Les_avg | 1.05 | 0.46 | 0.76 | 0.45 | 2.71 |
| EB_Les_avg | 0.49 | 0.46 | | | |
| JK_Les_avg | 2.01 | 0.22 | | | |
| JM_Les_avg | 0.84 | 0.40 | | | |
| JT_Les_avg | 0.98 | 0.50 | | | |
| LD_Les_avg | 1.82 | 0.54 | | | |
| LG_Les_avg | 1.22 | 0.75 | | | |
| LM_Les_avg | 1.25 | 0.30 | | | |
| LS_Les_avg | 0.52 | 0.30 | | | |
| SK_Les_avg | 0.75 | 0.42 | | | |

Table 120: CD8T/CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.60 | | |
| CF_Les_avg | 0.87 | | |
| CJ_Les_avg | 0.42 | | |
| DD_Les_avg | 0.50 | 0.47 | 0.96 |
| EB_Les_avg | 0.46 | | |
| JK_Les_avg | 0.22 | | |
| JM_Les_avg | 0.42 | | |
| JT_Les_avg | 0.55 | | |
| LD_Les_avg | 0.64 | | |
| LG_Les_avg | 0.74 | | |
| LM_Les_avg | 0.32 | | |
| LS_Les_avg | 0.31 | | |
| SK_Les_avg | 0.48 | | |

Table 121: CD8T/CD4T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

| | I | U | total |
|---|---|---|---|
| AS_Les_avg | 0.88 | | |
| CF_Les_avg | 0.92 | | |
| CJ_Les_avg | 0.37 | | |
| DD_Les_avg | 0.73 | 0.64 | 1.37 |
| EB_Les_avg | 0.45 | | |
| JK_Les_avg | 0.38 | | |
| JM_Les_avg | 0.51 | | |
| JT_Les_avg | 0.52 | | |
| LD_Les_avg | 0.97 | | |
| LG_Les_avg | 0.80 | | |
| LM_Les_avg | 0.28 | | |
| LS_Les_avg | 0.33 | | |
| SK_Les_avg | 0.58 | | |

## Tables by biopsies

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 0.92 | 130.54 | | | 90 | 1242 | | | 18 | 1372 | | |
| CD123 | 0.67 | 38.16 | | | 65 | 438 | | | 13 | 484 | | |
| CD15 | 0.10 | 19.90 | | | 10 | 176 | | | 2 | 195 | | |
| CD279 | 3.54 | 156.97 | | | 348 | 1316 | | | 69 | 1453 | | |
| CD3 | 9.60 | 421.60 | | | 944 | 3687 | | | 187 | 4071 | | |
| CD4 | 4.72 | 343.76 | | | 464 | 2931 | | | 92 | 3237 | | |
| CD45 | 20.33 | 661.49 | | | 1701 | 6134 | | | 337 | 6773 | | |
| CD56 | 0.51 | 7.98 | | | 50 | 83 | | | 10 | 92 | | |
| CD68 | 3.44 | 81.59 | | | 338 | 964 | | | 67 | 1065 | | |
| CD69 | 11.96 | 197.56 | | | 1176 | 1736 | | | 233 | 1917 | | |
| CD8 | 5.85 | 139.88 | | | 575 | 1216 | | | 114 | 1343 | | |
| Foxp3 | 0.31 | 9.25 | | | 30 | 84 | | | 6 | 93 | | |
| Ki67 | 0.31 | 4.39 | | | 30 | 37 | | | 6 | 41 | | |
| CD4T | 2.62 | 239.17 | | | 257 | 1942 | | | 51 | 2145 | | |
| CD8T | 6.11 | 111.47 | | | 600 | 1012 | | | 119 | 1118 | | |
| Treg | 0.31 | 10.78 | | | 30 | 92 | | | 6 | 102 | | |
| Treg/CD3 | 0.03 | 0.03 | | | | | | | | | | |
| Treg/CD4T | 0.12 | 0.05 | | | | | | | | | | |
| Treg/CD8T | 0.05 | 0.10 | | | | | | | | | | |
| CD4T/CD3 | 0.27 | 0.57 | | | | | | | | | | |
| CD8T/CD3 | 0.64 | 0.26 | | | | | | | | | | |
| CD8T/CD4T | 2.33 | 0.47 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.20 | 1.10 | | |

Table 122: AS1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 36.92 | 230.20 | | | 2052 | 2699 | | | 1396 | 7069 | | |
| CD123 | 10.30 | 41.79 | | | 695 | 545 | | | 473 | 1429 | | |
| CD279 | 22.80 | 135.82 | | | 917 | 1525 | | | 624 | 3994 | | |
| CD3 | 35.26 | 335.89 | | | 1887 | 3801 | | | 1284 | 9955 | | |
| CD4 | 60.14 | 259.81 | | | 2403 | 2916 | | | 1635 | 7638 | | |
| CD8 | 23.05 | 130.77 | | | 1204 | 1497 | | | 819 | 3921 | | |
| Foxp3 | 5.09 | 13.34 | | | 197 | 161 | | | 134 | 423 | | |
| CD4T | 10.76 | 198.99 | | | 573 | 2205 | | | 390 | 5775 | | |
| CD8T | 22.38 | 106.29 | | | 1136 | 1228 | | | 773 | 3216 | | |
| Treg | 2.09 | 11.34 | | | 86 | 153 | | | 59 | 401 | | |
| Treg/CD3 | 0.06 | 0.03 | | | | | | | | | | |
| Treg/CD4T | 0.19 | 0.06 | | | | | | | | | | |
| Treg/CD8T | 0.09 | 0.11 | | | | | | | | | | |
| CD4T/CD3 | 0.31 | 0.59 | | | | | | | | | | |
| CD8T/CD3 | 0.63 | 0.32 | | | | | | | | | | |
| CD8T/CD4T | 2.08 | 0.53 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.68 | 2.62 | | |

Table 123: AS2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD279 | 7.43 | 132.69 | | | 569 | 1425 | | | 327 | 3620 | | |
| CD3 | 12.62 | 408.10 | | | 1005 | 4276 | | | 578 | 10861 | | |
| CD4 | 6.62 | 359.77 | | | 525 | 3660 | | | 302 | 9296 | | |
| CD56 | 0.89 | 15.00 | | | 67 | 169 | | | 39 | 430 | | |
| CD8 | 11.66 | 176.45 | | | 936 | 1912 | | | 538 | 4858 | | |
| Foxp3 | 1.87 | 7.80 | | | 142 | 100 | | | 82 | 256 | | |
| CD4T | 2.53 | 243.73 | | | 210 | 2373 | | | 121 | 6027 | | |
| CD8T | 7.89 | 136.21 | | | 635 | 1478 | | | 365 | 3756 | | |
| Treg | 0.42 | 4.32 | | | 36 | 51 | | | 21 | 130 | | |
| Treg/CD3 | 0.03 | 0.01 | | | | | | | | | | |
| Treg/CD4T | 0.17 | 0.02 | | | | | | | | | | |
| Treg/CD8T | 0.05 | 0.03 | | | | | | | | | | |
| CD4T/CD3 | 0.20 | 0.60 | | | | | | | | | | |
| CD8T/CD3 | 0.63 | 0.33 | | | | | | | | | | |
| CD8T/CD4T | 3.12 | 0.56 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.57 | 2.54 | | |

Table 124: AS3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 29.07 | 527.61 | 122.31 | 458.41 | 1443 | 5346 | 3886 | 4860 | 631 | 7926 | 1505 | 4139 |
| CD123 | 4.37 | 228.17 | 29.39 | 122.37 | 221 | 2310 | 971 | 1454 | 97 | 3426 | 376 | 1239 |
| CD15 | 0.43 | 163.62 | 100.38 | 38.43 | 18 | 1659 | 2412 | 473 | 8 | 2460 | 934 | 403 |
| CD279 | 7.45 | 105.04 | 4.70 | 134.60 | 363 | 1094 | 152 | 1466 | 159 | 1622 | 59 | 1249 |
| CD3 | 17.87 | 464.62 | 20.78 | 547.33 | 926 | 4774 | 715 | 5919 | 405 | 7078 | 277 | 5041 |
| CD4 | 14.97 | 372.77 | 15.01 | 393.79 | 764 | 3769 | 557 | 4095 | 334 | 5588 | 216 | 3488 |
| CD45 | 23.99 | 577.93 | 73.96 | 607.02 | 1235 | 5868 | 2569 | 6503 | 540 | 8700 | 995 | 5538 |
| CD56 | 1.97 | 19.86 | 1.05 | 26.71 | 107 | 213 | 38 | 301 | 47 | 317 | 15 | 257 |
| CD8 | 9.62 | 238.13 | 13.26 | 323.54 | 510 | 2474 | 451 | 3511 | 223 | 3668 | 175 | 2990 |
| Foxp3 | 1.77 | 12.18 | 1.62 | 20.59 | 82 | 125 | 46 | 211 | 36 | 186 | 18 | 180 |
| Ki67 | 7.31 | 1.43 | 16.77 | 0.89 | 386 | 13 | 519 | 7 | 169 | 20 | 201 | 6 |
| CD4T | 6.57 | 200.62 | 3.77 | 235.61 | 350 | 2043 | 142 | 2482 | 153 | 3029 | 55 | 2114 |
| CD8T | 7.82 | 201.97 | 10.41 | 305.92 | 411 | 2116 | 351 | 3358 | 180 | 3138 | 136 | 2860 |
| Treg | 1.44 | 10.04 | 0.47 | 17.94 | 75 | 103 | 18 | 183 | 33 | 154 | 7 | 156 |
| Treg/CD3 | 0.08 | 0.02 | 0.02 | 0.03 | | | | | | | | |
| Treg/CD4T | 0.22 | 0.05 | 0.13 | 0.08 | | | | | | | | |
| Treg/CD8T | 0.18 | 0.05 | 0.05 | 0.06 | | | | | | | | |
| CD4T/CD3 | 0.37 | 0.43 | 0.18 | 0.43 | | | | | | | | |
| CD8T/CD3 | 0.44 | 0.43 | 0.50 | 0.56 | | | | | | | | |
| CD8T/CD4T | 1.19 | 1.01 | 2.76 | 1.30 | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.44 | 1.48 | 0.39 | 0.85 |

Table 125: CF1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 51.19 | 516.02 | 80.87 | 443.27 | 1861 | 5285 | 2566 | 4205 | 1018 | 9592 | 752 | 1646 |
| CD123 | 11.06 | 350.46 | 18.54 | 161.34 | 444 | 3813 | 638 | 1796 | 243 | 6921 | 187 | 703 |
| CD279 | 8.95 | 102.83 | 14.56 | 115.99 | 345 | 1110 | 518 | 1318 | 189 | 2016 | 152 | 516 |
| CD3 | 15.59 | 309.21 | 29.07 | 370.45 | 603 | 3278 | 1034 | 4169 | 330 | 5949 | 303 | 1632 |
| CD4 | 6.95 | 230.30 | 14.21 | 302.91 | 248 | 2318 | 505 | 2598 | 136 | 4208 | 148 | 1017 |
| CD8 | 11.56 | 239.80 | 24.44 | 409.68 | 481 | 2499 | 890 | 4169 | 263 | 4535 | 261 | 1632 |
| Foxp3 | 0.61 | 12.78 | 1.45 | 13.82 | 20 | 131 | 44 | 153 | 11 | 239 | 13 | 60 |
| CD4T | 3.71 | 95.69 | 7.06 | 163.62 | 133 | 989 | 252 | 1221 | 73 | 1796 | 74 | 478 |
| CD8T | 6.23 | 133.91 | 14.29 | 249.03 | 270 | 1426 | 522 | 2664 | 148 | 2589 | 153 | 1043 |
| Treg | 0.94 | 3.55 | 1.21 | 11.10 | 21 | 37 | 44 | 122 | 12 | 68 | 13 | 48 |
| Treg/CD3 | 0.06 | 0.01 | 0.04 | 0.03 | | | | | | | | |
| Treg/CD4T | 0.25 | 0.04 | 0.17 | 0.07 | | | | | | | | |
| Treg/CD8T | 0.15 | 0.03 | 0.08 | 0.04 | | | | | | | | |
| CD4T/CD3 | 0.24 | 0.31 | 0.24 | 0.44 | | | | | | | | |
| CD8T/CD3 | 0.40 | 0.43 | 0.49 | 0.67 | | | | | | | | |
| CD8T/CD4T | 1.68 | 1.40 | 2.02 | 1.52 | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.55 | 1.81 | 0.29 | 0.39 |

Table 126: CF2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD123 | 26.90 | 116.34 | | | 1833 | 1317 | | | 673 | 2907 | | |
| CD15 | 28.41 | 152.02 | | | 1672 | 1637 | | | 614 | 3611 | | |
| CD279 | 3.49 | 111.77 | | | 231 | 1168 | | | 85 | 2577 | | |
| CD3 | 10.55 | 249.97 | | | 716 | 2526 | | | 263 | 5572 | | |
| CD4 | 27.38 | 494.70 | | | 1375 | 4928 | | | 505 | 10871 | | |
| CD45 | 66.87 | 573.84 | | | 4123 | 5822 | | | 1514 | 12844 | | |
| CD56 | 0.04 | 4.21 | | | 2 | 40 | | | 1 | 90 | | |
| CD68 | 111.12 | 217.20 | | | 5807 | 2312 | | | 2132 | 5101 | | |
| CD69 | 13.71 | 132.72 | | | 697 | 1342 | | | 256 | 2961 | | |
| CD8 | 10.38 | 89.99 | | | 544 | 880 | | | 200 | 1943 | | |
| Foxp3 | 0 | 0.34 | | | 0 | 3 | | | 0 | 8 | | |
| Ki67 | 42.35 | 9.87 | | | 1310 | 111 | | | 481 | 245 | | |
| CD4T | 4.38 | 187.36 | | | 305 | 1878 | | | 112 | 4143 | | |
| CD8T | 3.98 | 63.78 | | | 261 | 623 | | | 96 | 1376 | | |
| Treg/CD3 | | | | | | | | | | | | |
| Treg/CD4T | | | | | | | | | | | | |
| Treg/CD8T | | | | | | | | | | | | |
| CD4T/CD3 | 0.42 | 0.75 | | | | | | | | | | |
| CD8T/CD3 | 0.38 | 0.26 | | | | | | | | | | |
| CD8T/CD4T | 0.91 | 0.34 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.37 | 2.21 | | |

Table 127: CF5_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 3.95 | 165.72 | | | 306 | 1621 | | | 157 | 3201 | | |
| CD123 | 0.15 | 22.08 | | | 11 | 203 | | | 6 | 401 | | |
| CD15 | 0.02 | 3.94 | | | 1 | 44 | | | 1 | 88 | | |
| CD279 | 4.04 | 42.68 | | | 275 | 425 | | | 141 | 841 | | |
| CD3 | 5.40 | 117.97 | | | 382 | 1097 | | | 196 | 2168 | | |
| CD4 | 11.45 | 244.47 | | | 775 | 2457 | | | 397 | 4852 | | |
| CD45 | 14.67 | 386.30 | | | 1033 | 3809 | | | 529 | 7523 | | |
| CD56 | 0.05 | 8.22 | | | 3 | 69 | | | 2 | 138 | | |
| CD68 | 5.65 | 77.56 | | | 408 | 806 | | | 209 | 1592 | | |
| CD69 | 5.77 | 91.79 | | | 378 | 879 | | | 194 | 1736 | | |
| CD8 | 1.16 | 43.04 | | | 85 | 394 | | | 44 | 779 | | |
| Foxp3 | 0.43 | 9.32 | | | 17 | 92 | | | 9 | 183 | | |
| Ki67 | 6.83 | 4.81 | | | 501 | 46 | | | 257 | 91 | | |
| CD4T | 3.36 | 83.24 | | | 238 | 779 | | | 122 | 1540 | | |
| CD8T | 0.86 | 32.80 | | | 68 | 304 | | | 35 | 602 | | |
| Treg | 0.15 | 3.83 | | | 11 | 42 | | | 6 | 83 | | |
| Treg/CD3 | 0.03 | 0.03 | | | | | | | | | | |
| Treg/CD4T | 0.04 | 0.05 | | | | | | | | | | |
| Treg/CD8T | 0.17 | 0.12 | | | | | | | | | | |
| CD4T/CD3 | 0.62 | 0.71 | | | | | | | | | | |
| CD8T/CD3 | 0.16 | 0.28 | | | | | | | | | | |
| CD8T/CD4T | 0.26 | 0.39 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.51 | 1.97 | | |

Table 128: CJ1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 6.63 | 180.16 | | | 494 | 1844 | | | 323 | 4247 | | |
| CD123 | 0.12 | 25.53 | | | 9 | 241 | | | 6 | 556 | | |
| CD15 | 0.04 | 1.79 | | | 3 | 22 | | | 2 | 52 | | |
| CD3 | 0.81 | 108.60 | | | 55 | 1038 | | | 36 | 2390 | | |
| CD4 | 1.43 | 118.51 | | | 91 | 1140 | | | 60 | 2626 | | |
| CD45 | 10.35 | 287.56 | | | 749 | 2896 | | | 489 | 6667 | | |
| CD68 | 7.01 | 92.23 | | | 490 | 975 | | | 320 | 2245 | | |
| CD8 | 0.81 | 37.59 | | | 62 | 349 | | | 41 | 805 | | |
| CD4T | 0.35 | 52.37 | | | 19 | 508 | | | 13 | 1171 | | |
| CD8T | 0.16 | 26.87 | | | 12 | 252 | | | 8 | 582 | | |
| Treg/CD3 | | | | | | | | | | | | |
| Treg/CD4T | | | | | | | | | | | | |
| Treg/CD8T | | | | | | | | | | | | |
| CD4T/CD3 | 0.44 | 0.48 | | | | | | | | | | |
| CD8T/CD3 | 0.20 | 0.25 | | | | | | | | | | |
| CD8T/CD4T | 0.45 | 0.51 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.65 | 2.30 | | |

Table 129: CJ2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 72.05 | 532.21 | 437.55 | 663.45 | 3096 | 5711 | 8365 | 6840 | 360 | 2203 | 10865 | 17752 |
| CD123 | 62.58 | 321.21 | 97.21 | 506.61 | 2649 | 3715 | 2355 | 5318 | 308 | 1433 | 3059 | 13801 |
| CD15 | 21.80 | 43.55 | 393.71 | 121.21 | 103 | 552 | 7161 | 1357 | 12 | 213 | 9301 | 3522 |
| CD279 | 3.19 | 139.25 | 10.16 | 124.66 | 146 | 1540 | 221 | 1262 | 17 | 594 | 288 | 3275 |
| CD3 | 17.41 | 357.77 | 4.89 | 232.92 | 731 | 3979 | 107 | 2360 | 85 | 1535 | 140 | 6126 |
| CD4 | 48.24 | 501.01 | 13.59 | 435.63 | 2004 | 5514 | 341 | 4404 | 233 | 2127 | 443 | 11429 |
| CD45 | 113.77 | 709.49 | 507.65 | 779.84 | 3879 | 7609 | 9604 | 8041 | 451 | 2935 | 12474 | 20869 |
| CD56 | 1.31 | 23.51 | 0.03 | 16.21 | 60 | 241 | 0 | 163 | 7 | 93 | 1 | 423 |
| CD68 | 28.31 | 151.77 | 54.13 | 292.92 | 1143 | 1651 | 1285 | 3037 | 133 | 637 | 1670 | 7882 |
| CD69 | 3.56 | 57.57 | 1.42 | 89.25 | 163 | 655 | 23 | 879 | 19 | 253 | 31 | 2283 |
| CD8 | 7.46 | 152.79 | 2.54 | 103.56 | 318 | 1643 | 57 | 1037 | 37 | 634 | 75 | 2692 |
| Foxp3 | 0.94 | 19.52 | 0.57 | 30.40 | 43 | 194 | 11 | 296 | 5 | 75 | 15 | 769 |
| CD4T | 5.48 | 275.48 | 0.65 | 168.19 | 249 | 3007 | 16 | 1688 | 29 | 1160 | 21 | 4381 |
| CD8T | 7.50 | 112.66 | 0.71 | 73.75 | 318 | 1228 | 16 | 739 | 37 | 474 | 22 | 1919 |
| Treg | 1.13 | 18.47 | 0.03 | 24.23 | 51 | 207 | 0 | 241 | 6 | 80 | 1 | 627 |
| Treg/CD3 | 0.06 | 0.05 | 0.01 | 0.10 | | | | | | | | |
| Treg/CD4T | 0.21 | 0.07 | 0.04 | 0.14 | | | | | | | | |
| Treg/CD8T | 0.15 | 0.16 | 0.04 | 0.33 | | | | | | | | |
| CD4T/CD3 | 0.31 | 0.77 | 0.13 | 0.72 | | | | | | | | |
| CD8T/CD3 | 0.43 | 0.31 | 0.15 | 0.32 | | | | | | | | |
| CD8T/CD4T | 1.37 | 0.41 | 1.09 | 0.44 | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.12 | 0.39 | 1.30 | 2.60 |

Table 130: DD1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 70.54 | 231.07 | 15.76 | 219.70 | 3036 | 2332 | 1294 | 2193 | 875 | 1740 | 1003 | 7548 |
| CD123 | 22.66 | 74.26 | 14.60 | 101.27 | 916 | 829 | 979 | 1406 | 264 | 619 | 759 | 4839 |
| CD15 | 1.39 | 47.46 | 161.07 | 65.97 | 41 | 529 | 3784 | 1130 | 12 | 395 | 2932 | 3889 |
| CD279 | 2.26 | 4.88 | 0.66 | 3.17 | 93 | 53 | 47 | 37 | 27 | 40 | 37 | 128 |
| CD3 | 26.63 | 274.47 | 8.44 | 154.85 | 1016 | 2966 | 579 | 1903 | 293 | 2213 | 449 | 6549 |
| CD4 | 20.55 | 157.84 | 5.30 | 108.58 | 836 | 1710 | 404 | 1258 | 241 | 1276 | 313 | 4330 |
| CD45 | 102.67 | 638.38 | 94.49 | 570.19 | 3984 | 6685 | 4664 | 6521 | 1148 | 4987 | 3613 | 22440 |
| CD56 | 2.41 | 5.31 | 0.34 | 2.55 | 93 | 60 | 28 | 30 | 27 | 45 | 22 | 106 |
| CD68 | 13.55 | 27.50 | 12.09 | 31.82 | 555 | 316 | 525 | 395 | 160 | 236 | 407 | 1360 |
| CD69 | 44.54 | 198.25 | 8.99 | 126.79 | 1839 | 2051 | 746 | 1553 | 530 | 1530 | 578 | 5345 |
| CD8 | 10.52 | 74.61 | 2.09 | 40.87 | 430 | 824 | 166 | 489 | 124 | 615 | 129 | 1683 |
| Foxp3 | 3.84 | 2.49 | 0.33 | 3.66 | 107 | 28 | 27 | 40 | 31 | 21 | 21 | 140 |
| Ki67 | 7.88 | 2.81 | 30.93 | 9.02 | 131 | 26 | 941 | 159 | 38 | 20 | 729 | 549 |
| CD4T | 8.51 | 89.57 | 2.07 | 53.58 | 326 | 941 | 172 | 628 | 94 | 702 | 134 | 2163 |
| CD8T | 8.85 | 53.76 | 1.71 | 28.28 | 378 | 600 | 142 | 341 | 109 | 448 | 110 | 1174 |
| Treg | 2.53 | 0.83 | 0.28 | 1.61 | 86 | 6 | 23 | 19 | 25 | 5 | 18 | 68 |
| Treg/CD3 | 0.09 | 0.00 | 0.03 | 0.01 | | | | | | | | |
| Treg/CD4T | 0.30 | 0.01 | 0.14 | 0.03 | | | | | | | | |
| Treg/CD8T | 0.29 | 0.02 | 0.16 | 0.06 | | | | | | | | |
| CD4T/CD3 | 0.32 | 0.33 | 0.25 | 0.35 | | | | | | | | |
| CD8T/CD3 | 0.33 | 0.20 | 0.20 | 0.18 | | | | | | | | |
| CD8T/CD4T | 1.04 | 0.60 | 0.83 | 0.53 | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.29 | 0.75 | 0.77 | 3.44 |

Table 131: DD2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 51.94 | 497.36 | 471.09 | 533.54 | 2745 | 5173 | 8695 | 5795 | 478 | 2859 | 10260 | 17020 |
| CD123 | 46.94 | 306.18 | 73.92 | 355.13 | 2590 | 3477 | 2468 | 4254 | 451 | 1922 | 2913 | 12493 |
| CD15 | 10.74 | 85.56 | 410.05 | 92.19 | 264 | 957 | 7437 | 1197 | 46 | 529 | 8776 | 3516 |
| CD279 | 2.37 | 49.61 | 4.49 | 49.23 | 126 | 466 | 157 | 538 | 22 | 258 | 186 | 1580 |
| CD3 | 10.80 | 196.29 | 8.00 | 120.46 | 557 | 1965 | 300 | 1259 | 97 | 1086 | 355 | 3700 |
| CD4 | 39.18 | 433.80 | 13.13 | 396.17 | 2136 | 4520 | 506 | 4119 | 372 | 2498 | 598 | 12097 |
| CD45 | 55.90 | 551.73 | 524.31 | 553.40 | 2923 | 5785 | 9442 | 6031 | 509 | 3197 | 11142 | 17714 |
| CD56 | 0.85 | 5.47 | 0.48 | 6.80 | 40 | 50 | 19 | 73 | 7 | 28 | 23 | 215 |
| CD68 | 27.71 | 205.70 | 48.52 | 288.90 | 1458 | 2162 | 1561 | 3171 | 254 | 1195 | 1843 | 9314 |
| CD69 | 0.28 | 12.18 | 1.99 | 12.74 | 11 | 114 | 81 | 132 | 2 | 63 | 96 | 388 |
| CD8 | 6.91 | 136.31 | 5.14 | 93.09 | 350 | 1306 | 178 | 933 | 61 | 722 | 211 | 2741 |
| Foxp3 | 1.79 | 8.92 | 0.49 | 7.58 | 80 | 85 | 15 | 76 | 14 | 47 | 18 | 225 |
| CD4T | 5.51 | 158.08 | 4.62 | 97.62 | 292 | 1545 | 187 | 1000 | 51 | 854 | 221 | 2939 |
| CD8T | 4.15 | 73.21 | 3.14 | 45.49 | 195 | 707 | 125 | 460 | 34 | 391 | 148 | 1351 |
| Treg | 0.57 | 3.45 | 0.50 | 4.36 | 28 | 34 | 20 | 45 | 5 | 19 | 24 | 133 |
| Treg/CD3 | 0.05 | 0.02 | 0.06 | 0.04 | | | | | | | | |
| Treg/CD4T | 0.10 | 0.02 | 0.11 | 0.04 | | | | | | | | |
| Treg/CD8T | 0.14 | 0.05 | 0.16 | 0.10 | | | | | | | | |
| CD4T/CD3 | 0.51 | 0.81 | 0.58 | 0.81 | | | | | | | | |
| CD8T/CD3 | 0.38 | 0.37 | 0.39 | 0.38 | | | | | | | | |
| CD8T/CD4T | 0.75 | 0.46 | 0.68 | 0.47 | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.17 | 0.55 | 1.18 | 2.94 |

Table 132: DD3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 2.58 | 340.15 | | | 177 | 3319 | | | 56 | 5795 | | |
| CD123 | 0.64 | 157.79 | | | 50 | 1542 | | | 16 | 2692 | | |
| CD15 | 0.36 | 9.97 | | | 28 | 101 | | | 9 | 178 | | |
| CD279 | 1.81 | 11.74 | | | 142 | 116 | | | 45 | 203 | | |
| CD3 | 5.75 | 522.67 | | | 452 | 5082 | | | 143 | 8872 | | |
| CD4 | 10.51 | 630.91 | | | 699 | 6191 | | | 221 | 10807 | | |
| CD45 | 16.16 | 828.69 | | | 1236 | 8160 | | | 391 | 14245 | | |
| CD56 | 0.04 | 25.46 | | | 3 | 246 | | | 1 | 431 | | |
| CD68 | 3.72 | 239.31 | | | 275 | 2360 | | | 87 | 4121 | | |
| CD8 | 3.68 | 225.95 | | | 196 | 2202 | | | 62 | 3844 | | |
| Foxp3 | 0.36 | 3.95 | | | 28 | 39 | | | 9 | 69 | | |
| Ki67 | 9.23 | 4.81 | | | 632 | 47 | | | 200 | 83 | | |
| CD4T | 2.98 | 344.12 | | | 234 | 3340 | | | 74 | 5830 | | |
| CD8T | 1.45 | 162.16 | | | 113 | 1577 | | | 36 | 2753 | | |
| Treg | 0.08 | 2.78 | | | 6 | 28 | | | 2 | 49 | | |
| Treg/CD3 | 0.01 | 0.01 | | | | | | | | | | |
| Treg/CD4T | 0.03 | 0.01 | | | | | | | | | | |
| Treg/CD8T | 0.06 | 0.02 | | | | | | | | | | |
| CD4T/CD3 | 0.52 | 0.66 | | | | | | | | | | |
| CD8T/CD3 | 0.25 | 0.31 | | | | | | | | | | |
| CD8T/CD4T | 0.49 | 0.47 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.32 | 1.75 | | |

Table 133: EB_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 5.85 | 200.16 | | | 309 | 2313 | | | 255 | 3684 | | |
| CD123 | 0.13 | 6.21 | | | 7 | 72 | | | 6 | 116 | | |
| CD15 | 16.47 | 135.43 | | | 89 | 1091 | | | 74 | 1738 | | |
| CD279 | 0.64 | 3.79 | | | 26 | 60 | | | 22 | 97 | | |
| CD3 | 0.51 | 15.29 | | | 31 | 245 | | | 26 | 391 | | |
| CD4 | 1.89 | 96.34 | | | 83 | 1041 | | | 69 | 1659 | | |
| CD56 | 0.04 | 0.69 | | | 2 | 12 | | | 2 | 20 | | |
| CD68 | 2.93 | 119.02 | | | 174 | 1234 | | | 144 | 1966 | | |
| CD69 | 0.64 | 5.40 | | | 40 | 103 | | | 33 | 165 | | |
| CD8 | 0.47 | 3.28 | | | 29 | 69 | | | 24 | 110 | | |
| Foxp3 | 0.25 | 1.39 | | | 12 | 33 | | | 10 | 54 | | |
| Ki67 | 13.09 | 1.14 | | | 811 | 30 | | | 669 | 48 | | |
| CD4T | 0.16 | 9.53 | | | 9 | 156 | | | 8 | 249 | | |
| CD8T | 0.35 | 2.20 | | | 21 | 46 | | | 18 | 74 | | |
| Treg | 0.06 | 0.62 | | | 3 | 15 | | | 3 | 25 | | |
| Treg/CD3 | 0.12 | 0.04 | | | | | | | | | | |
| Treg/CD4T | 0.38 | 0.07 | | | | | | | | | | |
| Treg/CD8T | 0.17 | 0.28 | | | | | | | | | | |
| CD4T/CD3 | 0.31 | 0.62 | | | | | | | | | | |
| CD8T/CD3 | 0.69 | 0.14 | | | | | | | | | | |
| CD8T/CD4T | 2.25 | 0.23 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.82 | 1.59 | | |

Table 134: JK1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD3 | 0.33 | 22.58 | | | 23 | 274 | | | 18 | 417 | | |
| CD4 | 2.17 | 89.09 | | | 112 | 1150 | | | 86 | 1748 | | |
| CD8 | 0.28 | 3.74 | | | 17 | 63 | | | 13 | 97 | | |
| CD4T | 0.13 | 13.44 | | | 9 | 178 | | | 7 | 271 | | |
| CD8T | 0.19 | 2.38 | | | 13 | 40 | | | 10 | 62 | | |
| Treg/CD3 | | | | | | | | | | | | |
| Treg/CD4T | | | | | | | | | | | | |
| Treg/CD8T | | | | | | | | | | | | |
| CD4T/CD3 | 0.41 | 0.59 | | | | | | | | | | |
| CD8T/CD3 | 0.59 | 0.11 | | | | | | | | | | |
| CD8T/CD4T | 1.43 | 0.18 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.76 | 1.52 | | |

Table 135: JK2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD123 | 0.13 | 5.74 | | | 6 | 88 | | | 5 | 125 | | |
| CD15 | 0.19 | 62.88 | | | 9 | 508 | | | 7 | 717 | | |
| CD279 | 0.36 | 9.01 | | | 23 | 103 | | | 17 | 146 | | |
| CD3 | 0.42 | 14.51 | | | 27 | 177 | | | 20 | 250 | | |
| CD4 | 1.55 | 70.04 | | | 94 | 1008 | | | 68 | 1422 | | |
| CD68 | 3.47 | 66.54 | | | 215 | 922 | | | 156 | 1301 | | |
| CD69 | 0.91 | 12.36 | | | 30 | 112 | | | 22 | 158 | | |
| CD8 | 0.32 | 2.39 | | | 20 | 39 | | | 15 | 56 | | |
| Foxp3 | 0.58 | 2.62 | | | 6 | 24 | | | 5 | 35 | | |
| Ki67 | 3.42 | 0.06 | | | 218 | 1 | | | 158 | 2 | | |
| CD4T | 0.11 | 11.05 | | | 6 | 130 | | | 5 | 184 | | |
| CD8T | 0.25 | 1.25 | | | 16 | 23 | | | 12 | 33 | | |
| Treg | 0.04 | 2.00 | | | 2 | 14 | | | 2 | 20 | | |
| Treg/CD3 | 0.10 | 0.14 | | | | | | | | | | |
| Treg/CD4T | 0.40 | 0.18 | | | | | | | | | | |
| Treg/CD8T | 0.17 | 1.60 | | | | | | | | | | |
| CD4T/CD3 | 0.25 | 0.76 | | | | | | | | | | |
| CD8T/CD3 | 0.60 | 0.09 | | | | | | | | | | |
| CD8T/CD4T | 2.40 | 0.11 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.72 | 1.41 | | |

Table 136: JK3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 29.92 | 299.25 | 72.94 | 567.91 | 1912 | 3961 | 4988 | 6800 | 929 | 5747 | 1199 | 7120 |
| CD123 | 11.22 | 133.06 | 35.34 | 388.76 | 747 | 2042 | 2675 | 5114 | 363 | 2963 | 643 | 5355 |
| CD15 | 0.22 | 6.18 | 23.13 | 23.38 | 12 | 84 | 1356 | 329 | 6 | 122 | 326 | 345 |
| CD279 | 5.68 | 117.01 | 3.37 | 158.48 | 374 | 1681 | 257 | 1858 | 182 | 2440 | 62 | 1946 |
| CD3 | 10.67 | 390.01 | 9.17 | 466.13 | 691 | 4801 | 644 | 4706 | 336 | 6967 | 155 | 4928 |
| CD4 | 19.83 | 397.16 | 27.31 | 512.80 | 1278 | 4947 | 1863 | 5431 | 621 | 7178 | 448 | 5687 |
| CD45 | 40.01 | 718.13 | 111.29 | 956.26 | 2548 | 8180 | 6814 | 10160 | 1238 | 11869 | 1638 | 10638 |
| CD56 | 3.35 | 16.39 | 2.23 | 18.54 | 224 | 254 | 170 | 218 | 109 | 369 | 41 | 229 |
| CD68 | 13.47 | 132.82 | 57.20 | 295.59 | 889 | 1876 | 4056 | 3891 | 432 | 2723 | 975 | 4075 |
| CD69 | 22.71 | 351.83 | 50.68 | 615.28 | 1504 | 4867 | 3736 | 7328 | 731 | 7062 | 898 | 7673 |
| CD8 | 5.50 | 116.92 | 3.49 | 145.98 | 362 | 1541 | 257 | 1494 | 176 | 2236 | 62 | 1565 |
| Foxp3 | 1.13 | 13.09 | 0.49 | 10.83 | 65 | 177 | 37 | 120 | 32 | 257 | 9 | 126 |
| Ki67 | 3.62 | 3.47 | 6.53 | 5.19 | 242 | 37 | 274 | 60 | 118 | 54 | 66 | 63 |
| CD4T | 4.49 | 254.52 | 2.94 | 297.23 | 288 | 3125 | 224 | 2996 | 140 | 4534 | 54 | 3137 |
| CD8T | 4.87 | 93.52 | 2.28 | 114.93 | 316 | 1268 | 174 | 1206 | 154 | 1840 | 42 | 1263 |
| Treg | 1.03 | 14.42 | 0.65 | 14.27 | 61 | 205 | 49 | 170 | 30 | 298 | 12 | 178 |
| Treg/CD3 | 0.10 | 0.04 | 0.07 | 0.03 | | | | | | | | |
| Treg/CD4T | 0.23 | 0.06 | 0.22 | 0.05 | | | | | | | | |
| Treg/CD8T | 0.21 | 0.15 | 0.29 | 0.12 | | | | | | | | |
| CD4T/CD3 | 0.42 | 0.65 | 0.32 | 0.64 | | | | | | | | |
| CD8T/CD3 | 0.46 | 0.24 | 0.25 | 0.25 | | | | | | | | |
| CD8T/CD4T | 1.09 | 0.37 | 0.78 | 0.39 | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.49 | 1.45 | 0.24 | 1.05 |

Table 137: JM1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 46.54 | 190.87 | | | 2517 | 3090 | | | 1561 | 4294 | | |
| CD123 | 2.85 | 50.69 | | | 211 | 844 | | | 131 | 1173 | | |
| CD15 | 2.28 | 3.36 | | | 19 | 54 | | | 12 | 76 | | |
| CD279 | 3.63 | 18.93 | | | 259 | 367 | | | 161 | 511 | | |
| CD3 | 9.13 | 186.93 | | | 649 | 3505 | | | 403 | 4870 | | |
| CD4 | 15.10 | 251.73 | | | 1058 | 3866 | | | 656 | 5371 | | |
| CD45 | 19.18 | 172.70 | | | 1287 | 3265 | | | 798 | 4536 | | |
| CD56 | 1.61 | 7.92 | | | 114 | 168 | | | 71 | 234 | | |
| CD68 | 15.79 | 79.56 | | | 1043 | 1347 | | | 647 | 1872 | | |
| CD69 | 17.59 | 237.43 | | | 1274 | 4354 | | | 790 | 6050 | | |
| CD8 | 4.60 | 81.39 | | | 340 | 1502 | | | 211 | 2087 | | |
| Foxp3 | 1.20 | 18.13 | | | 83 | 323 | | | 52 | 450 | | |
| Ki67 | 21.67 | 4.36 | | | 1582 | 97 | | | 981 | 135 | | |
| CD4T | 4.40 | 114.29 | | | 314 | 2087 | | | 195 | 2900 | | |
| CD8T | 2.61 | 41.05 | | | 193 | 873 | | | 120 | 1214 | | |
| Treg | 0.86 | 8.88 | | | 61 | 174 | | | 38 | 243 | | |
| Treg/CD3 | 0.09 | 0.05 | | | | | | | | | | |
| Treg/CD4T | 0.20 | 0.08 | | | | | | | | | | |
| Treg/CD8T | 0.33 | 0.22 | | | | | | | | | | |
| CD4T/CD3 | 0.48 | 0.61 | | | | | | | | | | |
| CD8T/CD3 | 0.29 | 0.22 | | | | | | | | | | |
| CD8T/CD4T | 0.59 | 0.36 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.62 | 1.39 | | |

Table 138: JM2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD3 | 6.92 | 182.21 | | | 449 | 3775 | | | 233 | 4303 | | |
| CD8 | 5.11 | 71.95 | | | 328 | 1535 | | | 170 | 1750 | | |
| Foxp3 | 0.98 | 4.31 | | | 59 | 99 | | | 31 | 113 | | |
| CD8T | 2.67 | 44.53 | | | 181 | 1045 | | | 94 | 1192 | | |
| Treg/CD3 | | | | | | | | | | | | |
| Treg/CD4T | | | | | | | | | | | | |
| Treg/CD8T | | | | | | | | | | | | |
| CD4T/CD3 | | | | | | | | | | | | |
| CD8T/CD3 | 0.39 | 0.24 | | | | | | | | | | |
| CD8T/CD4T | | | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.52 | 1.14 | | |

Table 139: JM3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 1.07 | 50.45 | | | 107 | 652 | | | 24 | 1182 | | |
| CD123 | 0.18 | 19.16 | | | 17 | 243 | | | 4 | 441 | | |
| CD15 | 0.18 | 10.64 | | | 17 | 120 | | | 4 | 218 | | |
| CD279 | 0.67 | 6.69 | | | 66 | 82 | | | 15 | 149 | | |
| CD3 | 4.11 | 51.46 | | | 410 | 659 | | | 92 | 1195 | | |
| CD4 | 3.21 | 52.39 | | | 321 | 655 | | | 72 | 1189 | | |
| CD45 | 7.19 | 153.46 | | | 718 | 1871 | | | 161 | 3393 | | |
| CD56 | 0.04 | 0.95 | | | 4 | 13 | | | 1 | 24 | | |
| CD68 | 1.83 | 34.12 | | | 182 | 431 | | | 41 | 783 | | |
| CD8 | 2.41 | 23.83 | | | 240 | 285 | | | 54 | 518 | | |
| Foxp3 | 0.13 | 4.25 | | | 13 | 53 | | | 3 | 97 | | |
| Ki67 | 3.44 | 0.22 | | | 343 | 2 | | | 77 | 5 | | |
| CD4T | 1.96 | 28.47 | | | 196 | 366 | | | 44 | 664 | | |
| CD8T | 1.92 | 15.02 | | | 191 | 188 | | | 43 | 342 | | |
| Treg | 0.04 | 2.58 | | | 4 | 34 | | | 1 | 63 | | |
| Treg/CD3 | 0.01 | 0.05 | | | | | | | | | | |
| Treg/CD4T | 0.02 | 0.09 | | | | | | | | | | |
| Treg/CD8T | 0.02 | 0.17 | | | | | | | | | | |
| CD4T/CD3 | 0.48 | 0.55 | | | | | | | | | | |
| CD8T/CD3 | 0.47 | 0.29 | | | | | | | | | | |
| CD8T/CD4T | 0.98 | 0.53 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.22 | 1.81 | | |

Table 140: JT_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 2.12 | 220.61 | | | 118 | 3033 | | | 41 | 2501 | | |
| CD123 | 0.63 | 79.40 | | | 49 | 1202 | | | 17 | 991 | | |
| CD15 | 0.48 | 19.21 | | | 14 | 213 | | | 5 | 176 | | |
| CD279 | 3.82 | 31.19 | | | 258 | 533 | | | 89 | 440 | | |
| CD3 | 20.94 | 236.59 | | | 1566 | 3773 | | | 540 | 3111 | | |
| CD4 | 8.29 | 161.99 | | | 606 | 2443 | | | 209 | 2014 | | |
| CD45 | 31.81 | 461.39 | | | 2302 | 6872 | | | 794 | 5665 | | |
| CD56 | 1.16 | 3.10 | | | 89 | 54 | | | 31 | 45 | | |
| CD68 | 7.83 | 46.76 | | | 562 | 804 | | | 194 | 663 | | |
| CD69 | 15.12 | 180.56 | | | 1136 | 2707 | | | 392 | 2232 | | |
| CD8 | 8.32 | 73.90 | | | 646 | 1204 | | | 223 | 993 | | |
| Foxp3 | 0.58 | 3.25 | | | 37 | 50 | | | 13 | 42 | | |
| Ki67 | 4.60 | 170.61 | | | 165 | 1688 | | | 57 | 1392 | | |
| CD4T | 3.75 | 59.77 | | | 261 | 884 | | | 90 | 729 | | |
| CD8T | 6.83 | 27.91 | | | 530 | 497 | | | 183 | 410 | | |
| Treg | 0.30 | 1.30 | | | 23 | 21 | | | 8 | 18 | | |
| Treg/CD3 | 0.01 | 0.01 | | | | | | | | | | |
| Treg/CD4T | 0.08 | 0.02 | | | | | | | | | | |
| Treg/CD8T | 0.04 | 0.05 | | | | | | | | | | |
| CD4T/CD3 | 0.18 | 0.25 | | | | | | | | | | |
| CD8T/CD3 | 0.33 | 0.12 | | | | | | | | | | |
| CD8T/CD4T | 1.82 | 0.47 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.34 | 0.82 | | |

Table 141: LD_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 35.21 | 233.15 | 75.43 | 447.10 | 2325 | 2548 | 4586 | 4525 | 1074 | 5057 | 942 | 5215 |
| CD123 | 2.71 | 16.96 | 43.99 | 94.32 | 186 | 211 | 2955 | 1106 | 86 | 419 | 607 | 1275 |
| CD15 | 0.23 | 4.39 | 0.39 | 4.04 | 12 | 50 | 29 | 42 | 6 | 101 | 6 | 49 |
| CD279 | 1.81 | 13.92 | 0.85 | 24.69 | 129 | 178 | 63 | 238 | 60 | 354 | 13 | 275 |
| CD3 | 6.37 | 81.73 | 6.40 | 129.46 | 461 | 991 | 457 | 1283 | 213 | 1968 | 94 | 1479 |
| CD4 | 9.05 | 112.36 | 6.72 | 193.68 | 656 | 1298 | 462 | 1900 | 303 | 2577 | 95 | 2190 |
| CD45 | 30.51 | 295.00 | 61.86 | 505.24 | 2093 | 3262 | 3885 | 5037 | 967 | 6473 | 798 | 5806 |
| CD56 | 0.41 | 1.78 | 0.20 | 1.97 | 25 | 23 | 14 | 20 | 12 | 46 | 3 | 24 |
| CD69 | 5.60 | 47.77 | 4.96 | 106.92 | 365 | 587 | 355 | 1062 | 169 | 1166 | 73 | 1225 |
| CD8 | 5.54 | 60.34 | 4.63 | 107.04 | 385 | 714 | 335 | 1061 | 178 | 1417 | 69 | 1223 |
| Foxp3 | 1.31 | 14.54 | 0.85 | 19.24 | 93 | 174 | 63 | 193 | 43 | 347 | 13 | 223 |
| Ki67 | 1.10 | 1.80 | 0.07 | 2.01 | 73 | 18 | 4 | 19 | 34 | 36 | 1 | 22 |
| CD4T | 2.66 | 46.72 | 2.02 | 73.16 | 192 | 561 | 150 | 718 | 89 | 1115 | 31 | 828 |
| CD8T | 2.95 | 32.39 | 2.81 | 49.57 | 212 | 396 | 209 | 490 | 98 | 786 | 43 | 565 |
| Treg | 0.82 | 6.64 | 0.52 | 6.94 | 60 | 86 | 38 | 71 | 28 | 171 | 8 | 82 |
| Treg/CD3 | 0.13 | 0.08 | 0.08 | 0.05 | | | | | | | | |
| Treg/CD4T | 0.31 | 0.14 | 0.26 | 0.09 | | | | | | | | |
| Treg/CD8T | 0.28 | 0.20 | 0.19 | 0.14 | | | | | | | | |
| CD4T/CD3 | 0.42 | 0.57 | 0.32 | 0.57 | | | | | | | | |
| CD8T/CD3 | 0.46 | 0.40 | 0.44 | 0.38 | | | | | | | | |
| CD8T/CD4T | 1.11 | 0.69 | 1.39 | 0.68 | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.46 | 1.98 | 0.21 | 1.15 |

Table 142: LG1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 3.49 | 209.49 | | | 274 | 2123 | | | 93 | 5966 | | |
| CD123 | 0.12 | 24.90 | | | 11 | 251 | | | 4 | 708 | | |
| CD15 | 0.03 | 60.03 | | | 2 | 576 | | | 1 | 1619 | | |
| CD279 | 1.32 | 18.82 | | | 126 | 191 | | | 43 | 537 | | |
| CD3 | 1.79 | 157.37 | | | 170 | 1558 | | | 58 | 4379 | | |
| CD4 | 3.49 | 180.55 | | | 271 | 1807 | | | 92 | 5078 | | |
| CD45 | 6.60 | 353.56 | | | 571 | 3556 | | | 194 | 9993 | | |
| CD56 | 0.15 | 3.61 | | | 14 | 35 | | | 5 | 100 | | |
| CD68 | 6.11 | 98.88 | | | 524 | 1028 | | | 178 | 2890 | | |
| CD69 | 3.02 | 92.38 | | | 288 | 935 | | | 98 | 2628 | | |
| CD8 | 1.23 | 89.90 | | | 117 | 891 | | | 40 | 2504 | | |
| Foxp3 | 0.09 | 3.95 | | | 8 | 39 | | | 3 | 110 | | |
| Ki67 | 9.03 | 1.72 | | | 863 | 17 | | | 293 | 50 | | |
| CD4T | 0.89 | 110.14 | | | 85 | 1086 | | | 29 | 3053 | | |
| CD8T | 0.92 | 70.24 | | | 88 | 696 | | | 30 | 1958 | | |
| Treg | 0.03 | 2.19 | | | 2 | 21 | | | 1 | 61 | | |
| Treg/CD3 | 0.02 | 0.01 | | | | | | | | | | |
| Treg/CD4T | 0.03 | 0.02 | | | | | | | | | | |
| Treg/CD8T | 0.03 | 0.03 | | | | | | | | | | |
| CD4T/CD3 | 0.50 | 0.70 | | | | | | | | | | |
| CD8T/CD3 | 0.52 | 0.45 | | | | | | | | | | |
| CD8T/CD4T | 1.03 | 0.64 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.34 | 2.81 | | |

Table 143: LG2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD3 | 8.87 | 129.40 | 10.33 | 203.83 | 632 | 1458 | 472 | 2126 | 287 | 2999 | 149 | 2526 |
| CD4 | 12.28 | 151.05 | 14.47 | 246.94 | 887 | 1651 | 763 | 2570 | 403 | 3396 | 241 | 3053 |
| CD68 | 16.56 | 47.91 | 65.29 | 96.97 | 1099 | 536 | 3111 | 1160 | 499 | 1103 | 982 | 1379 |
| CD8 | 5.84 | 77.46 | 7.35 | 135.37 | 411 | 871 | 307 | 1386 | 187 | 1791 | 97 | 1647 |
| CD4T | 3.23 | 76.12 | 3.29 | 117.82 | 235 | 841 | 161 | 1225 | 107 | 1730 | 51 | 1456 |
| CD8T | 4.42 | 60.86 | 5.00 | 93.34 | 310 | 687 | 224 | 967 | 141 | 1413 | 71 | 1149 |
| Treg/CD3 | | | | | | | | | | | | |
| Treg/CD4T | | | | | | | | | | | | |
| Treg/CD8T | | | | | | | | | | | | |
| CD4T/CD3 | 0.36 | 0.59 | 0.32 | 0.58 | | | | | | | | |
| CD8T/CD3 | 0.50 | 0.47 | 0.48 | 0.46 | | | | | | | | |
| CD8T/CD4T | 1.37 | 0.80 | 1.52 | 0.79 | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.45 | 2.06 | 0.32 | 1.19 |

Table 144: LG3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 8.71 | 343.76 | | | 745 | 3594 | | | 298 | 7681 | | |
| CD123 | 0.39 | 29.37 | | | 35 | 326 | | | 14 | 698 | | |
| CD15 | 1.80 | 18.79 | | | 162 | 241 | | | 65 | 517 | | |
| CD279 | 1.08 | 7.15 | | | 97 | 82 | | | 39 | 177 | | |
| CD3 | 6.43 | 439.64 | | | 560 | 4617 | | | 224 | 9867 | | |
| CD4 | 10.09 | 725.05 | | | 890 | 7502 | | | 356 | 16032 | | |
| CD45 | 14.27 | 848.60 | | | 1206 | 8641 | | | 482 | 18467 | | |
| CD56 | 0.69 | 23.46 | | | 62 | 250 | | | 25 | 535 | | |
| CD68 | 2.24 | 60.27 | | | 202 | 684 | | | 81 | 1462 | | |
| CD69 | 2.13 | 131.50 | | | 192 | 1357 | | | 77 | 2900 | | |
| CD8 | 3.67 | 188.17 | | | 310 | 1917 | | | 124 | 4098 | | |
| Foxp3 | 0.17 | 7.37 | | | 15 | 66 | | | 6 | 142 | | |
| CD4T | 2.19 | 370.25 | | | 197 | 3880 | | | 79 | 8293 | | |
| CD8T | 2.72 | 116.31 | | | 225 | 1203 | | | 90 | 2572 | | |
| Treg | 0.11 | 4.12 | | | 10 | 40 | | | 4 | 87 | | |
| Treg/CD3 | 0.02 | 0.01 | | | | | | | | | | |
| Treg/CD4T | 0.05 | 0.01 | | | | | | | | | | |
| Treg/CD8T | 0.04 | 0.04 | | | | | | | | | | |
| CD4T/CD3 | 0.34 | 0.84 | | | | | | | | | | |
| CD8T/CD3 | 0.42 | 0.26 | | | | | | | | | | |
| CD8T/CD4T | 1.25 | 0.31 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.40 | 2.14 | | |

Table 145: LM_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 39.50 | 257.99 | | | 2030 | 2842 | | | 1402 | 7533 | | |
| CD123 | 1.92 | 19.03 | | | 101 | 212 | | | 70 | 564 | | |
| CD15 | 0.87 | 1.61 | | | 23 | 18 | | | 16 | 49 | | |
| CD279 | 13.22 | 160.11 | | | 718 | 1546 | | | 496 | 4097 | | |
| CD3 | 16.34 | 395.04 | | | 1002 | 3901 | | | 692 | 10338 | | |
| CD4 | 20.16 | 376.67 | | | 1177 | 3882 | | | 813 | 10287 | | |
| CD45 | 43.28 | 516.49 | | | 2450 | 5305 | | | 1692 | 14059 | | |
| CD56 | 0.60 | 3.65 | | | 28 | 38 | | | 20 | 103 | | |
| CD68 | 14.13 | 49.56 | | | 809 | 582 | | | 559 | 1544 | | |
| CD69 | 24.46 | 286.40 | | | 1461 | 2962 | | | 1009 | 7850 | | |
| CD8 | 6.92 | 130.53 | | | 421 | 1294 | | | 291 | 3429 | | |
| Foxp3 | 3.29 | 40.41 | | | 194 | 432 | | | 134 | 1145 | | |
| Ki67 | 8.32 | 2.06 | | | 519 | 20 | | | 359 | 54 | | |
| CD4T | 8.66 | 304.37 | | | 514 | 2968 | | | 355 | 7865 | | |
| CD8T | 4.81 | 88.79 | | | 315 | 896 | | | 218 | 2375 | | |
| Treg | 2.67 | 29.30 | | | 156 | 325 | | | 108 | 862 | | |
| Treg/CD3 | 0.16 | 0.07 | | | | | | | | | | |
| Treg/CD4T | 0.31 | 0.10 | | | | | | | | | | |
| Treg/CD8T | 0.55 | 0.33 | | | | | | | | | | |
| CD4T/CD3 | 0.53 | 0.77 | | | | | | | | | | |
| CD8T/CD3 | 0.29 | 0.22 | | | | | | | | | | |
| CD8T/CD4T | 0.56 | 0.29 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.69 | 2.65 | | |

Table 146: LS1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 32.96 | 251.85 | | | 1490 | 2658 | | | 1567 | 7637 | | |
| CD123 | 7.75 | 52.64 | | | 341 | 596 | | | 359 | 1714 | | |
| CD15 | 0.12 | 0.87 | | | 5 | 10 | | | 6 | 30 | | |
| CD279 | 6.03 | 50.99 | | | 325 | 538 | | | 342 | 1547 | | |
| CD3 | 16.87 | 377.75 | | | 932 | 3855 | | | 980 | 11077 | | |
| CD4 | 21.44 | 427.50 | | | 1168 | 4427 | | | 1229 | 12721 | | |
| CD45 | 37.43 | 517.11 | | | 1845 | 5292 | | | 1941 | 15205 | | |
| CD56 | 0.33 | 2.22 | | | 17 | 19 | | | 18 | 57 | | |
| CD68 | 19.68 | 80.95 | | | 927 | 909 | | | 975 | 2613 | | |
| CD69 | 11.19 | 179.35 | | | 620 | 1848 | | | 652 | 5312 | | |
| CD8 | 5.06 | 99.61 | | | 287 | 1018 | | | 302 | 2926 | | |
| Foxp3 | 2.17 | 18.81 | | | 106 | 213 | | | 112 | 612 | | |
| Ki67 | 9.10 | 1.12 | | | 515 | 10 | | | 542 | 31 | | |
| CD4T | 7.66 | 271.64 | | | 436 | 2718 | | | 459 | 7812 | | |
| CD8T | 3.49 | 61.99 | | | 201 | 639 | | | 212 | 1837 | | |
| Treg | 1.21 | 12.70 | | | 70 | 146 | | | 74 | 420 | | |
| Treg/CD3 | 0.07 | 0.03 | | | | | | | | | | |
| Treg/CD4T | 0.16 | 0.05 | | | | | | | | | | |
| Treg/CD8T | 0.35 | 0.20 | | | | | | | | | | |
| CD4T/CD3 | 0.45 | 0.72 | | | | | | | | | | |
| CD8T/CD3 | 0.21 | 0.16 | | | | | | | | | | |
| CD8T/CD4T | 0.46 | 0.23 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 1.05 | 2.87 | | |

Table 147: LS2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD3 | 11.72 | 399.68 | | | 658 | 4039 | | | 655 | 11867 | | |
| CD4 | 15.08 | 430.35 | | | 800 | 4430 | | | 797 | 13016 | | |
| CD68 | 20.66 | 81.31 | | | 902 | 957 | | | 898 | 2812 | | |
| CD8 | 5.41 | 133.85 | | | 320 | 1346 | | | 319 | 3956 | | |
| CD4T | 6.03 | 237.05 | | | 332 | 2374 | | | 331 | 6975 | | |
| CD8T | 3.30 | 84.31 | | | 194 | 867 | | | 194 | 2549 | | |
| Treg/CD3 | | | | | | | | | | | | |
| Treg/CD4T | | | | | | | | | | | | |
| Treg/CD8T | | | | | | | | | | | | |
| CD4T/CD3 | 0.51 | 0.59 | | | | | | | | | | |
| CD8T/CD3 | 0.28 | 0.21 | | | | | | | | | | |
| CD8T/CD4T | 0.55 | 0.36 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 1.00 | 2.94 | | |

Table 148: LS3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 11.30 | 237.32 | 136.06 | 239.81 | 909 | 2831 | 3948 | 3506 | 84 | 2383 | 3133 | 4770 |
| CD123 | 2.64 | 79.15 | 42.23 | 95.95 | 248 | 992 | 1825 | 1565 | 23 | 835 | 1448 | 2130 |
| CD15 | 2.07 | 45.51 | 150.52 | 65.17 | 194 | 564 | 2237 | 1098 | 18 | 475 | 1775 | 1494 |
| CD279 | 4.94 | 76.98 | 16.69 | 57.60 | 465 | 939 | 686 | 1017 | 43 | 791 | 545 | 1384 |
| CD3 | 7.93 | 102.74 | 18.89 | 82.23 | 746 | 1263 | 903 | 1239 | 69 | 1063 | 717 | 1686 |
| CD4 | 3.45 | 93.16 | 10.69 | 85.70 | 324 | 1131 | 530 | 1440 | 30 | 952 | 421 | 1960 |
| CD45 | 22.86 | 360.64 | 178.12 | 382.36 | 2154 | 4314 | 5155 | 5463 | 199 | 3631 | 4090 | 7433 |
| CD56 | 0.34 | 6.28 | 0.62 | 3.75 | 32 | 77 | 34 | 67 | 3 | 65 | 27 | 92 |
| CD8 | 4.14 | 44.77 | 8.17 | 38.72 | 389 | 547 | 397 | 709 | 36 | 461 | 315 | 965 |
| Foxp3 | 1.49 | 13.71 | 4.68 | 4.08 | 140 | 172 | 134 | 97 | 13 | 145 | 107 | 132 |
| CD4T | 2.53 | 65.55 | 6.21 | 52.89 | 238 | 793 | 334 | 818 | 22 | 668 | 265 | 1114 |
| CD8T | 2.53 | 65.55 | 6.21 | 52.89 | 238 | 793 | 334 | 818 | 22 | 668 | 265 | 1114 |
| Treg | 1.26 | 16.28 | 1.72 | 4.09 | 119 | 200 | 95 | 85 | 11 | 169 | 76 | 117 |
| Treg/CD3 | 0.16 | 0.16 | 0.09 | 0.05 | | | | | | | | |
| Treg/CD4T | 0.50 | 0.25 | 0.28 | 0.08 | | | | | | | | |
| Treg/CD8T | 0.50 | 0.25 | 0.28 | 0.08 | | | | | | | | |
| CD4T/CD3 | 0.32 | 0.64 | 0.33 | 0.64 | | | | | | | | |
| CD8T/CD3 | 0.32 | 0.64 | 0.33 | 0.64 | | | | | | | | |
| CD8T/CD4T | 1 | 1 | 1 | 1 | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.09 | 0.84 | 0.79 | 1.36 |

Table 149: SK1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 32.13 | 243.41 | | | 1491 | 2628 | | | 1024 | 7035 | | |
| CD123 | 2.96 | 16.35 | | | 99 | 187 | | | 68 | 502 | | |
| CD15 | 11.85 | 34.56 | | | 500 | 401 | | | 344 | 1075 | | |
| CD279 | 4.06 | 25.94 | | | 198 | 309 | | | 136 | 827 | | |
| CD3 | 12.67 | 153.03 | | | 499 | 1718 | | | 343 | 4600 | | |
| CD4 | 18.08 | 182.57 | | | 841 | 2047 | | | 578 | 5478 | | |
| CD45 | 24.07 | 244.32 | | | 1103 | 2664 | | | 758 | 7130 | | |
| CD56 | 0.90 | 2.22 | | | 32 | 28 | | | 22 | 75 | | |
| CD68 | 13.67 | 40.57 | | | 653 | 480 | | | 449 | 1287 | | |
| CD69 | 25.22 | 117.50 | | | 1083 | 1380 | | | 744 | 3693 | | |
| CD8 | 4.83 | 29.75 | | | 219 | 343 | | | 151 | 919 | | |
| Foxp3 | 2.30 | 8.15 | | | 72 | 94 | | | 50 | 254 | | |
| Ki67 | 4.43 | 0.56 | | | 305 | 8 | | | 210 | 24 | | |
| CD4T | 5.90 | 109.10 | | | 219 | 1218 | | | 151 | 3261 | | |
| CD8T | 3.36 | 20.56 | | | 166 | 239 | | | 114 | 640 | | |
| Treg | 2.03 | 5.57 | | | 56 | 66 | | | 39 | 177 | | |
| Treg/CD3 | 0.16 | 0.04 | | | | | | | | | | |
| Treg/CD4T | 0.34 | 0.05 | | | | | | | | | | |
| Treg/CD8T | 0.60 | 0.27 | | | | | | | | | | |
| CD4T/CD3 | 0.47 | 0.71 | | | | | | | | | | |
| CD8T/CD3 | 0.27 | 0.13 | | | | | | | | | | |
| CD8T/CD4T | 0.57 | 0.19 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.69 | 2.68 | | |

Table 150: SK2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

| | Normalized Counts | | | | Density | | | | Counts | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | intact | | ulcerative | | intact | | ulcerative | | intact | | ulcerative | |
| | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis | epi | dermis |
| CD11c | 8.91 | 148.44 | | | 740 | 1626 | | | 444 | 4568 | | |
| CD123 | 2.27 | 72.93 | | | 190 | 792 | | | 114 | 2225 | | |
| CD279 | 0.68 | 3.78 | | | 56 | 44 | | | 34 | 124 | | |
| CD3 | 6.00 | 177.33 | | | 430 | 1950 | | | 258 | 5480 | | |
| CD4 | 7.91 | 178.83 | | | 592 | 1972 | | | 355 | 5541 | | |
| CD68 | 5.49 | 42.09 | | | 453 | 503 | | | 272 | 1414 | | |
| CD8 | 2.79 | 40.87 | | | 205 | 464 | | | 123 | 1305 | | |
| Foxp3 | 1.02 | 9.22 | | | 63 | 106 | | | 38 | 300 | | |
| CD4T | 2.63 | 107.10 | | | 191 | 1179 | | | 115 | 3312 | | |
| CD8T | 2.37 | 24.53 | | | 176 | 286 | | | 106 | 804 | | |
| Treg | 0.56 | 5.94 | | | 46 | 70 | | | 28 | 199 | | |
| Treg/CD3 | 0.09 | 0.03 | | | | | | | | | | |
| Treg/CD4T | 0.21 | 0.06 | | | | | | | | | | |
| Treg/CD8T | 0.24 | 0.24 | | | | | | | | | | |
| CD4T/CD3 | 0.44 | 0.60 | | | | | | | | | | |
| CD8T/CD3 | 0.39 | 0.14 | | | | | | | | | | |
| CD8T/CD4T | 0.90 | 0.23 | | | | | | | | | | |
| Size of biopsy | | | | | | | | | 0.60 | 2.81 | | |

Table 151: SK3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.