report_32bit

August 19, 2025

1 Introduction

There are 13 lesion biopsies in total, including AS. Different biopsy samples or even different slices from the same biopsy sample may have different amount of lesion tissues. Some completely lack lesion. List of available markers per slide:

$AS1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$AS2_Les [1] CD11c CD123 CD279 CD3 CD4 CD8 Foxp3 CD4T CD8T Treg

$AS3_Les [1] CD279 CD3 CD4 CD56 CD8 Foxp3 CD4T CD8T Treg

$CF_8wph [1]

$CF1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD8 Foxp3 Ki67 CD4T CD8T Treg

$CF2_Les [1] CD11c CD123 CD279 CD3 CD4 CD8 Foxp3 CD4T CD8T Treg

$CF5_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T

$CJ1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$CJ2_Les [1] CD11c CD123 CD15 CD3 CD4 CD45 CD68 CD8 CD4T CD8T

$DD_8wph [1]

$DD1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$DD2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$DD3_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$EB_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JK_8wph [1]

$JK1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JK2_Les [1] CD3 CD4 CD8 CD4T CD8T

$JK3_Les [1] CD123 CD15 CD279 CD3 CD4 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$JM3_Les [1] CD3 CD8 Foxp3 CD8T

$JT_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LD_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LG3_Les [1] CD3 CD4 CD68 CD8 CD4T CD8T

$LM_9wph [1]

$LM_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 CD4T CD8T Treg

$LS_8wph [1]

$LS1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LS2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$LS3_Les [1] CD3 CD4 CD68 CD8 CD4T CD8T

$SK1_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD8 Foxp3 CD4T CD8T Treg

$SK2_Les [1] CD11c CD123 CD15 CD279 CD3 CD4 CD45 CD56 CD68 CD69 CD8 Foxp3 Ki67 CD4T CD8T Treg

$SK3_8wph_in_use [1]

$SK3_Les [1] CD11c CD123 CD279 CD3 CD4 CD68 CD8 Foxp3 CD4T CD8T Treg

Most lesion biopsies have multiple sections. The following choices of representative slides are made:

Select slide	Shedding rate
AS1_Les	83.9
CF1_Les	17.5
CJ1_Les	43.1
DD1_Les	39.4
EB_Les	4.6
JK1_Les	23.4
JM1_Les	24.6
JT_Les	54.3
LD_Les	18.8
LG2_Les	32.8
LM_Les	4.4
LS2_Les	31
SK2_Les	53

The key markers are: CD3 CD11c CD123 CD15 CD56 CD68.

Note that the CD68 antibody stained the epidermis of some tissues. CD68_raw.png is the raw image, and CD68.png is the processed image with reduced epidermis brightness to improve quality of segmentation. Furthermore, for CF lesion CD68 staining, CF5_Les instead of CF1_Les is used due to quality reasons.

2 Correlation with shedding rate

Based on the previous report, we decided to

- focus on normalized counts
- focus on average across slides and select slides and not all slides, which has low correlation
- focus on these metrics
  - DEJ1000, DI
  - DEJ500, DI
  - skin1000, I
  - skin500, I
  - EI

Notes on methods:

- Density is the number of cells/mm^2. The size of biopsy is on the order of mm^2.
- Depth density function is a function of the number of cells per 100x100 um2 tissue over the distance to skin or DEJ in 100 um increment. Each bin in the histogram represents the count in a 100x100 um2 area.
- Normalized count is the number of cells in a vertical strip 100um wide, and is equivalent to the area under the depth density function (restricted to certain depth if applicable). It is called normalized count because each depth is weighted equally instead of variable depending on the tissue shape.
- Average slide is computed as the mean norm.counts.
- Ratio is presented as fraction in tables and percentages in graphs. A gap in depth density ratio function is often due to the denominator being 0.
- Ratio for average slides is computed as the ratio of two sums across norm.counts from all slides for the two markers
- R^2 is computed without slides from AS_Les, which has the highest shedding rate and appears an outlier.
- The association is done on intact only. Previously we explored association with ulcerative + intact, but decided to focus on intact

Notes on results:

- Treg counts from JK1_Les and JK3_Les are quite different: 19 and 161. This led the R2 for Treg/CD3 in DI to be higher for select slides than for average slides.

Legend for biopsies

Select Slides. CD3, CD11c, CD123, CD15, CD56, CD68



Average Slides. CD3, CD11c, CD123, CD15, CD56, CD68



Select Slides. CD8T, CD4T, Treg



Average Slides. CD8T, CD4T, Treg



Select Slides. Treg/CD3, Treg/CD4T, Treg/CD8T, CD4T/CD3, CD8T/CD3, CD8T/CD4T



Average Slides. Treg/CD3, Treg/CD4T, Treg/CD8T, CD4T/CD3, CD8T/CD3, CD8T/CD4T



3 Depth density function

3.1 Intact vs. ulcerative - select slides

In this subsection, there are two sets of figures, one for dist2skin and one for dist2DEJ. Each figure shows 13 representative slides.


CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2skin (um)
intact
ulcerative


CD3
CD8T
CD4T
Treg
intact
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells*Patch/Tot_area
dist2skin (um)
0
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
CF1_Les
CJI_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
percent
dist2skin (um)
intact
ulcerative


CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
intact
ulcerative
dist2DEJ (um)


CD3
CD8T
CD4T
Treg
intact
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells*100/(0.01 um^2)
distZDEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
CF1_Les
CJI_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
percent
dist2DEJ (um)
intact
ulcerative

3.2 Intact vs. ulcerative - lesion slides

In this subsection, there are two sets of figures, one for dist2skin and one for dist2DEJ. Each figure shows the 9 slides with lesions.


CD3
CD11c
CD123
CD15
CD56
CD68
CF1_Les
CF2_Les
CF5_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
Cells/100x100 um2
dist2skin (um)
intact
ulcerative


CD3
CD8T
CD4T
Treg
CF1_Les
CF2_Les
CF5_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
Cells/100x100 um2
dist2skin (um)
intact
ulcerative


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
CF1_Les
CF2_Les
CF5_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
percent
dist2skin (um)
intact
ulcerative


CD3
CD11c
CD123
CD15
CD56
CD68
CF1_Les
CF2_Les
CF5_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
intact
ulcerative
Cells/100x100 um2
dist2DEJ (um)


CD3
CD8T
CD4T
Treg
CF1_Les
CF2_Les
CF5_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
Cells/100x100 um2
dist2DEJ (um)
intact
ulcerative


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
CF1_Les
CF2_Les
CF5_Les
DD1_Les
DD2_Les
DD3_Les
JM1_Les
LG1_Les
LG3_Les
SK1_Les
percent
dist2DEJ (um)
intact
ulcerative

3.3 Intact vs. ulcerrative - all slides

In this subsection, each figure shows all slides from a single biopsy.

CD3
CD11c
CD123
CD15
CD56
CD68
intact
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
0
500
1000
1500
2000
2500


CD3
CD8T
CD4T
Treg
intact
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
0
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
AS2_Les
AS3_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0 20 40 60 80 100
intact
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD8T
CD4T
Treg
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
AS1_Les
AS2_Les
AS3_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD8T
CD4T
Treg
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
intact
ulcerative
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
CF1_Les
CF2_Les
CF5_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0 20 40 60 80 100
intact
ulcerative
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD8T
CD4T
Treg
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
ulcerative
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
CF1_Les
CF2_Les
CF5_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CD3
CD8T
CD4T
Treg
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CJ1_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)
CJ2_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD8T
CD4T
Treg
intact
CJ1_Les
CJ2_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
CJ1_Les
CJ2_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2skin (um)


CD3
CD8T
CD4T
Treg
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2skin (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
DD1_Les
DD2_Les
DD3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD8T
CD4T
Treg
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
ulcerative
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
DD1_Les
DD2_Les
DD3_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
EB_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD8T
CD4T
Treg
intact
EB_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
EB_Les
percent
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
EB_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD8T
CD4T
Treg
intact
EB_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


EB_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
0
500
1000
1500
2000
2500


CD3
CD8T
CD4T
Treg
intact
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
0
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JK1_Les
JK2_Les
JK3_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
intact
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD8T
CD4T
Treg
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0
20
40
60
80
100
intact
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JK1_Les
JK2_Les
JK3_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


CD3
CD8T
CD4T
Treg
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2skin (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JM1_Les
JM2_Les
JM3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2DEJ (um)


CD3
CD8T
CD4T
Treg
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
dist2DEJ (um)
intact
ulcerative
-500
0
500
1000
1500
0
20
40
60
80
100


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
JM1_Les
JM2_Les
JM3_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
JT_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD8T
CD4T
Treg
intact
JT_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


JT_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
JT_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


JT_Les
Cells/100x100 um2
0
20
40
60
80
100
CD3
CD8T
CD4T
Treg
intact
-500
0
500
1000
1500
dist2DEJ (um)


JT_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD8T
CD4T
Treg
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


LD_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LD_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD8T
CD4T
Treg
intact
LD_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


LD_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD8T
CD4T
Treg
intact
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LG1_Les
LG2_Les
LG3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


CD3
CD8T
CD4T
Treg
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LG1_Les
LG2_Les
LG3_Les
percent
intact
ulcerative
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


CD3
CD8T
CD4T
Treg
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
0
500
1000
1500
2000
2500
dist2skin (um)


LM_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LM_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD8T
CD4T
Treg
intact
LM_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


LM_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
dist2skin (um)
0
500
1000
1500
2000
2500
20
40
60
80
100


CD3
CD8T
CD4T
Treg
intact
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LS1_Les
LS2_Les
LS3_Les
percent
intact
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80 100
-500 0 500 1000 1500
dist2DEJ (um)


CD3
CD8T
CD4T
Treg
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
intact
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
LS1_Les
LS2_Les
LS3_Les
percent
intact
dist2DEJ (um)


CD3
CD11c
CD123
CD15
CD56
CD68
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2skin (um)


CD3
CD8T
CD4T
Treg
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
dist2skin (um)
0
20
40
60
80
100
500
1000
1500
2000
2500


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
SK1_Les
SK2_Les
SK3_Les
percent
intact
ulcerative
dist2skin (um)


CD3
CD11c
CD123
CD15
CD56
CD68
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
intact
ulcerative
dist2DEJ (um)
-500
0
500
1000
1500
0
20
40
60
80
100


CD3
CD8T
CD4T
Treg
intact
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0
20
40
60
80
100
-500
0
500
1000
1500
dist2DEJ (um)


Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
SK1_Les
SK2_Les
SK3_Les
percent
intact
ulcerative
dist2DEJ (um)

3.4 Markers comparison - select slides

In this subsection, there is one figure showing 13 representative slides.


intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
C_I1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2skin (um)
dist2DEJ (um)
CD3
CD11c
CD123
CD15
CD56
CD68


intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
C_I1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
Cells/100x100 um2
dist2skin (um)
dist2DEJ (um)
CD3
CD8T
CD4T
Treg


intact
intact
ulcerative
ulcerative
AS1_Les
CF1_Les
CJ1_Les
DD1_Les
EB_Les
JK1_Les
JM1_Les
JT_Les
LD_Les
LG2_Les
LM_Les
LS2_Les
SK2_Les
percent
dist2skin (um)
dist2DEJ (um)
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T

3.5 Markers comparison - all slides

In this subsection, each figure shows all slides from a single biopsy.


intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD8T
CD4T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
AS1_Les
AS2_Les
AS3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
-500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD8T
CD4T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CF1_Les
CF2_Les
CF5_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CJ1_Les
CJ2_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CJ1_Les
CJ2_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD8T
CD4T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
CJ1_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)
CJ2_Les
percent
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD8T
CD4T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
DD1_Les
DD2_Les
DD3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
EB_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
EB_Les
Cells/100x100 um2
0
20
60
100
CD3
CD8T
CD4T
Treg
0
500
1000
1500
2000
2500
-500
0
500
1000
1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
EB_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD8T
CD4T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JK1_Les
JK2_Les
JK3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
Cells/100x100 um2
CD3
CD8T
CD4T
Treg
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JM1_Les
JM2_Les
JM3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JT_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JT_Les
Cells/100x100 um2
0
20
60
100
CD3
CD8T
CD4T
Treg
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
JT_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LD_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LD_Les
Cells/100x100 um2
0
20
60
100
CD3
CD8T
CD4T
Treg
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LD_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
Cells/100x100 um2
CD3
CD8T
CD4T
Treg
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LG1_Les
LG2_Les
LG3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LM_Les
Cells/100x100 um2
0
20
60
100
CD3
CD11c
CD123
CD15
CD56
CD68
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LM_Les
Cells/100x100 um2
0
20
60
100
CD3
CD8T
CD4T
Treg
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LM_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
0
50
100
200
0
500
1000
1500
2000
2500
dist2skin (um)
-500
0
500
1000
1500
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD8T
CD4T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
LS1_Les
LS2_Les
LS3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD11c
CD123
CD15
CD56
CD68
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
Cells/100x100 um2
0 20 40 60 80
CD3
CD8T
CD4T
Treg
0 500 1000 1500 2000 2500
-500 0 500 1000 1500
dist2skin (um)
dist2DEJ (um)


intact
intact
ulcerative
ulcerative
SK1_Les
SK2_Les
SK3_Les
percent
Treg/CD3
Treg/CD4T
Treg/CD8T
CD4T/CD3
CD8T/CD3
CD8T/CD4T
dist2skin (um)
dist2DEJ (um)

4 Tables by markers

Table 2: CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	10	422			
CF1_Les	18	465	21	547	1051
CJ1_Les	5	118			
DD1_Les	16	312	4	234	566
EB_Les	6	523			
JK1_Les	1	15			
JM1_Les	11	390	9	466	876
JT_Les	4	51			
LD_Les	21	237			
LG2_Les	2	157			
LM_Les	6	440			
LS2_Les	17	378			
SK2_Les	13	153			

Table 3: CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	10	185			
CF1_Les	18	281	21	353	672
CJ1_Les	5	53			
DD1_Les	16	249	4	147	416
EB_Les	6	269			
JK1_Les	1	12			
JM1_Les	11	298	9	245	562
JT_Les	4	47			
LD_Les	21	220			
LG2_Les	2	85			
LM_Les	6	255			
LS2_Les	17	197			
SK2_Les	13	129			

Table 4: CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	330		
CF1_Les	413	479	893
CJ1_Les	92		
DD1_Les	321	179	500
EB_Les	453		
JK1_Les	17		
JM1_Les	404	430	834
JT_Les	55		
LD_Les	296		
LG2_Les	151		
LM_Les	424		
LS2_Les	294		
SK2_Les	177		

Table 5: CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	133		
CF1_Les	162	130	292
CJ1_Les	28		
DD1_Les	56	9	64
EB_Les	147		
JK1_Les	10		
JM1_Les	205	151	355
JT_Les	52		
LD_Les	174		
LG2_Les	61		
LM_Les	183		
LS2_Les	129		
SK2_Les	85		

Table 6: CD11c, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	131			
CF1_Les	29	528	122	458	1137
CJ1_Les	4	166			
DD1_Les	110	571	463	668	1811
EB_Les	3	340			
JK1_Les	6	200			
JM1_Les	30	299	73	568	970
JT_Les	1	50			
LD_Les	2	221			
LG2_Les	3	209			
LM_Les	9	344			
LS2_Les	33	252			
SK2_Les	32	243			

Table 7: CD11c, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	61			
CF1_Les	29	292	122	257	701
CJ1_Les	4	83			
DD1_Les	110	347	463	418	1337
EB_Les	3	174			
JK1_Les	6	126			
JM1_Les	30	237	73	423	763
JT_Les	1	46			
LD_Les	2	178			
LG2_Les	3	118			
LM_Les	9	198			
LS2_Les	33	127			
SK2_Les	32	161			

Table 8: CD11c, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	113		
CF1_Les	465	468	933
CJ1_Les	138		
DD1_Les	540	868	1408
EB_Les	298		
JK1_Les	198		
JM1_Les	381	665	1046
JT_Les	52		
LD_Les	237		
LG2_Les	199		
LM_Les	329		
LS2_Les	224		
SK2_Les	266		

Table 9: CD11c, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	45		
CF1_Les	174	250	424
CJ1_Les	49		
DD1_Les	174	444	619
EB_Les	103		
JK1_Les	61		
JM1_Les	225	410	635
JT_Les	49		
LD_Les	67		
LG2_Les	100		
LM_Les	151		
LS2_Les	111		
SK2_Les	120		

Table 10: CD123, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	38			
CF1_Les	4	228	29	122	384
CJ1_Les	0	22			
DD1_Les	97	335	93	525	1050
EB_Les	1	158			
JK1_Les	0	6			
JM1_Les	11	133	35	389	568
JT_Les	0	19			
LD_Les	1	79			
LG2_Les	0	25			
LM_Les	0	29			
LS2_Les	8	53			
SK2_Les	3	16			

Table 11: CD123, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	30			
CF1_Les	4	133	29	87	253
CJ1_Les	0	11			
DD1_Les	97	266	93	375	832
EB_Les	1	85			
JK1_Les	0	3			
JM1_Les	11	122	35	349	517
JT_Les	0	17			
LD_Les	1	75			
LG2_Les	0	15			
LM_Les	0	20			
LS2_Les	8	31			
SK2_Les	3	13			

Table 12: CD123, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	38		
CF1_Les	195	148	342
CJ1_Les	16		
DD1_Les	442	547	989
EB_Les	140		
JK1_Les	6		
JM1_Les	183	467	650
JT_Les	19		
LD_Les	87		
LG2_Les	24		
LM_Les	30		
LS2_Les	50		
SK2_Les	20		

Table 13: CD123, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	23		
CF1_Les	62	83	145
CJ1_Les	4		
DD1_Les	165	158	323
EB_Les	55		
JK1_Les	2		
JM1_Les	140	347	487
JT_Les	18		
LD_Les	37		
LG2_Les	11		
LM_Les	15		
LS2_Les	27		
SK2_Les	9		

Table 14: CD15, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0	20			
CF1_Les	0	164	100	38	303
CJ1_Les	0	4			
DD1_Les	15	68	428	122	633
EB_Les	0	10			
JK1_Les	16	135			
JM1_Les	0	6	23	23	53
JT_Les	0	11			
LD_Les	0	19			
LG2_Les	0	60			
LM_Les	2	19			
LS2_Les	0	1			
SK2_Les	12	35			

Table 15: CD15, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0	8			
CF1_Les	0	105	100	31	237
CJ1_Les	0	3			
DD1_Les	15	66	428	109	618
EB_Les	0	7			
JK1_Les	16	69			
JM1_Les	0	4	23	22	49
JT_Les	0	8			
LD_Les	0	12			
LG2_Les	0	20			
LM_Les	2	16			
LS2_Les	0	1			
SK2_Les	12	23			

Table 16: CD15, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	16		
CF1_Les	154	120	274
CJ1_Les	4		
DD1_Les	95	460	554
EB_Les	10		
JK1_Les	115		
JM1_Les	6	46	52
JT_Les	11		
LD_Les	14		
LG2_Les	50		
LM_Les	23		
LS2_Les	1		
SK2_Les	45		

Table 17: CD15, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	5		
CF1_Les	34	99	133
CJ1_Les	2		
DD1_Les	15	368	383
EB_Les	6		
JK1_Les	13		
JM1_Les	5	42	48
JT_Les	7		
LD_Les	10		
LG2_Les	15		
LM_Les	20		
LS2_Les	0		
SK2_Les	29		

Table 18: CD56, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	8			
CF1_Les	2	20	1	27	50
CJ1_Les	0	8			
DD1_Les	1	21	0	16	38
EB_Les	0	25			
JK1_Les	0	1			
JM1_Les	3	16	2	19	41
JT_Les	0	1			
LD_Les	1	3			
LG2_Les	0	4			
LM_Les	1	23			
LS2_Les	0	2			
SK2_Les	1	2			

Table 19: CD56, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	1	5			
CF1_Les	2	13	1	19	35
CJ1_Les	0	3			
DD1_Les	1	18	0	10	29
EB_Les	0	13			
JK1_Les	0	1			
JM1_Les	3	16	2	14	35
JT_Les	0	1			
LD_Les	1	3			
LG2_Les	0	2			
LM_Les	1	15			
LS2_Les	0	1			
SK2_Les	1	2			

Table 20: CD56, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	9		
CF1_Les	20	25	45
CJ1_Les	5		
DD1_Les	22	12	34
EB_Les	22		
JK1_Les	1		
JM1_Les	27	22	48
JT_Les	1		
LD_Les	6		
LG2_Les	4		
LM_Les	24		
LS2_Les	2		
SK2_Les	4		

Table 21: CD56, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	4		
CF1_Les	11	7	18
CJ1_Les	1		
DD1_Les	1	0	1
EB_Les	6		
JK1_Les	0		
JM1_Les	20	11	31
JT_Les	1		
LD_Les	4		
LG2_Les	1		
LM_Les	12		
LS2_Les	1		
SK2_Les	3		

Table 22: CD68, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	3	82			
CJ1_Les	6	78			
DD1_Les	40	166	54	305	566
EB_Les	4	239			
JK1_Les	3	119			
JM1_Les	13	133	57	296	499
JT_Les	2	34			
LD_Les	8	47			
LG2_Les	6	99			
LM_Les	2	60			
LS2_Les	20	81			
SK2_Les	14	41			

Table 23: CD68, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	3	55			
CJ1_Les	6	43			
DD1_Les	40	108	54	195	397
EB_Les	4	134			
JK1_Les	3	59			
JM1_Les	13	111	57	256	437
JT_Les	2	30			
LD_Les	8	43			
LG2_Les	6	62			
LM_Les	2	41			
LS2_Les	20	47			
SK2_Les	14	33			

Table 24: CD68, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	86		
CJ1_Les	73		
DD1_Les	176	299	475
EB_Les	218		
JK1_Les	113		
JM1_Les	176	383	559
JT_Les	36		
LD_Les	67		
LG2_Les	101		
LM_Les	65		
LS2_Les	88		
SK2_Les	60		

Table 25: CD68, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	53		
CJ1_Les	36		
DD1_Les	60	92	152
EB_Les	89		
JK1_Les	34		
JM1_Les	117	295	412
JT_Les	32		
LD_Les	42		
LG2_Les	59		
LM_Les	36		
LS2_Les	52		
SK2_Les	39		

Table 26: CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	19	389			
CF_Les_avg	14	343	21	379	757
CJ_Les_avg	3	113			
DD_Les_avg	18	261	7	170	455
EB_Les_avg	6	523			
JK_Les_avg	0	17			
JM_Les_avg	9	253	9	466	737
JT_Les_avg	4	51			
LD_Les_avg	21	237			
LG_Les_avg	6	123	8	167	304
LM_Les_avg	6	440			
LS_Les_avg	15	391			
SK_Les_avg	9	144	19	82	254

Table 27: CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	19	217			
CF_Les_avg	14	206	21	250	491
CJ_Les_avg	3	54			
DD_Les_avg	18	204	7	114	343
EB_Les_avg	6	269			
JK_Les_avg	0	12			
JM_Les_avg	9	214	9	245	477
JT_Les_avg	4	47			
LD_Les_avg	21	220			
LG_Les_avg	6	89	8	120	222
LM_Les_avg	6	255			
LS_Les_avg	15	200			
SK_Les_avg	9	126	19	46	201

Table 28: CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	366		
CF_Les_avg	307	349	656
CJ_Les_avg	89		
DD_Les_avg	285	175	460
EB_Les_avg	453		
JK_Les_avg	18		
JM_Les_avg	301	430	731
JT_Les_avg	55		
LD_Les_avg	296		
LG_Les_avg	138	172	309
LM_Les_avg	424		
LS_Les_avg	302		
SK_Les_avg	187	121	308

Table 29: CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	152		
CF_Les_avg	128	100	228
CJ_Les_avg	26		
DD_Les_avg	44	23	67
EB_Les_avg	147		
JK_Les_avg	8		
JM_Les_avg	166	151	317
JT_Les_avg	52		
LD_Les_avg	174		
LG_Les_avg	89	98	187
LM_Les_avg	183		
LS_Les_avg	123		
SK_Les_avg	104	45	149

Table 30: CD11c, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	19	180			
CF_Les_avg	35	424	81	389	929
CJ_Les_avg	5	173			
DD_Les_avg	77	433	317	474	1301
EB_Les_avg	3	340			
JK_Les_avg	6	200			
JM_Les_avg	38	245	73	568	924
JT_Les_avg	1	50			
LD_Les_avg	2	221			
LG_Les_avg	19	221	75	446	762
LM_Les_avg	9	344			
LS_Les_avg	36	255			
SK_Les_avg	17	210	136	240	603

Table 31: CD11c, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	19	106			
CF_Les_avg	35	240	81	223	579
CJ_Les_avg	5	93			
DD_Les_avg	77	260	317	294	948
EB_Les_avg	3	174			
JK_Les_avg	6	126			
JM_Les_avg	38	198	73	423	733
JT_Les_avg	1	46			
LD_Les_avg	2	178			
LG_Les_avg	19	143	75	307	545
LM_Les_avg	9	198			
LS_Les_avg	36	139			
SK_Les_avg	17	153	136	148	455

Table 32: CD11c, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	192		
CF_Les_avg	382	397	779
CJ_Les_avg	150		
DD_Les_avg	436	628	1064
EB_Les_avg	298		
JK_Les_avg	198		
JM_Les_avg	327	665	992
JT_Les_avg	52		
LD_Les_avg	237		
LG_Les_avg	239	528	768
LM_Les_avg	329		
LS_Les_avg	249		
SK_Les_avg	258	395	653

Table 33: CD11c, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	97		
CF_Les_avg	172	201	373
CJ_Les_avg	58		
DD_Les_avg	150	310	459
EB_Les_avg	103		
JK_Les_avg	61		
JM_Les_avg	206	410	616
JT_Les_avg	49		
LD_Les_avg	67		
LG_Les_avg	139	317	456
LM_Les_avg	151		
LS_Les_avg	122		
SK_Les_avg	132	211	343

Table 34: CD123, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	5	40			
CF_Les_avg	15	233	25	131	405
CJ_Les_avg	0	24			
DD_Les_avg	55	238	61	327	682
EB_Les_avg	1	158			
JK_Les_avg	0	6			
JM_Les_avg	7	92	35	389	523
JT_Les_avg	0	19			
LD_Les_avg	1	79			
LG_Les_avg	1	21	44	94	161
LM_Les_avg	0	29			
LS_Les_avg	5	36			
SK_Les_avg	3	56	42	96	197

Table 35: CD123, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	5	30			
CF_Les_avg	15	155	25	97	294
CJ_Les_avg	0	12			
DD_Les_avg	55	198	61	259	573
EB_Les_avg	1	85			
JK_Les_avg	0	4			
JM_Les_avg	7	86	35	349	477
JT_Les_avg	0	17			
LD_Les_avg	1	75			
LG_Les_avg	1	15	44	88	148
LM_Les_avg	0	20			
LS_Les_avg	5	21			
SK_Les_avg	3	49	42	63	156

Table 36: CD123, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	51		
CF_Les_avg	226	168	394
CJ_Les_avg	18		
DD_Les_avg	347	442	789
EB_Les_avg	140		
JK_Les_avg	6		
JM_Les_avg	123	467	590
JT_Les_avg	19		
LD_Les_avg	87		
LG_Les_avg	24	174	198
LM_Les_avg	30		
LS_Les_avg	34		
SK_Les_avg	80	186	267

Table 37: CD123, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	31		
CF_Les_avg	103	95	198
CJ_Les_avg	5		
DD_Les_avg	127	148	275
EB_Les_avg	55		
JK_Les_avg	3		
JM_Les_avg	90	347	438
JT_Les_avg	18		
LD_Les_avg	37		
LG_Les_avg	16	163	179
LM_Les_avg	15		
LS_Les_avg	18		
SK_Les_avg	45	98	143

Table 38: CD15, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0	20			
CF_Les_avg	13	177	67	75	332
CJ_Les_avg	0	3			
DD_Les_avg	9	67	333	94	503
EB_Les_avg	0	10			
JK_Les_avg	8	99			
JM_Les_avg	1	5	23	23	53
JT_Les_avg	0	11			
LD_Les_avg	0	19			
LG_Les_avg	0	32	0	4	37
LM_Les_avg	2	19			
LS_Les_avg	0	1			
SK_Les_avg	7	40	151	65	263

Table 39: CD15, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0	8			
CF_Les_avg	13	131	67	66	277
CJ_Les_avg	0	2			
DD_Les_avg	9	65	333	88	495
EB_Les_avg	0	7			
JK_Les_avg	8	47			
JM_Les_avg	1	3	23	22	49
JT_Les_avg	0	8			
LD_Les_avg	0	12			
LG_Les_avg	0	12	0	3	15
LM_Les_avg	2	16			
LS_Les_avg	0	1			
SK_Les_avg	7	32	151	51	241

Table 40: CD15, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	16		
CF_Les_avg	182	153	336
CJ_Les_avg	3		
DD_Les_avg	95	393	488
EB_Les_avg	10		
JK_Les_avg	90		
JM_Les_avg	5	46	51
JT_Les_avg	11		
LD_Les_avg	14		
LG_Les_avg	28	5	33
LM_Les_avg	23		
LS_Les_avg	1		
SK_Les_avg	60	164	224

Table 41: CD15, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	5		
CF_Les_avg	86	94	180
CJ_Les_avg	2		
DD_Les_avg	14	313	327
EB_Les_avg	6		
JK_Les_avg	10		
JM_Les_avg	4	42	46
JT_Les_avg	7		
LD_Les_avg	10		
LG_Les_avg	9	3	12
LM_Les_avg	20		
LS_Les_avg	1		
SK_Les_avg	32	114	147

Table 42: CD56, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1	11			
CF_Les_avg	1	11	1	16	29
CJ_Les_avg	0	8			
DD_Les_avg	1	11	0	8	21
EB_Les_avg	0	25			
JK_Les_avg	0	1			
JM_Les_avg	2	12	2	19	35
JT_Les_avg	0	1			
LD_Les_avg	1	3			
LG_Les_avg	0	3	0	2	5
LM_Les_avg	1	23			
LS_Les_avg	0	3			
SK_Les_avg	1	4	1	4	9

Table 43: CD56, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1	7			
CF_Les_avg	1	7	1	11	19
CJ_Les_avg	0	3			
DD_Les_avg	1	9	0	6	16
EB_Les_avg	0	13			
JK_Les_avg	0	1			
JM_Les_avg	2	12	2	14	31
JT_Les_avg	0	1			
LD_Les_avg	1	3			
LG_Les_avg	0	2	0	2	4
LM_Les_avg	1	15			
LS_Les_avg	0	1			
SK_Les_avg	1	4	1	2	8

Table 44: CD56, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	13		
CF_Les_avg	11	15	26
CJ_Les_avg	5		
DD_Les_avg	13	8	20
EB_Les_avg	22		
JK_Les_avg	1		
JM_Les_avg	20	22	42
JT_Les_avg	1		
LD_Les_avg	6		
LG_Les_avg	3	3	6
LM_Les_avg	24		
LS_Les_avg	3		
SK_Les_avg	7	6	14

Table 45: CD56, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	6		
CF_Les_avg	6	4	9
CJ_Les_avg	1		
DD_Les_avg	2	0	2
EB_Les_avg	6		
JK_Les_avg	0		
JM_Les_avg	15	11	27
JT_Les_avg	1		
LD_Les_avg	4		
LG_Les_avg	2	2	4
LM_Les_avg	12		
LS_Les_avg	1		
SK_Les_avg	5	3	7

Table 46: CD68, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	3	82			
CF_Les_avg	100	244	127	185	657
CJ_Les_avg	6	85			
DD_Les_avg	27	133	38	209	407
EB_Les_avg	4	239			
JK_Les_avg	3	93			
JM_Les_avg	15	106	57	296	474
JT_Les_avg	2	34			
LD_Les_avg	8	47			
LG_Les_avg	11	73	65	97	247
LM_Les_avg	2	60			
LS_Les_avg	18	71			
SK_Les_avg	10	41			

Table 47: CD68, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	3	55			
CF_Les_avg	100	172	127	130	530
CJ_Les_avg	6	51			
DD_Les_avg	27	85	38	138	288
EB_Les_avg	4	134			
JK_Les_avg	3	53			
JM_Les_avg	15	90	57	256	418
JT_Les_avg	2	30			
LD_Les_avg	8	43			
LG_Les_avg	11	49	65	80	206
LM_Les_avg	2	41			
LS_Les_avg	18	42			
SK_Les_avg	10	35			

Table 48: CD68, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	86		
CF_Les_avg	298	391	688
CJ_Les_avg	81		
DD_Les_avg	152	228	379
EB_Les_avg	218		
JK_Les_avg	92		
JM_Les_avg	148	383	531
JT_Les_avg	36		
LD_Les_avg	67		
LG_Les_avg	87	184	271
LM_Les_avg	65		
LS_Les_avg	82		
SK_Les_avg	59		

Table 49: CD68, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	53		
CF_Les_avg	219	299	518
CJ_Les_avg	40		
DD_Les_avg	54	78	133
EB_Les_avg	89		
JK_Les_avg	34		
JM_Les_avg	98	295	393
JT_Les_avg	32		
LD_Les_avg	42		
LG_Les_avg	58	160	218
LM_Les_avg	36		
LS_Les_avg	51		
SK_Les_avg	39		

Table 50: CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	6	111			
CF1_Les	8	202	10	306	526
CJ1_Les	1	33			
DD1_Les	5	92	1	76	174
EB_Les	1	162			
JK1_Les	0	2			
JM1_Les	5	94	2	115	216
JT_Les	2	15			
LD_Les	7	28			
LG2_Les	1	70			
LM_Les	3	116			
LS2_Les	3	62			
SK2_Les	3	21			

Table 51: CD8T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	6	52			
CF1_Les	8	129	10	202	349
CJ1_Les	1	15			
DD1_Les	5	72	1	44	122
EB_Les	1	82			
JK1_Les	0	2			
JM1_Les	5	79	2	65	151
JT_Les	2	13			
LD_Les	7	28			
LG2_Les	1	42			
LM_Les	3	64			
LS2_Les	3	32			
SK2_Les	3	18			

Table 52: CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	96		
CF1_Les	185	272	457
CJ1_Les	25		
DD1_Les	93	53	146
EB_Les	138		
JK1_Les	3		
JM1_Les	111	115	227
JT_Les	16		
LD_Les	45		
LG2_Les	69		
LM_Les	114		
LS2_Les	48		
SK2_Les	27		

Table 53: CD8T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	42		
CF1_Les	79	75	154
CJ1_Les	6		
DD1_Les	14	1	16
EB_Les	43		
JK1_Les	3		
JM1_Les	68	41	109
JT_Les	15		
LD_Les	32		
LG2_Les	28		
LM_Les	42		
LS2_Les	23		
SK2_Les	17		

Table 54: CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	3	239			
CF1_Les	7	201	4	236	447
CJ1_Les	3	83			
DD1_Les	6	236	0	169	411
EB_Les	3	344			
JK1_Les	0	10			
JM1_Les	4	255	3	297	559
JT_Les	2	28			
LD_Les	4	60			
LG2_Les	1	110			
LM_Les	2	370			
LS2_Les	8	272			
SK2_Les	6	109			

Table 55: CD4T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	3	89			
CF1_Les	7	116	4	147	273
CJ1_Les	3	37			
DD1_Les	6	185	0	103	294
EB_Les	3	180			
JK1_Les	0	8			
JM1_Les	4	195	3	159	361
JT_Les	2	26			
LD_Les	4	52			
LG2_Les	1	60			
LM_Les	2	216			
LS2_Les	8	136			
SK2_Les	6	92			

Table 56: CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	175		
CF1_Les	171	193	364
CJ1_Les	65		
DD1_Les	230	123	353
EB_Les	300		
JK1_Les	11		
JM1_Les	260	273	533
JT_Les	30		
LD_Les	70		
LG2_Les	106		
LM_Les	353		
LS2_Les	198		
SK2_Les	122		

Table 57: CD4T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	52		
CF1_Les	69	38	108
CJ1_Les	19		
DD1_Les	24	2	27
EB_Les	96		
JK1_Les	6		
JM1_Les	130	89	219
JT_Les	29		
LD_Les	33		
LG2_Les	41		
LM_Les	149		
LS2_Les	84		
SK2_Les	56		

Table 58: Treg, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0	11			
CF1_Les	1	10	0	18	30
CJ1_Les	0	4			
DD1_Les	1	19	0	25	45
EB_Les	0	3			
JK1_Les	0	1			
JM1_Les	1	14	1	14	30
JT_Les	0	3			
LD_Les	0	1			
LG2_Les	0	2			
LM_Les	0	4			
LS2_Les	1	13			
SK2_Les	2	6			

Table 59: Treg, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0	5			
CF1_Les	1	6	0	10	17
CJ1_Les	0	3			
DD1_Les	1	13	0	15	29
EB_Les	0	1			
JK1_Les	0	1			
JM1_Les	1	13	1	12	27
JT_Les	0	3			
LD_Les	0	1			
LG2_Les	0	1			
LM_Les	0	2			
LS2_Les	1	7			
SK2_Les	2	5			

Table 60: Treg, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	8		
CF1_Les	9	13	23
CJ1_Les	4		
DD1_Les	17	18	35
EB_Les	2		
JK1_Les	1		
JM1_Les	19	16	35
JT_Les	3		
LD_Les	2		
LG2_Les	2		
LM_Les	4		
LS2_Les	11		
SK2_Les	8		

Table 61: Treg, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	3		
CF1_Les	6	2	9
CJ1_Les	2		
DD1_Les	2	0	2
EB_Les	1		
JK1_Les	1		
JM1_Les	11	8	19
JT_Les	3		
LD_Les	1		
LG2_Les	1		
LM_Les	1		
LS2_Les	7		
SK2_Les	5		

Table 62: CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	12	118			
CF_Les_avg	5	133	10	203	352
CJ_Les_avg	1	30			
DD_Les_avg	6	73	2	50	131
EB_Les_avg	1	162			
JK_Les_avg	0	2			
JM_Les_avg	3	60	2	115	180
JT_Les_avg	2	15			
LD_Les_avg	7	28			
LG_Les_avg	3	54	4	71	133
LM_Les_avg	3	116			
LS_Les_avg	4	78			
SK_Les_avg	3	26	7	24	60

Table 63: CD8T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	12	68			
CF_Les_avg	5	80	10	129	225
CJ_Les_avg	1	14			
DD_Les_avg	6	58	2	30	96
EB_Les_avg	1	82			
JK_Les_avg	0	2			
JM_Les_avg	3	54	2	65	125
JT_Les_avg	2	13			
LD_Les_avg	7	28			
LG_Les_avg	3	41	4	52	100
LM_Les_avg	3	64			
LS_Les_avg	4	39			
SK_Les_avg	3	25	7	17	51

Table 64: CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	122		
CF_Les_avg	118	179	297
CJ_Les_avg	23		
DD_Les_avg	82	44	126
EB_Les_avg	138		
JK_Les_avg	3		
JM_Les_avg	80	115	195
JT_Les_avg	16		
LD_Les_avg	45		
LG_Les_avg	62	75	137
LM_Les_avg	114		
LS_Les_avg	61		
SK_Les_avg	41	46	87

Table 65: CD8T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	58		
CF_Les_avg	49	50	99
CJ_Les_avg	6		
DD_Les_avg	13	2	15
EB_Les_avg	43		
JK_Les_avg	2		
JM_Les_avg	52	41	93
JT_Les_avg	15		
LD_Les_avg	32		
LG_Les_avg	41	43	83
LM_Les_avg	42		
LS_Les_avg	27		
SK_Les_avg	27	19	46

Table 66: CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	5	227			
CF_Les_avg	4	162	6	188	360
CJ_Les_avg	2	68			
DD_Les_avg	7	161	2	107	277
EB_Les_avg	3	344			
JK_Les_avg	0	11			
JM_Les_avg	4	184	3	297	489
JT_Les_avg	2	28			
LD_Les_avg	4	60			
LG_Les_avg	2	78	3	95	178
LM_Les_avg	2	370			
LS_Les_avg	7	271			
SK_Les_avg	4	94	6	53	157

Table 67: CD4T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	5	119			
CF_Les_avg	4	90	6	112	211
CJ_Les_avg	2	34			
DD_Les_avg	7	127	2	67	203
EB_Les_avg	3	180			
JK_Les_avg	0	8			
JM_Les_avg	4	150	3	159	316
JT_Les_avg	2	26			
LD_Les_avg	4	52			
LG_Les_avg	2	55	3	66	125
LM_Les_avg	2	216			
LS_Les_avg	7	132			
SK_Les_avg	4	83	6	31	125

Table 68: CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	202		
CF_Les_avg	137	149	286
CJ_Les_avg	54		
DD_Les_avg	166	93	259
EB_Les_avg	300		
JK_Les_avg	12		
JM_Les_avg	206	273	479
JT_Les_avg	30		
LD_Les_avg	70		
LG_Les_avg	84	93	177
LM_Les_avg	353		
LS_Les_avg	197		
SK_Les_avg	119	69	188

Table 69: CD4T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	65		
CF_Les_avg	60	33	93
CJ_Les_avg	15		
DD_Les_avg	17	4	21
EB_Les_avg	96		
JK_Les_avg	5		
JM_Les_avg	110	89	199
JT_Les_avg	29		
LD_Les_avg	33		
LG_Les_avg	51	53	103
LM_Les_avg	149		
LS_Les_avg	80		
SK_Les_avg	63	18	81

Table 70: Treg, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1	9			
CF_Les_avg	1	7	1	15	23
CJ_Les_avg	0	4			
DD_Les_avg	1	8	0	10	20
EB_Les_avg	0	3			
JK_Les_avg	0	1			
JM_Les_avg	1	12	1	14	28
JT_Les_avg	0	3			
LD_Les_avg	0	1			
LG_Les_avg	0	4	1	7	12
LM_Les_avg	0	4			
LS_Les_avg	2	21			
SK_Les_avg	1	9	2	4	16

Table 71: Treg, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	1	6			
CF_Les_avg	1	4	1	9	15
CJ_Les_avg	0	3			
DD_Les_avg	1	5	0	6	13
EB_Les_avg	0	1			
JK_Les_avg	0	1			
JM_Les_avg	1	11	1	12	24
JT_Les_avg	0	3			
LD_Les_avg	0	1			
LG_Les_avg	0	4	1	6	11
LM_Les_avg	0	2			
LS_Les_avg	2	12			
SK_Les_avg	1	9	2	3	15

Table 72: Treg, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	10		
CF_Les_avg	6	12	19
CJ_Les_avg	4		
DD_Les_avg	8	8	17
EB_Les_avg	2		
JK_Les_avg	1		
JM_Les_avg	16	16	33
JT_Les_avg	3		
LD_Les_avg	2		
LG_Les_avg	6	8	14
LM_Les_avg	4		
LS_Les_avg	20		
SK_Les_avg	15	10	25

Table 73: Treg, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	5		
CF_Les_avg	4	3	7
CJ_Les_avg	2		
DD_Les_avg	2	0	2
EB_Les_avg	1		
JK_Les_avg	1		
JM_Les_avg	10	8	18
JT_Les_avg	3		
LD_Les_avg	1		
LG_Les_avg	5	7	12
LM_Les_avg	1		
LS_Les_avg	12		
SK_Les_avg	11	4	15

Table 74: Treg/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.03	0.03			
CF1_Les	0.08	0.02	0.02	0.03	0.16
CJ1_Les	0.03	0.03			
DD1_Les	0.06	0.06	0	0.11	0.22
EB_Les	0.01	0.01			
JK1_Les	0.12	0.04			
JM1_Les	0.10	0.04	0.07	0.03	0.24
JT_Les	0.01	0.05			
LD_Les	0.01	0.01			
LG2_Les	0.02	0.01			
LM_Les	0.02	0.01			
LS2_Les	0.07	0.03			
SK2_Les	0.16	0.04			

Table 75: Treg/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.03	0.03			
CF1_Les	0.08	0.02	0.02	0.03	0.15
CJ1_Les	0.03	0.05			
DD1_Les	0.06	0.05	0	0.1	0.21
EB_Les	0.01	0.00			
JK1_Les	0.12	0.05			
JM1_Les	0.10	0.04	0.07	0.05	0.26
JT_Les	0.01	0.05			
LD_Les	0.01	0.01			
LG2_Les	0.02	0.02			
LM_Les	0.02	0.01			
LS2_Les	0.07	0.04			
SK2_Les	0.16	0.04			

Table 76: Treg/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.02		
CF1_Les	0.02	0.03	0.05
CJ1_Les	0.04		
DD1_Les	0.05	0.1	0.15
EB_Les	0.00		
JK1_Les	0.05		
JM1_Les	0.05	0.04	0.08
JT_Les	0.05		
LD_Les	0.01		
LG2_Les	0.01		
LM_Les	0.01		
LS2_Les	0.04		
SK2_Les	0.04		

Table 77: Treg/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.02		
CF1_Les	0.04	0.02	0.06
CJ1_Les	0.06		
DD1_Les	0.04	0.01	0.05
EB_Les	0.00		
JK1_Les	0.08		
JM1_Les	0.05	0.05	0.11
JT_Les	0.05		
LD_Les	0.01		
LG2_Les	0.01		
LM_Les	0.01		
LS2_Les	0.05		
SK2_Les	0.06		

Table 78: Treg/CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.12	0.05			
CF1_Les	0.22	0.05	0.13	0.08	0.47
CJ1_Les	0.04	0.05			
DD1_Les	0.15	0.08	0	0.15	0.38
EB_Les	0.03	0.01			
JK1_Les	0.38	0.07			
JM1_Les	0.23	0.06	0.22	0.05	0.56
JT_Les	0.02	0.09			
LD_Les	0.08	0.02			
LG2_Les	0.03	0.02			
LM_Les	0.05	0.01			
LS2_Les	0.16	0.05			
SK2_Les	0.34	0.05			

Table 79: Treg/CD4T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.12	0.05			
CF1_Les	0.22	0.05	0.13	0.07	0.46
CJ1_Les	0.04	0.07			
DD1_Les	0.15	0.07	0	0.15	0.37
EB_Les	0.03	0.00			
JK1_Les	0.38	0.08			
JM1_Les	0.23	0.07	0.22	0.08	0.59
JT_Les	0.02	0.10			
LD_Les	0.08	0.02			
LG2_Les	0.03	0.02			
LM_Les	0.05	0.01			
LS2_Les	0.16	0.05			
SK2_Les	0.34	0.06			

Table 80: Treg/CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.05		
CF1_Les	0.05	0.07	0.12
CJ1_Les	0.06		
DD1_Les	0.07	0.15	0.22
EB_Les	0.01		
JK1_Les	0.08		
JM1_Les	0.07	0.06	0.13
JT_Les	0.09		
LD_Les	0.03		
LG2_Les	0.02		
LM_Les	0.01		
LS2_Les	0.06		
SK2_Les	0.06		

Table 81: Treg/CD4T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.06		
CF1_Les	0.09	0.06	0.16
CJ1_Les	0.10		
DD1_Les	0.09	0.05	0.14
EB_Les	0.01		
JK1_Les	0.14		
JM1_Les	0.08	0.09	0.17
JT_Les	0.09		
LD_Les	0.04		
LG2_Les	0.02		
LM_Les	0.01		
LS2_Les	0.08		
SK2_Les	0.09		

Table 82: Treg/CD8T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.05	0.10			
CF1_Les	0.18	0.05	0.05	0.06	0.34
CJ1_Les	0.17	0.12			
DD1_Les	0.16	0.21	0	0.33	0.7
EB_Les	0.06	0.02			
JK1_Les	0.17	0.28			
JM1_Les	0.21	0.15	0.29	0.12	0.77
JT_Les	0.02	0.17			
LD_Les	0.04	0.05			
LG2_Les	0.03	0.03			
LM_Les	0.04	0.04			
LS2_Les	0.35	0.20			
SK2_Les	0.60	0.27			

Table 83: Treg/CD8T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.05	0.09			
CF1_Les	0.18	0.04	0.05	0.05	0.32
CJ1_Les	0.17	0.17			
DD1_Les	0.16	0.18	0	0.35	0.69
EB_Les	0.06	0.01			
JK1_Les	0.17	0.28			
JM1_Les	0.21	0.17	0.29	0.18	0.85
JT_Les	0.02	0.20			
LD_Les	0.04	0.04			
LG2_Les	0.03	0.03			
LM_Les	0.04	0.03			
LS2_Les	0.35	0.23			
SK2_Les	0.60	0.27			

Table 84: Treg/CD8T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.08		
CF1_Les	0.05	0.05	0.1
CJ1_Les	0.16		
DD1_Les	0.18	0.34	0.53
EB_Les	0.01		
JK1_Les	0.29		
JM1_Les	0.17	0.14	0.31
JT_Les	0.17		
LD_Les	0.05		
LG2_Les	0.03		
LM_Les	0.04		
LS2_Les	0.24		
SK2_Les	0.28		

Table 85: Treg/CD8T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.07		
CF1_Les	0.08	0.03	0.11
CJ1_Les	0.30		
DD1_Les	0.15	0.08	0.24
EB_Les	0.01		
JK1_Les	0.30		
JM1_Les	0.16	0.19	0.35
JT_Les	0.18		
LD_Les	0.04		
LG2_Les	0.03		
LM_Les	0.03		
LS2_Les	0.31		
SK2_Les	0.30		

Table 86: CD4T/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.27	0.57			
CF1_Les	0.37	0.43	0.18	0.43	1.41
CJ1_Les	0.62	0.71			
DD1_Les	0.38	0.76	0.04	0.72	1.9
EB_Les	0.52	0.66			
JK1_Les	0.31	0.62			
JM1_Les	0.42	0.65	0.32	0.64	2.03
JT_Les	0.48	0.55			
LD_Les	0.18	0.25			
LG2_Les	0.50	0.70			
LM_Les	0.34	0.84			
LS2_Les	0.45	0.72			
SK2_Les	0.47	0.71			

Table 87: CD4T/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.27	0.48			
CF1_Les	0.37	0.41	0.18	0.42	1.38
CJ1_Les	0.62	0.71			
DD1_Les	0.38	0.75	0.04	0.7	1.87
EB_Les	0.52	0.67			
JK1_Les	0.31	0.65			
JM1_Les	0.42	0.66	0.32	0.65	2.04
JT_Les	0.48	0.56			
LD_Les	0.18	0.24			
LG2_Les	0.50	0.71			
LM_Les	0.34	0.85			
LS2_Les	0.45	0.69			
SK2_Les	0.47	0.71			

Table 88: CD4T/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.53		
CF1_Les	0.41	0.4	0.82
CJ1_Les	0.71		
DD1_Les	0.71	0.69	1.4
EB_Les	0.66		
JK1_Les	0.63		
JM1_Les	0.64	0.63	1.28
JT_Les	0.55		
LD_Les	0.24		
LG2_Les	0.70		
LM_Les	0.83		
LS2_Les	0.67		
SK2_Les	0.69		

Table 89: CD4T/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.39		
CF1_Les	0.43	0.3	0.72
CJ1_Les	0.68		
DD1_Les	0.44	0.26	0.7
EB_Les	0.65		
JK1_Les	0.57		
JM1_Les	0.64	0.59	1.23
JT_Les	0.56		
LD_Les	0.19		
LG2_Les	0.68		
LM_Les	0.81		
LS2_Les	0.65		
SK2_Les	0.67		

Table 90: CD8T/CD3, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.64	0.26			
CF1_Les	0.44	0.43	0.5	0.56	1.93
CJ1_Les	0.16	0.28			
DD1_Les	0.35	0.29	0.14	0.33	1.11
EB_Les	0.25	0.31			
JK1_Les	0.69	0.14			
JM1_Les	0.46	0.24	0.25	0.25	1.19
JT_Les	0.47	0.29			
LD_Les	0.33	0.12			
LG2_Les	0.52	0.45			
LM_Les	0.42	0.26			
LS2_Les	0.21	0.16			
SK2_Les	0.27	0.13			

Table 91: CD8T/CD3, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	0.64	0.28			
CF1_Les	0.44	0.46	0.5	0.57	1.97
CJ1_Les	0.16	0.28			
DD1_Les	0.35	0.29	0.14	0.3	1.08
EB_Les	0.25	0.31			
JK1_Les	0.69	0.18			
JM1_Les	0.46	0.27	0.25	0.26	1.24
JT_Les	0.47	0.28			
LD_Les	0.33	0.13			
LG2_Les	0.52	0.50			
LM_Les	0.42	0.25			
LS2_Les	0.21	0.16			
SK2_Les	0.27	0.14			

Table 92: CD8T/CD3, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.29		
CF1_Les	0.45	0.57	1.02
CJ1_Les	0.27		
DD1_Les	0.29	0.3	0.59
EB_Les	0.30		
JK1_Les	0.18		
JM1_Les	0.28	0.27	0.54
JT_Les	0.30		
LD_Les	0.15		
LG2_Les	0.45		
LM_Les	0.27		
LS2_Les	0.16		
SK2_Les	0.15		

Table 93: CD8T/CD3, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.32		
CF1_Les	0.49	0.58	1.07
CJ1_Les	0.22		
DD1_Les	0.26	0.17	0.42
EB_Les	0.29		
JK1_Les	0.28		
JM1_Les	0.33	0.27	0.6
JT_Les	0.29		
LD_Les	0.19		
LG2_Les	0.46		
LM_Les	0.23		
LS2_Les	0.18		
SK2_Les	0.20		

Table 94: CD8T/CD4T, DEJ1000, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	2.33	0.47			
CF1_Les	1.19	1.01	2.76	1.3	6.26
CJ1_Les	0.26	0.39			
DD1_Les	0.92	0.39	3.3	0.45	5.06
EB_Les	0.49	0.47			
JK1_Les	2.25	0.23			
JM1_Les	1.09	0.37	0.78	0.39	2.62
JT_Les	0.98	0.53			
LD_Les	1.82	0.47			
LG2_Les	1.03	0.64			
LM_Les	1.25	0.31			
LS2_Les	0.46	0.23			
SK2_Les	0.57	0.19			

Table 95: CD8T/CD4T, DEJ500, select slide. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS1_Les	2.33	0.58			
CF1_Les	1.19	1.12	2.76	1.37	6.44
CJ1_Les	0.26	0.40			
DD1_Les	0.92	0.39	3.3	0.42	5.04
EB_Les	0.49	0.46			
JK1_Les	2.25	0.28			
JM1_Les	1.09	0.41	0.78	0.41	2.68
JT_Les	0.98	0.50			
LD_Les	1.82	0.54			
LG2_Les	1.03	0.70			
LM_Les	1.25	0.30			
LS2_Les	0.46	0.23			
SK2_Les	0.57	0.20			

Table 96: CD8T/CD4T, Skin1000, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.55		
CF1_Les	1.08	1.41	2.49
CJ1_Les	0.39		
DD1_Les	0.40	0.43	0.84
EB_Les	0.46		
JK1_Les	0.29		
JM1_Les	0.43	0.42	0.85
JT_Les	0.55		
LD_Les	0.64		
LG2_Les	0.65		
LM_Les	0.32		
LS2_Les	0.24		
SK2_Les	0.22		

Table 97: CD8T/CD4T, Skin500, select slide. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS1_Les	0.82		
CF1_Les	1.14	1.96	3.1
CJ1_Les	0.32		
DD1_Les	0.59	0.64	1.23
EB_Les	0.45		
JK1_Les	0.49		
JM1_Les	0.52	0.46	0.98
JT_Les	0.52		
LD_Les	0.97		
LG2_Les	0.67		
LM_Les	0.28		
LS2_Les	0.27		
SK2_Les	0.31		

Table 98: Treg/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.05	0.02			
CF_Les_avg	0.07	0.02	0.03	0.03	0.15
CJ_Les_avg	0.03	0.03			
DD_Les_avg	0.08	0.03	0.04	0.06	0.2
EB_Les_avg	0.01	0.01			
JK_Les_avg	0.11	0.09			
JM_Les_avg	0.10	0.04			
JT_Les_avg	0.01	0.05			
LD_Les_avg	0.01	0.01			
LG_Les_avg	0.10	0.04			
LM_Les_avg	0.02	0.01			
LS_Les_avg	0.12	0.05			
SK_Les_avg	0.14	0.06			

Table 99: Treg/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.05	0.03			
CF_Les_avg	0.07	0.02	0.03	0.03	0.15
CJ_Les_avg	0.03	0.05			
DD_Les_avg	0.08	0.02	0.04	0.06	0.19
EB_Les_avg	0.01	0.00			
JK_Les_avg	0.11	0.06			
JM_Les_avg	0.10	0.05			
JT_Les_avg	0.01	0.05			
LD_Les_avg	0.01	0.01			
LG_Les_avg	0.10	0.05			
LM_Les_avg	0.02	0.01			
LS_Les_avg	0.12	0.06			
SK_Les_avg	0.14	0.07			

Table 100: Treg/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.03		
CF_Les_avg	0.02	0.03	0.05
CJ_Les_avg	0.04		
DD_Les_avg	0.03	0.05	0.08
EB_Les_avg	0.00		
JK_Les_avg	0.07		
JM_Les_avg	0.05		
JT_Les_avg	0.05		
LD_Les_avg	0.01		
LG_Les_avg	0.05		
LM_Les_avg	0.01		
LS_Les_avg	0.07		
SK_Les_avg	0.08		

Table 101: Treg/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.03		
CF_Les_avg	0.03	0.02	0.05
CJ_Les_avg	0.06		
DD_Les_avg	0.05	0	0.05
EB_Les_avg	0.00		
JK_Les_avg	0.09		
JM_Les_avg	0.05		
JT_Les_avg	0.05		
LD_Les_avg	0.01		
LG_Les_avg	0.07		
LM_Les_avg	0.01		
LS_Les_avg	0.09		
SK_Les_avg	0.11		

Table 102: Treg/CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.18	0.04			
CF_Les_avg	0.23	0.05	0.16	0.07	0.51
CJ_Les_avg	0.04	0.05			
DD_Les_avg	0.20	0.05	0.11	0.1	0.46
EB_Les_avg	0.03	0.01			
JK_Les_avg	0.39	0.13			
JM_Les_avg	0.21	0.06			
JT_Les_avg	0.02	0.09			
LD_Les_avg	0.08	0.02			
LG_Les_avg	0.24	0.06			
LM_Les_avg	0.05	0.01			
LS_Les_avg	0.24	0.07			
SK_Les_avg	0.35	0.10			

Table 103: Treg/CD4T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.18	0.05			
CF_Les_avg	0.23	0.04	0.16	0.08	0.51
CJ_Les_avg	0.04	0.07			
DD_Les_avg	0.20	0.04	0.11	0.1	0.45
EB_Les_avg	0.03	0.00			
JK_Les_avg	0.39	0.08			
JM_Les_avg	0.21	0.07			
JT_Les_avg	0.02	0.10			
LD_Les_avg	0.08	0.02			
LG_Les_avg	0.24	0.08			
LM_Les_avg	0.05	0.01			
LS_Les_avg	0.24	0.09			
SK_Les_avg	0.35	0.11			

Table 104: Treg/CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.05		
CF_Les_avg	0.05	0.09	0.14
CJ_Les_avg	0.06		
DD_Les_avg	0.05	0.09	0.14
EB_Les_avg	0.01		
JK_Les_avg	0.11		
JM_Les_avg	0.08		
JT_Les_avg	0.09		
LD_Les_avg	0.03		
LG_Les_avg	0.07		
LM_Les_avg	0.01		
LS_Les_avg	0.10		
SK_Les_avg	0.13		

Table 105: Treg/CD4T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.07		
CF_Les_avg	0.09	0.09	0.17
CJ_Les_avg	0.10		
DD_Les_avg	0.12	0.01	0.13
EB_Les_avg	0.01		
JK_Les_avg	0.15		
JM_Les_avg	0.09		
JT_Les_avg	0.09		
LD_Les_avg	0.04		
LG_Les_avg	0.11		
LM_Les_avg	0.01		
LS_Les_avg	0.14		
SK_Les_avg	0.18		

Table 106: Treg/CD8T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.08	0.07			
CF_Les_avg	0.17	0.04	0.07	0.05	0.33
CJ_Les_avg	0.17	0.12			
DD_Les_avg	0.22	0.11	0.14	0.21	0.67
EB_Les_avg	0.06	0.02			
JK_Les_avg	0.17	0.76			
JM_Les_avg	0.25	0.17			
JT_Les_avg	0.02	0.17			
LD_Les_avg	0.04	0.05			
LG_Les_avg	0.22	0.09			
LM_Les_avg	0.04	0.04			
LS_Les_avg	0.47	0.28			
SK_Les_avg	0.40	0.36			

Table 107: Treg/CD8T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.08	0.09			
CF_Les_avg	0.17	0.04	0.07	0.05	0.32
CJ_Les_avg	0.17	0.17			
DD_Les_avg	0.22	0.09	0.14	0.21	0.66
EB_Les_avg	0.06	0.01			
JK_Les_avg	0.17	0.38			
JM_Les_avg	0.25	0.18			
JT_Les_avg	0.02	0.20			
LD_Les_avg	0.04	0.04			
LG_Les_avg	0.22	0.11			
LM_Les_avg	0.04	0.03			
LS_Les_avg	0.47	0.31			
SK_Les_avg	0.40	0.36			

Table 108: Treg/CD8T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.08		
CF_Les_avg	0.04	0.05	0.09
CJ_Les_avg	0.16		
DD_Les_avg	0.10	0.19	0.29
EB_Les_avg	0.01		
JK_Les_avg	0.45		
JM_Les_avg	0.19		
JT_Les_avg	0.17		
LD_Les_avg	0.05		
LG_Les_avg	0.11		
LM_Les_avg	0.04		
LS_Les_avg	0.34		
SK_Les_avg	0.37		

Table 109: Treg/CD8T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.08		
CF_Les_avg	0.06	0.04	0.1
CJ_Les_avg	0.30		
DD_Les_avg	0.16	0.02	0.19
EB_Les_avg	0.01		
JK_Les_avg	0.36		
JM_Les_avg	0.17		
JT_Les_avg	0.18		
LD_Les_avg	0.04		
LG_Les_avg	0.16		
LM_Les_avg	0.03		
LS_Les_avg	0.46		
SK_Les_avg	0.42		

Table 110: CD4T/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.28	0.59			
CF_Les_avg	0.32	0.47	0.27	0.5	1.55
CJ_Les_avg	0.60	0.60			
DD_Les_avg	0.38	0.62	0.33	0.63	1.95
EB_Les_avg	0.52	0.66			
JK_Les_avg	0.32	0.65			
JM_Les_avg	0.45	0.64			
JT_Les_avg	0.48	0.55			
LD_Les_avg	0.18	0.25			
LG_Les_avg	0.40	0.63			
LM_Les_avg	0.34	0.84			
LS_Les_avg	0.50	0.69			
SK_Les_avg	0.42	0.65			

Table 111: CD4T/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.28	0.55			
CF_Les_avg	0.32	0.44	0.27	0.45	1.46
CJ_Les_avg	0.60	0.62			
DD_Les_avg	0.38	0.62	0.33	0.58	1.91
EB_Les_avg	0.52	0.67			
JK_Les_avg	0.32	0.70			
JM_Les_avg	0.45	0.64			
JT_Les_avg	0.48	0.56			
LD_Les_avg	0.18	0.24			
LG_Les_avg	0.40	0.62			
LM_Les_avg	0.34	0.85			
LS_Les_avg	0.50	0.66			
SK_Les_avg	0.42	0.66			

Table 112: CD4T/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.55		
CF_Les_avg	0.45	0.43	0.87
CJ_Les_avg	0.61		
DD_Les_avg	0.58	0.53	1.12
EB_Les_avg	0.66		
JK_Les_avg	0.65		
JM_Les_avg	0.62		
JT_Les_avg	0.55		
LD_Les_avg	0.24		
LG_Les_avg	0.61		
LM_Les_avg	0.83		
LS_Les_avg	0.65		
SK_Les_avg	0.64		

Table 113: CD4T/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.43		
CF_Les_avg	0.47	0.34	0.8
CJ_Les_avg	0.58		
DD_Les_avg	0.39	0.16	0.55
EB_Les_avg	0.65		
JK_Les_avg	0.64		
JM_Les_avg	0.61		
JT_Les_avg	0.56		
LD_Les_avg	0.19		
LG_Les_avg	0.57		
LM_Les_avg	0.81		
LS_Les_avg	0.65		
SK_Les_avg	0.60		

Table 114: CD8T/CD3, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.63	0.30			
CF_Les_avg	0.40	0.39	0.48	0.54	1.8
CJ_Les_avg	0.16	0.26			
DD_Les_avg	0.35	0.28	0.26	0.29	1.18
EB_Les_avg	0.25	0.31			
JK_Les_avg	0.63	0.11			
JM_Les_avg	0.38	0.24			
JT_Les_avg	0.47	0.29			
LD_Les_avg	0.33	0.12			
LG_Les_avg	0.49	0.44			
LM_Les_avg	0.42	0.26			
LS_Les_avg	0.26	0.20			
SK_Les_avg	0.37	0.18			

Table 115: CD8T/CD3, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	0.63	0.31			
CF_Les_avg	0.40	0.39	0.48	0.51	1.78
CJ_Les_avg	0.16	0.26			
DD_Les_avg	0.35	0.28	0.26	0.26	1.16
EB_Les_avg	0.25	0.31			
JK_Les_avg	0.63	0.16			
JM_Les_avg	0.38	0.25			
JT_Les_avg	0.47	0.28			
LD_Les_avg	0.33	0.13			
LG_Les_avg	0.49	0.47			
LM_Les_avg	0.42	0.25			
LS_Les_avg	0.26	0.20			
SK_Les_avg	0.37	0.20			

Table 116: CD8T/CD3, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.33		
CF_Les_avg	0.38	0.51	0.9
CJ_Les_avg	0.26		
DD_Les_avg	0.29	0.25	0.54
EB_Les_avg	0.30		
JK_Les_avg	0.15		
JM_Les_avg	0.27		
JT_Les_avg	0.30		
LD_Les_avg	0.15		
LG_Les_avg	0.45		
LM_Les_avg	0.27		
LS_Les_avg	0.20		
SK_Les_avg	0.22		

Table 117: CD8T/CD3, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.38		
CF_Les_avg	0.38	0.5	0.88
CJ_Les_avg	0.22		
DD_Les_avg	0.29	0.1	0.39
EB_Les_avg	0.29		
JK_Les_avg	0.24		
JM_Les_avg	0.31		
JT_Les_avg	0.29		
LD_Les_avg	0.19		
LG_Les_avg	0.46		
LM_Les_avg	0.23		
LS_Les_avg	0.22		
SK_Les_avg	0.26		

Table 118: CD8T/CD4T, DEJ1000, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	2.29	0.52			
CF_Les_avg	1.27	0.82	1.79	1.08	4.95
CJ_Les_avg	0.28	0.44			
DD_Les_avg	0.93	0.45	0.8	0.47	2.64
EB_Les_avg	0.49	0.47			
JK_Les_avg	2.01	0.17			
JM_Les_avg	0.84	0.36			
JT_Les_avg	0.98	0.53			
LD_Les_avg	1.82	0.47			
LG_Les_avg	1.22	0.70			
LM_Les_avg	1.25	0.31			
LS_Les_avg	0.52	0.29			
SK_Les_avg	0.88	0.28			

Table 119: CD8T/CD4T, DEJ500, slides average. Normalized counts in different regions: dermis intact (DI); dermis ulcerative (DU); epidermis intact (EI); epidermis ulcerative (EU). Total = row sum.

	EI	DI	EU	DU	total
AS_Les_avg	2.29	0.57			
CF_Les_avg	1.27	0.90	1.79	1.15	5.1
CJ_Les_avg	0.28	0.42			
DD_Les_avg	0.93	0.46	0.8	0.45	2.63
EB_Les_avg	0.49	0.46			
JK_Les_avg	2.01	0.22			
JM_Les_avg	0.84	0.40			
JT_Les_avg	0.98	0.50			
LD_Les_avg	1.82	0.54			
LG_Les_avg	1.22	0.75			
LM_Les_avg	1.25	0.30			
LS_Les_avg	0.52	0.30			
SK_Les_avg	0.88	0.30			

Table 120: CD8T/CD4T, Skin1000, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.60		
CF_Les_avg	0.86	1.21	2.07
CJ_Les_avg	0.42		
DD_Les_avg	0.50	0.47	0.97
EB_Les_avg	0.46		
JK_Les_avg	0.22		
JM_Les_avg	0.42		
JT_Les_avg	0.55		
LD_Les_avg	0.64		
LG_Les_avg	0.74		
LM_Les_avg	0.32		
LS_Les_avg	0.31		
SK_Les_avg	0.34		

Table 121: CD8T/CD4T, Skin500, slides average. Normalized counts in different regions: intact (I); ulcerative (U). Total = row sum.

	I	U	total
AS_Les_avg	0.88		
CF_Les_avg	0.82	1.49	2.31
CJ_Les_avg	0.37		
DD_Les_avg	0.74	0.65	1.39
EB_Les_avg	0.45		
JK_Les_avg	0.38		
JM_Les_avg	0.51		
JT_Les_avg	0.52		
LD_Les_avg	0.97		
LG_Les_avg	0.80		
LM_Les_avg	0.28		
LS_Les_avg	0.33		
SK_Les_avg	0.43		

5 Tables by biopsies

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	0.92	130.54			90	1242			18	1372		
CD123	0.67	38.16			65	438			13	484		
CD15	0.10	19.90			10	176			2	195		
CD279	3.54	156.97			348	1316			69	1453		
CD3	9.60	421.60			944	3687			187	4071		
CD4	4.72	343.76			464	2931			92	3237		
CD45	20.33	661.49			1701	6134			337	6773		
CD56	0.51	7.98			50	83			10	92		
CD68	3.44	81.59			338	964			67	1065		
CD69	11.96	197.56			1176	1736			233	1917		
CD8	5.85	139.88			575	1216			114	1343		
Foxp3	0.31	9.25			30	84			6	93		
Ki67	0.31	4.39			30	37			6	41		
CD4T	2.62	239.17			257	1942			51	2145		
CD8T	6.11	111.47			600	1012			119	1118		
Treg	0.31	10.78			30	92			6	102		
Treg/CD3	0.03	0.03										
Treg/CD4T	0.12	0.05										
Treg/CD8T	0.05	0.10										
CD4T/CD3	0.27	0.57										
CD8T/CD3	0.64	0.26										
CD8T/CD4T	2.33	0.47										
Size of biopsy									0.20	1.10		

Table 122: AS1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	36.92	230.20			2052	2699			1396	7069		
CD123	10.30	41.79			695	545			473	1429		
CD279	22.80	135.82			917	1525			624	3994		
CD3	35.26	335.89			1887	3801			1284	9955		
CD4	60.14	259.81			2403	2916			1635	7638		
CD8	23.05	130.77			1204	1497			819	3921		
Foxp3	5.09	13.34			197	161			134	423		
CD4T	10.76	198.99			573	2205			390	5775		
CD8T	22.38	106.29			1136	1228			773	3216		
Treg	2.09	11.34			86	153			59	401		
Treg/CD3	0.06	0.03										
Treg/CD4T	0.19	0.06										
Treg/CD8T	0.09	0.11										
CD4T/CD3	0.31	0.59										
CD8T/CD3	0.63	0.32										
CD8T/CD4T	2.08	0.53										
Size of biopsy									0.68	2.62		

Table 123: AS2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD279	7.43	132.69			569	1425			327	3620		
CD3	12.62	408.10			1005	4276			578	10861		
CD4	6.62	359.77			525	3660			302	9296		
CD56	0.89	15.00			67	169			39	430		
CD8	11.66	176.45			936	1912			538	4858		
Foxp3	1.87	7.80			142	100			82	256		
CD4T	2.53	243.73			210	2373			121	6027		
CD8T	7.89	136.21			635	1478			365	3756		
Treg	0.42	4.32			36	51			21	130		
Treg/CD3	0.03	0.01										
Treg/CD4T	0.17	0.02										
Treg/CD8T	0.05	0.03										
CD4T/CD3	0.20	0.60										
CD8T/CD3	0.63	0.33										
CD8T/CD4T	3.12	0.56										
Size of biopsy									0.57	2.54		

Table 124: AS3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	29.07	527.61	122.31	458.41	1443	5346	3886	4860	631	7926	1505	4139
CD123	4.37	228.17	29.39	122.37	221	2310	971	1454	97	3426	376	1239
CD15	0.43	163.62	100.38	38.43	18	1659	2412	473	8	2460	934	403
CD279	7.45	105.04	4.70	134.60	363	1094	152	1466	159	1622	59	1249
CD3	17.87	464.62	20.78	547.33	926	4774	715	5919	405	7078	277	5041
CD4	14.97	372.77	15.01	393.79	764	3769	557	4095	334	5588	216	3488
CD45	23.99	577.93	73.96	607.02	1235	5868	2569	6503	540	8700	995	5538
CD56	1.97	19.86	1.05	26.71	107	213	38	301	47	317	15	257
CD8	9.62	238.13	13.26	323.54	510	2474	451	3511	223	3668	175	2990
Foxp3	1.77	12.18	1.62	20.59	82	125	46	211	36	186	18	180
Ki67	7.31	1.43	16.77	0.89	386	13	519	7	169	20	201	6
CD4T	6.57	200.62	3.77	235.61	350	2043	142	2482	153	3029	55	2114
CD8T	7.82	201.97	10.41	305.92	411	2116	351	3358	180	3138	136	2860
Treg	1.44	10.04	0.47	17.94	75	103	18	183	33	154	7	156
Treg/CD3	0.08	0.02	0.02	0.03								
Treg/CD4T	0.22	0.05	0.13	0.08								
Treg/CD8T	0.18	0.05	0.05	0.06								
CD4T/CD3	0.37	0.43	0.18	0.43								
CD8T/CD3	0.44	0.43	0.50	0.56								
CD8T/CD4T	1.19	1.01	2.76	1.30								
Size of biopsy									0.44	1.48	0.39	0.85

Table 125: CF1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	51.19	516.02	80.87	443.27	1861	5285	2566	4205	1018	9592	752	1646
CD123	11.06	350.46	18.54	161.34	444	3813	638	1796	243	6921	187	703
CD279	8.95	102.83	14.56	115.99	345	1110	518	1318	189	2016	152	516
CD3	15.59	309.21	29.07	370.45	603	3278	1034	4169	330	5949	303	1632
CD4	6.95	230.30	14.21	302.91	248	2318	505	2598	136	4208	148	1017
CD8	11.56	239.80	24.44	409.68	481	2499	890	4169	263	4535	261	1632
Foxp3	0.61	12.78	1.45	13.82	20	131	44	153	11	239	13	60
CD4T	3.71	95.69	7.06	163.62	133	989	252	1221	73	1796	74	478
CD8T	6.23	133.91	14.29	249.03	270	1426	522	2664	148	2589	153	1043
Treg	0.94	3.55	1.21	11.10	21	37	44	122	12	68	13	48
Treg/CD3	0.06	0.01	0.04	0.03								
Treg/CD4T	0.25	0.04	0.17	0.07								
Treg/CD8T	0.15	0.03	0.08	0.04								
CD4T/CD3	0.24	0.31	0.24	0.44								
CD8T/CD3	0.40	0.43	0.49	0.67								
CD8T/CD4T	1.68	1.40	2.02	1.52								
Size of biopsy									0.55	1.81	0.29	0.39

Table 126: CF2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	25.17	227.74	40.30	263.91	1807	2333	2536	3065	238	2806	545	3081
CD123	31.02	119.95	28.56	110.64	2164	1259	1800	1387	285	1514	387	1395
CD15	26.02	190.44	33.52	110.79	1526	1941	1908	1271	201	2335	410	1278
CD279	2.26	103.71	5.03	115.09	136	1046	311	1309	18	1258	67	1316
CD3	7.65	255.61	14.36	219.60	561	2548	884	2497	74	3064	190	2510
CD4	12.72	488.05	36.36	479.60	941	4855	1768	5006	124	5839	380	5032
CD45	53.03	527.56	87.87	601.33	3037	5281	5193	6462	400	6351	1116	6496
CD56	0.10	2.89	0	5.07	7	28	0	55	1	34	0	56
CD68	100.14	244.09	127.24	185.30	5565	2513	6501	2070	733	3022	1397	2081
CD69	11.62	113.37	16.98	138.27	478	1131	902	1593	63	1361	194	1602
CD8	5.17	89.90	14.00	76.53	387	888	698	870	51	1068	150	875
Foxp3	0	0.17	0	0.54	0	1	0	5	0	2	0	6
Ki67	26.60	15.26	44.47	4.24	1305	166	1428	46	172	200	307	47
CD4T	2.69	190.77	6.28	164.52	212	1898	390	1851	28	2283	84	1861
CD8T	2.38	62.30	5.86	55.19	167	613	353	635	22	738	76	639
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.35	0.75	0.44	0.75								
CD8T/CD3	0.31	0.24	0.41	0.25								
CD8T/CD4T	0.88	0.33	0.93	0.34								
Size of biopsy									0.13	1.20	0.21	1.01

Table 127: CF5_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	3.95	165.72			306	1621			157	3201		
CD123	0.15	22.08			11	203			6	401		
CD15	0.02	3.94			1	44			1	88		
CD279	4.04	42.68			275	425			141	841		
CD3	5.40	117.97			382	1097			196	2168		
CD4	11.45	244.47			775	2457			397	4852		
CD45	14.67	386.30			1033	3809			529	7523		
CD56	0.05	8.22			3	69			2	138		
CD68	5.65	77.56			408	806			209	1592		
CD69	5.77	91.79			378	879			194	1736		
CD8	1.16	43.04			85	394			44	779		
Foxp3	0.43	9.32			17	92			9	183		
Ki67	6.83	4.81			501	46			257	91		
CD4T	3.36	83.24			238	779			122	1540		
CD8T	0.86	32.80			68	304			35	602		
Treg	0.15	3.83			11	42			6	83		
Treg/CD3	0.03	0.03										
Treg/CD4T	0.04	0.05										
Treg/CD8T	0.17	0.12										
CD4T/CD3	0.62	0.71										
CD8T/CD3	0.16	0.28										
CD8T/CD4T	0.26	0.39										
Size of biopsy									0.51	1.97		

Table 128: CJ1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	6.63	180.16			494	1844			323	4247		
CD123	0.12	25.53			9	241			6	556		
CD15	0.04	1.79			3	22			2	52		
CD3	0.81	108.60			55	1038			36	2390		
CD4	1.43	118.51			91	1140			60	2626		
CD45	10.35	287.56			749	2896			489	6667		
CD68	7.01	92.23			490	975			320	2245		
CD8	0.81	37.59			62	349			41	805		
CD4T	0.35	52.37			19	508			13	1171		
CD8T	0.16	26.87			12	252			8	582		
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.44	0.48										
CD8T/CD3	0.20	0.25										
CD8T/CD4T	0.45	0.51										
Size of biopsy									0.65	2.30		

Table 129: CJ2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	109.90	570.56	463.01	667.63	3279	5838	8834	6942	753	3905	10469	16050
CD123	96.84	334.72	93.48	525.28	2905	3513	2275	5573	667	2350	2696	12885
CD15	14.69	67.79	428.17	122.47	217	741	7816	1398	50	496	9262	3233
CD279	3.19	128.78	10.84	126.87	104	1314	236	1293	24	879	280	2991
CD3	15.71	311.98	4.31	233.81	492	3233	93	2378	113	2163	111	5498
CD4	72.79	505.26	5.46	429.88	2177	5192	146	4362	500	3473	174	10085
CD45	133.94	751.35	537.11	776.37	3898	7671	10149	8075	895	5131	12027	18668
CD56	0.89	21.30	0.03	16.09	30	209	0	162	7	140	1	376
CD68	40.07	166.06	54.29	305.38	1206	1702	1286	3192	277	1139	1524	7381
CD69	3.15	51.16	1.34	96.06	104	524	21	945	24	351	26	2185
CD8	5.71	127.76	2.54	105.84	187	1296	57	1063	43	867	68	2459
Foxp3	0.64	21.43	0.62	31.36	21	207	12	304	5	139	15	705
CD4T	5.91	235.78	0.19	168.62	187	2417	5	1697	43	1617	6	3924
CD8T	5.44	91.53	0.62	76.09	178	935	14	764	41	626	17	1767
Treg	0.89	18.81	0	24.94	30	192	0	250	7	129	0	578
Treg/CD3	0.06	0.06	0	0.11								
Treg/CD4T	0.15	0.08	0	0.15								
Treg/CD8T	0.16	0.21	0	0.33								
CD4T/CD3	0.38	0.76	0.04	0.72								
CD8T/CD3	0.35	0.29	0.14	0.33								
CD8T/CD4T	0.92	0.39	3.30	0.45								
Size of biopsy									0.23	0.67	1.18	2.31

Table 130: DD1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	70.54	231.07	15.76	219.70	3036	2332	1294	2193	875	1740	1003	7548
CD123	22.66	74.26	14.60	101.27	916	829	979	1406	264	619	759	4839
CD15	1.39	47.46	161.07	65.97	41	529	3784	1130	12	395	2932	3889
CD279	2.26	4.88	0.66	3.17	93	53	47	37	27	40	37	128
CD3	26.63	274.47	8.44	154.85	1016	2966	579	1903	293	2213	449	6549
CD4	20.55	157.84	5.30	108.58	836	1710	404	1258	241	1276	313	4330
CD45	102.67	638.38	94.49	570.19	3984	6685	4664	6521	1148	4987	3613	22440
CD56	2.41	5.31	0.34	2.55	93	60	28	30	27	45	22	106
CD68	13.55	27.50	12.09	31.82	555	316	525	395	160	236	407	1360
CD69	44.54	198.25	8.99	126.79	1839	2051	746	1553	530	1530	578	5345
CD8	10.52	74.61	2.09	40.87	430	824	166	489	124	615	129	1683
Foxp3	3.84	2.49	0.33	3.66	107	28	27	40	31	21	21	140
Ki67	7.88	2.81	30.93	9.02	131	26	941	159	38	20	729	549
CD4T	8.51	89.57	2.07	53.58	326	941	172	628	94	702	134	2163
CD8T	8.85	53.76	1.71	28.28	378	600	142	341	109	448	110	1174
Treg	2.53	0.83	0.28	1.61	86	6	23	19	25	5	18	68
Treg/CD3	0.09	0.00	0.03	0.01								
Treg/CD4T	0.30	0.01	0.14	0.03								
Treg/CD8T	0.29	0.02	0.16	0.06								
CD4T/CD3	0.32	0.33	0.25	0.35								
CD8T/CD3	0.33	0.20	0.20	0.18								
CD8T/CD4T	1.04	0.60	0.83	0.53								
Size of biopsy									0.29	0.75	0.77	3.44

Table 131: DD2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	51.94	497.36	471.09	533.54	2745	5173	8695	5795	478	2859	10260	17020
CD123	46.94	306.18	73.92	355.13	2590	3477	2468	4254	451	1922	2913	12493
CD15	10.74	85.56	410.05	92.19	264	957	7437	1197	46	529	8776	3516
CD279	2.37	49.61	4.49	49.23	126	466	157	538	22	258	186	1580
CD3	10.80	196.29	8.00	120.46	557	1965	300	1259	97	1086	355	3700
CD4	39.18	433.80	13.13	396.17	2136	4520	506	4119	372	2498	598	12097
CD45	55.90	551.73	524.31	553.40	2923	5785	9442	6031	509	3197	11142	17714
CD56	0.85	5.47	0.48	6.80	40	50	19	73	7	28	23	215
CD68	27.71	205.70	48.52	288.90	1458	2162	1561	3171	254	1195	1843	9314
CD69	0.28	12.18	1.99	12.74	11	114	81	132	2	63	96	388
CD8	6.91	136.31	5.14	93.09	350	1306	178	933	61	722	211	2741
Foxp3	1.79	8.92	0.49	7.58	80	85	15	76	14	47	18	225
CD4T	5.51	158.08	4.62	97.62	292	1545	187	1000	51	854	221	2939
CD8T	4.15	73.21	3.14	45.49	195	707	125	460	34	391	148	1351
Treg	0.57	3.45	0.50	4.36	28	34	20	45	5	19	24	133
Treg/CD3	0.05	0.02	0.06	0.04								
Treg/CD4T	0.10	0.02	0.11	0.04								
Treg/CD8T	0.14	0.05	0.16	0.10								
CD4T/CD3	0.51	0.81	0.58	0.81								
CD8T/CD3	0.38	0.37	0.39	0.38								
CD8T/CD4T	0.75	0.46	0.68	0.47								
Size of biopsy									0.17	0.55	1.18	2.94

Table 132: DD3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	2.58	340.15			177	3319			56	5795		
CD123	0.64	157.79			50	1542			16	2692		
CD15	0.36	9.97			28	101			9	178		
CD279	1.81	11.74			142	116			45	203		
CD3	5.75	522.67			452	5082			143	8872		
CD4	10.51	630.91			699	6191			221	10807		
CD45	16.16	828.69			1236	8160			391	14245		
CD56	0.04	25.46			3	246			1	431		
CD68	3.72	239.31			275	2360			87	4121		
CD8	3.68	225.95			196	2202			62	3844		
Foxp3	0.36	3.95			28	39			9	69		
Ki67	9.23	4.81			632	47			200	83		
CD4T	2.98	344.12			234	3340			74	5830		
CD8T	1.45	162.16			113	1577			36	2753		
Treg	0.08	2.78			6	28			2	49		
Treg/CD3	0.01	0.01										
Treg/CD4T	0.03	0.01										
Treg/CD8T	0.06	0.02										
CD4T/CD3	0.52	0.66										
CD8T/CD3	0.25	0.31										
CD8T/CD4T	0.49	0.47										
Size of biopsy									0.32	1.75		

Table 133: EB_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	5.85	200.16			309	2313			255	3684		
CD123	0.13	6.21			7	72			6	116		
CD15	16.47	135.43			89	1091			74	1738		
CD279	0.64	3.79			26	60			22	97		
CD3	0.51	15.29			31	245			26	391		
CD4	1.89	96.34			83	1041			69	1659		
CD56	0.04	0.69			2	12			2	20		
CD68	2.93	119.02			174	1234			144	1966		
CD69	0.64	5.40			40	103			33	165		
CD8	0.47	3.28			29	69			24	110		
Foxp3	0.25	1.39			12	33			10	54		
Ki67	13.09	1.14			811	30			669	48		
CD4T	0.16	9.53			9	156			8	249		
CD8T	0.35	2.20			21	46			18	74		
Treg	0.06	0.62			3	15			3	25		
Treg/CD3	0.12	0.04										
Treg/CD4T	0.38	0.07										
Treg/CD8T	0.17	0.28										
CD4T/CD3	0.31	0.62										
CD8T/CD3	0.69	0.14										
CD8T/CD4T	2.25	0.23										
Size of biopsy									0.82	1.59		

Table 134: JK1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	0.33	22.58			23	274			18	417		
CD4	2.17	89.09			112	1150			86	1748		
CD8	0.28	3.74			17	63			13	97		
CD4T	0.13	13.44			9	178			7	271		
CD8T	0.19	2.38			13	40			10	62		
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.41	0.59										
CD8T/CD3	0.59	0.11										
CD8T/CD4T	1.43	0.18										
Size of biopsy									0.76	1.52		

Table 135: JK2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD123	0.13	5.74			6	88			5	125		
CD15	0.19	62.88			9	508			7	717		
CD279	0.36	9.01			23	103			17	146		
CD3	0.42	14.51			27	177			20	250		
CD4	1.55	70.04			94	1008			68	1422		
CD68	3.47	66.54			215	922			156	1301		
CD69	0.91	12.36			30	112			22	158		
CD8	0.32	2.39			20	39			15	56		
Foxp3	0.58	2.62			6	24			5	35		
Ki67	3.42	0.06			218	1			158	2		
CD4T	0.11	11.05			6	130			5	184		
CD8T	0.25	1.25			16	23			12	33		
Treg	0.04	2.00			2	14			2	20		
Treg/CD3	0.10	0.14										
Treg/CD4T	0.40	0.18										
Treg/CD8T	0.17	1.60										
CD4T/CD3	0.25	0.76										
CD8T/CD3	0.60	0.09										
CD8T/CD4T	2.40	0.11										
Size of biopsy									0.72	1.41		

Table 136: JK3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	29.92	299.25	72.94	567.91	1912	3961	4988	6800	929	5747	1199	7120
CD123	11.22	133.06	35.34	388.76	747	2042	2675	5114	363	2963	643	5355
CD15	0.22	6.18	23.13	23.38	12	84	1356	329	6	122	326	345
CD279	5.68	117.01	3.37	158.48	374	1681	257	1858	182	2440	62	1946
CD3	10.67	390.01	9.17	466.13	691	4801	644	4706	336	6967	155	4928
CD4	19.83	397.16	27.31	512.80	1278	4947	1863	5431	621	7178	448	5687
CD45	40.01	718.13	111.29	956.26	2548	8180	6814	10160	1238	11869	1638	10638
CD56	3.35	16.39	2.23	18.54	224	254	170	218	109	369	41	229
CD68	13.47	132.82	57.20	295.59	889	1876	4056	3891	432	2723	975	4075
CD69	22.71	351.83	50.68	615.28	1504	4867	3736	7328	731	7062	898	7673
CD8	5.50	116.92	3.49	145.98	362	1541	257	1494	176	2236	62	1565
Foxp3	1.13	13.09	0.49	10.83	65	177	37	120	32	257	9	126
Ki67	3.62	3.47	6.53	5.19	242	37	274	60	118	54	66	63
CD4T	4.49	254.52	2.94	297.23	288	3125	224	2996	140	4534	54	3137
CD8T	4.87	93.52	2.28	114.93	316	1268	174	1206	154	1840	42	1263
Treg	1.03	14.42	0.65	14.27	61	205	49	170	30	298	12	178
Treg/CD3	0.10	0.04	0.07	0.03								
Treg/CD4T	0.23	0.06	0.22	0.05								
Treg/CD8T	0.21	0.15	0.29	0.12								
CD4T/CD3	0.42	0.65	0.32	0.64								
CD8T/CD3	0.46	0.24	0.25	0.25								
CD8T/CD4T	1.09	0.37	0.78	0.39								
Size of biopsy									0.49	1.45	0.24	1.05

Table 137: JM1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	46.54	190.87			2517	3090			1561	4294		
CD123	2.85	50.69			211	844			131	1173		
CD15	2.28	3.36			19	54			12	76		
CD279	3.63	18.93			259	367			161	511		
CD3	9.13	186.93			649	3505			403	4870		
CD4	15.10	251.73			1058	3866			656	5371		
CD45	19.18	172.70			1287	3265			798	4536		
CD56	1.61	7.92			114	168			71	234		
CD68	15.79	79.56			1043	1347			647	1872		
CD69	17.59	237.43			1274	4354			790	6050		
CD8	4.60	81.39			340	1502			211	2087		
Foxp3	1.20	18.13			83	323			52	450		
Ki67	21.67	4.36			1582	97			981	135		
CD4T	4.40	114.29			314	2087			195	2900		
CD8T	2.61	41.05			193	873			120	1214		
Treg	0.86	8.88			61	174			38	243		
Treg/CD3	0.09	0.05										
Treg/CD4T	0.20	0.08										
Treg/CD8T	0.33	0.22										
CD4T/CD3	0.48	0.61										
CD8T/CD3	0.29	0.22										
CD8T/CD4T	0.59	0.36										
Size of biopsy									0.62	1.39		

Table 138: JM2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	6.92	182.21			449	3775			233	4303		
CD8	5.11	71.95			328	1535			170	1750		
Foxp3	0.98	4.31			59	99			31	113		
CD8T	2.67	44.53			181	1045			94	1192		
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3												
CD8T/CD3	0.39	0.24										
CD8T/CD4T												
Size of biopsy									0.52	1.14		

Table 139: JM3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	1.07	50.45			107	652			24	1182		
CD123	0.18	19.16			17	243			4	441		
CD15	0.18	10.64			17	120			4	218		
CD279	0.67	6.69			66	82			15	149		
CD3	4.11	51.46			410	659			92	1195		
CD4	3.21	52.39			321	655			72	1189		
CD45	7.19	153.46			718	1871			161	3393		
CD56	0.04	0.95			4	13			1	24		
CD68	1.83	34.12			182	431			41	783		
CD8	2.41	23.83			240	285			54	518		
Foxp3	0.13	4.25			13	53			3	97		
Ki67	3.44	0.22			343	2			77	5		
CD4T	1.96	28.47			196	366			44	664		
CD8T	1.92	15.02			191	188			43	342		
Treg	0.04	2.58			4	34			1	63		
Treg/CD3	0.01	0.05										
Treg/CD4T	0.02	0.09										
Treg/CD8T	0.02	0.17										
CD4T/CD3	0.48	0.55										
CD8T/CD3	0.47	0.29										
CD8T/CD4T	0.98	0.53										
Size of biopsy									0.22	1.81		

Table 140: JT_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	2.12	220.61			118	3033			41	2501		
CD123	0.63	79.40			49	1202			17	991		
CD15	0.48	19.21			14	213			5	176		
CD279	3.82	31.19			258	533			89	440		
CD3	20.94	236.59			1566	3773			540	3111		
CD4	8.29	161.99			606	2443			209	2014		
CD45	31.81	461.39			2302	6872			794	5665		
CD56	1.16	3.10			89	54			31	45		
CD68	7.83	46.76			562	804			194	663		
CD69	15.12	180.56			1136	2707			392	2232		
CD8	8.32	73.90			646	1204			223	993		
Foxp3	0.58	3.25			37	50			13	42		
Ki67	4.60	170.61			165	1688			57	1392		
CD4T	3.75	59.77			261	884			90	729		
CD8T	6.83	27.91			530	497			183	410		
Treg	0.30	1.30			23	21			8	18		
Treg/CD3	0.01	0.01										
Treg/CD4T	0.08	0.02										
Treg/CD8T	0.04	0.05										
CD4T/CD3	0.18	0.25										
CD8T/CD3	0.33	0.12										
CD8T/CD4T	1.82	0.47										
Size of biopsy									0.34	0.82		

Table 141: LD_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	35.03	233.15	75.43	446.04	2312	2548	4586	4513	1068	5057	942	5202
CD123	2.71	16.96	43.99	94.32	186	211	2955	1106	86	419	607	1275
CD15	0.23	4.39	0.39	4.04	12	50	29	42	6	101	6	49
CD279	1.81	13.92	0.85	24.69	129	178	63	238	60	354	13	275
CD3	6.37	81.73	6.40	129.46	461	991	457	1283	213	1968	94	1479
CD4	9.05	112.36	6.72	193.68	656	1298	462	1900	303	2577	95	2190
CD45	30.51	295.00	61.86	505.24	2093	3262	3885	5037	967	6473	798	5806
CD56	0.41	1.78	0.20	1.97	25	23	14	20	12	46	3	24
CD69	5.60	47.77	4.96	106.92	365	587	355	1062	169	1166	73	1225
CD8	5.54	60.34	4.63	107.04	385	714	335	1061	178	1417	69	1223
Foxp3	1.31	14.54	0.85	19.24	93	174	63	193	43	347	13	223
Ki67	1.10	1.80	0.07	2.01	73	18	4	19	34	36	1	22
CD4T	2.66	46.72	2.02	73.16	192	561	150	718	89	1115	31	828
CD8T	2.95	32.39	2.81	49.57	212	396	209	490	98	786	43	565
Treg	0.82	6.64	0.52	6.94	60	86	38	71	28	171	8	82
Treg/CD3	0.13	0.08	0.08	0.05								
Treg/CD4T	0.31	0.14	0.26	0.09								
Treg/CD8T	0.28	0.20	0.19	0.14								
CD4T/CD3	0.42	0.57	0.32	0.57								
CD8T/CD3	0.46	0.40	0.44	0.38								
CD8T/CD4T	1.11	0.69	1.39	0.68								
Size of biopsy									0.46	1.98	0.21	1.15

Table 142: LG1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	3.49	209.49			274	2123			93	5966		
CD123	0.12	24.90			11	251			4	708		
CD15	0.03	60.03			2	576			1	1619		
CD279	1.32	18.82			126	191			43	537		
CD3	1.79	157.37			170	1558			58	4379		
CD4	3.49	180.55			271	1807			92	5078		
CD45	6.60	353.56			571	3556			194	9993		
CD56	0.15	3.61			14	35			5	100		
CD68	6.11	98.88			524	1028			178	2890		
CD69	3.02	92.38			288	935			98	2628		
CD8	1.23	89.90			117	891			40	2504		
Foxp3	0.09	3.95			8	39			3	110		
Ki67	9.03	1.72			863	17			293	50		
CD4T	0.89	110.14			85	1086			29	3053		
CD8T	0.92	70.24			88	696			30	1958		
Treg	0.03	2.19			2	21			1	61		
Treg/CD3	0.02	0.01										
Treg/CD4T	0.03	0.02										
Treg/CD8T	0.03	0.03										
CD4T/CD3	0.50	0.70										
CD8T/CD3	0.52	0.45										
CD8T/CD4T	1.03	0.64										
Size of biopsy									0.34	2.81		

Table 143: LG2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	8.87	129.40	10.33	203.83	632	1458	472	2126	287	2999	149	2526
CD4	12.28	151.05	14.47	246.94	887	1651	763	2570	403	3396	241	3053
CD68	16.56	47.91	65.29	96.97	1099	536	3111	1160	499	1103	982	1379
CD8	5.84	77.46	7.35	135.37	411	871	307	1386	187	1791	97	1647
CD4T	3.23	76.12	3.29	117.82	235	841	161	1225	107	1730	51	1456
CD8T	4.42	60.86	5.00	93.34	310	687	224	967	141	1413	71	1149
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.36	0.59	0.32	0.58								
CD8T/CD3	0.50	0.47	0.48	0.46								
CD8T/CD4T	1.37	0.80	1.52	0.79								
Size of biopsy									0.45	2.06	0.32	1.19

Table 144: LG3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	8.71	343.76			745	3594			298	7681		
CD123	0.39	29.37			35	326			14	698		
CD15	1.80	18.79			162	241			65	517		
CD279	1.08	7.15			97	82			39	177		
CD3	6.43	439.64			560	4617			224	9867		
CD4	10.09	725.05			890	7502			356	16032		
CD45	14.27	848.60			1206	8641			482	18467		
CD56	0.69	23.46			62	250			25	535		
CD68	2.24	60.27			202	684			81	1462		
CD69	2.13	131.50			192	1357			77	2900		
CD8	3.67	188.17			310	1917			124	4098		
Foxp3	0.17	7.37			15	66			6	142		
CD4T	2.19	370.25			197	3880			79	8293		
CD8T	2.72	116.31			225	1203			90	2572		
Treg	0.11	4.12			10	40			4	87		
Treg/CD3	0.02	0.01										
Treg/CD4T	0.05	0.01										
Treg/CD8T	0.04	0.04										
CD4T/CD3	0.34	0.84										
CD8T/CD3	0.42	0.26										
CD8T/CD4T	1.25	0.31										
Size of biopsy									0.40	2.14		

Table 145: LM_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	39.50	257.99			2030	2842			1402	7533		
CD123	1.92	19.03			101	212			70	564		
CD15	0.87	1.61			23	18			16	49		
CD279	13.22	160.11			718	1546			496	4097		
CD3	16.34	395.04			1002	3901			692	10338		
CD4	20.16	376.67			1177	3882			813	10287		
CD45	43.28	516.49			2450	5305			1692	14059		
CD56	0.60	3.65			28	38			20	103		
CD68	14.13	49.56			809	582			559	1544		
CD69	24.46	286.40			1461	2962			1009	7850		
CD8	6.92	130.53			421	1294			291	3429		
Foxp3	3.29	40.41			194	432			134	1145		
Ki67	8.32	2.06			519	20			359	54		
CD4T	8.66	304.37			514	2968			355	7865		
CD8T	4.81	88.79			315	896			218	2375		
Treg	2.67	29.30			156	325			108	862		
Treg/CD3	0.16	0.07										
Treg/CD4T	0.31	0.10										
Treg/CD8T	0.55	0.33										
CD4T/CD3	0.53	0.77										
CD8T/CD3	0.29	0.22										
CD8T/CD4T	0.56	0.29										
Size of biopsy									0.69	2.65		

Table 146: LS1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	32.96	251.85			1490	2658			1567	7637		
CD123	7.75	52.64			341	596			359	1714		
CD15	0.12	0.87			5	10			6	30		
CD279	6.03	50.99			325	538			342	1547		
CD3	16.87	377.75			932	3855			980	11077		
CD4	21.44	427.50			1168	4427			1229	12721		
CD45	37.43	517.11			1845	5292			1941	15205		
CD56	0.33	2.22			17	19			18	57		
CD68	19.68	80.95			927	909			975	2613		
CD69	11.19	179.35			620	1848			652	5312		
CD8	5.06	99.61			287	1018			302	2926		
Foxp3	2.17	18.81			106	213			112	612		
Ki67	9.10	1.12			515	10			542	31		
CD4T	7.66	271.64			436	2718			459	7812		
CD8T	3.49	61.99			201	639			212	1837		
Treg	1.21	12.70			70	146			74	420		
Treg/CD3	0.07	0.03										
Treg/CD4T	0.16	0.05										
Treg/CD8T	0.35	0.20										
CD4T/CD3	0.45	0.72										
CD8T/CD3	0.21	0.16										
CD8T/CD4T	0.46	0.23										
Size of biopsy									1.05	2.87		

Table 147: LS2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD3	11.72	399.68			658	4039			655	11867		
CD4	15.08	430.35			800	4430			797	13016		
CD68	20.66	81.31			902	957			898	2812		
CD8	5.41	133.85			320	1346			319	3956		
CD4T	6.03	237.05			332	2374			331	6975		
CD8T	3.30	84.31			194	867			194	2549		
Treg/CD3												
Treg/CD4T												
Treg/CD8T												
CD4T/CD3	0.51	0.59										
CD8T/CD3	0.28	0.21										
CD8T/CD4T	0.55	0.36										
Size of biopsy									1.00	2.94		

Table 148: LS3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	11.30	237.32	136.06	239.81	909	2831	3948	3506	84	2383	3133	4770
CD123	2.64	79.15	42.23	95.95	248	992	1825	1565	23	835	1448	2130
CD15	2.07	45.51	150.52	65.17	194	564	2237	1098	18	475	1775	1494
CD279	4.94	76.98	16.69	57.60	465	939	686	1017	43	791	545	1384
CD3	7.93	102.74	18.89	82.23	746	1263	903	1239	69	1063	717	1686
CD4	3.45	93.16	10.69	85.70	324	1131	530	1440	30	952	421	1960
CD45	22.86	360.64	178.12	382.36	2154	4314	5155	5463	199	3631	4090	7433
CD56	0.34	6.28	0.62	3.75	32	77	34	67	3	65	27	92
CD8	4.14	44.77	8.17	38.72	389	547	397	709	36	461	315	965
Foxp3	1.49	13.71	4.68	4.08	140	172	134	97	13	145	107	132
CD4T	2.53	65.55	6.21	52.89	238	793	334	818	22	668	265	1114
CD8T	4.02	33.14	6.74	23.85	378	409	346	441	35	345	275	601
Treg	1.26	16.28	1.72	4.09	119	200	95	85	11	169	76	117
Treg/CD3	0.16	0.16	0.09	0.05								
Treg/CD4T	0.50	0.25	0.28	0.08								
Treg/CD8T	0.31	0.49	0.26	0.17								
CD4T/CD3	0.32	0.64	0.33	0.64								
CD8T/CD3	0.51	0.32	0.36	0.29								
CD8T/CD4T	1.59	0.51	1.09	0.45								
Size of biopsy									0.09	0.84	0.79	1.36

Table 149: SK1_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	32.13	243.41			1491	2628			1024	7035		
CD123	2.96	16.35			99	187			68	502		
CD15	11.85	34.56			500	401			344	1075		
CD279	4.06	25.94			198	309			136	827		
CD3	12.67	153.03			499	1718			343	4600		
CD4	18.08	182.57			841	2047			578	5478		
CD45	24.07	244.32			1103	2664			758	7130		
CD56	0.90	2.22			32	28			22	75		
CD68	13.67	40.57			653	480			449	1287		
CD69	25.22	117.50			1083	1380			744	3693		
CD8	4.83	29.75			219	343			151	919		
Foxp3	2.30	8.15			72	94			50	254		
Ki67	4.43	0.56			305	8			210	24		
CD4T	5.90	109.10			219	1218			151	3261		
CD8T	3.36	20.56			166	239			114	640		
Treg	2.03	5.57			56	66			39	177		
Treg/CD3	0.16	0.04										
Treg/CD4T	0.34	0.05										
Treg/CD8T	0.60	0.27										
CD4T/CD3	0.47	0.71										
CD8T/CD3	0.27	0.13										
CD8T/CD4T	0.57	0.19										
Size of biopsy									0.69	2.68		

Table 150: SK2_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.

	Normalized Counts				Density				Counts			
	intact		ulcerative		intact		ulcerative		intact		ulcerative	
	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis	epi	dermis
CD11c	8.91	148.44			740	1626			444	4568		
CD123	2.27	72.93			190	792			114	2225		
CD279	0.68	3.78			56	44			34	124		
CD3	6.00	177.33			430	1950			258	5480		
CD4	7.91	178.83			592	1972			355	5541		
CD68	5.49	42.09			453	503			272	1414		
CD8	2.79	40.87			205	464			123	1305		
Foxp3	1.02	9.22			63	106			38	300		
CD4T	2.63	107.10			191	1179			115	3312		
CD8T	2.37	24.53			176	286			106	804		
Treg	0.56	5.94			46	70			28	199		
Treg/CD3	0.09	0.03										
Treg/CD4T	0.21	0.06										
Treg/CD8T	0.24	0.24										
CD4T/CD3	0.44	0.60										
CD8T/CD3	0.39	0.14										
CD8T/CD4T	0.90	0.23										
Size of biopsy									0.60	2.81		

Table 151: SK3_Les. All measurements are up to 1000 um below DEJ. Size of biopy is measured in mm2; the unit of density is count/mm2. Normalized count is the number of cells in a vertical strip 100um wide. Ratios are presented as fractions, not percentages.