

```
% NAME-Yogesh
% ROLL no-181EC155
% SIMULATION OF DATA REFORMATING BY LINE CODING TECHNIQUES
clc;
close all;
clear all;
%Bit Sequence
bits = [1 0 1 0 1 1 1 0 1 0 0 0 0 1];
% bit rate = bits per second
bitrate = 2;
%time needed to transmit full sequence
T = length(bits)/bitrate;
n = 100;
N = n*length(bits);
Dt = T/N;
t = 0:Dt:T;
% UNRZ Encoding-----
figure;
% output signal
x = zeros(1, length(t));
for i = 0:length(bits)-1
  if bits(i+1) == 1
   x(i*n+1:(i+1)*n) = 1;
   x(i*n+1:(i+1)*n) = 0;
  end
end
plot(t,x,'LineWidth',3);
axis([0 t(end) -0.1 1.1])
grid on;
title(['Unipolar NRZ coded sequence: [' num2str(bits) ']']);
figure;
%defining output signal
x = zeros(1, length(t));
for i = 0:length(bits)-1
 if bits(i+1) == 1
   x(i*n+1:(i+1/2)*n) = 1;
   x((i+1/2)*n +1:(i+1)*n) = 0;
  else
   x(i*n+1:(i+1)*n) = 0;
  end
end
plot(t,x,'LineWidth',3);
axis([0 t(end) -0.1 1.1])
grid on;
title(['Unipolar RZ coded sequence: [' num2str(bits) ']']);
```


```
% PRZ-----
figure;
%defining output signal
x = zeros(1, length(t));
for i = 0:length(bits)-1
 if bits(i+1) == 1
   x(i*n+1:(i+1/2)*n) = 1;
   x((i+1/2)*n:(i+1)*n) = 0;
 else
   x(i*n+1:(i+1/2)*n) = -1;
   x((i+1/2)*n:(i+1)*n) = 0;
 end
end
plot(t,x,'LineWidth',3);
axis([0 t(end) -1.1 1.1])
grid on;
title(['Polar RZ coded sequence: [' num2str(bits) ']']);
% Mancheste------
figure;
x = zeros(1, length(t));
for i = 0:length(bits)-1
 if bits(i+1) == 1
   x(i*n+1:(i+1/2)*n) = -1;
   x((i+1/2)*n:(i+1)*n) = 1;
 else
   x(i*n+1:(i+1/2)*n) = 1;
   x((i+1/2)*n:(i+1)*n) = -1;
 end
end
plot(t,x,'LineWidth',3);
axis([0 t(end) -1.1 1.1])
grid on;
title(['Manchester coded sequence: [' num2str(bits) ']']);
```


olar NRZ coded sequence: [1 0 1 0 1 1 1 0 0 0



olar RZ coded sequence: [1 0 1 0 1 1 1 0 1 0 0 0







Published with MATLAB® R2020b

NAME-Yogesh

Roll-181EC155