Premium by design. Measured before print.

A classic white and navy full-exterior wrap concept for the Chef Bot automated beverage machine.



VERIFY ON MACHINE BEFORE PRINTING

Three-quarter product view

VERIFY ON MACHINE BEFORE PRINTING



APPROVAL MOCKUP

Straight-on front view

PROVISIONAL OVERALL

32 in wide

75 in high

The scan supports the overall front proportion only. Every opening, seam and hardware position must be measured physically.



VERIFY ON MACHINE BEFORE PRINTING

PANEL SYSTEM

Editable vector masters

FRONT

32 x 75 in

Provisional cutout layer

REAR

32 x 75 in

Confirm vents and service labels

LEFT / RIGHT

Depth variable

Extend fields; protect Chef Bot

TOP

Depth variable

Confirm access and clearances

VISUAL LANGUAGE

Clean. Hygienic. Premium.

White communicates cleanliness. Navy creates disciplined architecture. Pale blue adds freshness and technology. Orange is reserved for energy and action.



PAPER	NAVY	BLUE	ORANGE
#F7F8FA	#071A33	#59B8FF	#FF6B22

MINIMAL IDENTITY

The Chef Code

One Chef. Infinite Worlds. Endless Creations.

PRINTER MEASUREMENT SHEET

Measure once. Produce correctly.

- [ ] Overall depth
- [ ] Display opening: W x H + left/top offset
- [ ] Payment panel: W x H + left/top offset
- [ ] Dispensing bay: W x H + left/top offset
- [ ] Cup opening: W x H + left/top offset
- [ ] Door seams, hinges, locks and handles
- [ ] Side/rear vents and service clearances
- [ ] Substrate, laminate, bleed and max panel width

VERIFY ON MACHINE BEFORE PRINTING

PRODUCTION LAYERS

What prints and what does not

PRINT	background	Full-bleed white/navy field
PRINT	brand-architecture	Blue waves, orbit lines, orange accent
PRINT	character	Intentional linked Chef Bot artwork
PRINT	typography	Convert Sora and Inter to outlines at preflight
DO NOT PRINT	safe-area	Hidden layout guide
DO NOT PRINT	provisional-cutouts	Measurement and warning layer
DO NOT PRINT	bleed	Printer-specific guide

HANDOFF

Ready for physical measurement

This package is a professional measured proof, not authorization to print. A vinyl installer must measure the physical cabinet, transfer final cutouts into the hidden SVG layers, confirm bleed and safe zones, then issue a final production proof.

FILES INCLUDED

+ 5 editable SVG panel masters
+ Annotated 8-page PDF proof
+ Front and three-quarter mockups
+ Shared tokens and printer checklist

VERIFY ON MACHINE BEFORE PRINTING