



General

Source Code Management

Build Triggers

Build Environment

Pre Steps

Build

Post Steps

Build Settings

Post-build Actions

Description

[Plain text] [Preview](#)

☐ Discard old builds

☐ GitHub project

☐ This build requires lockable resources

☐ This project is parameterized

☐ Throttle builds

☐ Disable this project

☐ Execute concurrent builds if necessary

Advanced...

Source Code Management

☐ None

☒ Git

Repositories

Repository URL

https://github.com/yoyoraso/maven-project

Credentials

- none -

Add

Advanced...

Add Repository

192.168.80.151:8080/job/yaya/configure

1/5

Branches to build

Branch Specifier (blank for 'any')

*/master

X



Jenkins

yaya

Repository browser

(Auto)



Additional Behaviours

Add

☐ Subversion



Build Triggers

☒ Build whenever a SNAPSHOT dependency is built



☐ Schedule build when some upstream has no successful builds



☐ Trigger builds remotely (e.g., from scripts)



☐ Build after other projects are built



☐ Build periodically



☐ GitHub hook trigger for GITScm polling



☒ Poll SCM



Schedule

* * * * *



**Do you really mean "every minute" when you say "* * * * *"?
Perhaps you meant "H * * * *" to poll once per hour**

Would last have run at Wednesday, July 15, 2020 1:17:37 PM EET; would next run at Wednesday, July 15, 2020 1:17:37 PM EET.

☐ Ignore post-commit hooks



Build Environment

☐ Delete workspace before build starts

☐ Use secret text(s) or file(s)



☐ Send files or execute commands over SSH before the build starts



☐ Send files or execute commands over SSH after the build runs



☐ Abort the build if it's stuck

- ☐ Add timestamps to the Console Output
- ☐ Inspect build log for published Gradle build scans

Jenkins yaya

Pre Steps

Add pre-build step ▾

Build

Root POM

pom.xml

Goals and options

clean install package

Advanced...

Post Steps

- ☐ Run only if build succeeds ☐ Run only if build succeeds or is unstable
- ☒ Run regardless of build result

Should the post-build steps run only for successful builds, etc.

Send files or execute commands over SSH

X

SSH Publishers

SSH Server

Name

ansible_server

Advanced...

Transfers

Transfer Set

Source files

**/*.war

Remove prefix

Remote directory

/playbooks

Exec command

All of the

transfer fields
(except for

Jenkins yaya

support
substitution of
[Jenkins](#)
[environment](#)
[variables](#)

Advanced...

Add Transfer Set

Add Server

Advanced...

Send files or execute commands over SSH

X



SSH Publishers

SSH Server

Name ansible_server ?

Advanced...

Transfers

Transfer Set

Source files ?

Remove prefix ?

Remote directory ?

Exec command ansible- ?

All of the
transfer fields
(except for

Exec timeout)
support

Jenkins yaya

[Jenkins](#)
[environment](#)
[variables](#)

Advanced...

Add Transfer Set

Add Server

Advanced...

Add post-build step ▾

Build Settings

☐ E-mail Notification

Post-build Actions

Add post-build action ▾