Jenkins   k8s

| General | Source Code Management | Build Triggers | Build Environment | **Pre Steps** | Build |

Description

[Plain text] Preview

☐ Discard old builds   ❓

☐ GitHub project

☐ This build requires lockable resources

☐ This project is parameterized   ❓

☐ Throttle builds   ❓

☐ Disable this project   ❓

☐ Execute concurrent builds if necessary   ❓

Advanced...

Source Code Management

○ None

● Git

Repositories   ❓

Repository URL   https://github.com/yoyoraso/maven-project   ❓

Credentials   - none -   ⌄

Add ▾

Advanced...

Jenkins   **k8s**

General   Source Code Management   Build Triggers   Build Environment   **Pre Steps**   Build

Branch Specifier (blank for 'any')   */master   ❓

Add Branch

Repository browser   (Auto) ⌄   ❓

Additional Behaviours   **Add** ⌄

○ Subversion   ❓

Build Triggers

☑ Build whenever a SNAPSHOT dependency is built   ❓

☐ Schedule build when some upstream has no successful builds   ❓

☐ Trigger builds remotely (e.g., from scripts)   ❓

☐ Build after other projects are built   ❓

☐ Build periodically   ❓

☐ GitHub hook trigger for GITScm polling   ❓

☑ Poll SCM   ❓

Schedule
```
* * * * *
```
   ❓

Do you really mean "every minute" when you say "* * * * *"?
Perhaps you meant "H * * * *" to poll once per hour
Would last have run at Thursday, July 23, 2020 6:06:44 PM EET; would next run at Thursday, July 23, 2020 6:06:44 PM EET.

☐ Ignore post-commit hooks   ❓

Build Environment

☐ Delete workspace before build starts

☐ Use secret text(s) or file(s)   ❓

☐ Send files or execute commands over SSH before the build starts   ❓

Jenkins   **k8s**

General   Source Code Management   Build Triggers   Build Environment   **Pre Steps**   Build

☐ Inspect build log for published Gradle build scans

☐ With Ant   ❓

Pre Steps

Add pre-build step ▾

Build

Root POM   pom.xml   ❓

Goals and options   clean install package   ❓

Advanced...

Post Steps

◯ Run only if build succeeds   ◯ Run only if build succeeds or is unstable

◉ Run regardless of build result

Should the post-build steps run only for successful builds, etc.

X ❓

Send files or execute commands over SSH

SSH Publishers

SSH Server

Name   Docker_server   ⌄   ❓

Advanced...

Transfers

Transfer Set

Source files   webapp/target/'   ❓

Remove prefix   webapp/target   ❓

Remote directory   /   ❓

Exec command   ❓

Jenkins   k8s

General	Source Code Management	Build Triggers	Build Environment	**Pre Steps**	Build

(except for
Exec timeout)
support
substitution of
[Jenkins
environment
variables](#)

Advanced...

Add Transfer Set

Add Server

Advanced...

X   ?

Send files or execute commands over SSH

SSH Publishers

SSH Server

Name   ansible_server   ⌄   ?

Advanced...

Transfers

Transfer Set

Source files   [   ]   ?

Remove prefix   [   ]   ?

Remote directory   [   ]   ?

Exec command   ?

Jenkins   k8s

General	Source Code Management	Build Triggers	Build Environment	**Pre Steps**	Build

ub

All of the transfer fields (except for Exec timeout) support substitution of Jenkins environment variables

Advanced...

Add Transfer Set

Add Server

Advanced...

Add post-build step ▾

Build Settings

☐ E-mail Notification

Post-build Actions

Add post-build action ▾

Jenkins k8s

| General | Source Code Management | Build Triggers | Build Environment | **Pre Steps** | Build |

Jenkins 2.235.1

| General | Source Code Management | Build Triggers | Build Environment | **Pre Steps** | Build |

Jenkins 2.235.1