



General

Source Code Management

Build Triggers

Build Environment

Pre Steps

Build

Post Steps

Build Settings

Post-build Actions

Description

[Plain text] [Preview](#)

☐ Discard old builds

☐ GitHub project

☐ This build requires lockable resources

☐ This project is parameterized

☐ Throttle builds

☐ Disable this project

☐ Execute concurrent builds if necessary

Advanced...

Source Code Management

☐ None

☒ Git

Repositories

Repository URL

https://github.com/yoyoraso/maven-project

Credentials

- none -

Add

Advanced...

Add Repository

192.168.80.151:8080/job/version_control/configure

1/7

- ☐ Add timestamps to the Console Output
- ☐ Inspect build log for published Gradle build scans

Pre Steps

Add pre-build step ▾

Build

Root POM

pom.xml

?

Goals and options

clean install package

?

Advanced...

Post Steps

- ☐ Run only if build succeeds
- ☐ Run only if build succeeds or is unstable
- ☒ Run regardless of build result

Should the post-build steps run only for successful builds, etc.

Send files or execute commands over SSH

X

SSH Publishers

SSH Server

Name

Docker_server

?

Advanced...

Transfers

Transfer Set

Source files

webapp/target/

?

Remove prefix

webapp/target

?

Remote directory

/

?

Exec command

?

All of the

transfer fields
(except for

Jenkins version_control

support
substitution of
[Jenkins](#)
[environment](#)
[variables](#)

Advanced...

Add Transfer Set

Add Server

Advanced...

Send files or execute commands over SSH

X



SSH Publishers

SSH Server

Name

Docker_server



Advanced...

Transfers

Transfer Set

Source files



Remove prefix



Remote directory



Exec command



```
docker build
-t
$JOB_NAME
```

Jenkins

version_control

```
docker tag
$JOB_NAME
```

All of the transfer fields (except for Exec timeout) support substitution of [Jenkins environment variables](#)

Advanced...

Add Transfer Set

Add Server

Advanced...

Send files or execute commands over SSH

X ?

SSH Publishers

SSH Server

Name ansible_server

?

Advanced...

Transfers

Transfer Set

Source files

?

Remove prefix

?

Remote directory:

Exec command:

ansible-

All of the transfer fields (except for Exec timeout) support substitution of [Jenkins environment variables](#)

Advanced...

Add Transfer Set

Add Server

Advanced...

Add post-build step ▾

Build Settings

☐ E-mail Notification

Post-build Actions

Add post-build action ▾

