

# Practical 14

(Web Designing - CM2104)

Name: Yash Pravin Pawar


Enrollment no.: 2106206

section: N1

**Q. Applying CSS font properties: Create a web page with a number of paragraphs and headers. Apply the following font properties:**

- Set the font of the page to "Courier" and the font of <h1> tag to "Verdana".
- Set the font size of the page to "20px" and the font size of a paragraph to "3em"
- Show some <p> elements as italic text.
- Set some part of <p> elements to small caps
- Set font style through CSS to oblique.
- Set the font-weight of some parts of the paragraph to bold.

Output:



Code:

```
<!DOCTYPE html>
<html>
  <head>
    <title>Practical 13</title>

    <style>
      body {
        min-height: 95vh;
        background: linen;
        color: red;
        font-family: "courier";
        font-size: 20px;
      }

      h1 {
        font-family: 'Verdana';
        color: blue;
        text-align: center;
        text-transform: uppercase;
      }

      p {
        text-indent: 20px;
        letter-spacing: 2px;
        word-spacing: 5px;
        padding: 10px;
        border: 1px lightblue solid;
      }

      .heading {
        text-shadow: 2px 2px #555;
      }

      .imp-para {
```

```

        text-transform: capitalize;
        font-size: 3em;
        font-style: italic;
    }

    .bold { font-weight: bold; }

    .small-caps { font-variant: small-caps; }

    .oblique { font-style: oblique; }
</style>
</head>
<body>
    <h1 class="heading">CSS Background</h1>
    <p>The background property in CSS allows you to control
the background of any <span class="bold">elements</span> (what
paints underneath the content in that element). It is a <span
class="oblique">shorthand property</span>, which means that it
allows you to write what would be multiple <span
class="small-caps">CSS Properties</span> in one. </p>
    <h2>background is made up of eight other properties:</h2>
    <ul>
        <li>background-image</li>
        <li>background-position</li>
        <li>background-size</li>
        <li>background-repeat</li>
    </ul>
    <p class="imp-para">You can use any combination of these
properties that you like, in almost any order.</p>
</body>
</html>

```