COMMERCIAL PLAYGROUND BUYERS GUIDE

PLAYCRAFT® SYSTEMS

A PLAYCORE Company

2024

3-10
ABOUT US
- Craftsmanship
- Process

11-12
INCLUSIVE DESIGN

13-34
FEATURED PLAYGROUNDS

35-64
PLAY SYSTEMS
- Round-5
- Round-3.5
- NFUSE
- Revolution
- Hybrid
- Theme
- Inclusive

65-126
FREESTANDING

127-137
PARKCRAFT SITE AMENITIES

139-196
COMPONENTS

197-202
INDEX | WARRANTY | COLORS

PLAYGROUND OF DISTINCTION

The **Playcraft Systems Playground of Distinction Program** is a non-competitive awards program that seeks to recognize innovative play space design within a community. **Playgrounds of Distinction** show a dedication to vibrant communities through a rigorous community engagement, design response, and active play space implementation in these catagories:

– DYNAMIC – INTERGENERATIONAL – INCLUSIVE – IMAGINATIVE

PAMPERIN PARK

HAYSWOOD NATURE RESERVE

CRAFTSMANSHIP

OUR COMMITMENT TO CRAFT

In today's mass-produced world, the commitment to craftsmanship can fall by the wayside. Dedication and unyielding determination are essential to creating a superior product. At Playcraft Systems, craftsmanship is the cornerstone of our company. Building on a foundation of sustainable materials, innovative design and our state-of-art manufacturing techniques, we create playground equipment and playscape experiences unmatched in the industry.

Play is what brings communities together. It nurtures the bond between a parent/guardian and child and friendships between children. Playgrounds bring out everyone's imagination and a sense of wonder. They provide a place where creativity can soar. Playcraft Systems ensures generations of children will not only enjoy the element of play, but will one day bring their own children to that same playground and relive what it means to be a kid again.

CREATING YOUR PLAY AREA

DESIGN

You have a dream and vision! Our team of talented Playcraft Consultants and expert designers will work collaboratively with you and your team. We can assist with important factors like site evaluations, age-appropriate activities, design ideas, colors, time lines, and budgets. We'll also advise you on important safety and compliance guidelines. Utilizing our state-of-the-art PlayDesigner software, we work with your ideas to create unbelievable play areas filled with fun and wonder. Every shape, dream, and smile that you envisioned will appear before your eyes.

ORDERING

Ordering a playground has never been easier! When you order your playground, PlayDesigner organizes it into a detailed list of parts and enters it into our advanced electronic production and inventory control system, ensuring consistent high quality and on time delivery. Our manufacturing process uses the latest technology to create precision parts and components including climbers, decks, and rotationally molded plastic components like slides and roofs. To achieve faster turn-around times and maintain the product quality standards that Playcraft offers, virtually all of our products are manufactured in-house.

COATINGS

Our industry leading coatings provide exceptional corrosion resistance and long-lasting color to extend the life of your playground. After receiving a multistage phosphate bath, our components are sealed with a primer coat over the entire component, not just the welds. We then apply durable polyester TGIC powder coating to an average thickness of 11 mils, the thickest in the industry. The result is a flawless, beautiful finish unmatched by our competitors.

FABRICATION

All of our steel components are manufactured from electro-galvanized steel and carefully cut to exact specifications. Robotic cutters and welders augment our production team who produce the smoothest welds and metal finishes in the industry. Our metal components are then hand-cleaned, phosphate washed, and sealed thoroughly in a multi-stage bath before being sent to coating.

HAND FINISHING

Welds and connections are critical to the safety and longevity of your playground. Each Playcraft weld is inspected for quality then proceeds to our Finishing Team where every connection is mechanically filed and hand finished before the component receives its finish coating. You won't find a better, more consistent weld connection in the playground industry. We also round the edges on all our plastic products providing safer, more comfortable play opportunities.

PLASTICS

Our team of designers and engineers utilize advanced technology and materials to create exceptional plastic products. Whether rotationally molded or HDPE (high density polyethylene), Playcraft ensures our plastic products are manufactured with extra thick walls and colorfast materials providing superior UV stability and long lasting vibrance.

SHIPPING AND INSTALL

Each new playground arrives in our custom packaging and shipping materials. Every shipment comes with a comprehensive install instruction booklet along with a Playground Equipment Manual specific to your project. Our King-Clamp system is unlike any other mounting system on the market, and specifically designed to ensure a smooth and stress-free installation. Playcraft has authorized install teams worldwide to handle your entire project's installation, from unloading your equipment delivery through putting the finishing touches on your dream playground to make it a reality for your community.

MAINTENANCE

Careful maintenance keeps your new playground in premium condition. Your local Playcraft consultant will work with you to create a custom maintenance plan allowing you to protect your investment, manage risk, improve children's play experiences, and control costs. We also provide a maintenance kit which includes graffiti remover and touch-up paint to keep your playground looking great for many years to come.

INCLUSIVE DESIGN

FOUNDATIONS OF INCLUSIVE PLAY

Inclusive design is a way of creating physical spaces and products to ensure everyone feels included and can play to the greatest extent possible. It introduces flexibility, choice, and accommodating features to the world that we all inhabit. Every child has the right to play, but not every child has the opportunity to do so in their local park or school. An inclusive playground eliminates barriers, encouraging personal growth along with the creation of new friendships. At Playcraft Systems, we firmly follow our belief that everyone deserves the opportunity to play, as the element of play strengthens the bond of a community.

DESIGNING INCLUSION

Inclusive play begins with an understanding of each project goal. Our network of consultants and design team will collaboratively work with your playground committee to ensure every aspect and goal is achieved. We create play areas without separation and play experiences without borders while incorporating the existing features of the available space and setting. Ultimately, our design will create an environment to accommodate individual abilities yet provide an atmosphere where all children and adults can be themselves and join in the total enjoyment experienced throughout your playground.

INCLUSIVE STRATEGIES

CREATE ACCESS

Getting people to the play space is only part of the equation, ensuring they have equitable play experiences when they arrive is key to success. Consider using ramps, and providing equitable ground level play opportunities to elements that may not be accessed by a ramp so everyone can enjoy rich and diverse play opportunities.

KEEP IT SIMPLE

Understanding how to use the play area should be intuitive and easy for all people.

ADD SENSORY ELEMENTS

Think about touch, sight, sound, movement and other sensory elements when considering the mix of components to use.

ENCOURAGE SOCIAL EXCHANGES

Children learn about each other when they communicate. Consider ways to add communicative elements in the play space to help encourage exchanges and adventures between children of all abilities.

PROMOTE CHOICES

Thinking about the many ways children play is an important aspect of success. Some children love to jump in the middle of the action, others may prefer to comfortably observe from a cozy spot or bench before jumping into the play.

OPPORTUNITY FOR ALL

A child deserves to be able to interact with the other kids on the playground and not be limited to certain types of equipment based on their abilities. Provide opportunities for mixed interactions, and give everyone the opportunity to be the hero.

FEATURED PLAYGROUNDS

Offering the widest variety of thoughtful and innovative designs.

A playground is a social space that provides a wide variety of developmental opportunities for children. Our consultants work with you to help you design for all children in ways that respect and honor everyone's abilities while offering fun and exciting new challenges.

ALTA PARK

Brentwood, California

Playcraft Consultant | Park Planet

Disc Swing
See more swings starting on page 111

BUFFALO TRACE PARK

Palmyra, Indiana

Playcraft Consultant | Commercial Recreation Group

LAKELINE PARK

Cedar Park, Texas

Playcraft Consultant | The PlayWell Group

NFUSE Tri-Ring Bay
See more NFUSE Play Systems starting on pg. 45

CLINTON B. FISK PARK

Nashville, Tennessee

Playcraft Consultant | Great Southern Recreation

STUART PARK

Inkom, Idaho

Playcraft Consultant | LuckyDog Recreation

BLOOMFIELD CITY PARK

Bloomfield, Iowa

Playcraft Consultant | Park Planet

Twist Tower with Portal Slide
See more Net Effects starting on page 75

TOM PEARCE PARK

Grants Pass, Oregon

Playcraft Consultant | Playcraft Direct

PLAYGROUND OF DISTINCTION

PAMPERIN PARK GREEN BAY, WI

Playcraft Consultant | Play Environments Design

Exceptional Design for Inclusive Play

This inclusive playground is recognized as a Playground of Distinction for best practices that exceed ADA standards and promote equitable play for children of all ages and abilities.

PLAYGROUND OF DISTINCTION

HAYSWOOD NATURE RESERVE
CORYDON, IN

Playcraft Consultant | Commercial Recreation Group

Exceptional Design for Everyone

A great playground has the potential to be life changing for a community. It can be simultaneously beautiful and innovative, useful and creative, designed to solve a problem, make life easier or simply spread joy through play.

ROUND-5 PLAY SYSTEMS

Our premier line features traditional post and deck construction, enhanced by modern components and our unique King-Clamp fastening system. This revolutionary system allows designers to attach up to 6 components per clamp for unmatched flexibility, clean designs and money saving construction.

ROUND-3.5 PLAY SYSTEMS

These systems feature many of the same quality components found in our popular Round-5 designs, reduced in size for smaller sites and budgets. In addition, many of the components, from panels to barriers, are made from HDPE sheet plastic, ideal for design flexibility and customization.

NFUSE PLAY SYSTEMS

The NFUSE line strikes the perfect balance of innovative design and functional play spaces, creating an invigorating playscape every time. Challenging cables, elevated climbers and social hangout spots are ideal for ages 5-12. Connect interchangeable bays and extensions, or link between play systems to infuse new play opportunities. Modular, freestanding and hybrid structures can be tailored to fit any playground footprint and budget.

REVOLUTION PLAY SYSTEMS

Offering contemporary styling with a blend of modern and traditional play components, these systems are ideal for customers seeking unique, cutting-edge playground designs. From climbing to swaying, balancing to sliding, our wide selection of components is sure to delight. Many components are specifically designed to challenge the user, build coordination, and exercise the body.

ROUND-5 PLAY SYSTEMS

Round-5 Play System Price List

ROUND-5 FEATURES:

- Advanced King-Clamp mounting and clamping system (patented), utilizing super-strong, precision die-cast aluminum components, allowing for the attachment of multiple components per collar and helping to reduce or eliminate clamp stacking.
- Large, heavy-duty, perforated metal decks with an extra thick, slip-resistant and cushioning Play-Tuff coating.
- Extra-thick powder-coatings between 11-16 mils in thickness for unmatched durability and luster.
- Huge and continually growing selection of unique and age-appropriate play events.
- 5" diameter powder-coated posts with our exclusive, factory installed self-sealing precision die-cast aluminum post cap which reduces water intrusion and potential for rust.
- Hot-blended color compounded plastic resins for all roto-molded plastic components providing greater strength, superior color fastness and UV resistance.
- Easily expandable, fully-modular designs.
- Backed by our Industry Leading Warranty (see page 201).

R50669B5A



Age Range: 5-12
Capacity: 169-173

Fall Height: 8′ (2.4m)
Use Zone: 57′ x 50′ (17.21m x 15.06m)

TOP VIEW

R50ADC99A



Age Range: 5-12
Capacity: 63-67

Fall Height: 8′ (2.4m)
Use Zone: 40′ x 36′ (11.98m x 10.88m)

TOP VIEW

R5099C79A



Age Range: 2-5
Capacity: 58-62

Fall Height: 4' (1.2m)
Use Zone: 34' X 32' (10.3m x 9.6m)

TOP VIEW

R503CABBA



Age Range: 5-12
Capacity: 72-76

Fall Height: 8' (2.4m)
Use Zone: 43' x 40' (13m x 12.1m)

TOP VIEW

R5068B19A

Age Range: 5-12
Capacity: 88-92

Fall Height: 9' (2.8m)
Use Zone: 47' x 39' (14.3m x 11.8m)

TOP VIEW

R50186B5A



Age Range: 2-5
Capacity: 78 - 82

Fall Height: 5′ (1.5m)
Use Zone: 35′ x 38′ (10.7m x 11.6m)

TOP VIEW

R50F2E3FA



Age Range: 5-12
Capacity: 130-134

Fall Height: 8′ (2.4m)
Use Zone: 57′ x 43′ (17.2m x 13.1m)

TOP VIEW

R50C10D8A



Age Range: 5-12
Capacity: 57-61

Fall Height: 5′ (1.5m)
Use Zone: 38′ x 34′ (11.36m x 10.21m)

TOP VIEW

ROUND-3.5 PLAY SYSTEMS

Round-3.5 Play System Price List

ROUND-3.5 FEATURES:

- Advanced King-Clamp mounting and clamping system (patented), utilizing super-strong, precision die-cast aluminum components, which allows for the attachment of multiple components per collar and reduces or eliminates clamp stacking.
- Heavy-duty, perforated metal decks with an extra thick, slip-resistant and cushioning Play-Tuff coating.
- Extra-thick powder-coatings between 11-16 mils in thickness for unmatched durability and luster.
- Available with standard UV stabilized, high density polyethylene walls or optional metal walls.
- Huge and continually growing selection of unique and age-appropriate play events.
- 3.5" diameter powder-coated posts with our exclusive, factory installed self-sealing precision die-cast aluminum post cap.
- Easily expandable, fully-modular designs.
- Backed by our Industry Leading Warranty (see page 201).

R3565FD9A



Age Range: 2-5
Capacity: 85-89

Fall Height: 6′ (1.8m)
Use Zone: 32′ x 27′ (9.8m x 8.2m)

TOP VIEW

R35E0C2EA



Age Range: 5-12
Capacity: 97-101

Fall Height: 7′ (2.1m)
Use Zone: 56′ x 37′ (17m x 11.m)

TOP VIEW

R355F053A



Age Range: 2-5
Capacity: 74-78

Fall Height: 4′ (1.2m)
Use Zone: 41′ x 38′ (12.3m x 11.4m)

TOP VIEW

R3578D6DA



Age Range: 5-12
Capacity: 109-113

Fall Height: 8′ (2.4m)
Use Zone: 48′ x 49′ (14.6m x 148m)

TOP VIEW

R3573871A



Age Range: 2-5
Capacity: 133-137

Fall Height: 6′ (1.8m)
Use Zone: 50′ x 44′ (15.1m x 13.2m)

TOP VIEW

R35F1282A



Age Range: 5-12
Capacity: 142-146

Fall Height: 9' (2.8m)
Use Zone: 54' x 55' (16.5m x 16.7m)

TOP VIEW

R35EA124A



Age Range: 2-5
Capacity: 111-115

Fall Height: 6' (1.9m)
Use Zone: 44' x 37' (13.3m x 11.3m)

TOP VIEW

R358D812A



Age Range: 5-12
Capacity: 112-116

Fall Height: 9' (2.8m)
Use Zone: 53 x' 48' (16.1m x 14.4m)

TOP VIEW

NFUSE PLAY SYSTEMS

NFUSE Play System Price List

NFUSE FEATURES:

- Advanced King-Clamp mounting and clamping system (patented), utilizing super-strong, precision die-cast aluminum components, which allow for the attachment of multiple components per collar and reduces or eliminates clamp stacking.
- Extra-thick powder-coatings between 11-16 mils in thickness for unmatched durability and luster.
- Abrasion-resistant, tightly woven, multi-strand galvanized steel Playcord™ cables.
- Huge and continually growing selection of unique play events for ages 5-12.
- Easily expandable, fully-modular designs.
- Backed by our Industry Leading Warranty (see page 201).

NF52CB54A



Age Range: 5-12
Capacity: 58-62

Fall Height: 8′ (2.5m)
Use Zone: 46′ x 36′ (14.1m x 11m)

TOP VIEW

NF52894DA





Age Range: 5-12
Capacity: 125-129

Fall Height: 8′ (2.5)
Use Zone: 51′ x 48′ (15.5m x 14.5m)

TOP VIEW

NF5DD36FA



Age Range: 5-12
Capacity: 139-143

Fall Height: 8' (2.4m)
Use Zone: 58' x 49' (17.7m x 14.5m)

TOP VIEW

NF5E1008A



Age Range: 5-12
Capacity: 151-155

Fall Height: 8' (2.4m)
Use Zone: 47' x 48' (14.4m x 14.6m)

TOP VIEW

NF5737D6A





Age Range: 5-12
Capacity: 145-149

Fall Height: 8' (2.4m)
Use Zone: 54' x 54' (16.5m x 16.3m)

TOP VIEW

NF57876BA



Age Range: 5-12
Capacity: 162-166

Fall Height: 8' (2.4m)
Use Zone: 69' x 53' (21m x 16.2m)

TOP VIEW

NF5187D1A



Age Range: 5-12
Capacity: 147-151

Fall Height: 8' (2.4m)
Use Zone: 59' x 52' (17.9m x 15.8m)

TOP VIEW

NF572DEAA



Age Range: 5-12
Capacity: 64-68

Fall Height: 8' (2.4m)
Use Zone: 52' x 37' (15.8' x 11.3m)

TOP VIEW

REVOLUTION PLAY SYSTEMS

Revolution Play System Price List

REVOLUTION FEATURES:

- Heavy-duty, double-walled post construction throughout, an industry first.
- Factory machined threads.
- Unmatched durability, ideal for challenging climates.
- Clean, direct-bolt design offers modern style and cost saving construction.
- Simple to install and maintain.
- Easily expandable and adjustable.
- Backed by our Industry Leading Warranty (see page 201).

REV3A7D7A



Age Range: 5-12
Capacity: 86-90

Fall Height: 8' (2.4m)
Use Zone: 58' x 39' (17.6m x 11.9m)

TOP VIEW

REVBD6C0A



Age Range: 5-12
Capacity: 97-101

Fall Height: 8' (2.4m)
Use Zone: 50' x 43' (15.2m x 12.9m)

TOP VIEW

REV6EA86A



Age Range: 2-5
Capacity: 43-47

Fall Height: 7′ (2.1m)
Use Zone: 36′ x 36′ (10.8m x 10.8m)

TOP VIEW

REV2B068A



Age Range: 2-5
Capacity: 64-68

Fall Height: 7′ (2.1m)
Use Zone: 47′ x 33′ (14.1m x 9.8m)

TOP VIEW

REVA173FA



Age Range: 5-12
Capacity: 67-71

Fall Height: 8′ (2.4m)
Use Zone: 45′ x 34′ (13.5m x 10.2m)

TOP VIEW

REV328CAA



Age Range: 2-5
Capacity: 31-35

Fall Height: 6′ (1.8m)
Use Zone: 38′ x 27′ (11.4m x 8.2m)

TOP VIEW

REVDCCF1A



Age Range: 5-12
Capacity: 111-115

Fall Height: 8′ (2.4m)
Use Zone: 48′ x 49′ (14.6m x 14.8m)

TOP VIEW

REV44589A



Age Range: 5-12
Capacity: 109-113

Fall Height: 8′ (2.4m)
Use Zone: 82′ x 38′ (24.8m x 11.6m)

TOP VIEW

HYBRID PLAY SYSTEMS

Hybrid systems merge the traditional post and deck features of our Round-5 systems with our NFUSE & Revolution lines' unique offerings.

These modular systems allow for the greatest amount of customization, offering the widest variety of play styles and components in the industry. The thoughtful modular design of our play systems and components afford our customers a fusion of system types. Hybrid Systems offer the greatest amount of customization and the most variety of play events.

R5H57432A



Age Range: 5-12
Capacity: 133-137

Fall Height: 8' (2.4m)
Use Zone: 55' x 48' (16.6m x 14.5m)

TOP VIEW

R5H96216A



Age Range: 5-12
Capacity: 140-144

Fall Height: 8' (2.4m)
Use Zone: 49' x 51' (14.8m x 15.5m)

TOP VIEW

R3H4A1FFA



Age Range: 2-5
Capacity: 110-114

Fall Height: 6′ (1.8m)
Use Zone: 54′ x 38′ (16.3m x 11.6m)

TOP VIEW

R5H98D94A



Age Range: 5-12
Capacity: 105-109

Fall Height: 7′ (2.1m)
Use Zone: 47′ x 38′ (14.4m x 11.6m)

TOP VIEW

R5H27CF7A



Age Range: 5-12
Capacity: 112-116

Fall Height: 9′ (2.8m)
Use Zone: 68′ x 47′ (20.8m x 14.3m)

TOP VIEW

R5HA5B77A



Age Range: 5-12
Capacity: 66-70

Fall Height: 8′ (2.4m)
Use Zone: 33′ x 40′ (10.1m x 12.2m)

TOP VIEW

R5H6076AA



Age Range: 5-12
Capacity: 106-110

Fall Height: 8′ (2.4m)
Use Zone: 57′ x 52′ (17.4m x 15.9m)

TOP VIEW

R5H9A7C9A



Age Range: 5-12
Capacity: 111-115

Fall Height: 8′ (2.4m)
Use Zone: 60′ x 39′ (18.1m x 11.8m)

TOP VIEW

THEME PLAY SYSTEMS

A well-designed Theme provides added play value by incorporating a child's already active imagination.

In a world of "one-size-fits-all", Playcraft Systems stands out as a company that is willing to go the extra mile to help you make your playground unique. When a fully themed playground just won't work for your project, we recommend creating a themed area or "pod". By grouping themed components together, kids can enjoy the imaginative play possibilities, while you enjoy your one-of-a-kind playground.

R50PC8660



Age Range: 5-12
Capacity: 98-102

Fall Height: 6′ (1.8m)
Use Zone: 48′ x 33′ (14.6m x 10.1m)

TOP VIEW

R5035D22A



Age Range: 5-12
Capacity: 160-165

Fall Height: 6′ (1.8m)
Use Zone: 49′ x 41′ (14.9m x 12.5m)

TOP VIEW

R50PC7602



Age Range: 5-12
Capacity: 130-135

Fall Height: 10′ (3m)
Use Zone: 44′ x 32′ (13.5m x 9.8m)

TOP VIEW

R50PC9811



Age Range: 5-12
Capacity: 91-95

Fall Height: 7′ (2.1m)
Use Zone: 42′ x 30′ (12.8m x 9.2m)

TOP VIEW

R50PC9501



Age Range: 5-12
Capacity: 113-126

Fall Height: 7′ (2.1m)
Use Zone: 47′ x 31′ (14.4m 9.5m)

TOP VIEW

R5082189A

Age Range: 5-12
Capacity: 115-119

Fall Height: 7' (2.1m)
Use Zone: 53' x 43' (16.2m x 13.1m)

TOP VIEW

R50PC9423



Age Range: 2-5
Capacity: 88-92

Fall Height: 4' (1.2m)
Use Zone: 52' x 29' (15.8m x 8.8m)

TOP VIEW

R50C8CA3A

Age Range: 5-12
Capacity: 195-199

Fall Height: 8' (2.4m)
Use Zone: 53' x 42' (16.2m 12.8m)

TOP VIEW

INCLUSIVE PLAY SYSTEMS

Inclusivity is bigger than the playground, and a critical element of design that ensures a smile on every face. All children, of every shape, size, and ability deserve the right to play.

Playcraft Systems is devoted to providing playground designs that include activities for everyone. Your next playground is an opportunity to provide access for all, something that isn't as common as it sounds. Great inclusive design helps to break down barriers, forge new friendships, and ensure play is fun and memorable.

R50E0AB0A



Age Range: 5-12
Capacity: 173-177

Fall Height: 9′ (2.8m)
Use Zone: 62′ x 44′ (18.9m x 13.2m)

TOP VIEW

NF54396AA



Age Range: 5-12
Capacity: 273-277

Fall Height: 8′ (2.4m)
Use Zone: 65′ x 61′ (19.6m x 18.6m)

TOP VIEW

R5073FAEA



Age Range: 2-5
Capacity: 124-128

Fall Height: 3' (1m)
Use Zone: 50' x 49' (14.5m x 14.9m)

TOP VIEW

R50C9AAEA



Age Range: 5-12
Capacity: 195-199

Fall Height: 8' (2.4m)
Use Zone: 68' x 47' (20.5m x 14.1m)

TOP VIEW

R5044C65A



Age Range: 5-12
Capacity: 192-196

Fall Height: 8' (2.4m)
Use Zone: 64' x 43' (19.5m x 13m)

TOP VIEW

R5065180A

Age Range: 2-5
Capacity: 192-196

Fall Height: 5′ (1.5m)
Use Zone: 51′ x 48′ (15.3m x 14.6m)

TOP VIEW

R502C9BEA



Age Range: 5-12
Capacity: 257-261

Fall Height: 8′ (2.4m)
Use Zone: 69′ x 58′ (20.1m x 17.5m)

TOP VIEW

R5044461A



Age Range: 2-5
Capacity: 83-87

Fall Height: 6′ (1.8m)
Use Zone: 37′ x 38′ (11.2m x 11.6m)

TOP VIEW

FREESTANDING

FREESTANDING

Freestanding items are a great way to add variety to your playground. If you have a small area or budget, these are a simple and cost effective solution for high density fun. Every commercial playground could benefit from a few of these dynamic attractions.

Freestanding Price List

MODULAR FREESTANDING

MODULAR FREESTANDING

Round out your playspace with modular freestanding activity centers that can be tailored to any desired style of play or unique area. Choose from a wide and growing selection of pre-designed freestanding modules. Customize, combine, or re-design them from the ground up to fit your needs.

Our experienced playground consultants and designers can create dynamic freestanding challenges, slides, overhead traverses, sensory areas, and all kinds of themed activities. Need a kiddie clubhouse for the 2-5 age crowd, or a rocket themed climber to go with your spaceship? We can make that.

Freestanding Gas Station

Featuring gas pumps and driver panels, levers, switches, and steering wheels. There is a lot to explore with this playfully themed freestanding module.

Freestanding Activity Panels

A panel corral is a great way of adding imaginative and sensory play to your space. Serving as an inclusive ground level activity, these freestanding panels can be located anywhere.

FREESTANDING NFUSE ACTIVITIES

Our unique NFUSE modular freestanding play events are designed to create memorable climbing and traversing experiences. Fuse them together or to a larger structure for added variety.

FREESTANDING REVOLUTION ACTIVITIES

Revolution freestanding events are modernly styled and designed to encourage physical activity. With a wide variety of components to choose from, a dynamic and engaging freestanding module could be just the thing to add excitement to your play space.

FREESTANDING ROUND-5 & ROUND-3.5 ACTIVITIES

Our extensive Round-5 & Round-3.5 component selection offers an unmatched opportunity to create a custom piece to fit your objectives. Some of our most popular events are freestanding slides, overhead traverses, and panel corrals.

FREESTANDING THEMED ACTIVITIES

Themed freestanding events offer the freedom to add customized fantasy experiences to your playground. When a fully themed play structure may be out of your budget, a signature attraction can take your play space to the next level.



A

B

CRAZE MAZE

FREESTANDING | AGES 2-12

A. PC 2276-RV5 | Craze Maze Wall
Size: 12'5" x 3'8" (3.8m x 1.1m)
Use Zone: 24'4" x 15'11" (7.4m x 4.9m)
Fall Height: 6' (1.8m)

B. PC 2275-R5 | Craze Maze Climber
Size: 12'10" x 9'11" (3.9m x 3m)
Use Zone: 24'10" x 21'11" (7.6m x 6.7m)
Fall Height: 7'6" (2.3m)





THEME CLIMBERS

FREESTANDING | AGES 5-12

PC 2918-F | Fir Tree Climber
Size: 3'3" dia. (1.0m dia.)
Use Zone: 15'3" dia. (4.7m dia.)

PC 2918-P | Pine Tree Climber
Size: 3'8" dia. (1.1m dia.)
Use Zone: 15'8" dia. (4.8m dia.)

PC 2918-O | Oak Tree Climber
Size: 3'8" dia. (1.1m dia.)
Use Zone: 15'8" dia. (4.8m dia.)

A. PC 2285 | Jet Stream Climber
Size: 13'2" x 12'5" (3.0m x 3.8m)
Use Zone: 26' x 25' (7.9m x 7.6m)
Fall Height: 8' (2.4m)

B. PC 2922 | Tree Climber Net
Size: 9'9" x 3' (3.0m x 0.9m)
Use Zone: 22' x 15' (6.7m x 4.6m)
Fall Height: 8' (2.4m)

C. PC 2293 | Ferris Wheel Climber
Size: 5' x 2' (1.5m x 0.6m)
Use Zone: 20' x 15' (6.1m x 4.6m)
Fall Height: 7' (2.1m)

Climbing Surface Heights

PC 2918-22	1'10" (0.6m) Step Height (1 branch)
PC 2918-34	2'10" (0.7m) Step Height (2 branch)
PC 2918-46	3'10" (1.2m) Step Height (3 branch)
PC 2918-58	4'10" (1.5m) Step Height (4 branch)
PC 2918-70	5'10" (1.8m) Step Height (5 branch)



Rock w/ Hole


Sloped Rock

Rock w/ Hole


Curved Rock

Curved Rock

ERECTOR ROCKS | FREESTANDING | AGES 5-12

A. ER-1001 | Sloped Rock
Size: 5'10" x 1' (1.8m x 0.3m)
Use Zone: 17'10" x 13' (5.4m x 4m)
Fall Height: 5'9" (1.8m)

B. ER-2001 | Rock w/ Hole
Size: 5' x 1' (1.5m x 0.3m)
Use Zone: 17' x 13' (5.2m x 4m)
Fall Height: 6'8" (2m)

C. ER-3001 | Curved Rock
Size: 5' x 1'10" (1.5m x 0.6m)
Use Zone: 17' x 13'10" (5.2m x 4.2m)
Fall Height: 6'9" (2.1m)

D. ER-1102-S | Straight Rock
Size: 10'8" x 1' (3.3m x 0.3m)
Use Zone: 22'8" x 13' (6.9m x 4m)
Fall Height: 5'9" (1.8m)

E. ER-1202-S | Straight Rock w/Hole
Size: 9'10" x 1' (3m x 0.3m)
Use Zone: 21'10" x 13' (6.7m x 4m)
Fall Height: 6'8" (2.1m)

F. ER-3302-M | S-Shaped Rock
Size: 8'11" x 2'9" (2.7m x 0.8m)
Use Zone: 20'11" x 14'9" (6.4m x 4.5m)
Fall Height: 6'9" (2.1m)

G. ER-3333-W | W-Shaped Rock
Size: 12'3" x 2'9" (3.9m x 0.8m)
Use Zone: 24'3" x 14'9" (7.6m x 4.5m)
Fall Height: 6'9" (2.1m)

H. ER-1302 | L-Shaped Rock
Size: 9'3" x 3' (2.8m x 0.9m)
Use Zone: 21'3" x 15' (6.5m x 4.6m)
Fall Height: 6'9" (2.1m)

I. ER-1233 | L-Shaped Rock w/ Hole
Size: 13'3" x 3' (4m x 0.9m)
Use Zone: 25'3" x 15' (7.7m x 4.6m)
Fall Height: 6'9" (2.1m)

J. ER-1236-CL | L-Shaped w/ Climbers
Size: 18'6" x 3' (5.6m x 0.9m)
Use Zone: 30'6" x 15' (9.3m x 4.6m)
Fall Height: 6'9" (2.1m)

K. ER-1332-LCL | U-Shaped w/ Climbers
Size: 12' x 7'6" (3.7m x 2.3m)
Use Zone: 24' x 19'6" (7.3m x 5.9m)
Fall Height: 6'9" (2.1m)

L. ER-1236-RL | Tri-Shaped w/ Stacked Loops
Size: 11'2" x 9'4" (3.4m x 2.9m)
Use Zone: 23'2" x 21'4" (7.1m x 6.5m)
Fall Height: 6'9" (2.1m)

A

B

C



D

E



F



G



H

I

J



K



L

See All NET EFFECTS Equipment Online

NET EFFECTS

FREESTANDING | AGES 5-12

A. NE X2SP2 | Twin Portal X2 Tower
Size: 34′ 5″ x 14′2″ x 23′5″ (10.5m x 4.3m x 7.2m)
Use Zone: 46′ 5″ x 26′ 2″ (14.2m x 8.0m)
Fall Height: 10′ (3.1m)

B. NE 102-1 | Maxi Pyramid
Size: 25′6″ x 25′6″ x 14′7″ (7.8m x 7.8m x 4.5m)
Use Zone: 37′6″ x 37′6″ (11.5m x 11.5m)
Fall Height: 6′ (1.8m)

C. NE 1702T | Twist Tower w/ Portal Slide
Size: 28″8″ x 14′11″ x 18′ (8.7m x 4.6m x 5.5m)
Use Zone: 40′8″ x 26′11″ (12.4m x 8.2m)
Fall Height: 10′ (3.1m)

D. NE NTS2001 | Big Trees
Size: 26′11″ x 24′10″ x 12′ (8.2m x 7.6m x 3.8m)
Use Zone: 38′11″ x 36′10″ (11.9m x 11.2m)
Fall Height: 7′ (2.1m)




Mini Pyramid Net
Large Pyramid Net
B
Maxi Pyramid Net

C

D





NET EFFECTS

FREESTANDING | AGES 5-12

A. NE 802 | Regular Astro
Size: 13'10" x 13'10" x 14' (4.2m x 4.2m x 4.3m)
Use Zone: 25'10" x 25'10" (7.9m x 7.9m)
Fall Height: 7' (2.1m)

B. NE 909 | Sky Dome
Size: 13'6" dia. x 8'3" (4.1m dia. x 2.5m)
Use Zone: 25'6" dia. (7.8m dia.)
Fall Height: 6' (1.8m)

C. NE L004 | Large Course
Size: 72'7" x 23'6" x 9'1" (19.2m x 7.2m x 2.8m)
Use Zone: 73'9" x 36'8" (22.8m x 11.2m)
Fall Height: 10' (3.1m)

D. NE R001 | Regular Course
Size: 41' x 28'10" x 6'10" (12.5m x 8.8m x 2.1m)
Use Zone: 53'1" x 40'10" (16.2m x 12.4m)
Fall Height: 7' (2.1m)

C

D

A

B

ALL-METAL CLIMBERS | FREESTANDING | AGES 5-12

A. PC 2970 | Web Climber
Size: 6′ x 3″ (1.8m x 0.1m)
Use Zone: 18′ x 12′3″ (5.5m x 3.7m)
Fall Height: 6′7″ (2.0m)

B. PC 2985 | Rainbow Twist Climber
Size: 10′3″ x 4′3″ (3.1m x 1.3m)
Use Zone: 22′3″ x 16′3″ (6.8m x 5m)
Fall Height: 7′6″ (2.3m)

C. PC 2280 | Up & Over Climber
Size: 4′1″ x 2′5″ (1.3m x 0.7m)
Use Zone: 16′1″ x 14′5″ (4.9m x 4.4m)
Fall Height: 7′ (2.1m)

D. PC 2290 | Dual Up & Over Climber
Size: 11′11″ x 2′5″ (3.6m x 0.7m)
Use Zone: 23′11″ x 14′5″ (7.3m x 4.4m)
Fall Height: 7′ (2.1m)

E. PC 2980 | Jumbo Climber
Size: 6′3″ x 6′3″ (1.9m x 1.9m)
Use Zone: 18′3″ x 18′3″ (5.6m x 5.6m)
Fall Height: 7′4″ (2.2m)

F. PC 2620 | Hex Climb-Around
Size: 10′8″ x 10′4″ (3.3m x 3.2m)
Use Zone: 22′8″ x 22′4′ (6.9m x 6.8m)
Fall Height: 7′ (2.1m)

G. PC 2292 | Power Tower
Size: 5′2″ x 5′2″ (1.6m x 1.6m)
Use Zone: 17′2″ x 17′2″ (5.2m x 5.2m)
Fall Height: 9′4″ (2.9m)

H. PC 2250 | Spider Climber
Size: 4′8″ x 4′8″ (1.4m x 1.4m)
Use Zone: 16′8″ x 16′8″ (5.1m x 5.1m)
Fall Height: 6′9″ (2.1m)

C

D

E

F

G

H

A

B

C

D

E

ROTO-MOLDED CLIMBERS

FREESTANDING

A1. PC 2900-6 | 72″ (6 Discs)
Age Range: 5-12
Size: 1′8″ (0.5m) dia.
Use Zone: 13′8″ (4.2m) dia.
Fall Height: 5′11″ (1.8m)

A2. PC 2900-5 | 60″ (5 Discs)
Age Range: 5-12
Size: 1′8″ (0.5m) dia.
Use Zone: 13′8″ (4.2m) dia.
Fall Height: 4′11″ (1.5m)

A3. PC 2900-4 | 48″ (4 Discs)
Age Range: 2-12
Size: 1′8″ (0.5m) dia.
Use Zone: 13′8″ (4.2m) dia.
Fall Height: 3′11″ (1.2m)

A4. PC 2900-3 | 36″ (3 Discs)
Age Range: 2-12
Size: 1′8″ (0.5m) dia.
Use Zone: 13′8″ (4.2m) dia.
Fall Height: 2′11″ (0.9m)

B. PC 2925 | Cactus Climber
Age Range: 5-12
Size: 4′5″ x 1′3″ (1.4m x 0.4m)
Use Zone: 16′5″ x 13′3″ (5m x 0.4m)
Fall Height: 7′6″ (2.3m)

C. PC 2272-20 | 20″ Boulder Stack
Age Range: 2-12
Size: 2′11″ x 7′2″ (0.9m x 2.2m)
Use Zone: 14′11″ x 19′2″ (4.6m x 5.8m)
Fall Height: 1′8″ (0.5m)

D. PC 2272-66 | 66″ Boulder Stack
Age Range: 5-12
Size: 4′ x 13′3″ (1.2m x 4m)
Use Zone: 16′ x 25′3″ (4.9m x 7.7m)
Fall Height: 5′6″ (1.7m)

E. PC 2272-90 | 90″ Boulder Stack
Age Range: 5-12
Size: 5′8″ x 16′ (1.7m x 4.9m)
Use Zone: 17′8″ x 28′ (5.4m x 8.5m)
Fall Height: 7′6″ (2.3m)

A

B

C

D



DOME CLIMBERS

FREESTANDING

A. PC 1905 | Thunder Dome
Age Range: 5-12
Size: 10′5″ (3.2m) dia.
Use Zone: 22′5″ (6.8m) dia.
Fall Height: 5′3″ (1.6m)

B. PC-1906 | Thunder Wedge
Age Range: 5-12
Size: 10′8″ x 10′5″ (3.3m x 3.2m)
Use Zone: 22′8″ x 22′5″ (6.9m x 6.8m)
Fall Height: 5′3″ (1.6m)

C. PC-1906-H | Thunder Half Wedge
Age Range: 5-12
Size: 10′ (3.1m) dia.
Use Zone: 22′ (6.7m) dia.
Fall Height: 5′3″ (1.6m)

D1. PC-1910 | Large Geo Dome
Age Range: 5-12
Size: 14′ (4.3m) dia.
Use Zone: 26′ (7.9m) dia.
Fall Height: 6′ (1.8m)

D2. PC-1900 | Small Geo Dome
Age Range: 5-12
Size: 10′ (3.1m) dia.
Use Zone: 22′ (6.7m) dia.
Fall Height: 5′ (1.5m)

SPINMAX ORBIT

FREESTANDING | AGES 5-12

PC 2472
Size: 8′ (2.4m) dia.
Use Zone: 20′ dia. (6.1m) dia.
Fall Height: 8′ (2.4m)

A

B

C

SPINMAX

FREESTANDING

A. PC 2476 | SpinMAX Tower
Age Range: 5-12
Size: 6′2″ (1.9m) dia.
Use Zone: 18′2″ (5.5m) dia.

B. PC 2477 | SpinMAX Go-Round
Age Range: 5-12
Size: 6′2″ (1.9m) dia.
Use Zone: 18′2″ (5.5m) dia.

C. PC 2478 | SpinMAX Pod
Age Range: 2-12
Size: 3′3″ (1m) dia.
Use Zone: 15′3″ (4.7m) dia.

A

B



C

MERRY-GO-ROUNDS

FREESTANDING

A. PC 2495 | Merry-Go-Round
Age Range: 2-12
Size: 8′ dia. (2.4m)
Use Zone: 27′ dia. (8.2m)

B. PC 2496 | Inclusive Merry-Go-Round
Age Range: 2-12
Size: 7′ dia. (2.1m)
Use Zone: 26′ dia. (7.9m)

C. PC 2497 | Celebration Spinner
Age Range: 2-12
Size: 10′ dia. (3.1m)
Use Zone: 22′ dia. (6.7m)

NEUTRON SPINNERS

FREESTANDING

A. PC 2485 | Neutron Spinner
Age Range: 5-12
Size: 7′ dia. (2.1m)
Use Zone: 26′ dia. (7.9m)

B. PC 2485-C | Neutron Carousel
Age Range: 5-12
Size: 7′ dia. (2.1m)
Use Zone: 26′ dia. (7.9m)

C. PC 2484-R5 | Mini-Neutron Spinner
Age Range: 5-12
Size: 32″ dia. (0.8m)
Use Zone: 15′ dia. (7.9m)

A

B

C

D

MOTION | FREESTANDING

A. PC 2475 | Stand-N-Spin
Age Range: 5-12
Size: 1'7" (0.5m) dia.
Use Zone: 13'7" (4.1m) dia.

B. PC 2474 | Enclosed Stand-N-Spin
Age Range: 5-12
Size: 2'6" (0.8m) dia.
Use Zone: 14'6" (4.4m) dia.

C. PC 2457 | Bucket Spinner
Age Range: 5-12
Size: 1'10" (0.6m) dia.
Use Zone: 13'10" (4.2m) dia.

D. PC 2454 | Spinner Seat
Age Range: 2-12
Size: 1'6" (0.5m) dia.
Use Zone: 13'6" (4.1m) dia.

MINI-GO-ROUND

FREESTANDING | AGES 2-12

PC 2479
Size: 3'3" (1.0m) dia.
Use Zone: 15'3" (4.7m) dia.

ROLLER TABLE

FREESTANDING | AGES 2-12

PC2487
Size: 2'1" x 10'6" (0.7m x 3.2m)
Use Zone: 14' x 25' (4.3m x 7.6m)
Fall Height: 24" (0.6m)



TIDAL WAVE

FREESTANDING | AGES 5-12

PC 2488
Size: 24'2" x 1'7" (7.4m x 0.5m)
Use Zone: 36'2" x 13'7" (11m x 4.1m)
Fall Height: 48" (1.2m)

ULTRA-ZIP

FREESTANDING | AGES 5-12

PC 2445-68-STD (Standard)
Size: 8'5" x 74'10" (2.6m x 22.8m)
Use Zone: 20'5" x 86'10" (6.2m x 26.5m)
Fall Height: 9' (2.7m)



Standard Straight Track

Small Straight Track



Large Straight Track



Large Curved Track

Modular Dual Split Track

SEATING OPTIONS

Standard Seat

Features easy-grip vinyl textured rope & poly disc seat.

Belt Seat

Inclusive Seat

Dragon Rider

Available on select Ultra-Zip track configurations.

TODDLER SPRING RIDERS

FREESTANDING

A. PC 1341 | Toddler Toad Spring Rider
Age Range: 2-5
Use Zone: 14’6” x 13’ (4.4m x 4.0m)

B. PC 1342 | Toddler Buggy Spring Rider
Age Range: 2-5
Use Zone: 14’8” x 13’4” (4.5m x 4.1m)

C. PC 1343 | Toddler Tractor Spring Rider
Age Range: 2-5
Use Zone: 15’ x 13’4” (4.6m x 4.1m)

D. PC 1344 | Toddler Helicopter Spring Rider
Age Range: 2-5
Use Zone: 14’11” x 13’4” (4.6m x 4.1m)

E. PC 1345 | Toddler Bear Spring Rider
Age Range: 2-5
Use Zone: 14’5” x 13’4” (4.4m x 4.1m)

F. PC 1346 | Toddler Sallie Salmon Spring Rider
Age Range: 2-5
Use Zone: 14’11” x 13’4” (4.6m x 4.1m)

A

B

C

D

E

F

A

B

C

D

E

SPRING RIDERS | FREESTANDING

A. PC 1387 | Pony Spring Rider
Age Range: 2-12
Use Zone: 14'11" x 14' (4.6m x 4.3m)

B. PC 1383 | Frog Spring Rider
Age Range: 2-12
Use Zone: 14'6" x 13' (4.4m x 4.0m)

C. PC 1347 | Astro Spring Rider
Age Range: 2-12
Use Zone: 16' x 13'9" (4.9m x 4.2m)

D. PC 1389 | Hydroplane Spring Rider
Age Range: 2-12
Use Zone: 20' x 18' (6.1m x 5.5m)

E. PC 1388 | Chicken Spring Rider
Age Range: 2-12
Use Zone: 16' x 13'11" (4.9m x 4.2m)

F. PC 1390 | Dual Fire Truck Spring Rider
Age Range: 2-12
Use Zone: 15'11" x 13' (4.9m x 4m)

G. PC 1395 | Dual Airplane Spring Rider
Age Range: 2-12
Use Zone: 16' x 13' (4.9m x 4m)

H. PC 1385 | Dual Dino Spring Rider
Age Range: 2-12
Use Zone: 15'11" x 13' (4.9m x 4m)

I. PC 1380 | Dual Motorcycle Spring Rider
Age Range: 2-12
Use Zone: 16' x 13' (4.9m x 4m)

J. PC 1393 | SkyJet Spring Rider
Age Range: 2-12
Use Zone: 16'11" x 15'10" (5.2m x 4.8m)

K. PC 1394 | X1-Jet Spring Rider
Age Range: 2-12
Use Zone: 16'11" x 15'10" (5.2m x 4.8m)

F

G

H

I



J

K

A

B

C

D

E

SPRING PLAY | FREESTANDING

A. PC 2442 | Duo-Spring Fling
Age Range: 5-12
Size: 8'9" x 2'4" (2.7m x 0.7m)
Use Zone: 22'9" x 16'4" (6.9m x 6.5m)

B. PC 2443 | Tri-Spring Fling
Age Range: 5-12
Size: 8'5" x 7'5" (2.6m x 2.3m)
Use Zone: 22'5" x 21'5" (6.8m x 6.5m)

C. PC 1920 | Spring Seesaw
Age Range: 2-12
Size: 8'2" x 2' (2.5m x 0.6m)
Use Zone: 20'2" x 14' (6.2m x 4.3m)

D. PC 1924 | Quad Teeter Totter
Age Range: 5-12
Size: 7' x 7' (2.1m x 2.1m)
Use Zone: 19' x 19' (5.8m x 5.8m)

E. PC 1921 | Tyke Seesaw
Age Range: 2-12
Size: 7'8" x 1'5" (2.3m x 0.4m)
Use Zone: 19'8" x 13'5" (6.0m x 4.1m)

A

B

C

D

Fixed mount options also available.

E



SPRING PLAY | FREESTANDING

A. PC 4232 | Turbo Totter
Age Range: 5-12
Size: 11'6" x '3" (3.4m x 1.3m)
Use Zone: 23'6" x 16'3" (7.2m x 5.0m)

B. PC 2444 | Spring Shape w/ Handle
Age Range: 5-12
Size: 3'6" dia. (1.1m)
Use Zone: 17'5" dia. (5.3m)

C. PC 2436-S | Wiggle Beam
Age Range: 5-12
Size: 7' x 1'6" (2.1m x 0.5m)
Use Zone: 21' x 15'6" (6.4m x 4.7m)

D. PC 2437-S | Surf Board
Age Range: 5-12
Size: 5' x 1'8" (1.5 x 0.5m)
Use Zone: 19' x 15'8" (5.8m x 4.8m)

E. PC 2438-S | Spring Shapes
Age Range: 5-12
Size: 3'6" (1.1m) dia.
Use Zone: 17'6" (5.3m) dia.

A

B

C

D

E

F



G

BALANCE | FREESTANDING

A. PC 2434 | Shroom Steppers
Age Range: 2-12
Small Size: 3′ (0.9m) dia.
Fall Height: 1′1″ (0.3m)
Medium Size: 3′ (0.9m) dia.
Fall Height: 1′5″ (0.4m)
Large Size: 3′ (0.9m) dia.
Fall Height: 1′9″ (0.5m)
Use Zone: 15′ (4.6m) dia.

B. PC 2321 | FLEX Half Balls
Age Range: 2-12
Small Size: 1′2″ (0.4m) dia.
Medium Size: 1′7″ (0.5m) dia.
Large Size: 2′3″ (0.7m) dia.
Use Zone: Varies

C. PC 2322 | FLEX Balls
Age Range: 2-12
Small Size: 1′2″ (0.4m) dia.
Medium Size: 1′7″ (0.5m) dia.
Large Size: 2′3″ (0.7m) dia.
Use Zone: Varies

D. PC 2455 | Lily Step
Age Range: 2-12
Size: 1′2″ (0.4m) dia.
Use Zone: 13′2″ (4.0m) dia.

E. PC 2451 | Stump Step
Age Range: 2-12
Size: 1′8″ (0.5m) dia.
Use Zone: 13′8″ (4.2m) dia.

F. PC 2452 | Rock Step
Age Range: 2-12
Size: 1′5″ (0.4m) dia.
Use Zone: 13′5″ (4.1m) dia.

G. PC 2453 | Tri Step
Age Range: 2-12
Size: 1′8″ (0.5m) dia.
Use Zone: 13′8″ (4.2m) dia.

A

B

C

D



BALANCE | FREESTANDING

A. PC 2456 | Spring Lily
Age Range: 5-12
Size: 1'2" (0.4m) dia.
Use Zone: 13'2" (4.0m) dia.

B. PC 2426 | Alligator Balance Beam
Age Range: 2-12
Size: 5'11" x 2' (1.8m x 0.6m)
Use Zone: 18'11" x 14' (5.8m x 4.3m)

C1. PC 2400 | Lightning Balance Beam
Age Range: 2-12
Size: 10'3" x 1' (3.1m x 0.3m)
Use Zone: 22'3" x 13' (6.8m x 4m)

C2. PC 2410 | Snake Balance Beam
Age Range: 2-12
Size: 10'3" x 8" (3.1m x 0.2m)
Use Zone: 22'3" x 12'8" (6.8m x 3.9m)

C3. PC 2420 | Straight Balance Beam
Age Range: 2-12
Size: 10' x 3" (3.1m x 0.1m)
Use Zone: 22' x 12'3" (6.7m x 3.7m)

D1. PC 2435 | Wave Boardwalk
Age Range: 2-12
Size: 5'11" x 1' (1.8m x 0.3m)
Use Zone: 17'11" x 13' (5.5m x 4.0m)

D2. PC 2430 | Curved Boardwalk
Age Range: 2-12
Size: 7'6" x 2'5" (2.3m x 0.7m)
Use Zone: 19'6" x 14'5" (5.9m x 4.4m)

A

B

C

D

INTERACTIVE | FREESTANDING | AGES 2-12

A1. PC 2210 | Dash Driver W/ Seat
Size: 1'3" x 2'5" (0.4m x 0.7m)
Use Zone: 13'3" x 14'5" (4m x 4.4m)

A2. PC 2220 | Dash Driver W/O Seat
Size: 1'3" x 1'5" (0.4m x 0.4m)

B1. PC 1501 | Playcraft Digger W/O Seat
Size: 5' (1.5m) dia.

B2. PC 1502 | Playcraft Digger W/ Seat
Size: 5' (1.5m) dia.

C. PC 1580 | Paint Station
Size: 3'11" x 10" (1.2m x 0.3m)

D. PC 1600 | Tilt Maze Game
Size: 2'10" (0.9m) dia.

A



B



C



D



E

F

SENSORY | FREESTANDING | AGES 2-12

A. S-1981-SWP | Playful Sensory Wall
Size: 151" x 7" (3.8m x 0.2m)

B. S-1981-SWD | Dynamic Sensory Wall
Size: 151" x 7" (3.8m x 0.2m)

C. S-1981-SWC | Cognitive Sensory Wall
Size: 151" x 7" (3.8m x 0.2m)

D1. PC 1506 | DinoDig T-Rex
Size: 5'11" x 2'3" (1.8m x 0.7m)

D2. PC 1505 | DinoDig Lizard
Size: 4' x 1'4" (1.2m x 0.4m)

E. PC 1510 | Triple Sand & Water Table
Size: 4'10" x 4'4" (1.5m x 1.3m)

F. PC 1511 | Dual Sand & Water Table
Size: 6'11" x 4' (2.1m x 1.2m)

A

B

C

D

TODDLER TRAIN | FREESTANDING | AGES 2-5

A. PC 3491 | Toddler Train Tanker Car
Size: 5'6" x 3'4" (1.7m x 1m)
Use Zone: 17'6" x 15'4" (5.3m x 4.7m)

B. PC 3490 | Toddler Train Engine
Size: 12'10" x 3'7" (3.9m x 1.1m)
Use Zone: 24'10" x 15'7" (7.6m x 4.8m)

C. PC 3493 | Toddler Train Sandbox Car
Size: 8'1" x 3'9" (2.5m x 1.1m)
Use Zone: 20'1" x 15'9" (6.1m x 4.8m)

D. PC 3492 | Toddler Train Dining Car
Size: 6'7" x 3'4" (2m x 1m)
Use Zone: 18'7" x 15'4" (5.7m x 4.7m)

PLAY VEHICLES

FREESTANDING | AGES 2-12

A. PC 1397 | Multi-Spring School Bus
Size: 8′11″ x 4′6″ (2.7m x 1.4m)
Use Zone: 22′11″ x 18′6″ (7m x 5.6m)

B. PC 1080 | Multi-Spring Tractor
Size: 8′11″ x 4′6″ (2.7m x 1.4m)
Use Zone: 22′11″ x 18′6″ (7m x 5.6m)

C. PC 1399 | Multi-Spring Fire Truck
Size: 8′11″ x 4′6″ (2.7m x 1.4m)
Use Zone: 22′11″ x 18′6″ (7m x 5.6m)

D. PC 1398 | Multi-Spring Safari Truck
Size: 8′11″ x 4′6″ (2.7m x 1.4m)
Use Zone: 22′11″ x 18′6″ (7m x 5.6m)

E. PC 1396 | Multi-Spring Dump Truck
Size: 8′6″ x 4′7″ (2.6m x 1.4m)
Use Zone: 22′6″ x 18′7″ (6.9m x 5.7m)

F. PC 1391 | Multi-Spring Speed Boat
Size: 10′7″ x 4′3″ (3.2m x 1.3m)
Use Zone: 24′7″ x 18′3″ (7.5m x 5.6m)

A

B

C

D

E

F

A

B

C

D

PLAY VEHICLES | FREESTANDING

A. PC 1392 | Multi-Spring Space Shuttle
Age Range: 2-12
Size: 8'11" x 4'6" (2.7m x 1.4m)
Use Zone: 22'11" x 18'6" (7m x 5.6m)

B. PC 1052 | Beach Buggy
Age Range: 2-12
Size: 6'8" x 3'10" (2m x 1.2m)
Use Zone: 20"1" x 19'8" (6.1m x 6m)

C. PC 1054 | Raptor Jet
Age Range: 2-12
Size: 7'6" x 5' (2.3m x 1.5m)
Use Zone: 19'6" x 17' (5.9m x 5.2m)

D. PC 1070 | Landing Craft
Age Range: 2-12
Size: 12' x 6' (3.7m x 1.8m)
Use Zone: 20'8" x 17'10" (6.3m x 5.4m)

E. PC 1056 | Lunar Rover
Age Range: 2-12
Size: 8'9" x 6' (2.7m x 1.8m)
Use Zone: 19'7" x 17' (6m x 5.2m)

F. PC 1075 | Excavator
Age Range: 5-12
Size: 12'10" x 5'10" (3.9m x 1.8m)
Use Zone: 24'10" x 17'10" (7.6m x 5.4m)

G. PC 1053 | Beach Rescue Truck
Age Range: 2-12
Size: 8' x 4' 3" (2.4m x 1.3m)
Use Zone: 20' x 16'3" (6.1m x 5m)

E

F

G

TODDLER SERIES

FREESTANDING | 6-23 MONTHS

A. PC 3184 | Deluxe Toddler Adventure Center
Size: 11'1" x 9'10" (3.4m x 3m)
Use Zone: Supervised: (3') 17'1" x 15'10" (5.2m x 4.8m)
Unsupervised: (6') 23'1" x 21'10" (7m x 6.7m)

B. PC 3183 | Toddler Adventure Center
Size: 7'2" x 8'6" (2.2m x 2.6m)
Use Zone: Supervised: (3') 13'2" x 14'6" (4m x 4.4m)
Unsupervised: (6') 19'2" x 20'6" (5.8m x 6.2m)

C. PC 3182 | Toddler Learning Center
Size: 8'2" x 3'5" (2.5m x 1m)
Use Zone: Supervised: (3') 14'2" x 9'5" (4.4m x 2.3m)
Unsupervised: (6') 20'2" x 15'5" (6.2m x 4.7m)

A


Grip Climber
Slider Panel
Access Stairs
Table w/ Seats
Flower on Table
Mailbox
Slide
Bubble Panel w/ Dino Spinner and Mirror
Bell Panel
Crawl Thru (Below Bridge)
Shape & Alphabet Panel
Talk Tube (Flower)
Talk Tube (Flower)
Slide
Arch Bridge

B


Access Stairs
Table w/ Seats
Mailbox
Bubble Panel w/ Dino Spinner & Mirror
Grip Climber
Counter
Talk Tube (Flower on Table)
Talk Tube (Flower)
Slide

C

A
P
E
1 2 3 4
5 6 7 8
9 10


Window Panel
Shapes Panel
Alphabet Panel
Access Stairs
Grip Climber
ABC Panel
Viewport
Spinner Panel

SWINGS

SWINGS

Swings are not only great fun, they also help children develop physically and socially. From an early age, children enjoy the sensation of movement, the feeling of the wind on their faces, and the exhilaration of swinging to their heart's content.

Swings Price List

A

B

DISC & TIRE SWINGS | FREESTANDING | AGES 5-12

A1. PC 2015 (3-1/2" OD) | Disc Swing (8' H)
Size: 10'6" x 6'10" x 8' (3.2m x 2.1m x 2.4m)
Use Zone: 22'4" x 27'11" (6.8m x 8.5m)

A2. PC 2015-AB | Add-A-Bay Unit (8' H)
Size: 10'3" x 6'10" x 8' (3.1m x 2.1m x 2.4m)
Use Zone: +10'1" x 27'11" (+3.1m x 8.5m)

B1. PC 2010 (5" OD) | Arch Tire Swing (7' H)
Size: 16'2" x 4'5" x 8' (4.9m x 1.4m x 2.4m)
Use Zone: 28' x 22'1" (8.5m x 6.7m)

B2. PC 2010-AB | Add-A-Bay Unit (7' H)
Size: 15'7" x 4'5" x 8' (4.7m x 1.4m x 2.4m)
Use Zone: +15'8" x 22'1" (+4.8m x 6.7m)

A

Full Bucket Seat
available on 8′ Traditional, Arch, and Single Post Swings

B

Inclusive Swing Seat
available on 8′ Traditional, Arch, and Single Post Swings

TRADITIONAL & ARCH SWINGS | FREESTANDING | AGES 2-12

A1. PC 2130-8 (2-3/8″ OD) | Traditional 2-Swing Unit (8′ H)
Size: 19′1″ x 7′10″ x 8′ (5.8m x 2.4m x 2.4m)
Use Zone: 31′1″ x 30′8″ (9.5m x 9.4m)

A2. PC 2130-8-AB | Add-A-Bay Unit (8′ H)
Size: 11′3″ x 7′10″ x 8′ (3.4m x 2.4m x 2.4m)
Use Zone: +11′3″ x 30′8″ (+3.4m x 9.4m)

A3. PC 2130-10 (2-3/8″ OD) | Traditional 2-Swing Unit (10′ H) (5-12)
Size: 20′6″ x 9′3″ x 10′ (6.3m x 2.8m x 3.1m)
Use Zone: 32′6″ x 38′8″ (9.9m x 11.8m)

A4. PC 2130-10-AB | Add-A-Bay Unit (10′ H) (5-12)
Size: 11′3″ x 9′3″ x 10′ (3.4m x 2.8m x 3.1m)
Use Zone: +11′3″ x 38′8″ (+3.4m x 11.8m)

B1. PC 2120 (5″ OD) | Arch Swing 2-Swing Unit (8′ H)
Size: 12′2″ x 4′5″ x 8′ (3.7m x 1.4m x 2.4m)
Use Zone: 24′2″ x 30′ (7.4m x 9.1m)

B2. PC 2120-AB | Add-A-Bay Unit (8′ H)
Size: 11′7″ x 4′5″ x 8′ (3.5m x 1.4m x 2.4m)
Use Zone: +11′7″ x 30′ (+3.5m x 9.1m)

B3. PC 2123 (3-1/2″ OD) | Arch Swing 2-Swing Unit (8′ H)
Size: 11′11″ x 3′4″ x 8′ (3.6m x 1m x 2.4m)
Use Zone: 23′11″ x 30′4″ (7.3m x 9.3m)

B4. PC 2123-AB | Add-A-Bay Unit (8′ H)
Size: 11′6″ x 3′4″ x 8′ (3.5m x 1m x 2.4m)
Use Zone: +11′6″ x 30′4″ (+3.5m x 9.3m)

A

B

SINGLE-POST & TODDLER T-SWINGS

FREESTANDING

A1. PC 2181-8 (3-1/2" OD Beam) | Single-Post Swing (8' H)
Age Range: 2-12
Size: 12'2" x 5" x 8'7" (3.7m x 0.1m x 2.6m)
Use Zone: 24'2" x 30'4" (7.4m x 9.3m)

A2. PC 2181-8-AB | Add-A-Bay Unit (8' H)
Age Range: 2-12
Size: 11'11" x 5" x 8'7" (3.6m x 0.1m x 2.6m)
Use Zone: +11'11" x 30'4" (+3.6m x 9.3m)

B. 2190 (3-1/2" OD) | Toddler T-Swing (7'6" H)(2-5)
Age Range: 2-5
Size: 10'11" x 7" x 7'4" (3.3m x 0.2m x 2.2m)
Use Zone: 23'1" x 19'4" (7m x 5.9m)

PLAYSHARE SWINGS | FREESTANDING | AGES 2-12

PC 2120-2PS (5" OD) | PlayShare Swing (8' H)
Size: 8'2" x 4'5" x 8' (2.5m x 1.4m x 2.4m)
Use Zone: 23'11" x 30'4" (7.3m x 9.3m)

PC 2120-AB-2PS (5" OD) | Add-A-Bay Unit (8' H)
Size: 11'7" x 4'5" x 8' (3.5m x 1.4m x 2.4m)
Use Zone: +11'7" x 30' (+3.5m x 9.1m)

PC 2123-2PS (3-1/2" OD) | PlayShare Swing (8' H)
Size: 8'1" x 4'4" x 8' (2.5m x 1.4m x 2.4m)
Use Zone: 24'2" x 30' (7.4m x 9.1m)

PC 2123-AB-2PS (3-1/2" OD) | Add-A-Bay Unit (8' H)
Size: 11'6" x 3'4" x 8' (3.5m x 1m x 2.4m)
Use Zone: +11'6" x 30'4" (+3.5m x 9.3m)

A

B

C



D

SWING SHADES | FREESTANDING

A. RSW23516G | One Bay Swing Shade
Size: 23'6" x 16' (7.2m x 4.9m)
Use Zone: 25' x 31' (7.6m x 9.5m)

B. RSW3516G | Two Bay Swing Shade
Size: 36' x 16' (11m x 4.9m)
Use Zone: 36' x 31' (11m x 9.5m)

C. RSW46516G | Three Bay Swing Shade
Size: 46'6" x 16' (14.2m x 4.9m)
Use Zone: 48' x 31' (14.6m x 9.5m)

D. RSW5816G | Four Bay Swing Shade
Size: 58' x 16' (17.7m x 4.9m)
Use Zone: 59' x 31' (18m x 9.5m)

FREENOTES® HARMONY PARK

FREESTANDING

A. IMBA | Imbarimba
Number of Notes: 22
Style: Marimba

B. SWRL | Swirl
Number of Notes: 26
Style: Chime

C. YANZ | Yantzee
Number of Notes: 10
Style: Metallophone

D. HRP | Harp
Number of Notes: 11
Style: Chime

E. CCH | Contrabass Chimes
Number of Notes: 7
Style: Chime

F. MRAY | Manta Ray
Number of Notes: 36
Style: Chime

G. LPAD | Lilypad Cymbals
Number of Notes: 10
Style: Bell

H. MUSH | Mushroom
Number of Notes: 1
Style: Bell

I. TD | Tuned Drums
Number of Notes: 5
Style: Drum

A

B

C

D

E

F

G

H

I



GFRC SCULPTURE

FREESTANDING | AGES 2-12

A. AP031 | Linkin' Log
Size: 7'2" x 3' (2.2m x 0.9m)
Use Zone: 19'2" x 15' (5.8m x 4.6m)
Fall Height: 2'4" (0.7m)

B. CMB003 | Mesa Verde
Size: 24'6" x 11' (7.5m x 3.4m)
Use Zone: 38'6" x 23' (11.7m x 7m)
Fall Height: 5'10" (1.8m)

C. SF001 | Sandstone Bench
Size: 5'10" x 2'1" (1.8m x 0.6m)
Fall Height: 2'5" (0.7m)

D. AP006V2 | Hickory Hammock
Size: 10'9" x 9'7" (3.3m x 2.9m)
Use Zone: 22'9" x 21'7" (6.9m x 6.6m)
Fall Height: 1'7" (0.5m)

E. SF002 | Log Stepping Forms
Size: 10" - 2'4"dia. (0.3m - 0.7m dia.)
Use Zone: 12'10" - 14'4" dia. (3.9m - 4.4m dia.)
Fall Height: 1'6" (0.5m)

F. SF004 | Split Log Bench
Size: 6' x 2'2" (1.8m x 0.7m)
Fall Height: 1'6" (0.5m)

G. LF002 | Dome Mound
Size: 8' dia. (2.4m dia.)

H. LF003 | Spine Mound
Size: 13'2" x 8'6" (4.0m x 2.6m)

I. TC003 | Tree Frog
Size: 6' x 5'11" (1.8m x 1.8m)
Use Zone: 18' x 17'11" (5.5m x 5.5m)
Fall Height: 3'3" (1.0m)

A

B

C

D



E

F

G

H

I

ActionFit™
Price List

ACTIONFIT™

FREESTANDING

A. UP164 | Cardio Walker
Age Range: 13+
Use Zone: 9’7” x 11’6” (2.9m x 3.5m)
Fall Height: 1’ (0.3m)

B. UP170 | Leg Press
Age Range: 13+
Use Zone: 9’ x 10’11” (2.7m x 3.3m)
Fall Height: 2’ (0.6m)

C. UP167 | Captains Chair
Age Range: 13+
Use Zone: 8’6” x 10’7” (2.6m x 3.2m)
Fall Height: 4’ (1.2m)

D. UP189 | Multi-Gym
Age Range: 13+
Use Zone: 19’1” x 23’9” (5.8m x 7.2m)
Fall Height: 8’ (2.4m)

E. UP257 | Knee Lift Station
Age Range: 13+
Use Zone: 12’7” x 7’7” (3.8m x 2.3m)
Fall Height: 6’6” (2.0m)

F. UP222 | Push-up Station
Age Range: 13+
Use Zone: 10’11” x 12’4” (3.3m x 3.8m)

G. UP198 | Compact Course
Age Range: 13+
Use Zone: 16’8” x 19’3” (5.1m x 5.9m)
Fall Height: 8’ (2.4m)

H. UP177 | Balance Board
Age Range: 13+
Use Zone: 10’5” x 14’5” (3.2m x 4.4m)
Fall Height: 1’6” (0.5m)

I. UP254 | Sit-up Station
Age Range: 13+
Use Zone: 8’8” x 13’10” (2.7m x 4.2m)
Fall Height: 1’6” (0.5m)

A

B

C

D

E

F

G

H

I

SPORTS

FREESTANDING

A. Heavy-Duty Basketball Unit

1803 | Basketball Unit (w/ Painted Target)
1804 | Basketball Unit (Plain White)
Heavy-Duty Goal w/ Chain Net
1805-GL

B. Tetherball Unit

1701

C. Triple Hoop

1809

D. Table Tennis Table

4450
Size: 6'3" x 6'3" (1.9m x 1.9m)

E. Corn Hole Board

4430
Size: 47" x 32" (1.2m x 0.8m)

A

B

C

D

E

* Bags not included

PARKCRAFT

PARKCRAFT

We offer a full selection of site amenities designed to enhance and complement any setting. Our products are made from only the most durable materials for trouble free performance. From benches and picnic tables to bike racks, you can be confident of the quality and value that is built into each of our products.

Parkcraft Price List

A

B

C

WEATHER-BUSTER TABLES | PARKCRAFT

A. Classic Series - Rectangular Picnic Tables

4252-C6 | 6′ Child-Size Picnic Table
Size: 4′5″ x 6′ (1.4m x 1.8m)
Seats 6

4250-6 | 6′ Picnic Table
Size: 5′5″ x 6′ (1.7m x 1.8m)
Seats 6

4251-8 | 8′ Picnic Table
Size: 5′5″ x 8′ (1.7m x 2.4m)
Seats 8

4255-8H | 8′ ADA Picnic Table
Size: 5′5″ x 8′ (1.7m x 2.4m)
Seats 8

B. Classic Series - Square Picnic Table

4220 | Square Picnic Table
Size: 6′3″ x 6′3″ (1.9m x 1.9m)
Seats 8

C. Square Pedestal Picnic Table

4221 | Square Pedestal Picnic Table
Size: 6′3″ x 6′3″ (1.9m x 1.9m)
Seats 8

4221-ADA | ADA Square Pedestal Picnic Table
Size: 6′3″ x 6′3″ (1.9m x 1.9m)
Seats 6

A

B

WEATHER-BUSTER TABLES | PARKCRAFT

A. Round Picnic Table

4230 | Round Picnic Table
Size: 6'3" x 6'3" (1.9m x 1.9m)
Seats 8

B. Round Pedestal Picnic Table

4231 | Round Pedestal Picnic Table
Size: 6'3" x 6'3" (1.9m x 1.9m)
Seats 8

4231-ADA | ADA Round Pedestal Picnic Table
Size: 6'3" x 6'3" (1.9m x 1.9m)
Seats 6

A

B

C

D

WEATHER-BUSTER BENCHES | PARKCRAFT

A. Classic Series Benches

4276-6 | 6′ Bench w/o back
Size: 6′ (1.8m)
Seats 3

4286-6 | 6′ Bench with back
Size: 6′ (1.8m)
Seats 3

4276-8 | 8′ Bench w/o back
Size: 8′ (2.4m)
Seats 4

4286-8 | 8′ Bench with back
Size: 8′ (2.4m)
Seats 4

B. Slat Series Benches

4311-6 | 6′ Slat Bench w/o back
Size: 6′ (1.8m)
Seats 3

4312-6 | 6′ Slat Bench with back
Size: 6′ (1.8m)
Seats 3

4311-8 | 8′ Slat Bench w/o back
Size: 8′ (2.4m)
Seats 4

4312-8 | 8′ Slat Bench with back
Size: 8′ (2.4m)
Seats 4

C. Classic Series Bench With Sign

4287-6 | 6′ Bench with Sign
Size: 6′ (1.8m)
Seats 3

4287-8 | 8′ Bench with Sign
Size: 8′ (2.4m)
Seats 4

D. Buddy Bench

4288-4 | 4ft Buddy Bench
Size: 4′ (1.8m)
Seats 2 buddies

A

B

WEATHER-BUSTER BENCHES | PARKCRAFT

A. Urban Classic Series Bench

4340-4 | Urban Classic Bench
Size: 4'1" (1.3m)
Seats 2

B. Urban Elite Series Bench

4331-6 | Urban Elite Bench
Size: 6'6" (1.8m)
Seats 3

4331-6AB | Urban Elite Add-a-Bench
Size: 6'3" (1.8m)
Seats 3

A3-4323-6G | Urban Elite Series w/o Back Bench
Size: 6'6" (1.8m)
Seats 3

A

B

C

* Umbrella not included

* Standard desks easily convert to a picnic table by removing back rests and writing surfaces.

TRANSFORMA-DESK

PARKCRAFT

A. Side-By-Side Transforma Desk

4345-SBS | Two (2) Standard Desks + Clear Side Divider
Size: 49"W x 42"L x 55"T (1.2m x 1.1m x 1.4m)

B. Facing Transforma Desk

4345-FTF | Two (2) Standard Desks + Clear Front Divider
Size: 25"W x 85"L x 55"T (.6m x 2.2m x 1.4m)

C. 4-Student Transforma Desk

4345-QUAD | Four (4) Standard Desks + Clear Divider Pkg.
Size: 49"W x 85"L x 55"T (1.3m x 2.2m x 1.4m)

D. Standard Transforma Desk

4345 | Desk with Backrest & Writing Surface
Size: 25"W x 42"L x 30"T (.6m x 1.1m x .8m)

D

A

B

C

D

* Bike not included

E

BIKE RACKS | PARKCRAFT

A. Bike Supports

7410-G | Round Top Bike Support
Size: 1'2" x 2" x 3'5.5" (.4m x .1m x 1.1m)

7420-G | Square Top Bike Support
Size: 2'2" x 2" x 3'6.5"(.7m x .1m x 1.1m)

7430-G | Slant Top Bike Support
Size: 2'2" x 2" x 3'6.5"(.7m x .1m x 1.1m)

B. Bollard Bike Racks

7220 | 2-Loop Bollard Bike Rack
Size: 14" x 3.5" x 3'5.5" (.4m x .1m x 1.1m)

7230 | 3-Loop Bollard Bike Rack
Size: 12" x 12" x 3'5.5" (.3m x .3m x 1.1m)

C. Keyhole Bike Rack

7510-G | Keyhole Single Bike Rack Unit
Size: 2'8" x 2'9.5" x 2'10"(.8 x .9m x .6m)

7510-ABG | Keyhole Expansion Bike Rack Unit
Size: 2'8" x 2'7.5" x 2'10"(.8m x .8m x .6m)

D. Low-Profile Bike Rack

7110-S | Low-Profile Bike Rack
Size: 5'11.5" x 2' x 1' (1.8m x .6m x .3m)

E. Loop Bike Racks

7313 | 3 Loop Bike Rack
Size: 3'2" x 3" x 3'3" (1m x .1m x 1m)
Capacity: 5 Bikes

7315 | 5 Loop Bike Rack
Size: 4'11" x 3" x 3'3" (1.5m x .1m x 1m)
Capacity: 7 Bikes

7317 | 7 Loop Bike Rack
Size: 6'8" x 3" x 3'3" (2m x .1m x 1m)
Capacity: 9 Bikes

7319 | 9 Loop Bike Rack
Size: 8'5" x 3" x 3'3" (2.6m x .1m x 1m)
Capacity: 11 Bikes

A

B

C

* Liquid hand sanitizer not included.

SANITATION | PARKCRAFT

A. Weather-Buster Trash Receptacle

4218
Size: 2′ dia. x 2′7″ (.6m dia. x .8m)

4222 | Plastic Dome Lid

4217 | Play-Tuff™ Coated Flat Metal Lid

4223 | Lid Security Tether

B. Safety Sign with Sanitizing Station

A2-1304-STN
Size: 14″ x 8″ (0.4m x 0.2m)
Height: 76″ (1.9m)

C. Sanitizing Station

A2-1350-R5
Size: 19″ x 10″ (0.5m x 0.3m)
Height: 76″ (1.9m)

* NEW Arc Butterfly Topper available on Round-5 modular structures.

See page 194

BUTTERFLY PHOTO STATION | PARKCRAFT

Butterfly Photo Station

PC 1450
Size: 45" x 11" (1.2m x 0.3m)
Height: 51" (1.3m)

A

B

C

RISK MANAGEMENT | PARKCRAFT

A. Roto-Molded Age Appropriate & Custom Signs
More custom options available (Call to inquire)

1305 | Age Appropriate Sign, 2-5 Roto-molded
Size: 1'10" x 3" (0.6m x 0.1m)

1306 | Age Appropriate Sign, 5-12 Roto-molded
Size: 1'10" x 3" (0.6m x 0.1m)

B. HDPE Age Appropriate Signs
More custom options available (Call to inquire)

1302 | Age Appropriate Sign, 2-5 HDPE
Size: 2'2" x 3" (0.7m x 0.1m)

1303 | Age Appropriate Sign, 5-12 HDPE
Size: 2'2" x 3" (0.7m x 0.1m)

C. Custom Printed Signs
More custom options available (Call to inquire)

1309-1 | Custom Printed Sign (18x24)
Size: 2'3" x 3" (0.7m x 0.1m)

1309-2 | Custom Printed Sign-Double Sided (18x24)
Size: 2'3" x 3" (0.7m x 0.1m)

1310-1 | Custom Printed Sign (18x36)
Size: 2'3" x 3" (0.7m x 0.1m)

1310-2 | Custom Printed Sign-Double Sided (18x36)
Size: 2'3" x 3" (0.7m x 0.1m)

Borderscape | Recycled Plastic Border
540407 Border Timber w/ Galvanized Steel Stake
Size: **4'4" x 4" x 1' (1.3m x 0.1m x 0.3m)**

Borderscape | Access Ramp Package
1205-2 Access Ramp Package
Size: **4'4" x 5' x 1' (1.3m x 1.5m x 0.3m)**

PLAYCRAFT SURFACING

A cushioning ground cover such as rubber or engineered wood fiber should be maintained under and around all playground equipment to reduce the impact of accidental falls. Never install playground equipment over concrete, asphalt, compacted earth, or other hard surfaces. Refer to the ASTM F1292-09 guidelines for impact attenuation of surface materials.

Engineered Wood Fiber

Made from engineered wood fiber and adds a natural look to your playground.

Playcraft Turf

Has the look of real grass but does not require mowing. Also adds a natural look to your playground.

Recycled Poured Rubber

Provides an attractive, seamless, and resilient surface with great impact attenuation and ADA accessibility.



Rubber Tile

Offers great shock absorption, low maintenance, long wear, and excellent accessibility.



Recycled Bonded Rubber

An attractive tile surface consisting of shredded recycled rubber tires, polyurethane binder, and pigment.



Recycled Shredded Rubber

A loose-fill surface option made of 100% clean, ground, recycled rubber tires. Available in a variety of colors.

COMPONENTS

On the following pages we've featured a selection from our extensive line of play system components appropriate for school age children. Please see our website or your local consultant for more options.

See all our Round-5 Components Online

See all our Round-3.5 Components Online

CLIMBERS | COMPONENTS

NFUSE Nimble Arch Bay Bridge
Deck Heights: **96"**
System: **R5(only)**



NFUSE COMPONENTS

These modular products create versatile play events that can accommodate lots of children and easily integrate into any larger NFUSE system design.

A



B

C

CLIMBERS | COMPONENTS

A. Craze Wave Climb Wall
Deck Heights: **N/A**
System: **R5(only)**

B. Arch Climber
Deck Heights: **30"-72"**
System: **R5(shown), R3.5**

C. Arch Climber (Double Deep Rung)
Deck Heights: **30"-72"**
System: **R5(shown), R3.5**

D. Bedrock Climber
Deck Heights: **36"-72"**
System: **R5(shown), R3.5**

E. Boulder Stack Climber
Deck Heights: **18"-90"**
System: **R5(shown), R3.5**

F. Cargo Net Climber
Deck Heights: **48"**
System: **R5(only)**

G. Centipede Climber
Deck Heights: **36"-84"**
System: **R5(shown), R3.5**

H. Chain Net Climber
Deck Heights: **36"-72"**
System: **R5(shown), R3.5**

I. Chain Wave Climber
Deck Heights: **60"-72"**
System: **R5(shown), R3.5**

J. Flex Grip Climber
Deck Heights: **48"**
System: **R5(shown), R3.5**

K. Grip Climber
Deck Heights: **24"-48"**
System: **R5(shown), R3.5**

L. Deluxe Grip Climber
Deck Heights: **24"-48"**
System: **R5(shown), R3.5**

D

E

E

G

H

I

J

K

L

A

B

C

CLIMBERS | COMPONENTS

A. Track Climber
Deck Heights: **36"-60"**
System: **R5(shown), R3.5**

B. Disc Climber
Deck Heights: **12"-72"**
System: **R5(shown), R3.5**

C. Disc Pole Climber
Deck Heights: **36"-84"**
System: **R5(shown), R3.5**

D. Side Climber
Deck Heights: **48"-72"**
System: **R5(shown), R3.5**

E. Snake Climber
Deck Heights: **36"-84"**
System: **R5(shown), R3.5**

F. Snake Climber (Curved)
Deck Heights: **36"-84"**
System: **R5(shown), R3.5**

G. Spiral Climber
Deck Heights: **24"-96"**
System: **R5(shown), R3.5**

H. Spiral Step Climber
Deck Heights: **24"-96"**
System: **R5(shown), R3.5**

I. Stacked Loop Climber
Deck Heights: **36"-72"**
System: **R5(only)**

J. Sunrise Climber
Deck Heights: **60"**
System: **R5(only)**

K. Zipper Climber
Deck Heights: **36"-72"**
System: **R5(only)**

D

E

F

G

H

I

J

K



A

B

CLIMBERS | COMPONENTS

A. Climbing Wall
Deck Heights: **60”-72”**
System: **R5(shown), R3.5**

B. Climbing Wall (Curved)
Deck Heights: **66”-72”**
System: **R5(shown), R3.5**

C. Erector Rock Climber
Deck Heights: **36”-72”**
System: **R5(shown), R3.5**

D. Freeform Climber
Deck Heights: **48”-72”**
System: **R5(shown), R3.5**

E. Inclined Grip Wall Climber
Deck Heights: **72”**
System: **R5(shown), R3.5**

F. Net Wall Climber (Chain)
Deck Heights: **Ground**
System: **R5(shown), R3.5**

G. Net Wall Climber (Metal)
Deck Heights: **Ground**
System: **R5(shown), R3.5**

H. Net Wall Climber (Y-Shaped)
Deck Heights: **Ground**
System: **R5(shown), R3.5**

I. Poly Climb Wall
Deck Heights: **84”-96”**
System: **R5(shown), R3.5**

J. Vertical Rock Climber
Deck Heights: **36”-72”**
System: **R5(shown), R3.5**

K. Vertical Step Climber
Deck Heights: **36”-48”**
System: **R5(shown), R3.5**

C

D

E

F

G

H

I

J

K

A

B

C

CLIMBERS | COMPONENTS

A. Center Access Climber
Deck Heights: **48", 60", 72"**
System: **R5(only)**

B. Crawl Tube Climber
Deck Heights: **N/A**
System: **R5(shown), R3.5**

C. Cliffhanger Climber
Deck Heights: **72"-96"**
System: **R5(shown), R3.5**

D. Ebb Climber
Deck Heights: **48"**
System: **R5(shown), RV5**

E. Flow Climber
Deck Heights: **72"**
System: **R5(shown), RV5**

F. Swoop Rung Climber
Deck Heights: **48"**
System: **R5(shown), R3.5**

G. Geo-Wave Climber (Horizontal)
Deck Heights: **24"-60"**
System: **R5(shown), R3.5**

H. Geo-Wave Climber (Vertical)
Deck Heights: **36"-60"**
System: **R5(shown), R3.5**

I. Slither Climber
Deck Heights: **36"**
System: **R5(shown), RV5**

J. Step-Up Climber
Deck Heights: **36"-48"**
System: **R5(shown), R3.5**

K. Square Net Zipper Climber
Deck Heights: **N/A**
System: **R5(only)**

L. Thunder Climber
Deck Heights: **60"**
System: **R5(only)**

D

E

E

G

H

I

J

K

L

CRAWL-NETIX

COMPONENTS

A. Crawl-Netix S-Shaped Incline Climber
Deck Heights: **All**
System: **R5(only)**

B. Crawl-Netix Catwalk Climber
Deck Heights: **All**
System: **R5(only)**

C. Crawl-Netix Climber
Deck Heights: **36"**
System: **R5(only)**

A

B

C

A

B

C

D

E

F

CRAWL TUBES | COMPONENTS

A. Straight Crawl Tubes
System: R5(shown), R3.5

B. L-Shaped Crawl Tubes
System: R5(shown), R3.5

C. S-Shaped Crawl Tubes
System: R5(shown), R3.5

D. Inclined Crawl Tubes
System: R5(shown), R3.5, RV5

E. Arched Crawl Tubes
System: R5(shown), R3.5

F. Perforated Metal Crawl Tube
System: R5(shown), R3.5

SLIDES | COMPONENTS

A. Twister Spiral Slide
Deck Heights: **72", 84", 96"**
System: **R5(shown), R3.5**

B. NFUSE Wave Slide
Deck Height: **48"**
System: **NF, R5**

C. Hex Net Slide
Deck Heights: **72"**
System: **R5(only)**

D. Spiral Portal Slide
Deck Heights: **144"-156"**
System: **R5(only)**

A

B

NFUSE Wave Slide

D

C

*Other Options Available. Steps

A

B

SLIDES | COMPONENTS

A. Twister Slide
Deck Heights: **48”-108”**
System: **R5(shown), R3.5**

B. Triple Twister Slide
Deck Heights: **48”-96”**
System: **R5(only)**

C. Straight Poly Tube Slide
Deck Heights: **48”-156”**
System: **R5, R3.5**

D. Super Spiral Poly Tube Slide
Deck Heights: **156”**
System: **R5(shown), R3.5**

E. Spiral Poly Tube Slide
Deck Heights: **96”**
System: **R5(shown), R3.5**

F. S-Shaped Poly Tube Slide
Deck Heights: **48”-156”**
System: **R5(shown), R3.5**

G. L-Shaped Poly Tube Slide
Deck Heights: **48”-156”**
System: **R5(shown), R3.5**

C

D

E

F

G

A

B

SLIDES | COMPONENTS

A. Straight Slide
Deck Heights: **24"-42"**
System: **R5(shown), R3.5**

B. Double Straight Slide
Deck Heights: **36", 60"**
System: **R5(shown), R3.5**

C. Wave Slide
Deck Heights: **48"-72"**
System: **R5(shown), R3.5**

D. Double Wave Slide
Deck Heights: **48"**
System: **R5(shown), R3.5**

E. Dual Express Slide
Deck Heights: **72"**
System: **R5(shown), R3.5**

F. Quarter-Turn Slide
Deck Heights: **36"**
System: **R5(shown), R3.5**

C

D

E

F

A

B

SLIDES | COMPONENTS

A. Accelerator Slide
Deck Heights: **72"**
System: **R5(shown), R3.5**

B. Roller Slides
Deck Heights: **36"-72"**
System: **R5(only)**

C. Metal / Aluminum Single Slides
Deck Heights: **36"-96"**
System: **R5(shown), R3.5**

D. Metal / Aluminum Double Slides
Deck Heights: **36"-96"**
System: **R5(shown), R3.5**

C

D

A

B

BRIDGES & LINKS | COMPONENTS

A. Jumbo Rope
Deck Heights: **7'**
System: **R5**

B. Long Arch Bridge
Deck Heights: **All**
System: **R5(shown), R3.5**

C. Inclined Arch Bridge
Deck Heights: **All**
System: **R5(shown), R3.5**

D. Burma Bridge
Deck Heights: **All**
System: **R5(shown), R3.5**

E. Belt Bridge
Deck Heights: **All**
System: **R5(shown), R3.5**

F. Chain Net Bridge
Deck Heights: **<24"**
System: **R5(shown), R3.5**

G. Challenge Bridge
Deck Heights: **<24"**
System: **R5(only)**

H. Clever Climber Link
Deck Heights: **48"**
System: **R5(shown), R3.5**

C

D

E

F

G

H

A

B

BRIDGES & LINKS | COMPONENTS

A. Lily Step Link
Deck Heights: **Ground**
System: **R5(shown), R3.5**

B. Inclined Loop Link
Deck Heights: **48"**
System: **R5(shown), R3.5**

C. Raised Loop Link
Deck Heights: **48"**
System: **R5(shown), R3.5**

D. Drop Loop Link
Deck Heights: 48"
System: **R5(shown), R3.5**

E. Swinging Bridge
Deck Heights: **24"**
System: **R5(shown), R3.5**

F. Step-to-Step Link
Deck Heights: **<24"**
System: **R3.5(only)**

G. Suspension Bridge
Deck Heights: **All**
System: **R5(shown), R3.5**

H. Web Link
Deck Heights: **<36"**
System: **R5(shown), R3.5**

C

D

E

F

G

H

BRIDGES & LINKS | COMPONENTS

A. Geo-Wave Link
Deck Heights: **All**
System: **R5(shown), R3.5**

B. Angled Net Link
Deck Heights: **48"**
System: **R5(shown), R3.5**

C. Climb Across Net Link
Deck Heights: 48"
System: **R5(shown), R3.5**

D. Grip Ramp Bridge
Deck Heights: **All**
System: **R5(only)**

E. Marsh Bridge
Deck Heights: **All**
System: **R5(shown), R3.5**

F. Net Link
Deck Heights: **All**
System: **R5(shown), R3.5**

G. Ribbon Bridge
Deck Heights: **<48"**
System: **R5(shown), R3.5**

B

C

D

E

F

G

A

B

C

D

E

F

PANELS | COMPONENTS

A. Abacus Panel
System: **R5(shown), R3.5**

B. ABC Panel
System: **R5(shown), R3.5**

C. Dino Panel
System: **R5(shown), R3.5**

D. Tic-Tac-Toe Panel
System: **R5(shown), R3.5**

E. Memory Panel
System: **R5(shown), R3.5**

F. Mosaic Panel
System: **R5(shown), R3.5**

G. Seek Panel
System: **R5(shown), R3.5**

H. Hourglass Panel
System: **R5(shown), R3.5**

I. Clock Panel
System: **R5(shown), R3.5**

J. Gear Panel
System: **R5(shown), R3.5**

K. Labyrinth Panel
System: **R5(shown), R3.5**

L. Driver Panel
System: **R5(shown), R3.5**

M. Inclusive Panels
System: **R5(shown), R3.5**

G

Seek Placards

H

I

J

K

L

M

A

B

C

D

E

F

PANELS | COMPONENTS

A. Composer Instrument Panel
System: **R5(shown), R3.5**

B. Duo Instrument Panel
System: **R5(shown), R3.5**

C. Solo Instrument Panel
System: **R5(shown), R3.5**

D. Chime Panel
System: **R5(shown), R3.5**

E. Bell Panel
System: **R5(shown), R3.5**

F. Drum Panel
System: **R5(shown), R3.5**

G. Bubble Panel
System: **R5(shown), R3.5**

H. Bubble Mirror Panel
System: **R5(shown), R3.5**

I. Bug Eye Panel
System: **R5(shown), R3.5**

J. Mirror Panel
System: **R5(shown), R3.5**

K. Door Panels
System: **R5, R3.5 (shown)**

L. Store Panels
System: **R5(shown), R3.5**

M. Face Cut-Out Panels
System: **R5(shown), R3.5**

N. Routered Graphic Panels
System: **R5(shown), R3.5**

G

H

I

J

K

L

M

N

A

B

C

D

TRAVERSES & OVERHEAD EVENTS | COMPONENTS

A. Tri-Step Jungle Traverse
System: **R5(shown)**

B. Sway-Step Grip Traverse
System: **R5(shown)**

C. Bar Traverse
System: **R5(shown), R3.5**

D. Track Ride
System: **R5(shown), R3.5**

E. Wall Traverse
System: **R5(shown), R3.5**

F. Disc Traverse
Deck Heights: **<36"**
System: **R5(shown), R3.5**

G. Disc Traverse (Inclined S-Shaped)
Deck Heights: **<36"**
System: **R5(shown), R3.5**

H. Jungle Traverse
Deck Heights: **<24"**
System: **R5(shown), R3.5**

I. Horizontal Ladder
System: **R5(shown), R3.5**

J. S-Shaped Horizontal Ladder
System: **R5(shown), R3.5**

K. 90° Horizontal Ladder
System: **R5(shown), R3.5**

E



***Note:** Most traverses can attach to a maximum 36" deck height.

F

G

H

I

J

K

A

B

C

D

TRAVERSES & OVERHEAD EVENTS | COMPONENTS

A. Loop Traverse
System: **R5(shown), R3.5**

B. S-Shaped Loop Traverse
System: **R5(shown), R3.5**

C. Zig-Zag Loop Traverse
System: **R5(shown), R3.5**

D. 270° Round Loop Traverse
System: **R5(shown), R3.5**

E. Ring Traverse
System: **R5(shown), R3.5**

F. Double Ring Traverse
System: **R5(shown), R3.5**

G. 90° Ring Traverse
System: **R5(shown), R3.5**

H. S-Shaped Ring Traverse
System: **R5(shown), R3.5**

I. 270° Ring Traverse
System: **R5(shown), R3.5**

J. Ring Pull-Up
System: **R5(shown), R3.5**

E

F

G

H

I

J

TRAVERSES & OVERHEAD EVENTS | COMPONENTS

A. Serpent Traverse
System: **R5(shown), R3.5**

B. Serpent Net Traverse
System: **R5(shown), R3.5**

C. Horizontal Snake Ladder
System: **R5(shown), R3.5**

D. Swinging Horizontal Ladder
System: **R5(shown), R3.5**

E. Slider Traverse
System: **R5(shown), R3.5**

F. Wheel Traverse
System: **R5(shown), R3.5**

G. Domed Horizontal Ladder
System: **R5(shown), R3.5**

H. Spiral Traverse
System: **R5(shown), R3.5**

I. Chinning Bars
System: **R5(shown), R3.5**

E

F

G

H

I

A



B

MOTION | COMPONENTS

A. AccessGlider
Deck Heights: **12"**
System: **R5(only)**

B. Neutron Spinner Mini
Deck Heights: **<24"**
System: **R5(shown), R3.5**

C. Gyro-Pod Spinner
System: **R5(shown), R3.5**

D. Spinner Deck
System: **R5(shown), R3.5**

E. Rocker
System: **RV5(shown), R5, R3.5**

F. Orbit Wheel
System: **R5(shown), R3.5**

G. Bouncer
System: **R5(shown), R3.5, RV5**

H. Spin Cycle
System: **R5(shown), R3.5**

I. Tyke Tipper
System: **R5(shown), R3.5**

J. Surf Rider
System: **R5(shown), R3.5**

C

D

E

F

G

H

I

J



A



* Available in three different series options: Cognitive (shown), Dynamic, or Playful.

B

C

ACCESS | COMPONENTS

A. Sensory Ramp
System: **R5(only)**

B. Switch Back Ramp
System: **R5(only)**

C. Easy Access Ramps
System: **R5(only)**

D. Easy Access Stairs & Step Ladders
Deck Heights: **24"-96"**
System: **R5(shown), R3.5**

E. Step Deck
Deck Heights: **12"-24"**
System: **R5(shown), R3.5**

F. Vertical Ladder
Deck Heights: **24"-96"**
System: **R5(shown), R3.5**

G. Vertical Step Filler
Deck Heights: **18"-24"**
System: **R5(shown), R3.5**

H. Curved Stairs
Deck Heights: **N/A**
System: **R5(only)**

I. Center Access Hex Deck
Deck Heights: **N/A**
System: **R5(only)**

J. Transfer Station
Deck Heights: **24"-72"**
System: **R5(shown), R3.5**
(Infinity Upgrade Available in R5)

K. Deck-To-Deck Stairs
Deck Heights: **All**
System: **R5(shown), R3.5**
(Infinity Upgrade Available in R5)

D

E

F

G

H

I

J

INFINITY

K

INFINITY

A

B

C

D

E

BARRIERS & ENCLOSURES | COMPONENTS

A. Metal Full Wall Barrier
Optional Wheel (Shown)
System: **R5(only)**

B. Infinity Wall Barrier
System: **R5(only)**

C. Balcony Wall Barrier
Optional Wheel (Shown)
System: **R5(shown), R3.5**

D. Half Wall Barrier
System: **R5, R3.5**
(Infinity Upgrade Available in R5)

E. Access Wall Barrier
System: **R5, R3.5**

F. Triple Slide Sit-Down Wall
System: **R5(only)**

G. Slide Sit-Down Bar
System: **R5, R3.5**

H. Slide Sit-Down Wall
System: **R5, R3.5**

I. Slide Sit-Down Hood
System: **R5(only)**

J. Twister Slide Sit-Down Hood
System: **R5(only)**

K. Curved Wall Barrier
Optional Wheel (Shown)
System: **R5(shown), R3.5**

L. Promenade Wall Barrier
System: **R5(shown), R3.5**

M. Adaptable Safety Barrier
System: **R5(shown), R3.5**

N. Push-Out Barrier
System: **R5(only)**

O. Wall Seat
System: **R5(shown), R3.5**

P. Poly Wall Barrier
System: **R5, R3.5**

F

G

H

I

J

K

L

M

N

O

P

Deck Features and Highlights

- One-piece, perforated metal decks designed to fit securely to posts.
- Small deck holes help to prevent entanglement of small fingers and toes, and provide comfortable access for wheelchairs.
- Extensive matrix of doubled-up gussets.
- Exclusive deck slot for flush-mount component attachment.
- Play-Tuff extra-thick textured coating for durability and extra traction.

DECKS | COMPONENTS

A. Square Deck
B. Half Deck
C. Tri-Deck
D. Half Hex Deck (4 or 5 Post)
E. 90° Curved Deck
F. Curved Deck
G. Balcony Deck
H. Long Deck (Ramp Deck)
I. Promenade Deck
J. Step Deck

Standard Play-Tuff Colors Available


Pacific Blue


Rhubarb Red


Forest Green


Bigfoot Brown

Gull Gray


Driftwood Tan


Sprout Green

A



B



C

D

E

F

G

H

I

J

* All Metal, 3-Post, and 6-Post Orbital Shades also available.

ROOFS | COMPONENTS

A. Hex Roof /Extended Hex Roof
System: **R5(shown), R3.5**

B. Orbital Shade Roof
System: **R5(only)**

C. Shingled Pyramid Roof
System: **R5(shown), R3.5**

D. Ribbed Pyramid Roof
System: **R35(only)**

E. Rustic Roof
System: **R5(shown), R3.5**

F. Shingled Gable Roof
System: **R5(only)**

C



D

E

F



A



B





ROOFS | COMPONENTS

A. Arch Roof
System: **R5(only)**

B. Metal Gable Roof
System: **R5(shown), R3.5**

C. Metal Pyramid Roof
System: **R5(shown), R3.5**

D. Metal Pyramid Overhang Roof
System: **R5(shown), R3.5**

E. Metal Quad Roof
System: **R5(only)**

F. Metal Quad Roof w/ Cupola
System: **R5(shown), R3.5**

G. Metal Hex Roof
System: **R5(shown), R3.5**

H. Peak Roof
System: **R5(only)**

C

D



E



F



G

H



ROOFS | COMPONENTS

A. Dome Roof - Hex
System: **R5(only)**

B. Metal Baseball Cap Roof
System: **R5(only)**

C. Metal Umbrella Roof - Large
System: **R5(only)**

D. Metal Umbrella Roof - Small
System: **R5(only)**

E. Metal Tri-Shade Roof
System: **R5(shown), R3.5**

F. Metal Slant Shade Roof
System: **R5(shown), R3.5**

G. Metal Gable Shade Roof
System: **R5(shown), R3.5**

H. Metal Curved Shade Roof
System: **R5(shown), R3.5**

I. 2-Post Square Shade Roof
System: **R5(shown), R3.5**

J. 3-Post Square Shade Roof
System: **R5(only)**

E

F



G



H



I

J





ROOFS | COMPONENTS

A. Corrugated Metal Hex - Ext. Roof
System: **R5(only)**

B. Corrugated Metal Hex Roof
System: **R5(only)**

C. Corrugated Metal Gable Roof
System: **R5(only)**

D. Shade Sail Canopy - Square
System: **R5(shown), R3.5**

E. Shade Sail Canopy - Hex
System: **R5(shown), R3.5**

F. Shade Canopy - Square
System: **R5(shown), R3.5**

G. Shade Canopy - Hex
System: **R5(shown), R3.5**

D

E



F



G

ACCENTS & TOPPERS | COMPONENTS

A. Evergreen Post Topper
System: R5(only)

B. Oak Post Topper
System: R5(only)

C. Palm Tree Post Topper
System: R5(shown), R3.5

D. Telescope
System: R5(shown), R3.5

E. Chimney Post Topper
System: R5(only)

F. Talk Tubes
System: R5(shown), R3.5, RV5

G. Post-Mounted Flags
System: R5(shown), R3.5

H. Post-Top Medallions
System: R5(shown), R3.5

I. Arc Butterfly Topper
System: R5(shown), R3.5

A

B

C

D

E

F

G

H

I

PANELS PALS | COMPONENTS

A. Clown & Cowboy Panel Pal
System: R5, R35

B. Bell Panel Pal
System: R5(shown), R3.5

C. ABC-123 Panel Pal
System: R5(shown), R3.5

D. # Dialer Panel Pal
System: R5(shown), R3.5

E. Driver Panel Pal
System: R5(shown), R3.5

F. Match Game Panel Pal
System: R5(shown), R3.5

G. Maze Panel Pal
System: R5(shown), R3.5

H. Mirror Panel Pal
System: R5(shown), R3.5

I. Pirate Panel Pal
System: R5(shown), R3.5

J. Spinner Panel Pal
System: R5(shown), R3.5

K. Tic-Tac-Toe Panel Pal
System: R5(shown), R3.5

C

D

E

F

G

H

I

J

K

INDUSTRY LEADING WARRANTY

Every product we manufacture is designed with quality, safety and value in mind. Every project we undertake is an opportunity to prove that Playcraft Systems is setting a new standard and raising the bar on quality and play expectations... one playground at a time.

Playcraft Systems® warrants its products to be free from defects in materials and workmanship, when properly used, serviced and installed in accordance with published specifications, for a period of one (1) year from the original date of invoice. Playcraft Systems® further warrants as follows:

LIFETIME LIMITED WARRANTY
on all stainless steel hardware, metal posts, aluminum posts, aluminum caps and aluminum clamps against structural failure due to natural deterioration or corrosion, or defects in materials or workmanship.

TWENTY- FIVE (25) YEAR LIMITED WARRANTY
on all cast aluminum Spring Rider castings against structural failure due to defects in materials or workmanship.

FIFTEEN (15) YEAR LIMITED WARRANTY
on all metal rails, metal slides, handles, rungs, loops and walls, all Play-Tuff™ coated perforated steel decks, steps, and bridges, all rotationally molded and HDPE sheet plastic components, excluding recycled plastic components, against structural failure due to defects in materials or workmanship.

TEN (10) YEAR LIMITED WARRANTY
on all shade canopy fabric made of UV Stabilized HDPE monofilament yarn and tape against significant fading.

TEN (10) YEAR LIMITED WARRANTY
on all Play-Cord cable and Net-Effects connectors against breakage and failure due to defects in materials or workmanship.

FIVE (5) YEAR LIMITED WARRANTY
on all Playcraft System® powder coating against cracking and/or peeling due to normal climatic exposure.

THREE (3) YEAR LIMITED WARRANTY
on all springs, Net-Effects rubber belting, moving swing parts, swing seats and other swing components, as well as all recycled plastic components against failure due to defects in materials or workmanship.

ONE (1) YEAR LIMITED WARRANTY
on all moving parts and on any other product or part not specifically covered above against failure due to defects in materials and workmanship.

All warranties above commence on the date of the original invoice from Playcraft Systems® For the purpose of this warranty, the term LIFETIME encompasses no specific number of years, but rather that Playcraft Systems® warrants to its original customer, for as long as the original customer owns the Products and uses the Products for their intended purpose, that any Products and all components will be free from defects in materials and workmanship. The warranty stated above is valid only if the products and finishes: (1) are assembled and installed in conformity with the layout plan and installation instructions furnished by Playcraft Systems®; (2) have been maintained and inspected in accordance with Playcraft Systems® maintenance information and other normal and prudent practices; (3) have been subjected to normal use for the purpose for which the products were designed and intended; (4) have not been subjected to misuse, abuse, vandalism, accident or neglect; (5) have not been altered in any manner including, but not limited to, incorporating unauthorized or unapproved parts; and (6) have not been modified, altered, or repaired by persons other than Seller's designees in any respect which, in the judgment of Seller, affects the condition or operation of the equipment.

This warranty does not cover: (1) cosmetic damages or defects resulting from scratches, dents, marring, rough handling, improper installation methods, fading, discoloring or weathering; (2) damage due to extreme or prolonged exposure to "Environmental Factors", such as wind-blown sand, salt water, salt spray and airborne emissions from industrial sources (sulfur, acids, chemicals, or corrosive agents, other than normal photochemical smog); (3) damage caused by environmental hazards and "Acts of God", such as hail, flooding, lightning, tornadoes, sandstorms, earthquakes, windstorms, and other extreme weather conditions; or (4) normal wear and tear. No warranty is made with regard to gloss retention or uniformity of gloss and color retention. If any products covered by this warranty fail within the time period applicable to a defective product, Playcraft Systems® shall, upon being notified of the defect in writing, at its sole option, either repair the defective products or replace the defective products within 90 days of receipt of the written notification. Repair or replacement as provided in this section shall be the purchaser's exclusive remedy and purchaser expressly agrees that Playcraft Systems® shall not be responsible for any other damages, losses, or costs, including consequential and incidental damages, claimed by purchaser. Playcraft Systems® shall deliver the repaired or replacement products to the purchaser free of charge, but shall not provide labor, reimbursements for labor or reimburse any other costs associated with the removal or disposal of the defective products and/or the installation of any replacement products. Notwithstanding the previous sentence, Playcraft Systems® shall not pay for any costs of shipping replacement parts outside of the continental United States. Any products replaced or repaired consistent with this paragraph shall be guaranteed for the balance of the original warranty period. THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE REMEDIES PROVIDED HEREIN SHALL BE THE EXCLUSIVE AND SOLE REMEDIES OF THE ORIGINAL PURCHASER. PLAYCRAFT SYSTEMS® IS NOT LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES WHICH MAY ARISE FROM THE PURCHASE, USE OR MISUSE OF ITS PRODUCTS. SOME STATES DO NOT ALLOW THE EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION MAY NOT APPLY. PLAYCRAFT SYSTEMS® NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME OR IMPLY ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OR USE OF THE EQUIPMENT SOLD. To make a claim under the terms of this warranty, purchaser must submit a written statement detailing the nature of the warranty claim, including an itemization of each defective condition, along with a copy of the original invoice, maintenance records and supporting photographs to Playcraft Systems®, 123 North Valley Drive, Grants Pass, Oregon 97526. Due to our ongoing commitment to product development and Improvement, Playcraft Systems® reserves the right to change, modify or discontinue certain products without notice. (Rev. Q)

EVERY PRODUCT WE MANUFACTURE IS DESIGNED WITH SAFETY, QUALITY AND VALUE IN MIND

Our highly experienced engineering team continually develops new products while refining existing ones with the latest materials and CAD/CAM - computer-aided drafting and manufacturing technology. After design and fabrication, each new product is tested for conformance with safety and performance standards for public playground equipment by the American Society of Testing Materials International (ASTM F1487) and the U.S. Consumer Product Safety Commission (USCPSC).

All of our products meet or exceed the design and safety guidelines found in the ASTM F1487 and USCPSC publications for playground equipment designed for public use.

We also offer a wide range of accessible equipment designed to meet the latest guidelines developed by the Federal Access Board. For detailed information on these guidelines, please feel free to contact us at 1-800-333-8519. You can also contact the U.S. Architectural and Transportation Barriers Compliance Board at 1-800-872-2253 or visit them online at www.access-board.gov

Playcraft Systems® is a member of the International Play Equipment Manufacturers Association (IPEMA), a member-driven organization whose mission is to assist in providing safe environments for children's play. In the interest of playground safety, IPEMA provides a Third Party Certification Service whereby a designated independent laboratory validates a manufacturer's certification of conformance to ASTM F1487 (excluding sections 10 and 12.6.1) Standard Consumer Safety Performance Specification for Playground Equipment for Public use and CSA-Z614 Standards. The use of the IPEMA certification logo in the Playcraft Systems® buyer's guide signifies that Playcraft Systems® has received written validation from the independent laboratory that the products associated with the use of the logo conform with the requirements of the indicated standard (excluding Sections 10 and 12.6.1). Please understand that development of new and existing products and certification of these products is an ongoing process. For a list of our currently IPEMA CERTIFIED products, please visit the IPEMA website at www.ipema.org or visit our website at www.playcraftsystems.com

Standards and Development Organizations

The American Society of Testing & Materials International (ASTM) is one of the largest voluntary standards development organizations in the world, a trusted source for technical standards for materials, products, systems, and services. Known for their high technical quality and market relevancy, ASTM standards have an important role in the information infrastructure that guides design, manufacturing and trade in the global economy. In 1993, ASTM published Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use, designated as F1487-93. The standard was reprinted in 1995 and 1998 and revised in 2001, 2005, 2007, 2011 and 2017 with the new designation F1487-17. The ASTM establishes minimum acceptable performance specifications for everything from access components to surfacing.

The United States Consumer Product Safety Commission (USCPSC) is charged with protecting the public from unreasonable risks of serious injury or death from more than 15,000 types of consumer products under the agency's jurisdiction. The USCPSC is committed to protecting consumers and families from products that pose a fire, electrical, chemical, or mechanical hazard or can injure children. The USCPSC's work to ensure the safety of consumer products - such as playground equipment - contributed significantly to the decline in the rate of deaths and injuries associated with consumer products over the past 30 years. The USCPSC's Handbook for Public Playground Safety is a key reference tool for the playground industry, including specifications for the use of playground equipment and recommendations concerning age-related designs and play components.

CSA International is a Nationally Recognized Testing Laboratory (NRTL) accredited by OSHA and ANSI in the United States and by SCC in Canada. CSA International tests and certifies products following standardized test protocols-in laboratories across North America. As a solutions-oriented organization, CSA works in Canada and around the world to develop standards that address real needs, such as enhancing public safety and health, advancing the quality of life, helping to preserve the environment and facilitating trade.

TUV Product Service, an international testing and certification organization, is a European Union Notified and Competent Body providing services which include product testing and certification. The European Harmonized Standard for Commercial Playground Equipment, EN 1176, is the TUV standard for commercial playgrounds. For complete EN 1176 details, contact your Playcraft representative.

For more information, contact the ASTM at:
100 Barr Harbor Drive,
West Conshohocken, PA
19428-2959
Tel: (610) 832-9585 or
visit the ASTM online at
www.astm.org

For more information, contact the USCPSC at:
U.S. Consumer Product
Safety Commission
Washington, D.C.
20207-0001
Tel. (800) 638-2772
or online at www.cpsc.gov

For more information, contact CSA at:
Tel. (866) 797-4272
(416) 747-2661 or online at
www.csa-international.org

For more information, contact TUV America at:
Tel. (800) 888-0123
(978) 573-2500 or online at
www.tuvam.com

INDEX

Please refer to the following tables for a list of products and their corresponding page numbers.



Play System - R5

R50186B5A 40
R503CABBA 39
R50669B5A 38
R5068B19A 39
R5099C79A 39
R50ADC99A 38
R50C10D8A 40
R50F2E3FA 40

Play System - R3.5

R355F053A 43
R3565FD9A 42
R3573871A 43
R3578D6DA 43
R358D812A 44
R35E0C2EA 42
R35EA124A 44
R35F1282A 44

Play System - NFUSE

NF5187D1A 48
NF52894DA 46
NF52CB54A 46
NF572DEAA 48
NF5737D6A 47
NF57876BA 48
NF5DD36FA 47
NF5E1008A 47

Play System - Revolution

REV2B068A 51
REV328CAA 52
REV3A7D7A 50
REV44589A 52
REV6EA86A 51
REVA173FA 51
REVBD6C0A 50
REVDCCF1A 52

Play System - Hybrid

R3H4A1FFA 55
R5H27CF7A 55
R5H57432A 54
R5H6076AA 56
R5H96216A 54
R5H98D94A 55
R5H9A7C9A 56
R5HA5B77A 56

Play System - Theme

R5035D22A 58
R5082189A 60
R50C8CA3A 60
R50PC7602 59
R50PC8660 58
R50PC9423 60
R50PC9501 59
R50PC9811 59

Play System - Inclusive

NF54396AA 62
R502C9BEA 64
R5044461A 64
R5044C65A 63
R5065180A 64
R5073FAEA 63
R50C9AAEA 63
R50E0AB0A 62

Freestanding

ALLIGATOR BALANCE BEAM 100
ASTRO SPRING RIDER 95
BEACH BUGGY 107
BEACH RESCUE TRUCK 107
BIG TREES 75
BOULDER STACK CLIMBERS 81
BUCKET SPINNER 87
CACTUS CLIMBER 81
CELEBRATION SPINNER 85
CHICKEN SPRING RIDER 95
COGNITIVE SENSORY WALL 102
CURVED BOARDWALK 100
DASH DRIVER W/ SEAT 101
DASH DRIVER W/O SEAT 101
DELUXE TODDLER ADVENTURE CENTER 109
DINODIG LIZARD 102
DINODIG T-REX 102
DISC CLIMBERS 81
DUAL AIRPLANE SPRING RIDER 95
DUAL DINO SPRING RIDER 95
DUAL FIRE TRUCK SPRING RIDER 95
DUAL MOTORCYCLE SPRING RIDER 95
DUAL SAND & WATER TABLE 102
DUAL UP & OVER CLIMBER 79
DUO-SPRING FLING 97
DYNAMIC SENSORY WALL 102
ENCLOSED STAND-N-SPIN 87
ERECTOR ROCK CLIMBERS 73
EXCAVATOR 107
FERRIS WHEEL CLIMBER 72
FIR TREE CLIMBER 72
FLEX BALLS 99
FLEX HALF BALLS 99
FROG SPRING RIDER 95
HEX CLIMB-AROUND 79
HYDROPLANE SPRING RIDER 95
INCLUSIVE MERRY-GO-ROUND 85
JET STREAM CLIMBER 72
JUMBO CLIMBER 79
LANDING CRAFT 107
LARGE COURSE 77
LIGHTNING BALANCE BEAM 100
LILY STEP 99
LUNAR ROVER 107
MAXI PYRAMID 75
MERRY-GO-ROUND 85
MINI-GO-ROUND 88
MINI-NEUTRON SPINNER 86
MULTI-SPRING DUMP TRUCK 105
MULTI-SPRING FIRE TRUCK 105
MULTI-SPRING SAFARI TRUCK 105
MULTI-SPRING SCHOOL BUS 105
MULTI-SPRING SPACE SHUTTLE 107
MULTI-SPRING SPEED BOAT 105
MULTI-SPRING TRACTOR 105
NEUTRON CAROUSEL 86
NEUTRON SPINNER 86
OAK TREE CLIMBER 72
PAINT STATION 101
PINE TREE CLIMBER 72
PLAYCRAFT DIGGER W/ SEAT 101
PLAYCRAFT DIGGER W/O SEAT 101
PLAYFUL SENSORY WALL 102
PONY SPRING RIDER 95
POWER TOWER 79
QUAD TEETER TOTTER 97
RAINBOW TWIST CLIMBER 79
RAPTOR JET 107
REGULAR ASTRO 77
REGULAR COURSE 77
ROCK STEP 99
ROLLER TABLE 89
SHROOM STEPPERS 99
SKY DOME 77
SKYJET SPRING RIDER 95
SNAKE BALANCE BEAM 100
SPIDER CLIMBER 79

Freestanding (continued)
SPINMAX GO-ROUND 84
SPINMAX ORBIT 83
SPINMAX POD 84
SPINMAX TOWER 84
SPINNER SEAT 87
SPRING LILY 100
SPRING SEESAW 97
SPRING SHAPE W/ HANDLE 98
SPRING SHAPES 98
STAND-N-SPIN 87
STRAIGHT BALANCE BEAM 100
STUMP STEP 99
SURF BOARD 98
THUNDER DOME 82
THUNDER HALF WEDGE 82
THUNDER WEDGE 82
TIDAL WAVE 90
TILT MAZE GAME 101
TODDLER ADVENTURE CENTER 109
TODDLER BEAR SPRING RIDER 93
TODDLER BUGGY SPRING RIDER 93
TODDLER HELICOPTER SPRING RIDER 93
TODDLER LEARNING CENTER 109
TODDLER SALLIE SALMON SPRING RIDER 93
TODDLER TOAD SPRING RIDER 93
TODDLER TRACTOR SPRING RIDER 93
TODDLER TRAIN DINING CAR 104
TODDLER TRAIN ENGINE 104
TODDLER TRAIN SANDBOX CAR 104
TODDLER TRAIN TANKER CAR 104
TREE CLIMBER NET 72
TRI STEP 99
TRIPLE SAND & WATER TABLE 102
TRI-SPRING FLING 97
TURBO TOTTER 98
TWIN PORTAL X2 TOWER 75
TWIST TOWER W/ PORTAL SLIDE 75
TYKE SEESAW 97
ULTRA-ZIPS 91
UP & OVER CLIMBER 79
WAVE BOARDWALK 100
WEB CLIMBER 79
WIGGLE BEAM 98
X1-JET SPRING RIDER 95

Swings
ARCH SWINGS 114
ARCH TIRE SWING 113
DISC SWING 113
PLAYSHARE SWINGS 116
SINGLE POST SWINGS 115
SWING SHADES 118
TODDLER T-SWING 115
TRADITIONAL SWINGS 114

Freenotes - Harmony Park
CONTRABASS CHIMES 119
HARP 119
IMBARIMBA 119
LILYPAD CYMBALS 119
MANTA RAY 119
MUSHROOM 119
SWIRL 119
TUNED DRUMS 119
YANTZEE 119

GFRC Sculpture
DOME MOUND 121
HICKORY HAMMOCK 121
LINKIN' LOG 121
LOG STEPPING FORMS 121
MESA VERDE 121
SANDSTONE BENCH 121
SPINE MOUND 121
SPLIT LOG BENCH 121
TREE FROG 121

ActionFit
BALANCE BOARD 123
CAPTAINS CHAIR 123
CARDIO WALKER 123
COMPACT COURSE 123
KNEE LIFT STATION 123
LEG PRESS 123
MULTI-GYM 123
PUSH-UP STATION 123
SIT-UP STATION 123

Sports
CORN HOLE BOARD 125
HEAVY-DUTY BASKETBALL UNIT 125
TABLE TENNIS TABLE 125
TETHERBALL UNIT 125
TRIPLE HOOP 125

Parkcraft Site Amenities
BIKE SUPPORTS 134
BOLLARD BIKE RACKS 134
BUDDY BENCH 131
BUTTERFLY PHOTO STATION 136
CLASSIC SERIES BENCHES 131
CLASSIS SERIES BENCHES W/ SIGN 131
KEYHOLE BIKE RACKS 134
LOOP BIKE RACKS 134
LOW PROFILE BIKE RACKS 134
PICNIC TABLES 129
ROUND PICNIC TABLES 130
SAFETY SIGN W/ SANITIZING STATION 135
SANITIZING STATION 135
SLAT SERIES BENCHES 131
SQUARE PICNIC TABLES 129
TRANSFORMA-DESK 133
TRASH RECEPTACLES 135
URBAN ELITE SERIES BENCHES 132

Risk Management
CUSTOM PRINTED SIGNS 137
HDPE AGE APPROPRIATE SIGNS 137
ROTO-MOLDED AGE APPROPRIATE SIGNS 137

Safety Surfacing, Borders & Ramps
ACCESS RAMP 138

Climbers
ARCH CLIMBER 143
BEDROCK CLIMBER 143
BOULDER STACK CLIMBER 143
CARGO NET CLIMBER 143
CENTER ACCESS CLIMBER 149
CENTIPEDE CLIMBER 143
CHAIN NET CLIMBER 143
CHAIN WAVE CLIMBER 143
CLIFFHANGER CLIMBER 149
CLIMBING WALL 147
CLIMBING WALL (CURVED) 147
CRAWL TUBE CLIMBER 149
CRAZE WAVE CLIMB WALL 143
DELUXE GRIP CLIMBER 143
DISC CLIMBER 145
DISC POLE CLIMBER 145
EBB CLIMBER 149
ERECTOR ROCK CLIMBER 147
FLEX GRIP CLIMBER 143
FLOW CLIMBER 149
FREEFORM CLIMBER 147
GEO-WAVE CLIMBER (HORIZONTAL) 149
GEO-WAVE CLIMBER (VERTICAL) 149
GRIP CLIMBER 143
INCLINED GRIP WALL CLIMBER 147
NET WALL CLIMBER (CHAIN) 147
NET WALL CLIMBER (METAL) 147
NET WALL CLIMBER (Y-SHAPED) 147
NFUSE NIMBLE ARCH BAY BRIDGE 141
POLY CIMB WALL 147
SIDE CLIMBER 145
SLITHER CLIMBER 149
SNAKE CLIMBER 145
SNAKE CLIMBER (CURVED) 145
SPIRAL CLIMBER 145
SPIRAL STEP CLIMBER 145
SQUARE NET ZIPPER CLIMBER 149
STACKED LOOP CLIMBER 145
STEP-UP CLIMBER 149
SUNRISE CLIMBER 145
SWOOP RUNG CLIMBER 149
THUNDER CLIMBER 149
TRACK CLIMBER 145
VERTICAL ROCK CLIMBER 147
VERTICAL STEP CLIMBER 147
ZIPPER CLIMBER 145

Crawl-Netix
CRAWL-NETIX CATWALK CLIMBER 151
CRAWL-NETIX CLIMBER 151
CRAWL-NETIX S-SHAPED INCLINE CLIMBER 151

Crawl Tubes
ARCHED CRAWL TUBE 152
INCLINED CRAWL TUBE 152
L-SHAPED CRAWL TUBE 152
PERFORATED METAL CRAWL TUBE 152
S-SHAPED CRAWL TUBE 152
STRAIGHT CRAWL TUBE 152

Slides
ACCELERATOR SLIDE 159
DOUBLE STRAIGHT SLIDE 157
DOUBLE WAVE SLIDE 157
DUAL EXPRESS SLIDE 157
HEX NET SLIDE 153
L-SHAPED POLY TUBE SLIDE 155
METAL/ALUMINUM DOUBLE SLIDES 159
METAL/ALUMINUM SINGLE SLIDES 159
NFUSE WAVE SLIDE 153
QUARTER-TURN SLIDE 157
ROLLER SLIDES 159
SPIRAL POLY TUBE SLIDE 155
SPIRAL PORTAL SLIDE 153
S-SHAPED POLY TUBE SLIDE 155
STRAIGHT POLY TUBE SLIDE 155
STRAIGHT SLIDE 157
SUPER SPIRAL POLY TUBE SLIDE 155
TRIPLE TWISTER SLIDE 155
TWISTER SLIDE 155
TWISTER SPIRAL SLIDE 153
WAVE SLIDE 157

Bridges & Links
ANGLED NET LINK 165
BELT BRIDGE 161
BURMA BRIDGE 161
CHAIN NET BRIDGE 161
CHALLENGE BRIDGE 161
CLEVER CLIMBER LINK 161
CLIMB ACROSS NET LINK 165
DROP LOOP LINK 163
GEO-WAVE LINK 165
GRIP RAMP BRIDGE 165
INCLINED ARCH BRIDGE 161
INCLINED LOOP LINK 163
JUMBO ROPE 161
LILY STEP LINK 163
LONG ARCH BRIDGE 161
MARSH BRIDGE 165
NET LINK 165
RAISED LOOP LINK 163
RIBBON BRIDGE 165
STEP-TO-STEP LINK 163
SUSPENSION BRIDGE 163
SWINGING BRIDGE 163
WEB LINK 163

Panels
ABACUS PANEL 167
ABC PANEL 167
BELL PANEL 169
BUBBLE MIRROR PANEL 169
BUBBLE PANEL 169
BUG EYE PANEL 169
CHIME PANEL 169
CLOCK PANEL 167
COMPOSER INSTRUMENT PANEL 169
DINO PANEL 167
DOOR PANEL 169
DRIVER PANEL 167
DRUM PANEL 169
DUO INSTRUMENT PANEL 169
FACE CUT-OUT PANEL 169
GEAR PANEL 167
HOURGLASS PANEL 167
INCLUSIVE PANELS 167
LABYRINTH PANEL 167
MEMORY PANEL 167
MIRROR PANEL 169
MOSAIC PANEL 167
ROUTERED GRAPHIC PANEL 169
SEEK PANEL 167
SOLO INSTRUMENT PANEL 169
STORE PANEL 169
TIC-TAC-TOE PANEL 167

Traverses & Overhead Events
270 RING TRAVERSE 173
270 ROUND LOOP TRAVERSE 173
90 HORIZONTAL LADDER 171
90 RING TRAVERSE 173
BAR TRAVERSE 171
CHINNING BARS 175
DISC TRAVERSE 171
DISC TRAVERSE (INCLINED S-SHAPED) 171
DOMED HORIZONTAL LADDER 175
DOUBLE RING TRAVERSE 173
HORIZONTAL LADDER 171
HORIZONTAL SNAKE LADDER 175
JUNGLE TRAVERSE 171
LOOP TRAVERSE 173
RING PULL-UP 173
RING TRAVERSE 173
SERPENT NET TRAVERSE 175
SERPENT TRAVERSE 175
SLIDER TRAVERSE 175
SPIRAL TRAVERSE 175
S-SHAPED HORIZONTAL LADDER 171
S-SHAPED LOOP TRAVERSE 173
S-SHAPED RING TRAVERSE 173
SWAY-STEP GRIP TRAVERSE 171
SWINGING HORIZONTAL LADDER 175
TRACK RIDE 171
TRI-STEP JUNGLE TRAVERSE 171
WALL TRAVERSE 171
WHEEL TRAVERSE 175
ZIG-ZAG LOOP TRAVERSE 173

Motion
ACCESSGLIDER 177
BOUNCER 177
GYRO-POD SPINNER 177
NEUTRON SPINNER MINI 177
ORBIT WHEEL 177
ROCKER 177
SPIN CYCLE 177
SPINNER DECK 177
SURF RIDER 177
TYKE TIPPER 177

Access
CENTER ACCESS HEX DECK 179
CURVED STAIRS 179
DECK-TO-DECK STAIRS 179
EASY ACCESS RAMP 179
EASY ACCESS STAIRS 179
EASY ACCESS STEP LADDER 179
SENSORY RAMP 179
STEP DECK 179
SWITCH BACK RAMP 179
TRANSFER STATION 179
VERTICAL LADDER 179
VERTICAL STEP FILLER 179

Barriers & Enclosures
ACCESS WALL BARRIER 181
ADAPTABLE SAFETY BARRIER 181
BALCONY WALL BARRIER 181
CURVED WALL BARRIER 181
HALF WALL BARRIER 181
INFINITY WALL BARRIER 181
METAL FULL WALL BARRIER 181
POLY WALL BARRIER 181
PROMENADE WALL BARRIER 181
PUSH-OUT BARRIER 181
SLIDE SIT-DOWN HOOD 181
SLIDE SITE-DOWN WALL 181
TRIPLE SLIDE SIT-DOWN WALL 181
TWISTER SLIDE SIT-DOWN HOOD 181
WALL SEAT 181

Decks
90 CURVED DECK 183
BALCONY DECK 183
CURVED DECK 183
HALF DECK 183
HALF HEX DECK 183
LONG DECK 183
PROMENADE DECK 183
SQUARE DECK 183
STEP DECK 183
TRI-DECK 183

Roofs
2-POST SQUARE SHADE ROOF 189
3-POST SQUARE SHADE ROOF 189
ARCH ROOF 187
CORRUGATED METAL GABLE ROOF 191
CORRUGATED METAL HEX ROOF 191
DOME ROOF - HEX 189
HEX ROOF/EXTENDED HEX ROOF 185
METAL BASEBALL CAP ROOF 189
METAL CURVED SHADE ROOF 189
METAL GABLE ROOF 187
METAL GABLE SHADE ROOF 189
METAL HEX ROOF 187
METAL PYRAMID OVERHAND ROOF 187
METAL PYRAMID ROOF 187
METAL QUAD ROOF 187
METAL QUAD ROOF W/ CUPOLA 187
METAL SLANT SHADE ROOF 189
METAL TRI-SHADE ROOF 189
METAL UMBRELLA ROOF - LARGE 189
METAL UMBRELLA ROOF - SMALL 189
ORBITAL SHADE ROOF 185
PEAK ROOF 187
RIBBED PYRAMID ROOF 185
RUSTIC ROOF 185
SHADE CANOPY - HEX 191
SHADE CANOPY - SQUARE 191
SHADE SAIL CANOPY - HEX 191
SHADE SAIL CANOPY - SQUARE 191
SHINGLED GABLE ROOF 185
SHINGLED PYRAMID ROOF 185

Accents & Toppers
ARC BUTTERFLY TOPPER 193
CHIMNEY POST TOPPER 193
EVERGREEN POST TOPPER 193
OAK POST TOPPER 193
PALM TREE POST TOPPER 193
POST-MOUNTED FLAGS 193
POST-TOP MEDALLIONS 193
TALK TUBES 193
TELESCOPE 193

Panel Pals
DIALER PANEL PAL 195
ABC-123 PANEL PAL 195
BELL PANEL PAL 195
CLOWN & COWBOY PANEL PAL 195
DRIVER PANEL PAL 195
MATCH GAME PANEL PAL 195
MAZE PANEL PAL 195
MIRROR PANEL PAL 195
PIRATE PANEL PAL 195
SPINNER PANEL PAL 195
TIC-TAC-TOE PANEL PAL 195

PLAYCRAFT COLOR CHART

METALUXE Signature Powder-coat Colors

- Steel Blue
- Patina Teal
- Ironstone Green
- Alloy Tan
- Blaze Copper
- Oxide Red
- Carbon Gray
- Sterling White

PLAY-TUFF Coating Colors

- Pacific Blue
- Forest Green
- Sprout Green
- Rhubarb Red
- Bigfoot Brown
- Driftwood Tan
- Gull Gray

Powder-coat Colors

- Crater Lake Blue
- Pacific Blue
- Horizon Blue
- Forest Green
- Fern Green
- Sprout Green
- Sunshine Yellow
- Autumn Yellow
- Campfire Orange
- Rhubarb Red
- Bing Cherry Red
- Sweet Plum
- Wildflower Purple
- Bigfoot Brown
- Acorn Brown
- Driftwood Tan
- Charcoal Black
- Smoke Gray
- Gull Gray
- Snowcap White

Roto-molded Plastic Colors

- Crater Lake Blue
- Pacific Blue
- Horizon Blue
- Coastline Teal
- Forest Green
- Fern Green
- Mossy Green
- Sprout Green
- Sunshine Yellow
- Campfire Orange
- Rhubarb Red
- Wildflower Purple
- Wild Lavender
- Driftwood Tan
- Acorn Brown
- Bigfoot Brown
- Timber Ash Gray
- Gull Gray
- Sand Granite
- Gray Granite

Solid HDPE Colors Layered HDPE Colors

- Crater Lake Blue
- Pacific Blue
- Brown/Tan
- Green/Tan
- Crater Lake Blue/Tan
- Forest Green
- Seaglass Teal
- Tan/Brown
- Tan/Green
- Tan/Blue
- Sunshine Yellow
- Spring Green
- Blue/Yellow
- Red/Yellow
- Tan/Red
- Rhubarb Red
- Campfire Orange
- Yellow/Blue
- Yellow/Red
- Yellow/Black
- Driftwood Tan
- Wildflower Purple
- Blue/White
- Red/White
- Spring Green /White
- Gull Gray
- Charcoal Black
- Teal/White
- Gray/Black
- Black/White

Thermoplastic Coating Colors

- Pacific Blue
- Forest Green
- Rhubarb Red
- Bigfoot Brown
- Gull Gray

Shade Canopy Fabric Colors

- Blue
- Light Blue
- Lime Green
- Green
- Gray
- Tan
- Yellow
- Red

Swing Seat Colors

- Blue
- Green
- Yellow
- Red
- Tan
- Black

PLAY-CORD Cable Colors

- Blue
- Green
- Red
- Black

© 2024 Playcraft Systems. 123 North Valley Drive, Grants Pass, OR 97526
Toll Free: 1-800-333-8519 www.playcraftsystems.com

GSA Contract Holder
Contract GS-03F-0076U

Atkore
Allied Tube & Conduit

IPEMA MEMBER
INTERNATIONAL PLAY EQUIPMENT MANUFACTURERS ASSOCIATION

OMNIA PARTNERS

Made in the USA