

TASK 1: Relational Database Queries - Relational Algebra

(a) List the id and description of all items which have never been used in any appointment service.

$R = \pi_{item_id, item_desc} (\sigma_{ITEM.item_id \neq APPTSERVICE_ITEM.item_id} (ITEM \bowtie APPTSERVICE_ITEM))$

(b) List the patient number, patient first name, patient last name, emergency contact first name, emergency contact last name and emergency contact phone number of all patients who live in a city named Mooroolbark and had appointment/s on 08 September 2023.

$MOOROOLBARK_PATIENTS = \pi_{patient_no, patient_fname, patient_lname, ec_fname, ec_lname, ec_phone} (\sigma_{PATIENT.patient_city = "Mooroolbark"} (\sigma_{PATIENT.ec_id = EMERGENCY_CONTACT.ec_id} (PATIENT \bowtie EMERGENCY_CONTACT)))$
 $APPT_PATIENTS = \pi_{patient_no} (\sigma_{appt_datetime = 08-Sep-2023} (MOOROOLBARK_PATIENTS \bowtie APPOINTMENT))$
 $R = MOOROOLBARK_PATIENTS \bowtie APPT_PATIENTS$

(c) List the number, first name, last name and email address of all patients who have been attended by endodontists (i.e providers who specialise in ENDODONTICS).

$R1 = \pi_{patient_no} (\sigma_{spec_id = 101} (PROVIDER \bowtie APPOINTMENT))$
 $R = \pi_{patient_no, patient_fname, patient_lname, patient_contactemail} (PATIENT \bowtie R1)$