

## **TASK 1: Relational Database Queries - Relational Algebra**

(a) List the id and description of all items which have never been used in any appointment service.

$R = \pi_{item\_id, item\_desc} (\sigma_{ITEM.item\_id \neq APPTSERVICE\_ITEM.item\_id} (ITEM \bowtie APPTSERVICE\_ITEM))$

(b) List the patient number, patient first name, patient last name, emergency contact first name, emergency contact last name and emergency contact phone number of all patients who live in a city named Mooroolbark and had appointment/s on 08 September 2023.

$MOOROOLBARK\_PATIENTS = \pi_{patient\_no, patient\_fname, patient\_lname, ec\_fname, ec\_lname, ec\_phone} (\sigma_{PATIENT.patient\_city = "Mooroolbark"} (\sigma_{PATIENT.ec\_id = EMERGENCY\_CONTACT.ec\_id} (PATIENT \bowtie EMERGENCY\_CONTACT)))$

$R2 = \pi_{patient\_no} (\sigma_{appt\_datetime = 08-Sep-2023} (MOOROOLBARK\_PATIENTS \bowtie APPOINTMENT))$

$R = MOOROOLBARK\_PATIENTS \bowtie R2$

(c) List the number, first name, last name and email address of all patients who have been attended by endodontists (i.e providers who specialise in ENDODONTICS).

$R1 = \pi_{patient\_no} (\sigma_{spec\_id = 101} (PROVIDER \bowtie APPOINTMENT))$

$R = \pi_{patient\_no, patient\_fname, patient\_lname, patient\_contactemail} (PATIENT \bowtie R1)$