
AWS Multi-Account Strategy



Old World IT

Bob – IT/security guy




Developers






Old World IT - Scale

More Bobs




More developers






The cloud will make this easier!

Same Bobs



More developers!





One account, Isolation with IAM and VPC



"Gray" boundaries

Complicated and messy over time

Difficult to track resources

People stepping on each other



Separate developer account

Still can't track resources or spend
Still have isolation and blast radius concerns
Developers still stepping on each other
Bob now has to manage IAM and VPCs, here too







The problem

On-premises posture for the cloud

Inheriting ideas from datacenter days

Management and Ops don't trust dev with full access

Developers want to work – Really!

DevOps is a great idea

Doesn't work when Ops is in the way



A New Solution – We need

Access to AWS services without barriers

Ability to fail fast without collateral damage

Smaller blast-radius

Operations team -> Cloud architects

Everyone able to influence digital transformation

Costs and resources tracked to individuals and teams

Optimize code for AWS




Where Do I Start? Developer accounts






Where Do I Start? Team accounts






Where Do I Start? Ops accounts





Where Do I Start? Shared services





What are core shared accounts?

















Shared by tier






Shared by tier





A different approach






AWS Account



Security/Resource Boundary



API Limits/Throttling



Billing Separation



Why one account isn't enough



Many Teams



Billing



Isolation




Security / Compliance Controls



Business Process



Goals









Scalable





Self-service



Flexible



Account security considerations

Baseline Requirements

Lock

AWS Account Credential Management ("Root Account")

Enable

AWS CloudTrail Amazon GuardDuty

Define

Map enterprise roles and permissions

Federate

Use identity solutions

Establish

InfoSec cross-account roles

Identify

Actions and conditions to enforce governance



What accounts should I create?























 $\hbox{@ 2018, Amazon Web Services, Inc. or its affiliates. All rights reserved.}$

AWS Organizations Master





No connection to DC

Service control policies

Consolidated billing

Volume discount

Minimal resources

Limited access

Restrict Orgs role!




SCP: Stop CloudTrail from being disabled





Core accounts



Foundational


Building Blocks

Once per organization

Have their own development life cycle (dev/qa/prod)



Log archive account



Versioned Amazon S3 bucket Restricted MFA delete

CloudTrail logs

Security logs


Single source of truth

Alarm on user login

Limited access



Security account



Optional data center connectivity

Security tools and audit


GuardDuty Master

Cross-account read/write
Automated Tooling

Limited access



Shared services account




Connected to DC DNS LDAP/Active Directory **Shared Services VPC** Deployment tools Golden AMI Pipeline Scanning infrastructure Inactive instances Improper tags Snapshot lifecycle Monitoring Limited access





Network account



Managed by network team


Networking services

AWS Direct Connect

Limited access



Developer sandbox



No connection to DC

Innovation space


Fixed spending limit

Autonomous

Experimentation



Team/group accounts




Based on level of needed isolation

Match your development lifecycle

Think Small








Develop and iterate quickly

Collaboration space

Stage of SDLC



Pre-production



Connected to DC

Production-like


Staging

Testing

Automated Deployment



Production



Connected to DC

Production applications


Promoted from Pre-Prod

Limited access

Automated Deployments



Team shared services



Grows organically

Shared to the team

Product-specific common services


Data lake

Common tooling

Common services



Multi-account approach



Orgs: Account management

Log Archive: Security logs

Security: Security tools, AWS Config rules

Shared services: Directory, limit monitoring

Network: Direct Connect

Dev Sandbox: Experiments, Learning

Dev: Development


Pre-Prod: Staging

Prod: Production

Team SS: Team Shared Services, Data Lake



Team: Billing tools



Reduces access to Organizations account


Billing reports

Usage metrics and reporting

Usage optimizations and RI management



Team: Internal audit




Regulatory compliance

Read-only access to needed logs

Limited access



Team: Amazing new product



Match your development lifecycle


Think Small



Summary



Multi-account approach



Orgs: Account management

Log Archive: Security logs

Security: Security tools, AWS Config rules

Shared services: Directory, limit monitoring

Network: Direct Connect

Dev Sandbox: Experiments, Learning

Dev: Development

Pre-Prod: Staging

Prod: Production

Team SS: Team Shared Services, Data Lake



Next steps

Define tagging strategy

Define automation strategy

Create Organizations Master account

Create Log Archive account

Create Security account

Create Shared Services account

Create Developer Sandbox account(s)



Action plan

Create Organizations Master account

- Create temporary s3 bucket for CloudTrail logs
- Enable CloudTrail locally
- Enable organizations full feature

Create Log Archive account

- Create bucket(s) for security logs (CloudTrail, AWS Config)
 - Enable MFA delete
 - · Enable versioning
 - · Define limited access bucket policy
 - Add SCP to prevent s3:delete
- Backfill: Enable CloudTrail in organizations master account to send logs to Log Archive account
- Backfill: Copy CloudTrail logs for actions that happened between Organizations Master creation and log archive

Create Security account

- Backfill: Cross-account roles with trust to security account for organizations master and log archive
- Read-only role
- Read/Write role (fewer permissions for assumption)
- <CommonCheckList>
- Create security tooling/Lambda functions for security checks

Create Shared Services account

- <CommonCheckList>
- Connect via DX/VPN to DC
- Launch common services
 - Directory services
 - Limit monitoring

Create AWS Network account

- Order your Direct Connect
- <CommonCheckList>



Common checklist

- Secure Root credentials MFA
 - OTP
 - U2F could make this easier for managing them
 - https://aws.amazon.com/blogs/security/howto-create-and-manage-users-within-aws-sso/
- Complex password
 - Establish rotation policy
 - Link to Organizations Master account if not already a member
 - Use group email/phone as the contact info
 - Enable CloudTrail in all regions, send to Log Archive account
 - Enable GuardDuty in all regions.
 - Security Account as GuardDuty master
 - Operationalize the findings

- Enable AWS Config, send to Log Archive account
- Enable appropriate AWS Config rules
 - s3 bucket encryptions
 - s3 world read/write
 - ebs encryption etc...
- Create read-only cross-account Security role
- Create read/write cross-account Security role
- Create VPC (non-overlapping IP space)
- Enable federation into account
 - http://federationworkshopreinvent2016.s3website-us-east-1.amazonaws.com/
- Define roles and access policies
- Peer/Privatelink VPC with Shared Services
- Add a policy for prefix naming conditions to every account—For example, deny access to Lambda functions that start with "security*"
- Review CIS Foundations Benchmark and leverage as appropriate



Next steps

Define tagging strategy

Define automation strategy

Create Organizations Master account

Create Log Archive account

Create Security account

Create Shared Services account

Create Developer Sandbox account(s)



Action Plan

Create Organizations Master account

- Create temporary s3 bucket for CloudTrail logs
- Enable CloudTrail locally
- Enable organizations full feature

Create Log Archive account

- Create bucket(s) for security logs (CloudTrail, AWS Config)
 - Enable MFA delete
 - · Enable versioning
 - · Define limited access bucket policy
 - Add SCP to prevent s3:delete
- Backfill: Enable CloudTrail in organizations master account to send logs to Log Archive account
- Backfill: Copy CloudTrail logs for actions that happened between Organizations Master creation and log archive

Create Security account

- Backfill: cross-account roles with trust to security account for organizations master and log archive
- Read-only role
- Read/Write role (fewer permissions for assumption)
- <CommonCheckList>
- Create security tooling/Lambda functions for security checks

Create Shared Services account

- <CommonCheckList>
- Connect via DX/VPN to DC
- Launch common services
 - Directory services
 - Limit monitoring

Create AWS Network account

- Order your Direct Connect
- <CommonCheckList>



Common Checklist

- Secure Root credentials MFA
 - OTP
 - U2F could make this easier for managing them
 - https://aws.amazon.com/blogs/security/howto-create-and-manage-users-within-aws-sso/
- Complex password
 - Establish rotation policy
 - Link to Organizations Master account if not already a member
 - Use group email/phone as the contact info
 - Enable CloudTrail in all regions, send to Log-Archive account
 - Enable GuardDuty in all regions.
 - Security Account as GuardDuty master
 - Operationalize the findings

- Enable AWS Config, send to Log Archive account
- Enable appropriate AWS Config rules
 - s3 bucket encryptions
 - s3 world read/write
 - ebs encryption etc...
- Create read-only cross-account Security role-
- Create read/write cross-account Security role
- Create VPC (non-overlapping IP space)
- Enable federation into account-
 - http://federationworkshopreinvent2016.s3website-us-east-1.amazonaws.com/
- Define roles and access policies
- Peer/Privatelink VPC with Shared Services
- Add a policy for prefix naming conditions to every account—For example, deny access to Lambda functions that start with "security*"
- Review CIS Foundations Benchmark and leverage as appropriate



Thank you!

