DR. RVR NRI INSTITUTE OF TECHNOLOGY

Department of Computer Science & Engineering | School of Computer Studies
Pothavarappadu (V), Agiripalli (M), Eluru District, Andhra Pradesh - 521212

ACTIVITY-BASED LEARNING (ABL) CONSOLIDATED REPORT

Course: Web Development | Subject Code: CSE-WD-ABL

Student Name: Y. Raghu Ram
Roll Number: 26000071
Branch & Section: CSE - Section C
Academic Year: 2026 - 2027
Repository: WD-Activity-Based-Learning
Submission Date: October 2026

EXECUTIVE SUMMARY

This consolidated activity-based learning report documents the web applications designed, developed, and deployed for the Web Development course assignment during the Dussehra academic break. As prescribed in the institutional circular, three distinct case studies were chosen from the problem list. Each solution emphasizes responsive typography, layout structures using CSS Flexbox and Grid, interactive UI elements, and semantic markup standards.

SELECTED CASE STUDIES OVERVIEW

Case #	Title	Core Technologies	Key Design Focus
Case 1	Personal Portfolio Website	HTML5, CSS Flexbox, Sticky Nav	Personal profile, technical skill badges, responsive project cards, and styled contact block.
Case 6	Online Shopping Website	HTML5, CSS Grid, Badges	Promotional seasonal banner, product catalog grid, discount badges, dynamic action buttons.
Case 28	User Registration & Login	HTML5 Forms, CSS Flexbox	Centered modal layout, input field focus states, semantic form attributes, dynamic action button.

DECLARATION & REPOSITORY INTEGRITY

I hereby confirm that the web applications included in this report represent my original individual work created for the Web Development ABL coursework. All required files (source code files `case1.html`, `case2.html`, `case3.html`, output screenshots, and markdown documentation) have been structured within the designated GitHub repository.

CASE STUDY 1: PERSONAL PORTFOLIO WEBSITE — USER INTERFACE

Below is the executed frontend render for **Case Study 1 (Personal Portfolio Website)**. The layout features a sticky navigation header, dark hero section, technical skill pill badges, project showcase card grids, and contact details.




Figure 1.1: Rendered Output of Case Study 1 (Personal Portfolio Layout)

CASE STUDY 1: SOURCE CODE IMPLEMENTATION (CASE1.HTML)

```
<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width
=device-width, initial-scale=1.0"> <title>Personal Portfolio</title> <style> * { margin: 0; padding: 0; b
ox-sizing: border-box; font-family: Arial, sans-serif; } body { line-height: 1.6; color: #db2929; backgro
und-color: #f9f9f9; } header { background: #2e6fb1; color: #fff; padding: 1rem 2rem; display: flex; justi
fy-content: space-between; align-items: center; position: sticky; top: 0; } nav a { color: #fff; text-dec
oration: none; margin-left: 20px; transition: color 0.3s; } nav a:hover { color: #1abc9c; } .hero { text-
align: center; padding: 4rem 2rem; background: #34495e; color: #fff; } .container { max-width: 1000px; ma
rgin: 2rem auto; padding: 0 20px; } section { background: #fff; margin-bottom: 2rem; padding: 2rem; borde
r-radius: 8px; box-shadow: 0 2px 5px rgba(0,0,0,0.1); } h2 { margin-bottom: 1rem; color: #2c3e50; border-
bottom: 2px solid #1abc9c; display: inline-block; padding-bottom: 5px; } .skills-list, .project-grid { di
splay: flex; gap: 15px; flex-wrap: wrap; margin-top: 1rem; } .skill-badge { background: #1abc9c; color: w
hite; padding: 8px 15px; border-radius: 20px; font-size: 0.9rem; } .project-card { border: 1px solid #dd
d; padding: 15px; border-radius: 5px; flex: 1; min-width: 250px; background: #fafafa; } footer { text-ali
gn: center; padding: 1.5rem; background: #2c3e50; color: white; margin-top: 2rem; } </style> </head> <bod
y> <header> <h1>raghu ram.y</h1> <nav> <a href="#about">About</a> <a href="#skills">Skills</a> <a href="#
projects">Projects</a> <a href="#contact">Contact</a> </nav> </header> <section class="hero" id="about">
<h2>Web Developer & Designer</h2> <p>Creating responsive layouts, modern user interfaces, and engaging di
gital experiences.</p> </section> <div class="container"> <section id="skills"> <h2>Technical Skills</h2>
<div class="skills-list"> <span class="skill-badge">HTML5 / CSS3</span> <span class="skill-badge">JavaScr
ipt</span> <span class="skill-badge">Responsive Design</span> <span class="skill-badge">Git & GitHub</spa
n> </div> </section> <section id="projects"> <h2>Projects</h2> <div class="project-grid"> <div class="proj
ect-card"> <h3>E-Commerce Dashboard</h3> <p>A fully responsive admin dashboard layout built using CSS Gr
id and Flexbox.</p> </div> <div class="project-card"> <h3>Task Manager App</h3> <p>An interactive task tr
acking application featuring dynamic DOM manipulation.</p> </div> </div> </section> <section id="contac
t"> <h2>Contact Information</h2> <p>Email: john.doe@example.com</p> <p>Phone: +1 (555) 123-4567</p> </sec
tion> </div> <footer> <p>&copy; 2026 John Doe. All rights reserved.</p> </footer> </body> </html>
```

CASE STUDY 6: ONLINE SHOPPING WEBSITE — USER INTERFACE

Below is the rendered interface for **Case Study 6 (Online Shopping Website - ShopMart)**. The view presents a prominent discount banner, product grid structure, red badge highlights, customer review ratings, and dynamic CTA buttons.




Figure 2.1: Rendered Output of Case Study 6 (ShopMart E-Commerce Interface)

CASE STUDY 6: SOURCE CODE IMPLEMENTATION (CASE2.HTML)

```
<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width
=device-width, initial-scale=1.0"> <title>Online Shopping Store</title> <style> * { margin: 0; padding:
0; box-sizing: border-box; font-family: Arial, sans-serif; } body { background-color: #f4f4f4; } nav { ba
ckground: #232f3e; color: white; padding: 1rem 2rem; display: flex; justify-content: space-between; align
-items: center; } .banner { background: #febd69; color: #111; text-align: center; padding: 2rem; font-siz
e: 1.5rem; font-weight: bold; } .container { max-width: 1200px; margin: 2rem auto; padding: 0 20px; } .pr
oduct-grid { display: grid; grid-template-columns: repeat(auto-fit, minmax(250px, 1fr)); gap: 20px; } .pr
oduct-card { background: white; border: 1px solid #ddd; border-radius: 4px; padding: 15px; position: rela
tive; text-align: center; } .discount-badge { position: absolute; top: 10px; left: 10px; background: #cc0
c39; color: white; padding: 4px 8px; font-size: 0.8rem; border-radius: 3px; } .product-img { width: 100%;
height: 180px; background: #e2e2e2; display: flex; align-items: center; justify-content: center; margin-b
ottom: 15px; color: #777; } .price { font-size: 1.2rem; color: #B12704; font-weight: bold; margin: 10px
0; } .rating { color: #ffa41c; margin-bottom: 10px; } .buy-btn { background: #ffd814; border: 1px solid #
fcd200; width: 100%; padding: 10px; border-radius: 20px; cursor: pointer; font-weight: bold; transition:
background 0.2s; } .buy-btn:hover { background: #f7ca00; } </style> </head> <body> <nav> <h1>ShopMart</h1
> <div>Cart (0)</div> </nav> <div class="banner">Special Seasonal Discount - Up to 50% Off!</div> <div cl
ass="container"> <div class="product-grid"> <div class="product-card"> <span class="discount-badge">20% O
FF</span> <div class="product-img">Product Image</div> <h3>Wireless Headphones</h3> <div class="rating">★
★★★☆ (120)</div> <div class="price">$79.99</div> <button class="buy-btn">Add to Cart</button> </div> <d
iv class="product-card"> <span class="discount-badge">15% OFF</span> <div class="product-img">Product Ima
ge</div> <h3>Smart Watch</h3> <div class="rating">★★★★★ (85)</div> <div class="price">$129.99</div> <b
utton class="buy-btn">Add to Cart</button> </div> <div class="product-card"> <span class="discount-badg
e">30% OFF</span> <div class="product-img">Product Image</div> <h3>Running Shoes</h3> <div class="ratin
g">★★★★☆ (230)</div> <div class="price">$49.99</div> <button class="buy-btn">Add to Cart</button> </di
v> </div> </div> </body> </html>
```

CASE STUDY 28: REGISTRATION INTERFACE — USER INTERFACE

Below is the rendered interface for **Case Study 28 (User Registration and Login Interface)**. It provides a clean, centered authentication card with field labels, placeholder texts, action button hover states, and navigational text.




Figure 3.1: Rendered Output of Case Study 28 (Create Account Interface)

CASE STUDY 28: SOURCE CODE IMPLEMENTATION (CASE3.HTML)

```
<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width
=device-width, initial-scale=1.0"> <title>Registration and Login</title> <style> * { margin: 0; padding:
0; box-sizing: border-box; font-family: Arial, sans-serif; } body { background: #eef2f3; display: flex; j
ustify-content: center; align-items: center; height: 100vh; } .auth-container { background: white; paddin
g: 2rem; border-radius: 8px; box-shadow: 0 4px 10px rgba(0,0,0,0.1); width: 100%; max-width: 400px; } h2
{ margin-bottom: 1.5rem; color: #333; text-align: center; } .form-group { margin-bottom: 1rem; } label {
display: block; margin-bottom: 5px; font-weight: bold; color: #555; } input { width: 100%; padding: 10px;
border: 1px solid #ccc; border-radius: 4px; font-size: 1rem; } input:focus { border-color: #007bff; outli
ne: none; box-shadow: 0 0 5px rgba(0, 123, 255, 0.3); } .submit-btn { width: 100%; padding: 10px; backgro
und: #007bff; border: none; color: white; font-size: 1rem; border-radius: 4px; cursor: pointer; margin-to
p: 10px; } .submit-btn:hover { background: #0056b3; } .toggle-text { text-align: center; margin-top: 15p
x; font-size: 0.9rem; } .toggle-text a { color: #007bff; text-decoration: none; } .toggle-text a:hover {
text-decoration: underline; } </style> </head> <body> <div class="auth-container"> <h2>Create Account</h2
> <form action="#" method="POST"> <div class="form-group"> <label for="fullname">Full Name</label> <input
type="text" id="fullname" name="fullname" required placeholder="Enter your full name"> </div> <div class
="form-group"> <label for="email">Email Address</label> <input type="email" id="email" name="email" requi
red placeholder="Enter your email"> </div> <div class="form-group"> <label for="password">Password</label
> <input type="password" id="password" name="password" required minlength="6" placeholder="At least 6 cha
racters"> </div> <button type="submit" class="submit-btn">Register</button> </form> <div class="toggle-te
xt"> Already have an account? <a href="#">Login here</a> </div> </div> </body> </html>
```

CONCLUSION

The three selected web development case studies have been successfully implemented according to academic guidelines. All three web pages demonstrate functional UI design using modern CSS, semantic HTML structures, and responsive layouts. The source code and generated output screenshots have been organized into the GitHub repository `WD-Activity-Based-Learning`.