Hi,

We are encountering a few issues with our SEP deployment in dev. I've attached our SEP `values.yaml` file and other related deployment files for reference. Please find a description of the main issues we're seeing below:

1. I recently noticed that our dev deployment stopped coming up all together. One of my coworkers made changes to the charts recently, but we don't yet have version control configured, so, unfortunately, I cannot see what has actually changed. It seems like the memory /CPU settings have been tweaked.

   The output of `kubectl describe pod` shows:

   ```
   Events:
   Type Reason Age From
   Message
   ---- ------ ---- ---- -------
   Warning FailedScheduling 45s (x2 over 47s) default-scheduler
   0 /1 nodes are available: 1 Insufficient cpu, 1 Insufficient memory.
   ```

   How can I modify the pod/node limits to reflect what our dev machines can handle? Note that the dev environments are meant to be provisioned on laptops, so each SEP pod should cap at around 2GB of memory.

   Another simple thing seems to be a license secret mismatch. Our `readme.md` file contains instructions on creating the license secret, but for whatever reason, the Helm chart can't seem to find the secret for `starburstPlatformLicense: sep-license`. Could you also help with that?

2. Another issue I've noticed is that the workers don't seem to have access to the variables we've set in order to use the secrets feature. The coordinator pod starts just fine, but the worker pods fail with errors like:

   ```
   1) Error: Configuration property 'connection-password' references
      unset environment variable 'INSIGHTS_PSWD'
   ```

   We'd like to get this one figured out. Any help you can provide is appreciated.

3. For cluster authentication, we're using LDAP. Until recently, I was able to login with the user/password `admin`/`trinoRocks15`. The credentials are 100% correct as the LDAP server is initialized with this user via an `ldif` file. I believe someone updated the LDAP endpoint to an LDAPS connection, so it might have something to do with that. When I look at the coordinator pod logs, I don't see any errors... is there maybe a debug logger we can set to see what's going on?

   If it does have something to do with LDAPS and we need to place a certificate, we do have an init container defined that should be able to handle this task.

4. ***Note***: for this issue, do not try to reproduce.

   This last issue is actually outside of our development cluster. Pods are able to come up but we are now having a database connection error running queries against an AWS Aurora instance using the `rds-2019` CA. Any ideas as to how to fix this? The engine version in RDS is `5.6.mysql_aurora.1.23.3`. Catalog file contains:

   ```
   connector.name=mysql
   connection-url=jdbc:mysql://test.cluster.us-east-2.rds.amazonaws.
   com:3306?useSSL=true&enabledTLSProtocols=TLSv1.2
   connection-user=admin
   connection-password=*****
   ```

   The exception we're seeing in the logs:

   ```
   javax.net.ssl.SSLHandshakeException: DH ServerKeyExchange does not
   comply to algorithm constraints
   at java.base/sun.security.ssl.Alert.createSSLException
   (Alert.java:131)
   at java.base/sun.security.ssl.Alert.createSSLException
   (Alert.java:117)
   at java.base/sun.security.ssl.TransportContext.fatal
   (TransportContext.java:336)
   at java.base/sun.security.ssl.TransportContext.fatal
   (TransportContext.java:292)
   at java.base/sun.security.ssl.TransportContext.fatal
   (TransportContext.java:283)
   at java.base/sun.security.ssl.
   DHServerKeyExchange$DHServerKeyExchangeConsumer.consume
   (DHServerKeyExchange.java:538)
   at java.base/sun.security.ssl.
   ServerKeyExchange$ServerKeyExchangeConsumer.consume
   ```

```
(ServerKeyExchange.java:122)
at java.base/sun.security.ssl.SSLHandshake.consume
(SSLHandshake.java:392)
at java.base/sun.security.ssl.HandshakeContext.dispatch
(HandshakeContext.java:443)
at java.base/sun.security.ssl.HandshakeContext.dispatch
(HandshakeContext.java:421)
at java.base/sun.security.ssl.TransportContext.dispatch
(TransportContext.java:182)
at java.base/sun.security.ssl.SSLTransport.decode
(SSLTransport.java:172)
at java.base/sun.security.ssl.SSLSocketImpl.decode
(SSLSocketImpl.java:1426)
at java.base/sun.security.ssl.SSLSocketImpl.
readHandshakeRecord(SSLSocketImpl.java:1336)
at java.base/sun.security.ssl.SSLSocketImpl.
startHandshake(SSLSocketImpl.java:450)
at java.base/sun.security.ssl.SSLSocketImpl.
startHandshake(SSLSocketImpl.java:421)
at com.mysql.cj.protocol.ExportControlled.
performTlsHandshake(ExportControlled.java:317)
at com.mysql.cj.protocol.StandardSocketFactory.
performTlsHandshake(StandardSocketFactory.java:188)
at com.mysql.cj.protocol.a.NativeSocketConnection.
performTlsHandshake(NativeSocketConnection.java:97)
at com.mysql.cj.protocol.a.NativeProtocol.
negotiateSSLConnection(NativeProtocol.java:331)
at com.mysql.cj.protocol.a.NativeAuthenticationProvider.
connect(NativeAuthenticationProvider.java:167)
at com.mysql.cj.protocol.a.NativeProtocol.connect
(NativeProtocol.java:1348)
at com.mysql.cj.NativeSession.connect(NativeSession.java:

4.

157)
at com.mysql.cj.jdbc.ConnectionImpl.connectWithRetries
(ConnectionImpl.java:850)
at com.mysql.cj.jdbc.ConnectionImpl.createNewIO
(ConnectionImpl.java:831)
at com.mysql.cj.jdbc.ConnectionImpl.<init>
(ConnectionImpl.java:456)
at com.mysql.cj.jdbc.ConnectionImpl.getInstance
(ConnectionImpl.java:246)
at com.mysql.cj.jdbc.NonRegisteringDriver.connect
(NonRegisteringDriver.java:198)
at io.trino.plugin.jdbc.DriverConnectionFactory.
openConnection(DriverConnectionFactory.java:65)
at io.trino.plugin.jdbc.jmx.
StatisticsAwareConnectionFactory.lambda$openConnection$0
(StatisticsAwareConnectionFactory.java:42)
at io.trino.plugin.jdbc.jmx.JdbcApiStats.wrap
(JdbcApiStats.java:35)
at io.trino.plugin.jdbc.jmx.
StatisticsAwareConnectionFactory.openConnection
(StatisticsAwareConnectionFactory.java:42)
at io.trino.plugin.jdbc.LazyConnectionFactory.
lambda$openConnection$0(LazyConnectionFactory.java:45)
at io.trino.plugin.jdbc.
LazyConnectionFactory$LazyConnection.getDelegate
(LazyConnectionFactory.java:76)
at io.trino.plugin.jdbc.ForwardingConnection.getMetaData
(ForwardingConnection.java:117)
at io.trino.plugin.jdbc.mapping.DefaultIdentifierMapping.
storesUpperCaseIdentifiers(DefaultIdentifierMapping.java:82)
at io.trino.plugin.jdbc.mapping.DefaultIdentifierMapping.
toRemoteIdentifier(DefaultIdentifierMapping.java:70)
at io.trino.plugin.jdbc.mapping.DefaultIdentifierMapping.
toRemoteSchemaName(DefaultIdentifierMapping.java:53)
at io.trino.plugin.jdbc.BaseJdbcClient.getTableHandle
```

```
(BaseJdbcClient.java:236)
at io.trino.plugin.jdbc.ForwardingJdbcClient.
getTableHandle(ForwardingJdbcClient.java:82)
at io.trino.plugin.jdbc.jmx.StatisticsAwareJdbcClient.
lambda$getTableHandle$3(StatisticsAwareJdbcClient.java:102)
at io.trino.plugin.jdbc.jmx.JdbcApiStats.wrap
(JdbcApiStats.java:35)
at io.trino.plugin.jdbc.jmx.StatisticsAwareJdbcClient.
getTableHandle(StatisticsAwareJdbcClient.java:102)
at io.trino.plugin.jdbc.CachingJdbcClient.getTableHandle
(CachingJdbcClient.java:276)
at io.trino.plugin.jdbc.CachingJdbcClient.getTableHandle
(CachingJdbcClient.java:276)
at io.trino.plugin.jdbc.DefaultJdbcMetadata.
getTableHandle(DefaultJdbcMetadata.java:119)

at io.trino.plugin.jdbc.DefaultJdbcMetadata.
getTableHandle(DefaultJdbcMetadata.java:88)
at io.trino.metadata.MetadataManager.
lambda$getTableHandle$3(MetadataManager.java:399)
at java.base/java.util.Optional.flatMap(Optional.java:
294)
at io.trino.metadata.MetadataManager.getTableHandle
(MetadataManager.java:393)
at io.trino.metadata.MetadataManager.
getRedirectionAwareTableHandle(MetadataManager.java:1549)
at io.trino.sql.analyzer.StatementAnalyzer$Visitor.
visitTable(StatementAnalyzer.java:1478)
at io.trino.sql.analyzer.StatementAnalyzer$Visitor.
visitTable(StatementAnalyzer.java:367)
at io.trino.sql.tree.Table.accept(Table.java:53)
at io.trino.sql.tree.AstVisitor.process(AstVisitor.java:
27)
at io.trino.sql.analyzer.StatementAnalyzer$Visitor.
process(StatementAnalyzer.java:384)
at io.trino.sql.analyzer.StatementAnalyzer$Visitor.
analyzeFrom(StatementAnalyzer.java:3331)
at io.trino.sql.analyzer.StatementAnalyzer$Visitor.
visitQuerySpecification(StatementAnalyzer.java:2101)
at io.trino.sql.analyzer.StatementAnalyzer$Visitor.
visitQuerySpecification(StatementAnalyzer.java:367)
at io.trino.sql.tree.QuerySpecification.accept
(QuerySpecification.java:155)
at io.trino.sql.tree.AstVisitor.process(AstVisitor.java:
27)
at io.trino.sql.analyzer.StatementAnalyzer$Visitor.
process(StatementAnalyzer.java:384)
at io.trino.sql.analyzer.StatementAnalyzer$Visitor.
process(StatementAnalyzer.java:394)
at io.trino.sql.analyzer.StatementAnalyzer$Visitor.
visitQuery(StatementAnalyzer.java:1315)
at io.trino.sql.analyzer.StatementAnalyzer$Visitor.
visitQuery(StatementAnalyzer.java:367)
at io.trino.sql.tree.Query.accept(Query.java:107)
at io.trino.sql.tree.AstVisitor.process(AstVisitor.java:
27)
at io.trino.sql.analyzer.StatementAnalyzer$Visitor.
process(StatementAnalyzer.java:384)
at io.trino.sql.analyzer.StatementAnalyzer.analyze
(StatementAnalyzer.java:347)
at io.trino.sql.analyzer.Analyzer.analyze(Analyzer.java:
92)
at io.trino.sql.analyzer.Analyzer.analyze(Analyzer.java:
84)
at io.trino.execution.SqlQueryExecution.analyze
(SqlQueryExecution.java:274)
at io.trino.execution.SqlQueryExecution.<init>
(SqlQueryExecution.java:193)
at io.trino.execution.
SqlQueryExecution$SqlQueryExecutionFactory.createQueryExecution
```

```
(SqlQueryExecution.java:817)
at io.trino.dispatcher.LocalDispatchQueryFactory.
lambda$createDispatchQuery$0(LocalDispatchQueryFactory.java:132)
at io.trino.$gen.Trino_364_e_3____20211208_200713_2.call
(Unknown Source)
at com.google.common.util.concurrent.
TrustedListenableFutureTask$TrustedFutureInterruptibleTask.
runInterruptibly(TrustedListenableFutureTask.java:125)
at com.google.common.util.concurrent.InterruptibleTask.
run(InterruptibleTask.java:69)
at com.google.common.util.concurrent.
TrustedListenableFutureTask.run(TrustedListenableFutureTask.java:
78)
at java.base/java.util.concurrent.ThreadPoolExecutor.
runWorker(ThreadPoolExecutor.java:1128)
at java.base/java.util.concurrent.
ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:628)
at java.base/java.lang.Thread.run(Thread.java:829)
```

Please take a look at this at your earliest convenience, and let me know if you have any questions or if I can provide any other information. Thanks for your help!

Best regards,
John Snow