- 1. How do you use the "cp" command to copy a file named "file.txt" from the current directory to a directory named "backup"?
- 2. What is the difference between the "rm" and "rm -r" commands in Linux?
- 3. How do you use the "mv" command to rename a file named "oldname.txt" to "newname.txt"?
- 4. What does the "pwd" command do in Linux?
- 5. How do you create a new empty file named "newfile.txt" in the current directory using the command line?
- 6. How do you rename a file named "oldname.txt" to "newname.txt" using the command line?
- 7. How do you remove a file named "file.txt" from the current directory using the command line?
- 8. Use a command to show the current working directory
- 9. List the directory contents in the short and long format
- 10. Explore attributes given in long format e.g. file type, file permissions, file size, file owner etc.
- 11. List all files along with hidden files in the current working directory.
- 12. list only hidden files in the directory
- 13. Make a directory and name it as **cdac-dir** and change the current working directory to the new directory. (Hint: use **mkdir,cd** commands). 3. Create following nested directories inside the current directory by invoking a single command for only one time.

 Note: here root dir is the current directory.



Directory structure 1 Directory structure 2

14. (Hint: explore the man page of **mkdir**).

- 15. List the directories(folders), then remove the **cdac-dir** directory and list the folders again to show that it is no longer present.(Hint: use **rm**, **ls** command
- 16. Question-2.
- 17. Display the **man-page** for **ls**, but redirect the output into **temp.txt**, then use the **cat**, **less**, and **more** commands to display the new file.

- 18. Display the initial 10 lines and final 5 lines of **temp.txt** with the obvious Linux commands.(Hint: use **head** and **tail** commands).
- **19**. Copy **temp.txt** to another directory and rename it there.
 - (**Hint**: use **cp** to copy and **mv** command to rename).
- 20. Display the number of lines, words and characters in file using Linux command (**Hint**: use **wc** command).
- 21. Use history command to display the last 10 commands used. (**Hint**: use **history** command).
- 22. Create a tar archive file of any directory present in your home directory. (**Hint**: use **tar** command)
- **23**. Create a zip file of another directory. (**Hint**: use **zip** command) list the contents of the zip file without extracting.
- **24**. Give read, write & execute permissions to your file. (**Hint**: use **chmod** command)
- 25. Change ownership of that file.(Hint: use chown command)
- 26. List processes running in shell, all running processes(**Hint**: use man page of **ps** command) and show top processes in decreasing order of their resource utilization.(**Hint**: use **top** command).
- 27. Display current time and calendar (**Hint**: use **date**, **cal** commands) 2. Change the current date and time of the system to following 14th March 2024, 10:10 AM
- 28. Explore following commands
- 29. who, whoami, whatis, whereis, (Hint: use man pages).
- 30. Create one directory named linux. cd to that directory and create one file named **testperms.txt**. Check permissions of that file. Check value of **umask**. Change the value of umask and create one new file **newtestperms.txt** and check its permissions. Note down the difference.(Hint: use **umask**, **ls** command)
- 31. Create a file and name it as file1.txt and create a hardlink to this file. (Hint use **In** command).
- **32.** Create a file and name it as file2.txt and create a softlink to this file. (Hint use **ln** command).

Hard Link	Soft link
Hard lng with being a link.	Soft link is a link which indicates path to its parent file.
Since it is a file by itself, if parent file is deleted, child file remains as it was previously.	Since its a path, if parent file is deleted, child doesn't point tp proper path and becomes a zombie file.

Can be used for creating backup files.	Can be used as a shortcut.
Syntax is: In parentfile.ext childfile.ext	Syntax is: In -s parentfile.ext Q childfile.ext (here, -s indicates soft link)

- 33. Use **ssh** to connect to your friends shell by specifying **port number** in the **ssh** command. use **exit** command to come out of your friends shell. (Hint: use **ssh** command)
- 34. Use **scp** using your friend's credentials to copy **file** into a directory **owned by your friend,** inside his home directory, specify port number in **scp** command.
- 35. Use **scp** using your friend's credentials to copy **directory** into a directory **owned by you**, inside your home directory, specify port number in **scp** command
- 36. Use **scp** using your friend's credentials to copy **directory** into a directory **owned by you**, inside your home directory, specify port number in **scp** command
- 37. Connect to any publicly available **ftp** server from terminal and try to download, upload and delete files. If you get error in any process (connect, upload, download or delete), justify the reasons behind them.(Hint: use **ftp** command) Example:

Try to access ftp.netbsd.org

username : **anonymous** password : **anonymous**

- 38. How do you remove a directory named "mydir" and all of its contents using the command line?
- 39. How do you use the "ls" command to list all files and directories in the current directory?
- 40. How do you create a new file named "myfile.txt" in the directory "/home/user/documents" using the command line?
- 41. How do you use the "grep" command to search for a specific word or phrase in multiple files at once?
- 42. How do you create a new directory named "mydir" and set its permissions to read, write, and execute for the owner and read and execute for everyone else?
- 43. How do you use the "tar" command to create a compressed archive of all files in the current directory and its subdirectories?
- 44. How do you use the "chmod" command to give read and write permissions to the owner and group for a file named "file.txt"?
- 45. How do you find the size of a file named "file.txt" in bytes, kilobytes, and megabytes using the command line?
- 46. How do you use the "awk" command to extract a specific column from a comma-separated value (CSV) file and sort it in reverse order?

- 47. How do you use the "sed" command to replace all occurrences of a word or phrase in a file with a different word or phrase?
- 48. How do you use the "find" command to search for all files in a directory and its subdirectories that were modified within the last 24 hours?
- 49. How do you use the "diff" command to compare two files and show only the lines that are different between them?
- 50. How do you use the "rsync" command to synchronize the contents of two directories, including all subdirectories and files, while preserving file permissions and ownerships?
- 51. How do you use the "cut" command to extract a specific range of characters or bytes from a file?
- 52. How do you use the "tar" command to extract a specific file or directory from a compressed archive without extracting the entire archive?
- 53. How do you use the "awk" command to count the number of occurrences of a specific word or phrase in a file?