

HOW TO GENERATE ANNUAL RASTERS OF EVAPOTRANSPIRATION, LAND SURFACE TEMPERATURE, AND PRECIPITATION



*by Yunuen Reygadas, Amazon Borderland Spatial Analysis Team (ABSAT), University of Richmond. September, 2022.

A. Rasters of annual evapotranspiration totals

Requirements: ArcGIS license

- 1. Go to https://earlywarning.usgs.gov/fews/product/460
- 2. Click on "Download"
- 3. Under "Select Product", select "Monthly Actual ET"
- 4. Select the desired date, year and month. Data are available since 2003.
- 5. Click on "Download Data"
- 6. Store all rasters in the same folder and do not rename them
- 7. As this is a global- monthly dataset, to create annual rasters clipped to the desired study area run the "ET_AnnualRasters.py" script (available here:

https://github.com/yreygadas/AnnualRastersOf ET LST P/tree/main):

- a. Open the script using a Python Integrated Development Environment (e.g., IDLE ArcGIS pro, PyScripter)
- b. Enter the user-define parameters:

SET BEFORE RUNING THE SCRIPT
startYear= 2022
endYear= 2022
path = arcpy.env.workspace = 'D:/Yunuen/6PostDoc/Data/ET/Rasters' #This is the directory in which you have the ET rasters
arcpy.env.mask = 'D:/Yunuen/6PostDoc/Data/Transfer/Layers/Extended_sa.shp' # This is the study area polygon
arcpy.env.cellSize = 'D:/Yunuen/6PostDoc/Data/ET/Rasters/m200301_modisSSEBopETv5_actual_mm.tif' # This is any of the ET rasters
arcpy.env.snapRaster = 'D:/Yunuen/6PostDoc/Data/ET/Rasters/m200301_modisSSEBopETv5_actual_mm.tif' # This is any of the ET rasters

Make sure you have all global-monthly rasters in the same folder.

- c. Run the script, the annual rasters should appear in the same folder you have the monthly rasters. They will be named as "ET YEAR.tif"
- 8. Be aware of the rasters' metadata:
 - Source: Operational Simplified Surface Energy Balance (SSEBop) Actual Evapotranspiration Product
 - b. Units: mm/year
 - c. Spatial resolution: 1-km
 - d. Spatial reference: GCS WGS84


B. Rasters of annual Land Surface Temperature average

Requirements: Google Earth Engine account (go to https://earthengine.google.com/new signup/ to create an account)

- 1. Go to https://code.earthengine.google.com/?scriptPath=users%2Fretinta%2FRastersExtraction %3ALST RastersExtraction
- 2. Enter the user-defined parameters:


```
LST_RastersExtraction
                    Get Link →
  ′ Imports (2 entries) 🗐
  ▶ var LST: ImageCollection MODIS/061/MYD11A2
  var polygon: Table users/retinta/Master sa
  ////// Extract rasters of annual LST average /////////
 3
  4
  6
  8
  var startYear = 2003;
 9
  var endYear= 2021;
10
  var studyArea = polygon;
```


a. First, delete the current study area.




b. Then, import yours. To import your study area, go to the "Assets" tab, click on "New" and then on "shape files". A new window will appear, click on "select", navigate to the folder where you have the files associated with the shapefile that delimits your study area, and select the files. Under "Asset ID" enter a location and a name for the asset. Finally, click on "upload". Once your asset is uploaded, place the cursor over the asset, click the "arrow button" to import it into the script, and change its name from "table" to "polygon".

Upload a new shapefile asset Source files






- c. Enter the desired start and end year. Data are available since 2003.
- 3. Run the script
- 4. Review the results and download them to google drive
 - a. In the map, see an example (the earliest year) of the annual maps generated



b. In the "Tasks" tab, click run on each of the annual maps, a new window will appear, click run again. Repeat this step for each of the annual maps. All maps will be downloaded to google drive within a folder called "LST rasters".



5. Be aware of the rasters' metadata:

a. Source: MYD11A2.061 Aqua Land Surface Temperature and Emissivity 8-Day Global 1km

b. Units: °C/year

c. Spatial resolution: 1-km

d. Spatial reference: GCS WGS84


C. Rasters of annual precipitation totals

Requirements: Google Earth Engine account (go to https://earthengine.google.com/new_signup/ to create an account)


- Go to
 https://code.earthengine.google.com/?scriptPath=users%2Fretinta%2FRastersExtraction
 %3APRE RastersExtraction
- 2. Enter the user-defined parameters:


```
PRE_RastersExtraction
             Get Link
                            Reset 🔻
  Imports (2 entries) 
   ▶ var Chirps: ImageCollection "CHIRPS Pentad: Climate Hazards Grou
   var polygon: Table users/retinta/Master_sa
  /////// Extract rasters of annual Precipitation totals /////////
  6
  7
  8 var startYear = 2003;
 9
  var endYear= 2021;
  var studyArea = polygon;
 10
```

a. First, delete the current study area.




b. Then, import yours. To import your study area, go to the "Assets" tab, click on "New" and then on "shape files". A new window will appear, click on "select", navigate to the folder where you have the files associated with the shapefile that delimits your study area, and select the files. Under "Asset ID" enter a location and a name for the asset. Finally, click on "upload". Once your asset is uploaded, place the cursor over the asset, click the "arrow button" to import it into the script, and change its name from "table" to "polygon".






- c. Enter the desired start and end year. Data are available since 2003.
- 3. Run the script
- 4. Review the results and download them to google drive
 - a. In the map, see an example (the earliest year) of the annual maps generated



b. In the "Tasks" tab, click run on each of the annual maps, a new window will appear, click run again. Repeat this step for each of the annual maps. All maps will be downloaded to google drive within a folder called "PRE rasters".



5. Be aware of the rasters' metadata:

a. Source: CHIRPS Pentad: Climate Hazards Group InfraRed Precipitation With Station Data (Version 2.0 Final)

b. Units: mm/year

c. Spatial resolution: 0.05° (~5-km)d. Spatial reference: GCS WGS84