
```
clc;
clear all;
close all;
```

## generate data

```
run ("Basics.m")
sys =
              1.3 s + 1.333
 s^4 + 3.967 s^3 + 8.41 s^2 + 10.62 s + 8.756
Continuous-time transfer function.
fb = 2.4327
sysd =
 0.0004236 \ z^3 + 0.001167 \ z^2 - 0.000997 \ z - 0.0003069
    z^4 - 3.481 z^3 + 4.58 z^2 - 2.697 z + 0.5991
Sample time: 0.12914 seconds
Discrete-time transfer function.
c = 1 \times 5
          0.0004 0.0012 -0.0010 -0.0003
d = 1 \times 5
   1.0000 -3.4807 4.5802 -2.6968 0.5991
tfinal=200;
t = 0:T_s:tfinal;
u = gensig('sine' , tfinal/20 , tfinal ,T_s)+gensig('sine' , tfinal/50 , tfinal ,T_s)+gensig('sine' , tfinal/20 , tfinal ,T_s)
y = lsim(sysd , u , t);
plot(t,u ,t , y ,'LineWidth',2);
xlabel('Time (sec)');
ylabel('Value');
title('ressponse of Question 2');
grid on
legend('Input' , 'OutPut');
```




## recursive least esquare estimation

```
N = numel(y);
%choose number of parameters
Parameters_in_den=4
Parameters_in_den = 4
Parameters_in_num=4
Parameters_in_num = 4
Nv=Parameters_in_num+Parameters_in_den
Nv = 8
P = 1e12*eye(Nv);
theta=[Nv,N]
theta = 1 \times 2
                  1549
theta(1:Nv,1:30) = 1e5*ones(Nv,30);
phi=[];
Eror=zeros(1,N)
Eror = 1 \times 1549
                                                                       0 . . .
```

```
tic
for i = (max(Parameters_in_num,Parameters_in_den))+1:N
    phi(:,i) = [[y(i-1:-1:i-Parameters_in_den)]' , [u(i-1:-1:i-Parameters_in_num)]']';
    K = P*phi(:,i)*(1+phi(:,i)'*P*phi(:,i))^(-1) ;
    P = (eye(Nv) - K*phi(:,i)')*P ;
    theta(:,i) = theta(:,i-1) + K*(y(i) - phi(:,i)'*theta(:,i-1));
    Eror(i)=(Eror(i-1)+(y(i)-phi(:,i)'*theta(:,i))^2);
end
```

## Bode



## **RLS Convergence**

```
plot(t , theta(:,:) , 'LineWidth' , 2);
xlabel('Time (sec)');
ylabel('Parameters');
title('RLS convergence');
grid on
```

