

# THE HIGHFIELD LEVEL 4 AWARD *in* Managing **Food Safety** Training HANDOUTS

## WELCOME TO THIS COURSE

Disclaimer: The information provided in this training package has been carefully compiled to ensure its relevance and accuracy. However, no liability or legal responsibility is accepted for the content or any errors or omissions. Apart from any fair dealing for the purpose of private study or the purpose permitted under the UK Copyright, Designs and Patents Act, 1988 no part of this publication may be reproduced, stored in any retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise without the prior permission in writing of Highfield.co.uk Ltd. ©Highfield.co.uk Ltd

**VERSION: JANUARY 2014**

**Lecture programme designed and written by Richard A. Sprenger**

©Highfield.co.uk Ltd 2014  
Highfield House, Heavens Walk, Lakeside, Doncaster,  
South Yorkshire, DN4 5HZ United Kingdom  
Tel: +44 0845 2260350 Fax: +44 0845 2260360  
info@highfield.co.uk www.highfield.co.uk



**Highfield**  
© .co.uk limited

*Improving Food Safety*

# Highfield Course Evaluation

HANDOUT

HO

COURSE TUTOR:

COURSE VENUE:

COURSE DATE:

As we are keen to continually improve our courses, we would appreciate your comments on how this may be achieved. We would also welcome positive comments on aspects of the course you particularly enjoyed or considered successful.

PLEASE TICK (✓)

EXCELLENT

GOOD

AVERAGE

POOR

Pre-course administration & delegate information:

☐☐☐☐

Course venue/catering:

☐☐☐☐

Standard of lecturing:

☐☐☐☐

Course handouts (thumbnails/quizzes/coursebook):

☐☐☐☐

Visual aids used (DVDs/PowerPoint™/Card games):

☐☐☐☐

Course content/length (relevance):

☐☐☐☐

Course pace:

☐☐☐☐

Did you achieve your objectives in attending the course:

YES

☐

NO

☐

What did you like most about the course?

|  |
|--|
|  |
|  |
|  |
|  |

How can we improve the course?

|  |
|--|
|  |
|  |
|  |
|  |

Comments:

|  |
|--|
|  |
|  |
|  |

Name:

Company:

Please remember to hand in this form at the end of the course

Please tick if you would not like us to use your comments in future promotions ☐

# Level 4 Award in Managing Food Safety

## Example timetable (5 days)

**DAY 1**

|               |                                          |
|---------------|------------------------------------------|
| 09.00 - 09.15 | Welcome & introductions                  |
| 09.15 - 10.45 | Introduction to food safety              |
| 10.45 - 11.00 | Break                                    |
| 11.00 - 12.30 | Microbiological contamination & controls |
| 12.30 - 13.00 | Lunch                                    |
| 13.00 - 15.00 | Physical contamination & controls        |
| 15.00 - 15.15 | Break                                    |
| 15.15 - 16.30 | Chemical contamination & controls        |
| 16.30 - 18.00 | Allergenic contamination & controls      |
| 18.00 - 18.15 | Coursework distribution                  |
| 18.15         | Close                                    |

**DAY 2**

|               |                                           |
|---------------|-------------------------------------------|
| 09.00 - 09.15 | Review                                    |
| 09.15 - 10.00 | Microbiology                              |
| 10.00 - 10.45 | Foodborne illness                         |
| 10.45 - 11.00 | Break                                     |
| 11.00 - 12.30 | Foodborne illness                         |
| 12.30 - 13.00 | Lunch                                     |
| 13.00 - 15.00 | Personal hygiene & training               |
| 15.00 - 15.15 | Break                                     |
| 15.15 - 16.30 | Personal hygiene & training               |
| 16.30 - 18.00 | Design & use of food equipment & premises |
| 18.00 - 18.15 | Coursework distribution                   |
| 18.15         | Close                                     |

**DAY 3**

|               |                                            |
|---------------|--------------------------------------------|
| 09.00 - 09.15 | Review                                     |
| 09.15 - 10.45 | Food spoilage & preservation               |
| 10.45 - 11.00 | Break                                      |
| 11.00 - 12.30 | Cleaning & disinfection                    |
| 12.30 - 13.00 | Lunch                                      |
| 13.00 - 15.00 | Cleaning & disinfection<br>Pest management |
| 15.00 - 15.15 | Break                                      |
| 15.15 - 18.00 | Pest management                            |
| 18.00 - 18.15 | Coursework distribution                    |
| 18.15         | Close                                      |

**DAY 4**

|               |                                                        |
|---------------|--------------------------------------------------------|
| 09.00 - 09.15 | Review                                                 |
| 09.15 - 10.00 | Introduction to HACCP & food safety management systems |
| 10.00 - 10.45 | Food hazards & controls from purchase to service       |
| 10.45 - 11.00 | Break                                                  |
| 11.00 - 12.30 | Food hazards & controls from purchase to service       |
| 12.30 - 13.00 | Lunch                                                  |
| 13.00 - 15.00 | Food safety management system & HACCP                  |
| 15.00 - 15.15 | Break                                                  |
| 15.15 - 18.00 | Food safety management system & HACCP                  |
| 18.00 - 18.15 | Coursework distribution                                |
| 18.15         | Close                                                  |

**DAY 5**

|               |                           |
|---------------|---------------------------|
| 09.00 - 09.15 | Review                    |
| 09.15 - 10.45 | Legislation               |
| 10.45 - 11.00 | Break                     |
| 11.00 - 12.30 | Role of the manager       |
| 12.30 - 13.00 | Lunch                     |
| 13.00 - 15.00 | Role of the manager       |
| 15.00 - 15.15 | Break                     |
| 15.15 - 18.15 | Revision & exam technique |
| 18.15         | Close                     |

# What are the definitions of... ?



Write the number in the grid shown below.

|           |                                      |          |                                                                                                                                                                                             |
|-----------|--------------------------------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>1</b>  | <b>Carriers</b>                      | <b>A</b> | The policies, procedures, practices, controls and documentation that ensure the food sold by a business is safe and free from contaminants.                                                 |
| <b>2</b>  | <b>Contamination</b>                 | <b>B</b> | Something with the potential to cause harm.                                                                                                                                                 |
| <b>3</b>  | <b>Cross-contamination</b>           | <b>C</b> | Assessment of food using the five senses: sight, smell, hearing, taste and touch.                                                                                                           |
| <b>4</b>  | <b>Food hygiene/safety</b>           | <b>D</b> | People who show no symptoms but excrete food poisoning organisms or carry them on their bodies.                                                                                             |
| <b>5</b>  | <b>Food poisoning</b>                | <b>E</b> | Food that is free of contaminants and will not cause harm, injury or illness.                                                                                                               |
| <b>6</b>  | <b>Food safety hazard</b>            | <b>F</b> | The measures and conditions necessary to control hazards and to ensure food is fit for human consumption, i.e. safe to eat.                                                                 |
| <b>7</b>  | <b>Food safety management system</b> | <b>G</b> | Poisons produced by pathogens, either in the food or in the body after consumption of contaminated food.                                                                                    |
| <b>8</b>  | <b>High-risk foods</b>               | <b>H</b> | An acute illness, caused by the consumption of contaminated or poisonous food.                                                                                                              |
| <b>9</b>  | <b>Organoleptic assessment</b>       | <b>I</b> | Something objectionable or harmful in food.                                                                                                                                                 |
| <b>10</b> | <b>Safe food</b>                     | <b>J</b> | Ready-to-eat foods which, under favourable conditions, support the multiplication of pathogenic bacteria and are intended to be eaten without treatment which would destroy such organisms. |
| <b>11</b> | <b>Toxins (bacterial)</b>            | <b>K</b> | The transfer of bacteria from raw food to ready-to-eat food by direct or indirect contact.                                                                                                  |

|   |  |   |  |   |  |   |  |   |  |   |  |   |  |   |  |   |  |    |  |    |  |
|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|----|--|----|--|
| 1 |  | 2 |  | 3 |  | 4 |  | 5 |  | 6 |  | 7 |  | 8 |  | 9 |  | 10 |  | 11 |  |
|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|----|--|----|--|

# Introduction: Food types



Explain the differences between the following food types and give three specific examples of each.

## a) Low-risk foods

.....

.....

.....

.....

.....

## b) High-risk foods

.....

.....

.....

.....

.....

## c) Raw foods to be cooked

.....

.....

.....

.....

.....

## d) Ready-to-eat raw foods

.....

.....

.....

.....

.....

# Microbiological contamination



Using the following headings, identify how microbiological contamination may be controlled in a food business.

## a) Remove sources

---

---

---

---

---

---

---

---

---

---

## b) Break routes

---

---

---

---

---

---

---

---

---

---

## c) Destroy

---

---

---

---

---

---

---

---

---

---

# Control measures

| Source                            | Examples                                                                                                  | Control measures |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------|------------------|
| <b>Raw ingredients</b>            | stones/bones/dirt<br>pests/pest debris<br>cigarette ends<br>glass/wood/plastic<br>metal - nails/wire/nuts |                  |
| <b>Building</b>                   | flaking paint/rust/nails<br>glass - light-fittings/windows<br>insulation<br>wood                          |                  |
| <b>Equipment</b>                  | bolts/nuts/screws<br>grease/oil<br>glass<br>wood                                                          |                  |
| <b>Notice boards</b>              | drawing pins                                                                                              |                  |
| <b>Packaging materials</b>        | staples<br>string<br>wood (pallets)<br>NB containers<br>plastic<br>glass                                  |                  |
| <b>Maintenance operatives</b>     | swarf<br>screw/nuts/bolts<br>wire<br>fibres/cloth                                                         |                  |
| <b>Food handlers and visitors</b> | jewellery/buttons/pen tops/cigarette ends<br>dressings                                                    |                  |

# Control measures

| Source                                                              | Examples                                                  | Control measures |
|---------------------------------------------------------------------|-----------------------------------------------------------|------------------|
| <b>Cleaning activities</b>                                          | plastic slivers<br><br>chemicals                          |                  |
| <b>Pests</b>                                                        | bodies<br>droppings<br>webbing<br>larvae/eggs<br>feathers |                  |
| <b>Food containers</b><br>(jars/bottles used for filling, e.g. jam) | glass shards                                              |                  |

# Physical contamination



What would you include in a policy for preventing physical contamination in a food business?

A large rectangular area with a light gray border, containing numerous horizontal dotted lines for writing.

# Chemical contamination



Identify suitable controls for the hazards listed in the table.

| Hazards                                                                                                                                                                                                               | Controls |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>Present in raw materials:</b> naturally occurring, pesticides, fertilisers, antibiotics, hormones                                                                                                                  |          |
| <b>Introduced during transport:</b> delivered in lorries previously used for chemicals, food delivered in same vehicle as chemicals                                                                                   |          |
| <b>Introduced during preparation/production:</b> incorrect additive, unsafe use of equipment (copper pans, lead pipe), fumes from diesel or petrol from fork lift trucks and other vehicles, migration from packaging |          |
| <b>Cleaning chemicals:</b> inappropriate storage, incorrect dosage, placed into unmarked containers                                                                                                                   |          |
| <b>Pesticides:</b> insecticides, rodenticides etc                                                                                                                                                                     |          |

# Allergenic contamination



Describe how a food business can reduce the risk of allergen contamination of food.

A large rectangular area with a light grey border, containing horizontal dotted lines for writing.

# Microbiological multiplication



Identify practical ways a food business can control microbiological multiplication within a workplace.

A large rectangular area with a light grey border, containing horizontal dashed lines for writing.

Explain the following terms:

## a) Mesophiles

---

---

---

---

---

---

---

---

---

---

## b) Thermophiles

---

---

---

---

---

---

---

---

---

---

## c) Psychrotrophs

---

---

---

---

---

---

---

---

---

---

# Microbiological crossword




Use the following clues to complete the crossword.

## ACROSS

1. Bacteria which cause disease. (10)
2. The name of bacteria that only grow in the absence of oxygen. (9)
3. Poisons produced by pathogens which affect the gastrointestinal tract. (12)
4. A heat process which reduces pathogens in food to a safe level. (14)
5. Poisons produced by bacteria which affect the nervous system. (11)
6. The description applying to bacteria which are growing and multiplying. (10)
7. Poisons produced by bacteria in food. (9)

## DOWN

1. The phase of bacterial growth involving rapid multiplication. (3)
2. Name of the group of bacteria that multiply above 45°C. (12)
3. Toxins produced by moulds. (10)
4. This is what spores do when favourable conditions return. (9)
5. Bacteria which multiply in food in the presence of oxygen. (7)
6. These survive high temperatures, dehydration and disinfectants. (6)
7. A pathogen that multiplies in living cells not in food. (5)



## Food poisoning outbreak

60 people out of 200 who attended a local authority function on 11th November 2000 became ill with symptoms of stomach pains and nausea. The main symptom was vomiting.

The buffet meal included ham quiche, sausage rolls, egg mayonnaise, risotto, ham and chicken sandwiches, chicken drumsticks, mixed seafood pizza, prawn and mushroom vol-au-vents, fruit trifle and fresh cream.

The buffet had been prepared on Friday 10th November by local councillors and their wives in their homes, and was transported at 10.00 am on the 11th November in unrefrigerated vehicles to the Civic Centre.

The buffet was left unrefrigerated in a room until required for consumption at 7.30 pm.

The first person became ill at 9.00 pm hours and most people became ill between 9.00 pm and 11.00 pm hours. All of the people had eaten the risotto.

- 1) Please suggest the possible pathogen, food vehicle, and causes of the outbreak.**
- 2) Can you identify the hazards and controls that should be taken to prevent further outbreaks of this type?**

## PATHOGENS

.....

.....

.....

.....

## FOOD VEHICLE:

.....

.....

.....

.....

## OUTBREAK CAUSE:

.....

.....

.....

.....

## HAZARDS:

.....

.....

.....

.....

## CONTROLS

.....

.....

.....

.....

## Food poisoning outbreak

Fifty people out of the 120 who attended a meal at the Sura Hotel experienced vomiting, nausea and abdominal pain. The meal was served between 17.30 pm and 9.00 pm on Friday 10th January. The first person developed symptoms at 10.00 pm on the 10th and the last person was ill at 3.00 am on Saturday 11th January.

The meal included egg mayonnaise, steak Dianne, new potatoes, peas and carrots followed by Black Forest gateaux and ice cream.

The egg mayonnaise was made at 11.00 am on the 10th January. The sauce for the steak was made just prior to service. The vegetables and steak were cooked at 6.30 pm and the gateaux and ice cream were purchased from a national manufacturer.

- 1) Please suggest the possible pathogen, food vehicle, and causes of the outbreak.**
- 2) Can you identify the hazards and controls that should be taken to prevent further outbreaks of this type?**

**PATHOGEN:**

.....

.....

.....

.....

**FOOD VEHICLE:**

.....

.....

.....

.....

**OUTBREAK CAUSE:**

.....

.....

.....

.....

**HAZARDS:**

.....

.....

.....

.....

**CONTROLS**

.....

.....

.....

.....

## Food poisoning outbreak

On Wednesday 6th March, 200 children at Smith Street School became ill after eating a dinner consisting of potatoes, peas, carrots, chicken and gravy.

The first child developed symptoms of diarrhoea, abdominal pain and nausea at 11.00 pm on Wednesday and the last child was ill at 8.00 am on Thursday.

The chicken was delivered on Tuesday the 5th March. It was cooked well in four stainless steel boilers (95°C). The chicken remained in the boilers overnight.

On Wednesday at 11.00 am, the chickens were removed and sliced. The gravy powder was made just before service on Wednesday 6th March.

- 1) Please suggest the possible pathogen, food vehicle, and causes of the outbreak.**
- 2) Can you identify the hazards and controls that should be taken to prevent further outbreaks of this type?**

# Case Study C



## **PATHOGEN:**

.....

.....

.....

.....

## **FOOD VEHICLE:**

.....

.....

.....

.....

## **OUTBREAK CAUSE:**

.....

.....

.....

.....

## **HAZARDS:**

.....

.....

.....

.....

## **CONTROLS**

.....

.....

.....

.....

.....

# Pathogens



Complete the following table:

| <b>PATHOGENS</b>           | <b>SOURCE</b>                                            | <b>USUAL ONSET PERIOD</b> | <b>SYMPTOMS</b>                              |
|----------------------------|----------------------------------------------------------|---------------------------|----------------------------------------------|
|                            | Soil, cereals, spices                                    |                           | V, N, or A, D, F                             |
|                            | Hands, skin, throat, nose, boils, cuts, raw milk         |                           | A, V, N, Collapse                            |
|                            | Soil, sewage, raw meat, dust                             | 8 - 12 hours              |                                              |
|                            | Carriers, poultry, eggs, milk, reptiles                  | 12 - 36 hours             |                                              |
|                            | Infected person, environment                             |                           | V (projectile), A, F, N, D                   |
|                            | Soil, vegetables, fish intestine                         |                           | Double vision, (paralysis of cranial nerves) |
| <b><i>E. coli</i> O157</b> | Intestine of humans and animals, sewage/water            | 3 - 4 days                |                                              |
| <b>Campylobacter</b>       | Soil, sewage, poultry, water, raw milk, dogs, wild birds |                           | F, D, (bloody), A (colicky), N               |
| <b>Typhoid</b>             | Carriers, sewage/manure, water                           | 8 - 14 days               |                                              |
| <b>Listeria</b>            | Soil, sewage, environment, carriers, birds, mammals      | 1 day - 3 months          |                                              |

**Key: V= vomiting A= abdominal pain D= diarrhoea F= fever N= nausea M= malaise**



GE

HANDOUT  
HO  
14

## ACROSS

- DOWN**

-

# Investigation of a food poisoning outbreak



**Which team is best prepared for the inspection?**

# The great debate



HANDOUT  
**HO**  
**16**

|                    |           |               |
|--------------------|-----------|---------------|
| Gloves             | <b>Vs</b> | No gloves     |
| Nailbrush          | <b>Vs</b> | No nailbrush  |
| Antibacterial soap | <b>Vs</b> | Ordinary soap |
| Hot water          | <b>Vs</b> | Cold water    |

Which team is best prepared for the debate?



# Training



Outline the benefits of a workforce which is well trained in food safety.

A large rectangular area with a light grey border, containing horizontal dotted lines for writing.

a) Describe how you would prepare a training course for new food handlers.

b) Outline how you could ensure that a training programme was effective and that good practices learnt were implemented in the workplace.

# Spoilage and preservation methods



Outline the main processes regarding pasteurisation, sterilisation and ultra heat treatment and explain their limitations.

## Main processes involved in pasteurisation:

## Limitations of the process:

## Main processes involved in sterilisation:

## Limitations of the process:

## Main processes involved in ultra heat treatment:

## Limitations of the process:

# Typical examination question



a) List the EIGHT stages of a cook-chill system.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

b) Describe controls which must be in place to ensure that cook-chill foods are safe.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

a) Identify the principles that should be considered when designing the layout of the food preparation and cooking areas.

b) Outline staff sanitary and washing facilities that need to be provided in the food business.

c) Outline the characteristics of:

Wall surfaces

Floor surfaces

Equipment

# Premises and equipment crossword


Use the following clues to complete the crossword.

## ACROSS

1. & 10 DOWN. Which 2 work areas should be segregated? (3) & (4, 4)
2. What does the separation of clean and dirty processes minimise? (5, 13)
3. A kitchen should have a well-..... layout. (7)
4. What type of electrical switch should be used to ensure safe cleaning can take place in a kitchen? (3,3)
5. What should be denied access and harbourage? (5)
6. Construction materials used to build food premises should be this. (3, 5)
7. Premises should be ..... to ensure that pests cannot gain entry. (7)
8. The most effective material for chopping boards to be made from. (13)

## DOWN

1. These traps allow fat to separate from water in food premises drainage systems. (6)
2. What type of water should be available in food premises? (7)
3. This provision must be made for staff to keep non-clothing and possessions. (9)
4. Knives and cutting boards benefit from this to prevent cross-contamination. (6, 6)
5. What type of taps are recommended on handwashing sinks? (3, 4, 8)
6. Equipment in food rooms should be this to ensure that it is waterproof. (10)
7. What is the most suitable construction material for sinks in kitchens? (9, 5)
8. Bins will attract pests if they are..... (11)
9. What should be provided to reduce humidities and temperatures? (11)
11. Lighting/illumination levels are measured in this. (3)



# Match the cleaning and disinfection definitions



Match the cleaning and disinfection definitions.

Write the number in the grid shown below.

|          |                      |          |                                                                                         |
|----------|----------------------|----------|-----------------------------------------------------------------------------------------|
| <b>A</b> | <b>Bactericide</b>   | <b>1</b> | A combined detergent and disinfectant.                                                  |
| <b>B</b> | <b>Disinfectant</b>  | <b>2</b> | A chemical used to remove dirt, grease and food particles which does NOT kill bacteria. |
| <b>C</b> | <b>Biodegradable</b> | <b>3</b> | A substance which destroys bacteria.                                                    |
| <b>D</b> | <b>Detergent</b>     | <b>4</b> | The process of destroying all micro-organisms and their spores.                         |
| <b>E</b> | <b>Contact time</b>  | <b>5</b> | A substance capable of being decomposed by bacteria or other living organisms.          |
| <b>F</b> | <b>Sanitiser</b>     | <b>6</b> | The time a chemical needs to be left on a surface to ensure it is effective.            |
| <b>G</b> | <b>Sterilisation</b> | <b>7</b> | A chemical used to reduce micro-organisms to a safe level.                              |

|          |  |          |  |          |  |          |  |          |  |          |  |          |  |
|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|
| <b>A</b> |  | <b>B</b> |  | <b>C</b> |  | <b>D</b> |  | <b>E</b> |  | <b>F</b> |  | <b>G</b> |  |
|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|

# Cleaning and disinfection



Outline the factors that should be taken into account when selecting a chemical disinfectant for use in a high-risk food business.

A large rectangular area with a light grey border, containing numerous horizontal dotted lines for writing.

# Cleaning and disinfection



Explain how a manager can organise an effective cleaning programme.

A large rectangular area with a light grey border, containing numerous horizontal dotted lines for writing.

# Pest control



What criteria would you use for selecting a pest control contractor?

A large rectangular area with horizontal dotted lines for writing.

# What are the definitions...?



Match definitions.

Write the number in the grid shown below.

|          |                                     |           |                                                                                                                                               |
|----------|-------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>A</b> | <b>Prerequisite programmes</b>      | <b>1</b>  | Collecting information on hazards to determine which are significant for food safety and thereby identifying critical steps.                  |
| <b>B</b> | <b>Flow diagram</b>                 | <b>2</b>  | Observations or measurements to confirm that the process is under control and critical limits are not breached.                               |
| <b>C</b> | <b>Hazard analysis</b>              | <b>3</b>  | The action taken when a CCP is out of control.                                                                                                |
| <b>D</b> | <b>Control measures</b>             | <b>4</b>  | A pictorial representation of steps involved in particular process.                                                                           |
| <b>E</b> | <b>Critical control point (CCP)</b> | <b>5</b>  | A reassessment of the HACCP system to ensure its continued validity.                                                                          |
| <b>F</b> | <b>Critical limits</b>              | <b>6</b>  | A step where control is essential to prevent a food safety hazard.                                                                            |
| <b>G</b> | <b>Monitoring</b>                   | <b>7</b>  | Values of monitored actions which separate the acceptable from the unacceptable.                                                              |
| <b>H</b> | <b>Corrective action</b>            | <b>8</b>  | The good hygiene practices a business must have in place before implementing HACCP.                                                           |
| <b>I</b> | <b>Verification</b>                 | <b>9</b>  | Actions or activities required to prevent or eliminate a food safety hazard or reduce it to an acceptable level.                              |
| <b>J</b> | <b>Review</b>                       | <b>10</b> | The methods, procedures, tests, and other evaluations, in addition to monitoring, to establish if the HACCP system is functioning as planned. |

|          |  |          |  |          |  |          |  |          |  |          |  |          |  |          |  |          |  |          |  |
|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|
| <b>A</b> |  | <b>B</b> |  | <b>C</b> |  | <b>D</b> |  | <b>E</b> |  | <b>F</b> |  | <b>G</b> |  | <b>H</b> |  | <b>I</b> |  | <b>J</b> |  |
|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|----------|--|

# Hazards and controls from purchase to service



a) Identify control measures for preventing microbiological multiplication in a refrigerator.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

b) Identify control measures for preventing microbiological contamination in a refrigerator.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

# Hazards and controls from purchase to service (typical exam question)



Outline practical controls that can be implemented during food production to prevent food poisoning caused by spore-forming bacteria.

A large rectangular area with horizontal dashed lines for writing.

# Food Safety Management Systems



Describe the advantages of having a HACCP system in place.

A large rectangular area with a light gray border, containing numerous horizontal dotted lines for writing.



**WEP**

**HANDOUT**  
**HO**  
**30A**

# HACCP Case Study



**Frozen joints of turkey are ordered from a local supplier for delivery the next day.**

**They are stored frozen and defrosted and then stored in a refrigerator overnight prior to cooking. Stuffing is delivered as a dry mix, and stored at ambient.**

**The turkey joints are stuffed and roasted then cooled and sliced prior to packing or serving to customers cold.**

a) Draw a flow diagram of the process the food takes.

b) Identify microbiological hazards at each step in the process and clarify whether the hazard posed will be a contamination, multiplication or survival hazard.

| STEP | EXAMPLE POTENTIAL HAZARDS | HAZARD TYPE |
|------|---------------------------|-------------|
|      |                           |             |
|      |                           |             |
|      |                           |             |
|      |                           |             |
|      |                           |             |
|      |                           |             |
|      |                           |             |
|      |                           |             |
|      |                           |             |
|      |                           |             |
|      |                           |             |

# HACCP Case Study Exercise

## Control Measures



Identify control measures for the hazards identified at the stuffing, roasting and cooling stages.

# HACCP Case Study Exercise

## Critical Control Points



Apply the decision tree to the steps of mixing stuffing, stuffing, roasting and cooling and determine which are critical control points.

# HACCP Case Study Exercise

## Critical Limits



Identify suitable critical limits for the critical control points of roasting & cooling.

# HACCP Case Study Exercise

## Monitoring



Outline suitable monitoring procedures for the hazards identified at steps of stuffing and roasting and cooling.

# HACCP Case Study Exercise

## Corrective Action



Outline suitable corrective actions for the hazards identified at steps of stuffing, roasting and cooling.

# HACCP Case Study: Summary Exercise



**Identify what you would have included in policies relating to:**

prerequisite:

verification

validation

review

WEP  
HANDOUT  
HO  
33

**HANDOUT**  
**HO**  
**33**

# Who does it?

|           |                                            | EHP | COURT | MANAGER |
|-----------|--------------------------------------------|-----|-------|---------|
| <b>1</b>  | Issue Hygiene Emergency Prohibition Order  |     |       |         |
| <b>2</b>  | Issue Hygiene Emergency Prohibition Notice |     |       |         |
| <b>3</b>  | Seize food                                 |     |       |         |
| <b>4</b>  | Discipline staff                           |     |       |         |
| <b>5</b>  | Issue Hygiene Improvement Notice           |     |       |         |
| <b>6</b>  | Give recommendations for improvements      |     |       |         |
| <b>7</b>  | Provide training and information           |     |       |         |
| <b>8</b>  | Impose a fine                              |     |       |         |
| <b>9</b>  | Imprison                                   |     |       |         |
| <b>10</b> | Monitor critical points                    |     |       |         |
| <b>11</b> | Identify staff training needs              |     |       |         |
| <b>12</b> | Close a premises                           |     |       |         |
| <b>13</b> | Verify a HACCP system                      |     |       |         |

# Legislation crossword


Use the following clues to complete the crossword.

## ACROSS

1. What is the minimum number of days that can be given to comply with a hygiene improvement notice? (8)
2. Food handlers must be trained commensurate with their... (4,8)
3. An authorised officer of the local authority can inspect a food business at this time. (3, 10)
4. What would an EHP/EHO do if he/she found food contaminated by mouse droppings during an inspection? (5)
5. A new food business must do this with a local authority before it opens. (8)
6. The type of hygiene notice served because of a major pest infestation in a food business. (9, 11)
7. What should the food business operator do with an infected food handler? (7)
8. What is the minimum number of days allowed for a new business to register with the local authority? (6, 5)
9. The type of hygiene notice served because of flaking paint or broken wall tiles. (11)
10. In addition to giving advice, guidance or training, what other informal action could an EHP/EHO take? (6)
11. What should waste be deposited in? (8, 10)

## DOWN

1. What will happen to a food business that doesn't comply with a hygiene improvement notice? (11)
2. What number of lavatories and wash basins must be provided in a food business? (8)
3. In addition to name, address and time, this information should be included on a hygiene improvement notice. (14)
4. If necessary, what must be fitted to an openable window in a food room? (3, 6)
5. Who is responsible for ensuring a food business complies with food safety law? (4, 8, 8)
6. What must not open into a food room? (8)
7. If a food business is doing everything reasonably practicable to comply with the law, what defence can they use? (3, 9)
8. What must not be opened if there is a risk of contamination in a food room? (6)
9. What must not accumulate in food rooms? (5)



Please circle your answer.

**1. Which of the following is MOST likely to result in food poisoning?**

- A Drinking pasteurised milk left at ambient temperatures for 4 hours
- B Eating food 1 week after the best-before date
- C Drinking pasteurised milk food stored below 5°C 1 day after the use-by date
- D Eating high-risk food on ambient display for 2 hours

**2. Viruses differ from food poisoning bacteria as they:**

- A multiply on food to large numbers and are more likely to be passed from person to person
- B only require small numbers to cause illness and are much larger than bacteria
- C are much smaller than bacteria and multiply on food to large numbers to cause illness
- D are more likely to be passed from person to person and only require small numbers to cause illness

**3. When considering the structure of a bacterium, what is the flagella?**

- A A gel-like secretion many bacteria
- B The major part of the cell where metabolic reactions occur
- C A hair-like structure, used for locomotion
- D A selectively permeable membrane controlling the passage of nutrients and waste products

**4. After cooking meat which is to be served cold, why should it be cooled rapidly?**

- A To prevent spores from contaminating food
- B To prevent spores from germinating in food
- C To prevent spores from surviving in food
- D To prevent spores from multiplying in food

Please circle your answer.

**5. Which of the following is a control measure used to prevent the contamination of high-risk food with pathogens?**

- A Storing food in a refrigerator at 5°C
- B Ensuring food is used within its 'use-by' date
- C Effective cleaning and disinfection
- D Adding preservatives to food during production

**6. Which of the following statements is correct regarding *Clostridium perfringens*?**

- A Is commonly found in fish and is a Gram-positive obligate aerobe
- B Requires a pH of below 5.0 to grow and the main symptom is diarrhoea
- C It is a Gram-negative anaerobe and the onset time is usually 1 to 8 hours
- D Has a growth range of 15°C to 52°C and is a spore-forming anaerobe

**7. What are the four common sources of food poisoning bacteria?**

- A Waste, hands, pests, cooked food
- B Low-risk food, rodents, gloves, sewage
- C People, raw food, pests, sewage
- D Low-risk foods, waste, hands, pests

**8. Managers should ensure hot holding of food is monitored by training supervisors and staff to:**

- A record the temperature of products before they are put on display
- B regularly check the temperature of products on hot display
- C implement suitable controls for hazards in cooked food
- D ensure all hot products are placed into pre-heated hot hold equipment

# Mock Examination Paper 1 MCQ



Please circle your answer.

**9. A step in a HACCP process is a critical control point if:**

- A flow charts have been developed to control all hazards at the step
- B prerequisites are in place at the step to monitor control of all hazards
- C there are control measures in place at the step to control all hazards
- D there is no further process which will reduce hazards to an acceptable level

**10. Which one of the following would not be included as a prerequisite to HACCP?**

- A Ensuring a safe drinking supply
- B Suitable cleaning and disinfection
- C Monitoring cooking temperatures
- D Approved reputable suppliers

**11. Which of these is not one of the eight stages of cook-chill?**

- A Regeneration
- B Cooking
- C Blast chilling
- D Storage at or below 5°C

**12. When conducting a hazard analysis which one of the following procedures is used?**

- A Identifying hazards
- B Establishing records
- C Developing suitable monitoring procedures
- D Identifying critical limits

**QUESTION: 1**

**1. Why is strict temperature control essential when storing high-risk foods? (5 marks)**

***Outline the systems and practical measures that can be put into place in a food production area to ensure temperature control is maintained. (12.5 marks)***

## QUESTION: 2

*a) List the preliminary steps necessary to introduce a Hazard Analysis Critical Control Point (HACCP) system into a food business. (8 marks)*

*b) Explain, using two different examples, what is meant by the term 'critical control point'. (5 marks)*

*c) What are the advantages of implementing a HACCP system into a business? (7.5 marks)*

**QUESTION: 3**

*Effective cleaning and disinfection systems are an important prerequisite in any food business.*

*Outline the main features included in a cleaning schedule. (5 marks)*

*Explain how the manager can ensure that the schedule is effectively implemented and maintained. (12.5 marks).*

## **QUESTION: 4**

*The manager of the business decides that the food safety culture within the business needs to be improved. Explain how this could be achieved. (17.5 marks)*