

# TigerHacks Roblox Team Setup

We are using:

**GitHub → VS Code → Rojo → Roblox Studio**

Everyone will have their own local copy of the game and push their work to the same GitHub repository.

## 1. Get access to the GitHub repository

I need to add each team member as a collaborator to the private **Tigerhacks-** repository.

Once you accept the GitHub invitation, you can clone the project.

## 2. Install everything

Make sure you have:

Git  
VS Code  
Roblox Studio  
Rojo  
Rojo plugin for Roblox Studio

On Mac with Homebrew:

```
brew install rojo
```

Check it with:

```
rojo --version
```

You should get a Rojo version number.

Also install the **Rojo extension in VS Code** and the official **Rojo by Rojo Foundation** plugin in Roblox Studio.

## 3. Clone our project

Do **NOT** create a new repository and do **NOT** run `rojo init`.

Clone our existing repository:

```
git clone git@github.com:ysalbador24/Tigerhacks-.git
cd Tigerhacks-
```

If SSH isn't configured on your GitHub account, we can help set that up separately.

Then open the **Tigerhacks-** folder in VS Code.

## 4. Start Rojo

Inside the project folder, run:

```
rojo serve
```

Keep this terminal running while working on the Roblox game.

You should see something similar to:

```
Project "Tigerhacks-" is serving
localhost:34872
```

## 5. Connect Roblox Studio

Open Roblox Studio and open the game/baseplate.

Open the **Rojo plugin**.

It should detect:

```
Tigerhacks-
localhost:34872
```

Click **Connect**.

If Roblox asks for permissions, allow Rojo:

```
HTTP Requests
Script Injection
```

Once connected, the project should map like this:

| VS Code     |    | Roblox Studio        |
|-------------|----|----------------------|
| src/client/ | →  | StarterPlayer        |
|             | └─ | StarterPlayerScripts |
| src/server/ | →  | ServerScriptService  |

src/shared/ → ReplicatedStorage

---

## 6. IMPORTANT: Everyone uses their own Git branch

We should **not** all code directly on **main**.

Before starting a feature, first make sure you have the newest version:

```
git checkout main
git pull origin main
```

Then create your branch:

```
git checkout -b your-name-feature
```

For example:

```
git checkout -b yesenia-player-system
```

or:

```
git checkout -b maya-ui
```

Check which branch you're on:

```
git branch
```

The **\*** should be beside your branch, **not main**.

## 7. Work normally

Edit the **.luau** files in VS Code.

Rojo automatically sends those changes into Roblox Studio while connected.

For example:

```
src/
├── client/
├── server/
└── shared/
```

**Important:** If a script is managed by Rojo, edit it in **VS Code**, not directly in Roblox Studio. Otherwise, your changes can get overwritten by Rojo.

You can still use Roblox Studio for building the map, placing objects, testing, adjusting properties, etc.

## 8. Save work to GitHub

When you're ready to save your work:

```
git status
```

Then:

```
git add .
```

Commit:

```
git commit -m "Add player inventory system"
```

Then push your branch:

```
git push -u origin your-name-feature
```

For example:

```
git push -u origin yesenia-player-system
```

## 9. Create a Pull Request

Go to GitHub after pushing.

Create a **Pull Request**:

```
your branch  
↓  
main
```

Someone else should quickly review it before merging.

After it is merged, everyone can update their computer with:

```
git checkout main  
git pull origin main
```

Then create a new branch for their next task.

## The rule I would give everyone

**Before you start:** pull `main` and create a branch.

**While coding:** edit Rojo-managed scripts in VS Code.

**When you're done:** commit, push your branch, and create a pull request.

**Do not push unfinished work directly to `main`.**