

# Cucumber Report

Jun 23, 2023, 3:36:23 AM

Start : Jun 23, 3:35:27.518 AM

End : Jun 23, 3:36:22.357 AM

Duration : 54.839 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 6  
FAILED - 2  
SKIPPED - 0


PASSED - 30  
FAILED - 2  
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>search_feature</u>	30.689 s	6	6	0	0	24	24	0	0
<u>customer_login_failing</u>	24.141 s	2	0	2	0	10	6	2	2

#	Feature Name	Scenario Name
1	<u>customer_login_failing</u>	<u>TC01_&lt;PositiveTest&gt;_customer_login_test</u>
2		<u>TC01_&lt;PositiveTest&gt;_customer_login_test</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@parameterizing1	6	6	0	0	1	1	0	0
@test_runner	6	6	0	0	1	1	0	0
@failed_test_case	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>search_feature</u>	6	6	0	0	30.689 s
2	<u>customer_login_failing</u>	2	0	2	0	24.141 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>search_feature</u>	<u>TC01_iphone_search</u>	4	4	0	0	6.233 s
2		<u>TC02_tesla_search</u>	4	4	0	0	4.670 s
3		<u>TC03_bmw_search</u>	4	4	0	0	5.215 s
4		<u>TC04_apple_search</u>	4	4	0	0	4.406 s
5		<u>TC05_nio_search</u>	4	4	0	0	4.949 s
6		<u>TC06_pineapple_search</u>	4	4	0	0	5.191 s
7	<u>customer_login_failing</u>	<u>TC01_&lt;PositiveTest&gt;_customer_login_test</u>	5	3	1	1	12.102 s
8		<u>TC01_&lt;PositiveTest&gt;_customer_login_test</u>	5	3	1	1	12.025 s

**search\_feature**



<div>PASSED</div>	<div>DURATION - 30.689 s</div>	<div>Scenarios</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 24</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:35:27.518 AM // 3:35:58.207 AM /</div>					

**TC01\_iphone\_search**

<div>PASSED</div>	<div>DURATION - 6.233 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:35:27.521 AM // 3:35:33.754 AM /				
search_feature				
@parameterizing1 @test_runner				



#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://google.com"	PASSED	2.814 s
2	And user search for "iPhone"	PASSED	0.218 s
3	Then verify the page title contains "iPhone"	PASSED	2.131 s
4	Then close the application	PASSED	0.115 s

**TC02\_tesla\_search**

PASSED		DURATION - 4.670 s			Steps	
/ 3:35:33.759 AM // 3:35:38.429 AM /					Total - 4	
search_feature					Pass - 4	
@parameterizing1 @test_runner					Fail - 0	
					Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://google.com"	PASSED	1.692 s
2	And user search for "tesla"	PASSED	0.160 s
3	Then verify the page title contains "tesla"	PASSED	1.782 s
4	Then close the application	PASSED	0.093 s

**TC03\_bmw\_search**

PASSED		DURATION - 5.215 s			<div>Steps Total - 4 Pass - 4 Fail - 0 Skip - 0</div> 
/ 3:35:38.435 AM // 3:35:43.650 AM /					
search_feature					
@parameterizing1 @test_runner					

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://google.com"	PASSED	1.776 s
2	And user search for "bmw"	PASSED	0.155 s
3	Then verify the page title contains "bmw"	PASSED	2.230 s
4	Then close the application	PASSED	0.116 s

**TC04\_apple\_search**



PASSED		DURATION - 4.406 s			<div>Steps Total - 4 Pass - 4 Fail - 0 Skip - 0</div> 
/ 3:35:43.654 AM // 3:35:48.060 AM /					
search_feature					
@parameterizing1 @test_runner					

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://google.com"	PASSED	1.694 s
2	And user search for "apple"	PASSED	0.155 s





#	Step / Hook Details	Status	Duration
3	Then verify the page title contains "apple"	PASSED	1.502 s
4	Then close the application	PASSED	0.106 s

**TC05\_nio\_search**

PASSED		DURATION - 4.949 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0			
/ 3:35:48.064 AM // 3:35:53.013 AM /								
search_feature								
@parameterizing1 @test_runner								



#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://google.com"	PASSED	1.740 s
2	And user search for "nio"	PASSED	0.155 s
3	Then verify the page title contains "nio"	PASSED	1.995 s
4	Then close the application	PASSED	0.120 s

**TC06\_pineapple\_search**



PASSED		DURATION - 5.191 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0			
/ 3:35:53.016 AM // 3:35:58.207 AM /								
search_feature								
@parameterizing1 @test_runner								

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://google.com"	PASSED	1.704 s
2	And user search for "pine apple"	PASSED	0.163 s
3	Then verify the page title contains "pine apple"	PASSED	2.245 s
4	Then close the application	PASSED	0.119 s


**customer\_login\_failing**

<b>FAILED</b>	<b>DURATION - 24.141 s</b>	Scenarios		Steps	
/ 3:35:58.216 AM // 3:36:22.357 AM /		Total - 2		Total - 10	
		Pass - 0		Pass - 6	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	



**TC01\_<PositiveTest>\_customer\_login\_test**

<div>FAILED</div> <div>DURATION - 12.102 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:35:58.219 AM // 3:36:10.321 AM /				
customer_login_failing				
@failed_test_case				

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.bluerentalcars.com/"	PASSED	1.266 s
2	And user clicks on home page login button	PASSED	0.344 s
3	And user enters "sam.walker@bluerentalcars.com" and "c!fas_art"	PASSED	0.181 s
4	Then user logs out the application	FAILED	10.034 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#dropdown-basic-button"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [28cf3e5f0a76b527e35a60c1ec0967b5, findElement {using=id, value=dropdown-basic-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\lyusuf\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54892}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54892/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 28cf3e5f0a76b527e35a60c1ec0967b5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy25.click(Unknown Source) at stepdefinitions.BlueRentalStepDefs.user_logs_out_the_application(BlueRentalStepDefs.java:36) at ?.user logs out the application(file:///C:/Users/yusuf/IdeaProjects/mycucumberproject/.src/test/resources/features/day29_failed_test_cases.feature:7) * Not displayable characters are replaced by '?'. </pre>		
5	Then close the application	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshots		
			

### TC01\_<PositiveTest>\_customer\_login\_test

FAILED	DURATION - 12.025 s		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 3:36:10.332 AM // 3:36:22.357 AM /				
customer_login_failing				
@failed_test_case				

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.bluerentalcars.com/"	PASSED	1.081 s
2	And user clicks on home page login button	PASSED	0.336 s
3	And user enters "kate.brown@bluerentalcars.com" and "tad1\$Fas"	PASSED	0.170 s
4	<p>Then user logs out the application</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#dropdown-basic-button"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6a2e9a6810fe2da2368b8173a82eed09, findElement {using=id, value=dropdown-basic-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\yusuf\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54919}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54919/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6a2e9a6810fe2da2368b8173a82eed09</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy25.click(Unknown Source) at stepdefinitions.BlueRentalStepDefs.user_logs_out_the_application(BlueRentalStepDefs.java:36) at ?.user logs out the application(file:///C:/Users/yusuf/IdeaProjects/mycucumberproject/.src/test/resources/features/day29_failed_test_cases.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	10.056 s
5	Then close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.379 s

#	Step / Hook Details	Status	Duration
	screenshots		
	