

데이터셋

- Data Tool 파일
 - 20260427_Data tool_20260427111323299.xlsx

- 컬럼 정보
 - HOSP_ID: 병원 ID
 - SUBJ_ID: 샘플 ID
 - BRND_ID: 패널 ID
 - BRND_NM_VER: 패널명
 - BRND_NM_ECT_YN: 패널 미확보 유무 (1: y)
 - BRND_NM_ECT_CMNT: 수기패널명

- 데이터셋
 - 1,007개 샘플 (test2, test3 – 2개 샘플 제외)
 - 32개 병원
 - 36개 패널

	HOSP_ID	SUBJ_ID	BRND_CD	BRND_NM_VER	BRND_NM_ECT_YN	BRND_NM_ECT_CMNT
0	test3	test3	P017	FoundationOne CDx	NaN	NaN
1	test2	test2	P002	FoundationOne CDx	NaN	NaN
2	S032	S032-005	P007	Oncomine Comprehensive Assay Plus	NaN	NaN
3	S032	S032-004	NaN	NaN	1.0	S032-004_panel(AUH-SCT1?)
4	S032	S032-003	P016	TSO500 ver2.2	NaN	NaN
...	...	...	...	...	...	...
1004	S001	S001-006	P012	NaN	1.0	SNUBH Pan_Cancer Ver2
1005	S001	S001-005	P016	NaN	1.0	TSO500 ver2.2
1006	S001	S001-004	P016	NaN	1.0	TSO500 ver2.2
1007	S001	S001-002	P016	NaN	1.0	TSO500 ver2.2
1008	S001	S001-001	P008	Oncomine Comprehensive Assay v3	NaN	NaN


1009 rows x 6 columns

S006	120	P016	326
S001	115	P007	160
S003	113	P009	109
S010	91	P018	47
S002	65	P001	32
S007	49	P034	26
S004	48	P013	25
S012	44	P024	23
S016	31	P008	20
S011	28	P019	18
S023	26	P027	14
S031	25	P006	12
S024	24	P032	12
S005	22	P012	10
S020	22	P036	7
S009	20	P023	7
S018	19	P020	6
S027	17	P003	5
S008	17	P014	5
S013	14	P017	4
S014	14	P002	4
S030	12	P021	4
S021	11	P005	4
S028	8	P004	3
S019	8	P022	3
S026	8	P035	3
S025	8	P028	2
S015	8	P031	2
S017	7	P026	1
S022	5	P029	1
S029	4	P033	1
S032	4	P011	1
test3	1	P010	1
test2	1	P030	1
Name: HOSP_ID, dtype: int64		P015	1
		P025	1
		Name: BRND_CD, dtype: int64	

패널 정보

- 패널 정보 요약
 - 패널 개수: 36
 - 병원별 패널 개수: 최대 8, 최소 1

```
{'P001': ['AlphaLiquid@100(v2)'],
'P002': ['AUH-SCT1'],
'P003': ['CancerSCAN compact'],
'P004': ['FoundationOne CDx'],
'P005': ['FoundationOne Liquid CDx'],
'P006': ['NGS Pan cancer panel 525 ver.3'],
'P007': ['Oncomine Comprehensive Assay Plus'],
'P008': ['Oncomine Comprehensive Assay v3'],
'P009': ['OncoPanel AMC v4.5'],
'P010': ['Pan100 panel v2'],
'P011': ['SNUBH Pan_Cancer Ver1'],
'P012': ['SNUBH Pan_Cancer Ver2'],
'P013': ['Solid Tumor Panel II(TMB/MSI)(RNA included)'],
'P014': ['SOLIDaccuTest CNV SCH (v1.6)'],
'P016': ['TSO500 ver2.2'],
'P017': ['CancerSCAN v2.2'],
'P018': ['ONCOaccuPanel v4.3'],
'P019': ['ONCOaccuPanel v4.5'],
'P020': ['CancerSCAN Level.2'],
'P021': ['ACPI-KU'],
'P022': ['K-MASTER PANEL V1.1'],
'P023': ['Illumina TruSight Oncology 500 ctDNA'],
'P024': ['ONCOaccuPanel v1.0'],
'P025': ['Solid Tumor Panel II(TMB/MSI)(RNA not included)'],
'P026': ['NGS Pan cancer panel 104 ver.2'],
'P027': ['BrainTumorSCAN v2'],
'P028': ['CancerSCAN v2.1'],
'P029': ['Oncomine Comprehensive Assay V1'],
'P030': ['SOLIDaccuTest KNUCH DNA v1'],
'P031': ['Guardant Omni Panel v1.0'],
'P032': ['OncoPanel AMC v4.3'],
'P033': ['FIRST v3.1'],
'P034': ['CancerSCAN v3.1'],
'P035': ['KUMC cancer Panel v1.1'],
'P036': ['CancerScan 10+P & CancerSCAN RNA FE']}
```



- 패널 정보 확보 유무
 - 총 샘플 수: 1,007
 - 패널정보 확보 샘플: 899
 - 패널정보 미확보 샘플: 108

	HOSP_ID	SUBJ_ID	BRND_CD	BRND_NM_VER	BRND_NM_ECT_YN	BRND_NM_ECT_CMNT
0	S001	S001-001	P008	Oncomine Comprehensive Assay v3	NaN	NaN
1	S001	S001-090	P016	TSO500 ver2.2	NaN	NaN
2	S001	S001-089	P016	TSO500 ver2.2	NaN	NaN
3	S001	S001-087	P016	TSO500 ver2.2	NaN	NaN
4	S001	S001-086	P016	TSO500 ver2.2	NaN	NaN
...	...	...	...	...	...	...
1001	S031	S031-011	P018	ONCOaccuPanel v4.3	NaN	NaN
1002	S031	S031-006	P018	ONCOaccuPanel v4.3	NaN	NaN
1003	S032	S032-002	P019	ONCOaccuPanel v4.5	NaN	NaN
1004	S032	S032-003	P016	TSO500 ver2.2	NaN	NaN
1006	S032	S032-005	P007	Oncomine Comprehensive Assay Plus	NaN	NaN

899 rows × 6 columns

	HOSP_ID	SUBJ_ID	BRND_CD	BRND_NM_VER	BRND_NM_ECT_YN	BRND_NM_ECT_CMNT
51	S001	S001-099	NaN	NaN	1.0	S001-098_panel
52	S001	S001-098	NaN	NaN	1.0	S001-098_panel
65	S001	S001-022	NaN	NaN	1.0	CancerSCAN v3.1
105	S001	S001-041	NaN	NaN	1.0	S001-041_panel
112	S001	S001-033	NaN	NaN	1.0	S001-033_panel
...	...	...	...	...	...	...
931	S026	S026-005	NaN	NaN	1.0	S026-005, S026-006, S026-007_panel
932	S026	S026-007	NaN	NaN	1.0	S026-005, S026-006, S026-007_panel
982	S031	S031-023	NaN	NaN	1.0	S031-023_panel
990	S031	S031-014	NaN	NaN	1.0	FIRST-Cancer Panel v3.3
1005	S032	S032-004	NaN	NaN	1.0	S032-004_panel(AUH-SCT1?)

108 rows × 6 columns

패널 정보 – 확보 샘플 (899)

- 패널 확보 샘플 (899)
 - 패널명 존재: 658
 - 패널명 누락: 241

	HOSP_ID	SUBJ_ID	BRND_CD	BRND_NM_VER	BRND_NM_ECT_YN	BRND_NM_ECT_CMNT
0	S001	S001-001	P008	Oncomine Comprehensive Assay v3	NaN	NaN
3	S001	S001-058	P016	TSO500 ver2.2	NaN	NaN
26	S001	S001-015	P011	SNUBH Pan_Cancer Ver1	NaN	NaN
29	S001	S001-057	P016	TSO500 ver2.2	NaN	NaN
30	S001	S001-032	P026	NGS Pan cancer panel 104 ver.2	NaN	NaN
...	...	...	...	...	...	...
1001	S031	S031-018	P018	ONCOaccuPanel v4.3	NaN	NaN
1002	S031	S031-022	P008	Oncomine Comprehensive Assay v3	NaN	NaN
1003	S032	S032-002	P019	ONCOaccuPanel v4.5	NaN	NaN
1004	S032	S032-003	P016	TSO500 ver2.2	NaN	NaN
1006	S032	S032-005	P007	Oncomine Comprehensive Assay Plus	NaN	NaN

658 rows × 6 columns

	HOSP_ID	SUBJ_ID	BRND_CD	BRND_NM_VER	BRND_NM_ECT_YN	BRND_NM_ECT_CMNT
1	S001	S001-030	P016	NaN	1.0	TSO500 ver2.2
2	S001	S001-029	P016	NaN	1.0	TSO500 ver2.2
4	S001	S001-004	P016	NaN	1.0	TSO500 ver2.2
5	S001	S001-005	P016	NaN	1.0	TSO500 ver2.2
6	S001	S001-006	P012	NaN	1.0	SNUBH Pan_Cancer Ver2
...	...	...	...	...	...	...
927	S025	S025-009	P001	NaN	NaN	NaN
938	S027	S027-001	P009	NaN	1.0	OncoPanel AMC v4.5
939	S027	S027-002	P008	NaN	1.0	Oncomine Comprehensive Assay v3
940	S027	S027-003	P007	NaN	1.0	Oncomine Comprehensive Assay Plus
954	S028	S028-001	P007	NaN	1.0	Oncomine Comprehensive Assay Plus

241 rows × 6 columns

- 패널명 누락 샘플 (241)
 - 수기패널명 확인
 - 수기패널명 존재: 239
 - 수기패널명 누락: 2

	hosp_brnd_cd	HOSP_ID	SUBJ_ID	BRND_CD	BRND_NM_VER	BRND_NM_ECT_YN	BRND_NM_ECT_CMNT
1	S001_P016	S001	S001-030	P016	NaN	1.0	TSO500 ver2.2
2	S001_P016	S001	S001-029	P016	NaN	1.0	TSO500 ver2.2
4	S001_P016	S001	S001-004	P016	NaN	1.0	TSO500 ver2.2
5	S001_P016	S001	S001-005	P016	NaN	1.0	TSO500 ver2.2
6	S001_P012	S001	S001-006	P012	NaN	1.0	SNUBH Pan_Cancer Ver2
...	...	...	...	...	...	...	...
922	S025_P007	S025	S025-001	P007	NaN	1.0	Oncomine Comprehensive Assay Plus
938	S027_P009	S027	S027-001	P009	NaN	1.0	OncoPanel AMC v4.5
939	S027_P008	S027	S027-002	P008	NaN	1.0	Oncomine Comprehensive Assay v3
940	S027_P007	S027	S027-003	P007	NaN	1.0	Oncomine Comprehensive Assay Plus
954	S028_P007	S028	S028-001	P007	NaN	1.0	Oncomine Comprehensive Assay Plus

239 rows × 7 columns

	hosp_brnd_cd	HOSP_ID	SUBJ_ID	BRND_CD	BRND_NM_VER	BRND_NM_ECT_YN	BRND_NM_ECT_CMNT
563	S009_P023	S009	S009-025	P023	NaN	NaN	NaN
927	S025_P001	S025	S025-009	P001	NaN	NaN	NaN

패널 정보 – 패널명 누락 샘플 (241)

- 수기패널명 존재 샘플 (239)
 - 패널 테이블 확인 시
 - 매칭 o 샘플: 236
 - 매칭 x 샘플: 3 (S020_P007: plus를 Plus로 수정)

	hosp_brnd_cd	HOSP_ID	SUBJ_ID	BRND_CD	BRND_NM_VER	BRND_NM_ECT_YN	BRND_NM_ECT_CMNT
837	S020_P007	S020	S020-004	P007	NaN	1.0	Oncomine Comprehensive Assay plus
843	S020_P007	S020	S020-005	P007	NaN	1.0	Oncomine Comprehensive Assay plus
853	S020_P007	S020	S020-901	P007	NaN	1.0	Oncomine Comprehensive Assay plus

- 수기패널명 누락 샘플 (2)
 - 패널 테이블 확인 시
 - S009-025: Illumina TrueSight Oncology 500 ctDNA
 - S025-009: AlphaLiquid ®100(v2)

```
{'S001_P012': ['SNUBH Pan_Cancer Ver2'],
'S001_P016': ['TS0500 ver2.2'],
'S002_P007': ['Oncomine Comprehensive Assay Plus'],
'S003_P016': ['TS0500 ver2.2'],
'S003_P017': ['CancerSCAN v2.2'],
'S003_P034': ['CancerSCAN v3.1'],
'S004_P016': ['TS0500 ver2.2'],
'S004_P017': ['CancerSCAN v2.2'],
'S005_P009': ['OncoPanel AMC v4.5'],
'S005_P013': ['Solid Tumor Panel II(TMB/MSI)(RNA included)'],
'S005_P016': ['TS0500 ver2.2'],
'S006_P009': ['OncoPanel AMC v4.5'],
'S006_P016': ['TS0500 ver2.2'],
'S006_P032': ['OncoPanel AMC v4.3'],
'S007_P007': ['Oncomine Comprehensive Assay Plus'],
'S009_P003': ['CancerSCAN compact'],
'S009_P034': ['CancerSCAN v3.1'],
'S010_P015': ['TruSight Tumor 170 panel'],
'S010_P016': ['TS0500 ver2.2'],
'S011_P016': ['TS0500 ver2.2'],
'S012_P007': ['Oncomine Comprehensive Assay Plus'],
'S013_P013': ['Solid Tumor Panel II(TMB/MSI)(RNA included)'],
'S016_P016': ['TS0500 ver2.2'],
'S018_P018': ['ONCOaccuPanel v4.3'],
'S020_P007': ['Oncomine Comprehensive Assay plus',
'Oncomine Comprehensive Assay Plus'],
'S021_P007': ['Oncomine Comprehensive Assay Plus'],
'S022_P013': ['Solid Tumor Panel II(TMB/MSI)(RNA included)'],
'S024_P016': ['TS0500 ver2.2'],
'S024_P018': ['ONCOaccuPanel v4.3'],
'S025_P007': ['Oncomine Comprehensive Assay Plus'],
'S027_P007': ['Oncomine Comprehensive Assay Plus'],
'S027_P008': ['Oncomine Comprehensive Assay v3'],
'S027_P009': ['OncoPanel AMC v4.5'],
'S028_P007': ['Oncomine Comprehensive Assay Plus']}
```

	hosp_brnd_cd	HOSP_ID	SUBJ_ID	BRND_CD	BRND_NM_VER	BRND_NM_ECT_YN	BRND_NM_ECT_CMNT
563	S009_P023	S009	S009-025	P023	NaN	NaN	NaN
927	S025_P001	S025	S025-009	P001	NaN	NaN	NaN

패널 정보 – 미확보 샘플 (108)

- 패널 미확보 샘플 (108)

- 패널명 없음: 103
- 패널명 존재: 5

	HOSP_ID	SUBJ_ID	BRND_CD	BRND_NM_VER	BRND_NM_ECT_YN	BRND_NM_ECT_CMNT
51	S001	S001-099	NaN	NaN	1.0	S001-098_panel
52	S001	S001-098	NaN	NaN	1.0	S001-098_panel
65	S001	S001-022	NaN	NaN	1.0	CancerSCAN v3.1
105	S001	S001-041	NaN	NaN	1.0	S001-041_panel
112	S001	S001-033	NaN	NaN	1.0	S001-033_panel
...	...	...	...	...	...	...
931	S026	S026-005	NaN	NaN	1.0	S026-005, S026-006, S026-007_panel
932	S026	S026-007	NaN	NaN	1.0	S026-005, S026-006, S026-007_panel
982	S031	S031-023	NaN	NaN	1.0	S031-023_panel
990	S031	S031-014	NaN	NaN	1.0	FIRST-Cancer Panel v3.3
1005	S032	S032-004	NaN	NaN	1.0	S032-004_panel(AUH-SCT1?)

103 rows x 6 columns

	HOSP_ID	SUBJ_ID	BRND_CD	BRND_NM_VER	BRND_NM_ECT_YN	BRND_NM_ECT_CMNT
148	S002	S002-033	NaN	FIRST-Lung Cancer Panel v3.1	NaN	NaN
167	S002	S002-032	NaN	FIRST-Cancer Panel v3.3	NaN	NaN
169	S002	S002-029	NaN	FIRST-Cancer Panel v3.3	NaN	NaN
170	S002	S002-028	NaN	FIRST-Cancer Panel v3.3	NaN	NaN
210	S003	S003-901	NaN	CancerSCAN v3.1	NaN	NaN

- 패널명 존재 샘플 (5)

- 패널 테이블 확인 시
- 매칭 x 샘플: 4
- 매칭 o 샘플: 1 (S003-901: P034와 매칭)

idx 210: SUBJ_ID=S003-901, BRND_NM_VER='CancerSCAN v3.1' -> P034

패널 정보 - 미확보 샘플 (108)

- 패널 미확보 샘플 (103)

- 수기패널명 없음: 0
- 패널 테이블 확인 시
- 매칭 x 샘플: 100
- 매칭 o 샘플: 3 (S001-022, S007-016, S017-008)

idx 65: SUBJ_ID=S001-022, BRND_NM_ECT_CMNT='CancerSCAN v3.1' -> P034
idx 528: SUBJ_ID=S007-016, BRND_NM_ECT_CMNT='Guardant Omni Panel v1.0' -> P031
idx 799: SUBJ_ID=S017-008, BRND_NM_ECT_CMNT='Oncomine Comprehensive Assay Plus' -> P007

FIRST-Cancer Panel v4.0	31
FIRST-Cancer Panel v3.3	9
S007(OCA)_panel	7
FIRST-Lung Cancer Panel v3.3	5
FIRST-Brain Tumor Panel v3.3	5
INOCRAS WGS report	3
S019(OCA)_panel	3
S026-005, S026-006, S026-007_panel	3
FIRST-Brain Tumor Panel v3.0	3
FIRST-Cancer Panel v3.2	2
Cell-free cancer gene panel	2
S009-011, S009-013_panel	2
S001-098_panel	2
JJY999	2
GIL-ONCOaccuPanel(NGeneBio)	1
Oncomine Comprehensive Assay Plus	1
WGS	1
Guardant360	1
CancerSCAN v3.1	1
S032-004_panel(AUH-SCT1?)	1
S007(AL100_V2)_panel	1
S002-049_panel	1
FIRST-Lung Cancer Panel v3.0	1
S017-004_panel	1
FIRST-Lung Cancer Panel v3.1	1
고형암, Level 2 + RNA Fusion	1
Guardant 360	1
S001-041_panel	1
S017(OCA)_panel	1
S003-071_panel	1
S001-033_panel	1
Guardant Omni Panel v1.0	1
S010-089_panel	1
GENOME INSIGHT Whole Genome Sequencing Analysis Report	1
S003-083_panel	1
S007-019_Panel	1
FIRST-Cancer Panel v3.1	1
S031-023_panel	1
Name: BRND_NM_ECT_CMNT, dtype: int64	

패널 매칭 요약

- 패널 확보 샘플 (899)
 - 패널명 존재(658)
 - 패널명 누락(241) 중 수기패널명 존재(239), 수기패널명 누락(2)
 - 수기패널명 존재(239) 중 패널테이블 매칭(236)은 eCRF 상에서 패널명으로 이동 / 패널테이블 매칭 x (3)은 plus를 Plus로 수정 후 패널명으로 이동
 - 수기패널명 누락(2)은 패널테이블에 매칭되는 패널명을 기재
- 패널 미확보 샘플 (108)
 - 패널명 없음(103), 패널명 존재(5)
 - 패널명 존재(5) 중 패널테이블 매칭(1)은 eCRF 상에서 패널 확보로 변경 / 패널테이블 매칭 x (4)는 수기패널명으로 이동
 - 패널명 없음(103) 중 패널테이블 매칭(3)은 eCRF 상에서 패널 확보로 변경
- 변동 요약
 - 전체 샘플수: 1,007
 - 기존: 패널정보 확보 샘플: 899 / 패널정보 미확보 샘플: 108
 - 변동: 패널정보 확보 샘플: 903(+4) / 패널정보 미확보 샘플: 104(-4)