

Master Therapy Intake (Original) — Multi-school, Safety-first

Empty master intake

Instructions

For training/demo. Not diagnostic. Ratings: 0=None, 1=Mild, 2=Moderate, 3=High, 4=Extreme (unless item says otherwise).

This intake supports multiple therapy schools by capturing symptoms, functioning, risk, strengths, and preferences.

Any high risk (SI/plan/self-harm/violence/IPV) requires immediate clinician escalation and local crisis pathway.

Demographics

1. Age (years)
2. Gender identity
3. Preferred language
4. Relationship status
5. Living situation
6. Occupation / study

Presenting Problem

7. Main concern(s) in your words
8. When did this start?
9. What makes it worse?
10. What helps?
11. What would 'better' look like in 8 weeks? (goals)

Functioning

12. Work/school functioning impact (0–4)
13. Relationships/social functioning impact (0–4)
14. Self-care/ADLs impact (0–4)
15. Pleasure/interest level (0–4; reverse — higher = worse anhedonia)

Symptoms

16. Low mood (0–4)
17. Anxiety/worry (0–4)
18. Panic symptoms (0–4)
19. Irritability/anger (0–4)
20. Intrusive memories/flashbacks (0–4)
21. Avoidance of reminders (0–4)
22. Dissociation/detachment (0–4)
23. Compulsions/checking (0–4)
24. Rumination (0–4)

Sleep & Substances

25. Sleep quality (0–4; higher = worse)
26. Nightmares (0–4)
27. Alcohol use impact (0–4)
28. Drug use impact (0–4)
29. Caffeine/nicotine impact (0–4)

History

30. Previous therapy? what helped/what didn't?
31. Psychiatric medication history (if any)

- 32. Medical conditions affecting mood/anxiety (if any)
- 33. Major life events / stressors in past year

Risk & Safety

- 34. Suicidal thoughts (0–4)
- 35. Plan/intent (0–4)
- 36. Past suicide attempt(s) (0–4)
- 37. Self-harm urges/behavior (0–4)
- 38. Harm to others / violence risk (0–4)
- 39. IPV / fear/intimidation at home (0–4)

Strengths & Resources

- 40. Support system strength (0–4; higher = stronger)
- 41. Coping skills available (0–4; higher = stronger)
- 42. Motivation for change (0–4; higher = stronger)
- 43. Values/meaning clarity (0–4; higher = clearer)

Preferences

- 44. Therapy preference: CBT / DBT / ACT / Psychodynamic / Systems / Unsure
- 45. Preference: structured homework (0–4)
- 46. Comfort with mindfulness (0–4)
- 47. Any cultural/spiritual considerations?