

tp4

pom.xml

```
<project xmlns="http://maven.apache.org/POM/4.0.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
https://maven.apache.org/xsd/maven-4.0.0.xsd">
    <modelVersion>4.0.0</modelVersion>
    <parent>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-parent</artifactId>
        <version>3.5.6</version>
        <relativePath/> <!-- lookup parent from repository -->
    </parent>
    <groupId>com.iset</groupId>
    <artifactId>TP4Camunda</artifactId>
    <version>0.0.1-SNAPSHOT</version>
    <packaging>war</packaging>
    <name>TP4Camunda</name>
    <description>Demo project for Spring Boot</description>
    <url/>
    <licenses>
        <license/>
    </licenses>
    <developers>
        <developer/>
    </developers>
    <scm>
        <connection/>
        <developerConnection/>
        <tag/>
        <url/>
    </scm>
    <properties>
        <java.version>17</java.version>
    </properties>

    <dependencyManagement>
        <dependencies>
            <dependency>
                <groupId>org.springframework.boot</groupId>
                <artifactId>spring-boot-dependencies</artifactId>
                <version>3.5.6</version>
                <type>pom</type>
                <scope>import</scope>
            </dependency>

            <dependency>
                <groupId>org.camunda.bpm</groupId>
                <artifactId>camunda-bom</artifactId>
                <version>7.21.0</version>
```

```

        <scope>import</scope>
        <type>pom</type>
    </dependency>
</dependencies>
</dependencyManagement>

<dependencies>

    <dependency>
        <groupId>org.camunda.bpm.springboot</groupId>
        <artifactId>camunda-bpm-spring-boot-starter-webapp</artifactId>
    </dependency>
    <dependency>
        <groupId>com.h2database</groupId>
        <artifactId>h2</artifactId>
    </dependency>
    <dependency>
        <groupId>org.camunda.bpm</groupId>
        <artifactId>camunda-engine-plugin-connect</artifactId>
    </dependency>
    <dependency>
        <groupId>org.camunda.connect</groupId>
        <artifactId>camunda-connect-http-client</artifactId>
    </dependency>
    <dependency>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-web</artifactId>
    </dependency>
    <dependency>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-jdbc</artifactId>
    </dependency>

    <dependency>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-tomcat</artifactId>
        <scope>provided</scope>
    </dependency>
    <dependency>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-test</artifactId>
        <scope>test</scope>
    </dependency>
</dependencies>

<build>
    <plugins>
        <plugin>
            <groupId>org.springframework.boot</groupId>
            <artifactId>spring-boot-maven-plugin</artifactId>
        </plugin>
    </plugins>
</build>

```

```
</project>
```


properties

```
spring.application.name=tp4soa
spring.datasource.url=jdbc:h2:file:./camunda-h2-database
camunda.bpm.admin-user.id=demo
camunda.bpm.admin-user.password=demo
server.port=8081
```

resources/advice.bpmn

```
tp4soa C:\Users\Mariam\IdeaProjects\tp4soa
├── .idea
├── .mvn
├── src
│   ├── main
│   │   ├── java
│   │   │   └── com.iset.tp4soa
│   │   │       ├── Tp4soaApplication
│   │   └── resources
│   │       ├── static
│   │       ├── templates
│   │       ├── advice.bpmn
│   │       └── application.properties
│   └── test
└── target
```

camunda



affichage de processus

