


Data Visualization with ggplot2

Coffee, Cookie and Coding (C3)
Workshop supported by the Public
Health Data Science and Data Equity
team

Shelby Golden, M.S.

November 24th, 2025



[The Visual Display of Quantitative Information](#) 2nd Edition by Edward R. Tufte. Charles Minard's before/after bridge collapse on the Rhône 1840 (pg. 39). Accessed March 14th, 2025.



Shelby Golden, M.S.

- Worked 7 years as a Molecular Biologist and Biochemist.
- Received a Masters in Applied Computational Mathematics from Johns Hopkins University in 2024.



Today's Learning Objectives

- 01** Classify the Grammar of Graphics layers used in `ggplot` syntax (~ 15 minutes)
- 02** Applications of different geometries, effective use of layering, and polishing the result (~ 45 minutes)
- 03** Interactive plots, map projections, and leverage AI assisted coding (~ 10 minutes)



Our Choice Resources

- [R for Data Science 2e](#) by [Hadley Wickham](#), [Mine Çetinkaya-Rundel](#), and [Garrett Grolemund](#)
- [ggplot2: Elegant Graphics for Data Analysis \(3e\)](#) by [Hadley Wickham](#), [Danielle Navarro](#), and [Thomas Lin Pedersen](#)
- [ggplot2 package documentation](#) and [cheat sheets](#) by tidyverse. Specifically, the [function references](#) page
- “ggplot2 workshop” [part 1](#) and [part 2](#) by [Thomas Lin Pedersen](#)



Accessing the Codespaces

In this workshop, you'll need to access the R code prepared for the workshop discussions and challenge questions. If you haven't already, please download the latest version of **R** to your device. We also recommend using the latest version of **RStudio** as your **Integrated Development Environment (IDE)** ¹.

! Attribution and Ownership

Please note that all materials provided in this workshop, including any code added to your personal repository, belongs to DSDE. When using or referencing this material, please ensure to cite it correctly to give proper credit to the original authors.

i Settings Used in Development

Initializing the Environment

1. Download the prepared codespace, which contains a comprehensive code environment configured with the RStudio IDE for in-class discussions and challenge questions with solutions.

↓ Codespace

2. Unzipped the downloaded directory and move it to the file location you wish to house the project.

Command-Line Application

```
cd "file_path/Downloads/"      # Open the directory the file was downloaded
unzip Data-Visualization-with-ggplot2.zip  # Unzip the file.
mv Data-Visualization-with-ggplot2 /new_path/  # Move the unzipped directory to the new loc
```

Worked-Through Example

Environment Set-Up and Data Description

First, we will load the necessary libraries and any special functions used in the script.

```
# NOTE: renv initialization might need to be run twice after the repo is
#       first copied.
#renv::init()
renv::restore()

suppressPackageStartupMessages({
  library("arrow")      # For reading in the data
  library("dplyr")      # For data manipulation
  library("ggplot2")    # For creating static visualizations
  library("plotly")     # For interactive plots
  library("cowplot")    # ggplot add on for composing figures
  library("tigris")     # Imports TIGER/Line shapefiles from the Census Bureau
  library("sf")         # Handles "Special Features": spatial vector data
  library("RColorBrewer") # Load Color Brewer color palettes
  library("viridis")    # Load the Viridis color pallet
})


# Function to select "Not In"
'%!in%' <- function(x,y){('%in%'(x,y))
```

Now we will import our cleaned and tidy data, which is ready for plotting. Students who would like to find out more about how to get their data into the plottable, tabular form you will see here can explore our **A Journey into the World of tidyverse** workshop.





Welcome to the tidyverse (the abridged version)



Program

[R for Data Science \(2e\) - Introduction Figure 1](#) by Hadley Wickham, Mine Çetinkaya-Rundel, and Garrett Golemund. Accessed November 15th, 2024.



Part of the tidyverse

Core Packages

```
ggplot(data) +  
  geom_* (aes (x, y),  
          stat,  
          position) +  
  coordinates() +  
  scale_* () +  
  facet_* () +  
  theme ()
```



[Tidyverse Package Graphic](#). Accessed November 15th, 2024.




The Layered Grammar of Graphics



Yale SCHOOL OF PUBLIC HEALTH

Data Science and Data Equity




[The Visual Display of Quantitative Information](#) 2nd Edition by Edward R. Tufte. Accessed March 14th, 2025.




1. Unknown author of Planetary Orbits. 10 or 11th century (pg. 28)
2. Petrus Apianus's Map of European Cities. 1546 (pg. 22)
3. John Snow's Map Showing Cholera Deaths. 1854 (pg. 24)
4. William Playfair's Prices, Labor, Monarch's in 1821 (pg. 34)




1. Unknown author of Planetary Orbits. 10 or 11th century (pg. 28)
2. Petrus Apianus's Map of European Cities. 1546 (pg. 22)
3. John Snow's Map Showing Cholera Deaths. 1854 (pg. 24)
4. William Playfair's Prices, Labor, Monarch's in 1821 (pg. 34)




1. Unknown author of Planetary Orbits. 10 or 11th century (pg. 28)
2. Petrus Apianus's Map of European Cities. 1546 (pg. 22)
3. John Snow's Map Showing Cholera Deaths. 1854 (pg. 24)
4. William Playfair's Prices, Labor, Monarch's in 1821 (pg. 34)






1967
Principles



1983
Clarity



1999
Formalize




Yale SCHOOL OF PUBLIC HEALTH
Data Science and Data Equity

[Semiology of Graphics: Diagrams, Networks, Maps](#) by Jacques Bertin. Accessed March 2nd, 2025.

[The Visual Display of Quantitative Information](#) 2nd Edition by Edward R. Tufte. Accessed March 2nd, 2025.

[The Grammar of Graphics](#) 1st Edition by Leland Wilkinson. Accessed March 13th, 2025.



Theme
Coordinates
Facets
Scales
Statistics
Geometries
Mapping
Data




“... good grammar is just the first step to creating a good sentence.” - Hadley Wickham

- [*The Visual Display of Quantitative Information*](#) by Professor [Edward Tufte](#)
- [*Ten guidelines for effective data visualization in scientific publications*](#) by [Christa Kelleher](#) and [Thorsten Wagener](#)
- Recommendations from Professor [Wilkinson's Grammar of Graphics](#): [William Cleveland, 1985, 1995](#) and [Edward Tufte, 1990, and 1997](#)




Crafting a Graphic: A Layer-Wise Walkthrough





Region	Season	Week	Observed	MMWRweek	Level	Positives Detected	Spline	Kernel	Crude Rate
Georgia	2018-19	2018-11-10		19	18-49 Years	3	8.68	12.51	0.1
Georgia	2019-20	2020-04-04		40	Male	3	0.95	0.81	0.1
Michigan	2024-25	2024-07-27		4	Female	0	0.00	0.00	0.0
Oregon	2021-22	2021-08-07		5	American Indian or Alaska Native	0	2.49	0.00	0.0
Oregon	2019-20	2019-12-28		26	White	25	46.73	49.54	7.8
Utah	2021-22	2022-02-05		31	Hispanic or Latino	6	8.42	7.90	2.6







Mapping tells the function which variables get used for which aesthetic feature.

```
ggplot(data, aes(x, y, group)) +  
  [geom_*|stat_*](aes(color, fill, [size|linewidth],  
    [shape|linetype]))
```

```
ggplot(data = df,  
  aes(x = MMWRweek, y = Kernel))
```






Geometry functions are the engines that transform data mappings into the desired plot type.

```
ggplot() +  
  geom_* (data, aes (x, y, group), position, statistics)
```

```
df |>  
  ggplot() +  
    geom_line (aes (x = MMWRweek,  
                    y = Kernel))
```



Discussion:

We can choose to place the aesthetics and data in either `ggplot()` or the `geom_*()` layer.

Can you think of reasons why you might choose one over the other?







Statistics layers do the statistical calculations used in geometric engines. Many are interchangeable with a comparable geometry.

```
ggplot() +  
  stat_* (data, aes (x, y, group), geometry, parameters)
```

```
df |>  
  ggplot() +  
    geom_line(aes(x = MMWRweek,  
                  y = Kernel)) +  
    stat_smooth(aes(x = MMWRweek,  
                    y = `Scaled Positives`),  
                geom = "smooth",  
                method = "loess",  
                se = FALSE)
```






Scales interpret aesthetic mapping into plottable values and offer the most customization options.

```
ggplot(data, aes(x, y, group)) + [geom_*|stat_*]() +  
  scale_*(parameters)
```

```
df |>  
  ggplot(aes(x = MMWRweek, y = Kernel,  
             color = Season)) +  
    geom_line() +  
    labs(title, x, y) +  
    ylim(0, 100) +  
    scale_color_brewer(type = "qual",  
                       palette = "Dark2")
```




Discussion:

We see that associating a variable with `aes (color)` also groups by that variable.

- a) What happens if we only group the outcome?
- b) Does adding a `scale_color_* ()` help?
- c) Why do we get the result we do?







Facets divide the same plot across subgroups of a discrete variable.

```
ggplot(data, aes(x, y, group)) + [geom_*|stat_*]() +  
  facet_*(discrete_variable)
```

```
df |>  
  ggplot(aes(...)) +  
    geom_line() +  
    ...  
    facet_grid(~Level)
```







Coordinates plot the values prepared by the preceding layers in a specified coordinate system.

```
ggplot(data, aes(x, y, group)) + [geom_*|stat_*]() +  
  coord_*()
```


Cartesian




Transformed



Polar







Map



Discussion:

If we apply each option individually, do they all plot the same way? If not, what do you think is happening and how would you fix the code?






The Theme layer allows users to change non-data aspects of their plot to improve its visual appeal and styling.

```
ggplot(data, aes(x, y, group)) + [geom_*|stat_*]() +  
  theme_*()
```

```
df |>  
  ggplot(aes(...)) +  
    geom_line() +  
    ...  
    theme_linedraw()
```

RSV Infection Trends Since 2022






Overlay layers onto an existing plot to achieve more complex visualizations.

- Each layer is an independent object, enabling adaptive and functional programming.
- Data and aesthetic mappings can be inherited from `ggplot()`.

```
df |>  
  ggplot(aes(...)) +  
    geom_line() +  
    geom_point(df2)  
  ...
```



Advanced use of ggplot2




Going beyond the basics

- Community managed ["ggplot2 extensions gallery"](#)
- ["R Graph Gallery"](#) – focuses on applications with ggplot2
- Additional topics from *ggplot2: Elegant Graphics for Data Analysis* (3e): ["Chapter 5 Statistical summaries"](#), ["Chapter 7 Networks"](#), ["Chapter 8 Annotations"](#), ["Chapter 18 Programming with ggplot2"](#), and ["Chapter 20 Extending ggplot2"](#)
- ["Extending ggplot2"](#) vignette
- ["Using ggplot2 in packages"](#) vignette

Use vector data (sf) to tell `geom_sf()` where on a map the data should be filled.


```
df |>
  ggplot(aes(fill = Kernel)) +
  geom_sf() +
  ...
  coord_sf() +
  theme_map()
```

Peak 2024-25 Season RSV Infection Trends
Results Scaled and Gaussian Kernel Smoothed



plotly allows you to quickly render an HTML-based, interactive ggplot.

```
ggplotly(plot_name)
```



Yale's AI Clarity

1. Take a screenshot of one of the plots from the workshop or one of your own.
2. Then, navigate to <https://ai-chat.yale.edu/signin-oidc>
3. Upload the screenshot into the chat and ask, "Suggest R code that could make this plot in ggplot2."

Discussion:

How did the AI chatbot do?

ysph.yale.edu
sph.yale.edu/dsde

@YaleSPH

Public Health Data Science and Data Equity
Yale School of Public Health
60 College Street, New Haven, CT 06510

Yale SCHOOL OF PUBLIC HEALTH

Appendix

Glossary

Grammar of Graphics Definition for the distinct elements that make up all graphical representations of relational data in tabular form. First created by Professor Leland Wilkinson in 1999.

Layered Grammar of Graphics The modified version of Grammar of Graphics that stores each element as an independent object. These objects get added together to generate a comprehensive plot.

Layer: Data A “tidy” data frame with the necessary columns of information to generate the plot you intend.

Layer: Mapping Assigns variables in the data frame to aesthetic features on the plot (i.e. shape, color, etc.).

Glossary

Layer: Geometry Engines (composite of operations) that process the data into a defined plot type (i.e. boxplot, histogram, line, etc.).

Layer: Statistics Statistical transformations that generate a geometry. Sometimes interchangeable with `geom_*()` objects.

Layer: Scales Interpret aesthetic Mappings into plottable values (i.e. axis scaling, color scaling, etc.).

Layer: Facets Spreads out the same plot into new subplots, each showing distinct instantiations of a variable.

Glossary

Layer: Coordinates Defines the coordinate plane of the plot: i.e. Cartesian, polar, transformed, or a map projection.

Layer: Theme Controls for the non-data elements of the plot.

Map Projection Interpreting the curved surface of the earth into a flat plane for 2D plotting.

Simple Feature (SF) Standard vector data produced by the Open Geospatial Consortium (OGC) that translates projection data into plottable polygons.

References

Slide 1

1. E. Tufte, The Visual Display of Quantitative Information, Second Edition. Cheshire, CT: Graphics Press, LLC, 2001. Accessed: Mar. 13, 2025. [Online]. Available: <https://www.edwardtufte.com/book/the-visual-display-of-quantitative-information/>

Slide 4

1. Hadley Wickham et al., ggplot2: Elegant Graphics for Data Analysis. New York: Springer-Verlag, 2016. Accessed: Mar. 12, 2025. [Online]. Available: <https://ggplot2.tidyverse.org/>
2. Hadley Wickham et al., "Function references," ggplot2 Documentation. Accessed: Mar. 09, 2025. [Online]. Available: <https://ggplot2.tidyverse.org/reference/index.html>
3. D. Navarro, "Personal Website." Accessed: Mar. 20, 2025. [Online]. Available: <https://dnavarro.net/>
4. T. L. Pedersen, "ggplot2 workshop part 1," YouTube. Accessed: Mar. 12, 2025. [Online]. Available: <https://www.youtube.com/watch?v=h29g21z0a68>

References

Slide 4 continued

5. T. L. Pedersen, "ggplot2 workshop part 2," YouTube. Accessed: Mar. 12, 2025. [Online]. Available: <https://www.youtube.com/watch?v=0m4yywqNPVY>
6. T. L. Pedersen, "Personal Website." Accessed: Mar. 20, 2025. [Online]. Available: <https://thomaslinpedersen.art/>
7. Posit Contributors, Data visualization with ggplot2 :: Cheat Sheet. Springer-Verlag, 2024. Accessed: Mar. 20, 2025. [Online]. Available: <https://rstudio.github.io/cheatsheets/html/data-visualization.html>
8. H. Wickham, "Personal Website." Accessed: Nov. 17, 2024. [Online]. Available: <https://hadley.nz/>
9. H. Wickham, M. Çetinkaya-Rundel, and G. Grolemund, R for Data Science, Second. O'Reilly Media, 2023. Accessed: Mar. 12, 2025. [Online]. Available: <https://r4ds.hadley.nz/>
10. H. Wickham, D. Navarro, and T. L. Pedersen, ggplot2: Elegant Graphics for Data Analysis, Second. Springer, 2010. Accessed: Mar. 20, 2025. [Online]. Available: <https://ggplot2-book.org/>

References

Slide 4 continued

11. T. L. Pedersen, "ggplot2 workshop part 2," YouTube. Accessed: Mar. 12, 2025. [Online]. Available: <https://www.youtube.com/watch?v=0m4yywqNPVY>

Slide 7

1. "ggplot2," Wikipedia. Accessed: Mar. 13, 2025. [Online]. Available: <https://en.wikipedia.org/wiki/Ggplot2>
2. H. Wickham, M. Çetinkaya-Rundel, and G. Grolemund, R for Data Science, Second. O'Reilly Media, 2023. Accessed: Mar. 12, 2025. [Online]. Available: <https://r4ds.hadley.nz/>

Slide 8

1. Hadley Wickham et al., ggplot2: Elegant Graphics for Data Analysis. New York: Springer-Verlag, 2016. Accessed: Mar. 12, 2025. [Online]. Available: <https://ggplot2.tidyverse.org/>
2. H. Wickham, "Personal Website." Accessed: Nov. 17, 2024. [Online]. Available: <https://hadley.nz/>

References

Slide 8 continued

3. H. Wickham, "Tidyverse." Accessed: Nov. 14, 2024. [Online]. Available: <https://www.tidyverse.org/>

Slide 10

1. E. Tufte, The Visual Display of Quantitative Information, Second Edition. Cheshire, CT: Graphics Press, LLC, 2001. Accessed: Mar. 13, 2025. [Online]. Available: <https://www.edwardtufte.com/book/the-visual-display-of-quantitative-information/>

Slide 11

1. "Edward Tufte," Wikipedia. Accessed: Mar. 13, 2025. [Online]. Available: https://en.wikipedia.org/wiki/Edward_Tufte
2. "Leland Wilkinson," Wikipedia. Accessed: Mar. 14, 2025. [Online]. Available: https://en.wikipedia.org/wiki/Leland_Wilkinson

References

Slide 11 continued

3. J. Bertin, *Semiology of Graphics: Diagrams, Networks, Maps*. Esri Press, 1967. Accessed: Mar. 13, 2025. [Online]. Available: <https://www.esri.com/en-us/esri-press/browse/semiology-of-graphics-diagrams-networks-maps>
4. E. Meeks, "3rd Wave Data Visualization," Medium. Accessed: Mar. 12, 2025. [Online]. Available: <https://medium.com/nightingale/3rd-wave-data-visualization-824c5dc84967>
5. J. M. Norman, "Chomsky's Hierarchy of Syntactic Forms : History of Information." Accessed: Mar. 14, 2025. [Online]. Available: <https://www.historyofinformation.com/detail.php?id=745>
6. E. Tufte, *The Visual Display of Quantitative Information*, Second Edition. Cheshire, CT: Graphics Press, LLC, 2001. Accessed: Mar. 13, 2025. [Online]. Available: <https://www.edwardtufte.com/book/the-visual-display-of-quantitative-information/>
7. L. Wilkinson, *The Grammar of Graphics*, Springer, Jan. 1999, doi: 10.1007/0-387-28695-0.

References

Slide 12

1. "ggplot2," Wikipedia. Accessed: Mar. 13, 2025. [Online]. Available: <https://en.wikipedia.org/wiki/Ggplot2>
2. T. L. Pedersen, "ggplot2 workshop part 1," YouTube. Accessed: Mar. 12, 2025. [Online]. Available: <https://www.youtube.com/watch?v=h29g21z0a68>
3. H. Wickham, "A Layered grammar of graphics," Journal of Computational and Graphical Statistics, vol. 19, no. 1, pp. 3–28, Mar. 2010, doi: 10.1198/JCGS.2009.07098.

Slide 13

1. W. S. Cleveland and R. McGill, "Graphical perception and graphical methods for analyzing scientific data," Science, vol. 229, no. 4716, pp. 828–833, Aug. 1985, doi: 10.1126/SCIENCE.229.4716.828.
2. W. Cleveland, The Elements of Graphing Data, Second Edition., no. 814. Chicago, Illinois: Hobart Press, 1994.

References

Slide 13 continued

3. C. Kelleher and T. Wagener, "Ten guidelines for effective data visualization in scientific publications," *Environmental Modelling & Software*, vol. 26, no. 6, pp. 822–827, Jun. 2011, doi: 10.1016/J.ENVSOFT.2010.12.006.
4. E. Tufte, *Envisioning Information*. Cheshire, CT: Graphics Press, LLC, 1990. Accessed: Mar. 14, 2025. [Online]. Available: <https://www.edwardtufte.com/book/envisioning-information/>
5. E. Tufte, *Visual Explanations: Images and Quantities, Evidence and Narrative* | Edward Tufte. Cheshire, CT: Graphics Press, LLC, 1996. Accessed: Mar. 14, 2025. [Online]. Available: <https://www.edwardtufte.com/book/visual-explanations-images-and-quantities-evidence-and-narrative/>

Slide 16

1. H. Wickham et al., "Aesthetic specifications vignette," *ggplot2 Documentation*. Accessed: Mar. 22, 2025. [Online]. Available: <https://ggplot2.tidyverse.org/articles/ggplot2-specs.html>

References

Slide 24

1. J. Baglin, "Data Visualisation: From Theory to Practice." Accessed: Mar. 21, 2025. [Online]. Available: https://dark-star-161610.appspot.com/secured/_book/index.html

Slide 27

1. M. Pickens, "Learning to create custom themes in ggplot2," RPubS. Accessed: Mar. 22, 2025. [Online]. Available: <https://rpubs.com/mclaire19/ggplot2-custom-themes>

Slides 15-28

1. M. Freeman and J. Ross, "Chapter 13 The ggplot2 Library | Technical Foundations of Informatics." Accessed: Mar. 20, 2025. [Online]. Available: <https://info201.github.io/ggplot2.html>
2. Hadley Wickham et al., ggplot2: Elegant Graphics for Data Analysis. New York: Springer-Verlag, 2016. Accessed: Mar. 12, 2025. [Online]. Available: <https://ggplot2.tidyverse.org/>
3. Hadley Wickham et al., "Function references," ggplot2 Documentation. Accessed: Mar. 09, 2025. [Online]. Available: <https://ggplot2.tidyverse.org/reference/index.html>

References

Slides 15-28

4. T. L. Pedersen, “ggplot2 workshop part 1,” YouTube. Accessed: Mar. 12, 2025. [Online]. Available: <https://www.youtube.com/watch?v=h29g21z0a68>
5. Posit Contributors, Data visualization with ggplot2 :: Cheat Sheet. Springer-Verlag, 2024. Accessed: Mar. 20, 2025. [Online]. Available: <https://rstudio.github.io/cheatsheets/html/data-visualization.html>
6. H. Wickham, M. Çetinkaya-Rundel, and G. Grolemund, R for Data Science, Second. O’Reilly Media, 2023. Accessed: Mar. 12, 2025. [Online]. Available: <https://r4ds.hadley.nz/>
7. H. Wickham, D. Navarro, and T. L. Pedersen, ggplot2: Elegant Graphics for Data Analysis, Second. Springer, 2010. Accessed: Mar. 20, 2025. [Online]. Available: <https://ggplot2-book.org/>

Slide 30

1. D. Emaasit and Various, “ggplot2 extensions.” Accessed: Mar. 23, 2025. [Online]. Available: <https://exts.ggplot2.tidyverse.org/>

References

Slides 30 continued

2. H. Wickham, D. Navarro, and T. L. Pedersen, ggplot2: Elegant Graphics for Data Analysis, Second. Springer, 2010. Accessed: Mar. 20, 2025. [Online]. Available: <https://ggplot2-book.org>
3. H. Wickham et al., "Extending ggplot2 vignette," ggplot2 Documentation. Accessed: Mar. 22, 2025. [Online]. Available: <https://ggplot2.tidyverse.org/articles/extending-ggplot2.html>
4. H. Wickham et al., "Using ggplot2 in packages vignette," ggplot2 Documentation. Accessed: Mar. 23, 2025. [Online]. Available: <https://ggplot2.tidyverse.org/articles/ggplot2-in-packages.html>
5. "The R Graph Gallery." Accessed: Mar. 23, 2025. [Online]. Available: <https://r-graph-gallery.com/index.html>

Slide 31

1. U. C. Bureau, "Understanding Geographic Identifiers (GEOIDs)," Aug. 2024, Accessed: Mar. 23, 2025. [Online]. Available: <https://www.census.gov/programs-surveys/geography/guidance/geo-identifiers.html>

References

Slide 31 continued

2. U. C. Bureau, "Cartographic Boundary Files," Apr. 2024, Accessed: Mar. 23, 2025. [Online]. Available: <https://www.census.gov/geographies/mapping-files/time-series/geo/cartographic-boundary.html>
3. U. C. Bureau, "TIGER/Line Shapefiles," Oct. 2024, Accessed: Mar. 23, 2025. [Online]. Available: <https://www.census.gov/geographies/mapping-files/time-series/geo/tiger-line-file.html>
4. J. Cheng, B. Schloerke, B. Karambelkar, and Y. Xie, "Create Interactive Web Maps with the JavaScript 'Leaflet' Library," CRAN: Contributed Packages, vol. 2.2.2, Mar. 2024, doi: 10.32614/CRAN.PACKAGE.LEAFLET.
5. Office of Intergovernmental and External Affairs (IEA), "HHS Regional Offices," HHS.gov. Accessed: Mar. 23, 2025. [Online]. Available: <https://www.hhs.gov/about/agencies/iea/regional-offices/index.html>
6. US Census Bureau, "Legal/Statistical Area Description (LSAD) Codes." Accessed: Mar. 23, 2025. [Online]. Available: <https://www2.census.gov/geo/pdfs/reference/LSADCodes.pdf>

References

Slide 31 continued

7. Various, "Topologically Integrated Geographic Encoding and Referencing," Wikipedia. Accessed: Mar. 23, 2025. [Online]. Available: https://en.wikipedia.org/wiki/Topologically_Integrated_Geographic_Encoding_and_Referencing

Slide 32

1. "The R Graph Gallery - Interactive charts." Accessed: Mar. 24, 2025. [Online]. Available: <https://r-graph-gallery.com/interactive-charts.html>
2. "Plotly r graphing library in R," plotly Documentation. Accessed: Mar. 24, 2025. [Online]. Available: <https://plotly.com/r/>
3. "Plotly graphing library for ggplot2 in ggplot2," plotly Documentation. Accessed: Mar. 24, 2025. [Online]. Available: <https://plotly.com/ggplot2/>
4. "Plotly Open Source Graphing Libraries," plotly Documentation. Accessed: Mar. 24, 2025. [Online]. Available: <https://plotly.com/graphing-libraries/>

References

Only used in the “Worked Through Example.qmd”

1. C. Wilke, “Streamlined Plot Theme and Plot Annotations for ggplot2 • cowplot.” Accessed: Mar. 20, 2025. [Online]. Available: <https://wilkelab.org/cowplot/>

Data and Data Processing

1. Answered by Hong Ooi, “lm() within mutate() in group_by(),” Stack Overflow. Accessed: Mar. 17, 2025. [Online]. Available: <https://stackoverflow.com/questions/40060828/lm-within-mutate-in-group-by>
2. Center for Disease Control (CDC), “MMWR Weeks Definition”, Accessed: Mar. 14, 2025. [Online]. Available: https://ndc.services.cdc.gov/wp-content/uploads/MMWR_week_overview.pdf
3. Center for Disease Control (CDC), “RSV-NET,” cdc.gov. Accessed: Mar. 24, 2025. [Online]. Available: <https://www.cdc.gov/rsv/php/surveillance/rsv-net.html>
4. Center for Disease Control (CDC), “MMWR Weeks Definition”, Accessed: Mar. 14, 2025. [Online]. Available: https://ndc.services.cdc.gov/wp-content/uploads/MMWR_week_overview.pdf

References

Data and Data Processing continued

5. R. Zhu, "Statistical Learning and Machine Learning with R." Accessed: Mar. 17, 2025. [Online]. Available: <https://teazrq.github.io/SMLR/kernel-smoothing.html>

Glossary

1. Hadley Wickham et al., ggplot2: Elegant Graphics for Data Analysis Documentation. New York: Springer-Verlag, 2016. Accessed: Mar. 12, 2025. [Online]. Available: <https://ggplot2.tidyverse.org/>
2. Posit Contributors, Data visualization with ggplot2 :: Cheat Sheet. Springer-Verlag, 2024. Accessed: Mar. 20, 2025. [Online]. Available: <https://rstudio.github.io/cheatsheets/html/data-visualization.html>
3. H. Wickham, M. Çetinkaya-Rundel, and G. Grolemund, R for Data Science, Second. O'Reilly Media, 2023. Accessed: Mar. 12, 2025. [Online]. Available: <https://r4ds.hadley.nz/>