

HTML/PHP - Lecture 6

COEN 10

PHP - forms

★ PHP Forms

◎ Used to input data and transfer it from html to php

★ \$_GET and \$_POST variables

◎ Used to retrieve information from forms

PHP - forms

* Example

◎ When a user enters the data and clicks on the submit button, the form data is sent to "y.php"

```
<html>
<body>

<form action="y.php" method="post">
First Name: <input type="text" name="fname" />
Last Name: <input type="text" name="lname" />
<input type="submit" />
</form>

</body>
</html>
```

PHP - forms

★ "y.php"

```
<html>
<body>

<?php
    $name = $_POST["fname"] . " " . $_POST["lname"];
?>
Hello <?php echo $name ?>! <br />

</body>
</html>
```

PHP - \$_GET Function

- ★ The built-in \$_GET function
 - ◎ Used to collect values from a form sent with method="get".
- ★ Information is visible to everyone
 - ◎ Displayed in the browser's URL bar.
 - ◎ Limit: 100 characters.

PHP - \$_GET Function

- ★ Example


```
<form action="y.php" method="get">
First Name: <input type="text" name="fname" />
Last Name: <input type="text" name="lname" />
<input type="submit" />
</form>
```
- ★ When the user clicks the "submit" button
 - ◎ The URL sent to the server could be:
<http://www.cse.scu.edu/~sfigueira/10/php/y.php?fname=Joe&lname=Tip>

PHP - \$_GET Function

- ★ The "y.php" file uses the \$_GET function to collect form data
 - ◎ The names of the form fields are the keys in the \$_GET array:

```
<?php
$name = $_GET["fname"] . " " . $_GET["lname"];
?>
Hello <?php echo $name ?>! <br />
```

PHP - \$_POST Function

- ★ Used to collect values from a form sent with method="post".
- ★ Information is not visible
 - ◎ limit: 8 MB

PHP - `$_POST` Function

★ Example

```
<form action="y.php" method="post">
First Name: <input type="text" name="fname" />
Last Name: <input type="text" name="lname" />
<input type="submit" />
</form>
```

★ When the user clicks the "submit" button, the URL will look like this:

<http://www.cse.scu.edu/~sfigueira/10/php/y.php>

PHP - `$_POST` Function

★ The "y.php" file uses the `$_POST` function to collect form data

◎ The names of the form fields are the keys in the `$_POST` array

```
<?php
$name = $_POST["fname"] . " " . $_POST["lname"];
?>
Hello <?php echo $name ?>! <br />
```

PHP - `$_REQUEST` Function

★ The PHP `$_REQUEST` Function

◎ The PHP built-in `$_REQUEST` function contains the contents of `$_GET`, `$_POST`, and `$_COOKIE`.

◎ The `$_REQUEST` function is used to collect form data sent with both the GET and POST methods

★ Example

```
<?php
$name = $_REQUEST["fname"] . " " . $_REQUEST["lname"];
?>
Hello <?php echo $name ?>! <br />
```