


Lucid

AI copilot that explains every Solana transaction before you sign it

The Problem & Our Solution

Users sign Solana transactions blind, leading to drained wallets. Lucid explains every transaction in plain language before you sign.

- Wallet popups show raw bytes and hex data, not what will actually happen on-chain
- Scammers exploit this gap with drainer contracts and malicious approval requests
- Lucid simulates each transaction and uses an LLM to explain it in plain language
- A risk score flags suspicious approvals before the user signs anything



How It Works

Lucid sits between your wallet and any dApp, intercepting signature requests to simulate and explain them before approval.

- wallet-adapter hook intercepts every signature request before it reaches the wallet
- Transaction is simulated via Solana RPC (Helius) to compute balance and token changes
- Simulation results are sent to an LLM (OpenAI) which generates a plain-language summary
- Risk scoring checks the transaction against known scam programs and approval patterns
- User sees a clear what-will-happen summary with risk score before choosing to sign

Built with

Solana, React, TypeScript, Solana web3.js, wallet-adapter, Helius API, OpenAI API

Why Now & What's Next

Scam volume on Solana is rising as new users flood in, and LLMs now make real-time plain-language explanations cheap and fast.

- New Solana users are the most common targets for drainer scams and malicious approvals
- LLM APIs are now fast and cheap enough to explain transactions in real time
- Next: package as a browser extension for universal wallet coverage across dApps
- Next: expand risk database via community-reported scam contracts
- Next: explore integration with wallet providers like Phantom and Backpack

Category

AI