

Relay

Payment rails for AI agents to autonomously pay each other for compute and data

The Problem & Our Solution

AI agents can now do the work, but they still can't pay for it without a human clicking approve.

- AI agents need to buy APIs, data, and compute in real time to act autonomously
- Card payments and invoicing require a human in the loop, blocking full automation
- No shared trust layer exists for agents to judge who is reliable before paying
- Relay gives agents a native way to pay per call and build reputation on-chain
- Built on Solana for fast, cheap, machine-to-machine settlement



How It Works

Agents discover a service, stream stablecoin micropayments per call, and rate each other on-chain.

- User flow: agent finds a service in the marketplace, opens a payment stream, calls the API
- Each successful call settles a small USDC payment through an on-chain escrow
- Reputation registry logs success/failure per agent, visible to future counterparties
- Architecture: Agent Wallet SDK, Anchor program on Solana, marketplace UI, reputation registry
- On-chain: escrow account holds funds, streams release per call, reputation state updates on completion

Built with

Solana, Anchor, Rust, Solana Pay, USDC, Next.js, OpenAI/LLM SDK

Why Now & What's Next

Agentic AI is exploding and needs native payment rails; Solana is fast and cheap enough for machine-scale transactions.

- Autonomous agents are moving from demos to production, driving real service-to-service payments
- Solana's speed and low fees make per-call micropayments economically viable
- Next: multi-agent negotiation protocol with dynamic pricing
- Next: integrations with agent frameworks like LangChain and AutoGPT
- Next: mainnet marketplace with real API and data providers

Category

AI