

Statistics for Single-Case Experimental Design

Yoshitake TAKEBAYASHI

2019-11-30

Contents

1		5
2		7
2.1	SCED	7
2.2	SCED	7
3		9
3.1	VA	9
3.2	VA	9
3.3	VA	9
4		11
4.1	11
4.2	11
5		13
5.1	,	13
5.2	,	13
5.3	IRD (improve rate of difference)	13
6		15
6.1	PND (percentage of non-overlapping data)	15
6.2	PEM (percentage of data points exceeding the median)	15
6.3	PET	15
6.4	PAND	15
6.5	NAP	15
6.6	TAU, TAU-U	15
7		17
7.1	RCI	17
7.2	LOR	17
7.3	LRRd, LRRi	17
7.4	ROM	17
7.5	SMD	17
8		19
8.1	Piecewise regression 1	19
8.2	Piecewise regression 2	19
9		21
9.1	21
9.2	21
9.3	21

10		23
10.1	Tau-U	23
10.2	23

Chapter 1

```
bookdown      bookdown      CRAN Github  
install.packages("bookdown")  
# or the development version  
# devtools::install_github("rstudio/bookdown")
```


Chapter 2

2.1 SCED

2.2 SCED

Chapter 3

3.1 VA

3.2 VA

3.3 VA

Chapter 4

4.1

4.2

Chapter 5

5.1 ,

5.2 ,

5.3 IRD (improve rate of difference)

Chapter 6

6.1 PND (percentage of non-overlapping data)

6.2 PEM (percentage of data points exceeding the median)

6.3 PET

6.4 PAND

6.5 NAP

6.6 TAU, TAU-U

Chapter 7

7.1 RCI

7.2 LOR

7.3 LRRd, LRRi

7.4 ROM

7.5 SMD

Chapter 8

8.1 Piecewise regression 1

8.2 Piecewise regression 2

Chapter 9

9.1

9.2

9.3

Chapter 10

10.1 Tau-U

10.2