



やること

addファイルで、pushして動きを確認

<https://youtu.be/t7M8pHCh5Xs>

git status

```
my-app — -bash — 131x24
(base) Vytautas-MacBook-Pro:my-app vytautas$ ls
01-prepare-data.py      02-train-bert-tokenizer.py  requirements.txt
(base) Vytautas-MacBook-Pro:my-app vytautas$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  01-prepare-data.py
  02-train-bert-tokenizer.py
  requirements.txt

nothing added to commit but untracked files present (use "git add" to track)
(base) Vytautas-MacBook-Pro:my-app vytautas$
```

git add .

```
(base) Vytautas-MacBook-Pro:my-app vytautas$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  01-prepare-data.py
  02-train-bert-tokenizer.py
  requirements.txt

nothing added to commit but untracked files present (use "git add" to track)
(base) Vytautas-MacBook-Pro:my-app vytautas$ git add .
(base) Vytautas-MacBook-Pro:my-app vytautas$
```

```
nothing added to commit but untracked files present (use "git add" to track)
(base) Vytautas-MacBook-Pro:my-app vytautas$ git add .
(base) Vytautas-MacBook-Pro:my-app vytautas$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
  new file:   01-prepare-data.py
  new file:   02-train-bert-tokenizer.py
  new file:   requirements.txt
(base) Vytautas-MacBook-Pro:my-app vytautas$
```

git commit -m "my first commit on AWS CodeCommit"

```
(base) Vytatass-MacBook-Pro:my-app vytautas$ git commit -m "my first commit on AWS CodeCommit"
[master (root-commit) 5b92afd] my first commit on AWS CodeCommit
3 files changed, 62 insertions(+)
create mode 100644 01-prepare-data.py
create mode 100644 02-train-bert-tokenizer.py
create mode 100644 requirements.txt
(base) Vytatass-MacBook-Pro:my-app vytautas$
```

```
(base) Vytatass-MacBook-Pro:my-app vytautas$ git commit -m "my first commit on AWS CodeCommit"
[master (root-commit) 5b92afd] my first commit on AWS CodeCommit
3 files changed, 62 insertions(+)
create mode 100644 01-prepare-data.py
create mode 100644 02-train-bert-tokenizer.py
create mode 100644 requirements.txt
(base) Vytatass-MacBook-Pro:my-app vytautas$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 1.18 KiB | 1.18 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0
To https://git-codecommit.us-east-2.amazonaws.com/v1/repos/my-app
 * [new branch]      master -> master
(base) Vytatass-MacBook-Pro:my-app vytautas$
```

## AWS CodeCommit tutorial: your first Repo, Commit and Push

ファイル修正

```
1 openxTs
2 numpy
3 bert==2.2.0
4 bert-for-tf2==0.14.9
5 bert-tensorflow==1.0.4
6 tokenizers==0.10.3
7 transformers==4.14.1
8 torch==1.10.1
```

```
(base) Vytatass-MacBook-Pro:my-app vytautas$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   requirements.txt

no changes added to commit (use "git add" and/or "git commit -a")
(base) Vytatass-MacBook-Pro:my-app vytautas$
```

```
(base) Vytautass-MacBook-Pro:my-app vytautas$ git commit -m "modyfyng requirements.txt file"
[master d341c16] modyfyng requirements.txt file
1 file changed, 1 insertion(+)
(base) Vytautass-MacBook-Pro:my-app vytautas$
```

```
(base) Vytautass-MacBook-Pro:my-app vytautas$ git commit -m "modyfyng requirements.txt file"
[master d341c16] modyfyng requirements.txt file
1 file changed, 1 insertion(+)
(base) Vytautass-MacBook-Pro:my-app vytautas$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 318 bytes | 318.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
```

Developer Tools > CodeCommit > Repositories > my-app

## my-app

Notify master Create pull request

**my-app / requirements.txt** Info

```
1 pandas==1.3.5
2 openxl
3 numpy
4 bert==2.2.0
5 bert-for-tf2==0.14.9
6 bert-tensorflow==1.0.4
7 tokenizers==0.10.3
8 transformers==4.14.1
9 torch==1.10.1
```

Developer Tools > CodeCommit

## my-app

Commits Commit history Compare commits

コミットセクションで確認

Commits Info master

Q

Commit ID	Commit message	Commit date	Author	Actions
d341c161	modyfyng requirements.txt file	Just now	vytautas.bielinskas@ibm.com	<a href="#">Copy ID</a> <a href="#">Browse</a>
5b92e5dc	my first commit on AWS CodeCommit	3 minutes ago	vytautas.bielinskas@ibm.com	<a href="#">Copy ID</a> <a href="#">Browse</a>

## ▼ Details

Author  
vytautas.bielinskas@ibm.com  
vytautas.bielinskas@ibm.com

Commit date  
Just now

Parent commit  
[Sb92afdcca88eea281e0f571ed78714e30e55a](#)

Commit message  
modyfing requirements.txt file

< Page 1 of 1 >

[Go to file](#)

☐ Hide comments

☒ Hide whitespace changes

☒ U

変更箇所がわかる

### ▼ requirements.txt

[Browse file contents](#)

[Con](#)

1	1	pandas==1.3.5
2	2	+ dpenxls
3	3	numpy
4	4	bert==2.2.0
5	5	bert-for-tf2==0.14.9

< Page 1 of 1 >

[Go to file](#)

Comments on changes