

Working Title

YT

June 15, 2026

Abstract

Introduction
Methods
Results
Discussion
Conclusion

1 Introduction

the time of symptom onset determines access to treatment. (stroke treatment guidelines)

study showed that unknown-onset stroke is common, distinct from wake-up stroke, and associated with lower reperfusion treatment, and poorer outcomes [1].

Main Aim:

The primary aim of this study was to examine temporal and geographic variation in uncertain symptom-onset stroke among stroke patients in Norway.

2 Methods

Data from the norwegian stroke registry, statistics norway
fom 2014 - tom 2013
Flow chart

88228
Innlagt i sykehus: 4571
83657
Våknet med symptom: 14757
68900
komnr missing: 1017
67883

2.1 Statistical analysis

3 Results

Table 1: Baseline characteristics

Variable	Category	UOS (<i>n</i> = 12 870)	KOS (<i>n</i> = 55 013)	SMD
PatientAge (mean (SD))		74.61 (12.88)	74.03 (13.12)	0.045
Slagdiagnose (%)	Hjerneblødning	1882 (14.6)	8045 (14.6)	0.026
	Hjerneinfarkt	10811 (84.0)	46365 (84.3)	
Trombolyse (%)	Uspesifisert	177 (1.4)	602 (1.1)	0.736
	ja	103 (0.8)	12744 (23.2)	
	nei	12730 (98.9)	42131 (76.6)	
BoligforholdPre (%)	EB uten hsp	8987 (69.8)	40807 (74.2)	0.130
	EB med hsp	2599 (20.2)	8797 (16.0)	
	Omsorgsbolig m. døgntj.	494 (3.8)	1955 (3.6)	
	Sykehjem	652 (5.1)	3063 (5.6)	
BosituasjonPre (%)	bodde sammen med noen	5926 (46.0)	30675 (55.8)	0.208
	bodde alene	5974 (46.4)	20431 (37.1)	
	bodde i institusjon/sykehjem	524 (4.1)	1934 (3.5)	
SivilstatusPre (%)	gift/samboende	5945 (46.2)	30659 (55.7)	0.201

Continued on next page


Variable	Category	Ja ($n =$ 12 870)	Nei ($n =$ 55 013)	SMD
MRSPre (%)	enke/ enkemann	3086 (24.0)	11540 (21.0)	0.115
	enslig	3163 (24.6)	10716 (19.5)	
	Ingen symptomer	6201 (48.2)	28847 (52.4)	
	Ikke betydelig funksjonssvikt	2003 (15.6)	9031 (16.4)	
	Lett funksjonssvikt	1634 (12.7)	6002 (10.9)	
	Moderat funksjonssvikt	1216 (9.4)	4671 (8.5)	
	Alvorlig funksjonssvikt	569 (4.4)	2286 (4.2)	
	Svært alvorlig funksjonssvikt	78 (0.6)	317 (0.6)	
	ikke besvart	1169 (9.1)	3859 (7.0)	
TidlHjerneslag (%)	ja	2908 (22.6)	12269 (22.3)	0.048
	nei	9844 (76.5)	42354 (77.0)	
TidlTIA (%)	ja	1104 (8.6)	5348 (9.7)	0.064
	nei	11383 (88.4)	48360 (87.9)	
TidlHjerteinfarkt (%)	ja	1622 (12.6)	7186 (13.1)	0.034
	nei	11101 (86.3)	47232 (85.9)	
Atrieflimmer (%)	ja	3201 (24.9)	13713 (24.9)	0.028
	nei	9537 (74.1)	40728 (74.0)	
RoeykerPre (%)	aldri	4619 (35.9)	20649 (37.5)	0.091
	røyker	2643 (20.5)	9767 (17.8)	
	eks-røyker	3119 (24.2)	14574 (26.5)	
PreDiabetes (%)	ja	2742 (21.3)	9875 (18.0)	0.091
	nei	10032 (77.9)	44745 (81.3)	
Bevissthetsgrad pre (%)	våken	10976 (85.3)	46896 (85.2)	0.092
	Døsig, reagerer adekvat ved lett stimulering	837 (6.5)	4197 (7.6)	

Continued on next page

Variable	Category	Ja ($n =$ 12 870)	Nei ($n =$ 55 013)	SMD
PreASA (%)	Døsig, reagerer først ved kraftigere/gjentatt stimulering	389 (3.0)	1661 (3.0)	0.044
	Reagerer ikke, eller bare med ikke-måltrettet bevegelse	481 (3.7)	1801 (3.3)	
	ukjent	172 (1.3)	335 (0.6)	
	ja	3816 (29.7)	16969 (30.8)	
	nei	8926 (69.4)	37566 (68.3)	
PreKlopidogrel (%)	ja	767 (6.0)	3503 (6.4)	0.044
	nei	11966 (93.0)	51027 (92.8)	
PreDipyridamol (%)	ja	479 (3.7)	2409 (4.4)	0.051
	nei	12255 (95.2)	52119 (94.7)	
PreWarfarin (%)	ja	752 (5.8)	2719 (4.9)	0.058
	nei	11986 (93.1)	51834 (94.2)	
PreAndreEnnWarfarinja (%)	ja	1370 (10.6)	5964 (10.8)	0.041
	nei	11364 (88.3)	48572 (88.3)	
PreMedHoeytBT (%)	ja	7098 (55.2)	29909 (54.4)	0.047
	nei	5598 (43.5)	24493 (44.5)	
PreStatinerLipid (%)	ja	4541 (35.3)	20081 (36.5)	0.053
	nei	8166 (63.4)	34396 (62.5)	
utd_nivaa_3d (%)	0	69 (0.5)	196 (0.4)	0.079
	1	4352 (34.1)	17150 (31.4)	
	2	5966 (46.7)	25704 (47.1)	
	3	2354 (18.4)	11439 (21.0)	
	-1	23 (0.2)	72 (0.1)	

Continued on next page

Variable	Category	Ja ($n =$ 12 870)	Nei ($n =$ 55 013)	SMD
innt4d_samlet (%)	1	3449 (26.8)	13571 (24.7)	0.086
	2	3345 (26.0)	13514 (24.6)	
	3	3142 (24.4)	13628 (24.8)	
	4	2883 (22.4)	14137 (25.7)	
	9	51 (0.4)	163 (0.3)	



unadjusted







4 Discussion


This is a placeholder Discussion section added to verify the LaTeX build and editor setup. Replace this text with interpretation of results and context.

Supplementary

References

- [1] M Søyland et al. “Wake-up stroke and unknown-onset stroke; occurrence and characteristics from the nationwide Norwegian Stroke Reg-





ister”. In: *European Stroke Journal* 7.2 (2022), pp. 143–150. DOI: 10.1177/23969873221089800.

